


Final Project Kylin

I Dewa Gede Ngurah Bramasta Darmawan



Instal Kylin From Docker Image

```
docker run -d \  
--name kylin \  
--hostname kylin \  
-m 8G \  
-p 7070:7070 \  
-p 8088:8088 \  
-p 50070:50070 \  
-p 8032:8032 \  
-p 8042:8042 \  
-p 16010:16010 \  
apachekylin/apache-kylin-standalone:3.0.1
```



Run Docker Container

The screenshot shows the Docker Desktop application window. The top bar is blue with the Docker logo, 'docker desktop PERSONAL', a search bar, and system icons. Below the top bar is a notification bar. The left sidebar contains navigation options: Containers (selected), Images, Volumes, Builds, Docker Scout, and Extensions. The main area displays details for a container named 'kylin'. The container is running 'apache/kylin:apache-kylin-standalone:3.0.1' with ID 'c4a103b22ffb'. It is in a 'Running' state, having started 1 second ago. The container has 6 ports exposed: 16010, 16010, 50070, 50070, and two others. The 'Logs' tab is active, showing a series of log entries from the container's main process, which is 'util.KafkaSampleProducer:136'. The logs show messages being sent to various categories like 'TOY', 'BOOK', 'CLOTH', 'Other', and 'ELECTRONIC'.

kylin
apache/kylin:apache-kylin-standalone:3.0.1
c4a103b22ffb
16010:16010 50070:50070 Show all ports (6)

STATUS
Running (1 second ago)

Logs Inspect Bind mounts Exec Files Stats

```
er":"Male","id":"cb901bf5-d01b-a677-2de3-9aafc04882ec","first_name":"unknown","age":25}}
2024-10-14 13:20:17 2024-10-14 06:20:17,139 INFO [main] util.KafkaSampleProducer:136 : Sending 1 message: {"country":"US","amo
unt":27.079029682035948,"qty":6,"currency":"USD","order_time":1728886817139,"category":"TOY","device":"Andriod","user":{"gender
":"Female","id":"e339c388-908b-d846-a31f-99583a81991e","first_name":"unknown","age":11}}
2024-10-14 13:20:17 2024-10-14 06:20:17,149 INFO [main] util.KafkaSampleProducer:136 : Sending 1 message: {"country":"KOREA","
amount":4.542726359077609,"qty":6,"currency":"USD","order_time":1728886817149,"category":"BOOK","device":"iOS","user":{"gender
":"Male","id":"3cfba106-b2ed-7b22-eaac-1400c243225c","first_name":"unknown","age":14}}
2024-10-14 13:20:17 2024-10-14 06:20:17,160 INFO [main] util.KafkaSampleProducer:136 : Sending 1 message: {"country":"INDIA","
amount":21.424633721698516,"qty":7,"currency":"USD","order_time":1728886817160,"category":"CLOTH","device":"Windows","user":{"g
ender":"Female","id":"3daa6eff-4372-9edc-542d-9c4009e6cf43","first_name":"unknown","age":20}}
2024-10-14 13:20:17 2024-10-14 06:20:17,170 INFO [main] util.KafkaSampleProducer:136 : Sending 1 message: {"country":"Other","
amount":3.0594694563690917,"qty":1,"currency":"USD","order_time":1728886817170,"category":"TOY","device":"Other","user":{"gende
r":"Male","id":"eb8f6645-0a3d-41cc-5f2d-d7d3bb2b0f86","first_name":"unknown","age":17}}
2024-10-14 13:20:17 2024-10-14 06:20:17,181 INFO [main] util.KafkaSampleProducer:136 : Sending 1 message: {"country":"CANADA",
"amount":3.6672222312058356,"qty":3,"currency":"USD","order_time":1728886817180,"category":"TOY","device":"iOS","user":{"gender
":"Male","id":"f88a1ee9-4286-459c-5a01-82f26ffd5870","first_name":"unknown","age":25}}
2024-10-14 13:20:17 2024-10-14 06:20:17,191 INFO [main] util.KafkaSampleProducer:136 : Sending 1 message: {"country":"Other","
amount":98.32851620329862,"qty":4,"currency":"USD","order_time":1728886817191,"category":"Other","device":"Windows","user":{"ge
nder":"Male","id":"82b77cb8-a38b-90c0-8e89-60d0569da3cd","first_name":"unknown","age":23}}
2024-10-14 13:20:17 2024-10-14 06:20:17,201 INFO [main] util.KafkaSampleProducer:136 : Sending 1 message: {"country":"US","amo
unt":54.14212575178259,"qty":5,"currency":"USD","order_time":1728886817201,"category":"ELECTRONIC","device":"Other","user":{"ge
nder":"Male","id":"0a438caf-16d6-e442-4a46-a92471bb2c29","first_name":"unknown","age":15}}
```

Engine running 1.09 GB CPU 55.65% Disk -- GB avail. of -- GB BETA Terminal New version available

Open Kylin using localhost:7070



 Kylin

Help ▾ Login


Sign in

Login Issue?

Log In

Apache Kylin | Apache Kylin Community

Create New Project



The screenshot shows the Apache Kylin web interface with a 'New Project' modal dialog open. The browser address bar shows 'localhost:7070/kylin/models'. The dialog has the following fields and controls:

- Project Name:** A text input field containing 'FIF'.
- Project Description:** A text area containing 'Create Visual Of Total Price with Buyer Country Wise'.
- Project Config:** A section with a '+ Property' button.
- Buttons:** 'Close' (blue) and 'Submit' (green) buttons at the bottom right.

The background interface shows the Kylin logo, navigation tabs (Insight, Model, Monitor, System), and a sidebar with '+ New' and 'Models (0)'.



Load Database

localhost:7070/kylin/models

Insight Model Monitor System Help

Load Table Metadata From Tree


Project: FIF

Filter ...




- default
 - default.kylin_account
 - default.kylin_cal_dt
 - default.kylin_category_groupings
 - default.kylin_country
 - default.kylin_sales

☒ Calculate column cardinality

Sync Cancel



Database



Create Data Model



UTOPIQ | Kylin/docs/Tutorial/Quick play | login kylin account default - Pe | Kylin

localhost:7070/kylin/models/add

Kylin FIF Insight Model Monitor System Help Welcome, ADMIN

Model Designer

1 Model Info 2 Data Model 3 Dimensions 4 Measures 5 Settings

Model Name ⓘ * fif_model

Description

Next →

Apache Kylin | Apache Kylin Community

Edit Lookup Table

KYLIN_SALES

Inner Join

KYLIN_ACCOUNT

AS

KYLIN_ACCOUNT

☐ Skip snapshot for this lookup table. ⓘ

BUYER_ID

= ACCOUNT_ID

+ New Join Condition

Tips

1. Pick up a table joins another table that already exist.
2. Specify join relationship between two tables.
3. Join Type have to be same as will be used in query

Cancel

OK

Models (1)
fif_model

Hybrids (0)

Grid Visualization JSON

Model Designer

Model Info

Data Model

Dimensions

Measures

Settings

Fact Table

KYLIN_SALES

Join Tables

Filter ...

ID	Table Alias	Table Name	Table Kind	Join Type	Join Condition
1	KYLIN_ACCOUNT	DEFAULT.KYLIN_ACCOUNT	Normal	inner	KYLIN_SALES.BUYER_ID = KYLIN_ACCOUNT.ACCOUNT_ID
2	KYLIN_COUNTRY	DEFAULT.KYLIN_COUNTRY	Normal	inner	KYLIN_ACCOUNT.ACCOUNT_COUNTRY = KYLIN_COUNTRY.COUNTRY

← Prev

Next →

Close

Models (1)

fif_model

Hybrids (0)

Model Designer

Grid Visualization JSON

Model Info Data Model Dimensions Measures Settings

ID	Table Alias	Columns
1	KYLIN_SALES	["BUYER_ID"]
2	KYLIN_ACCOUNT	["ACCOUNT_ID","ACCOUNT_COUNTRY"]
3	KYLIN_COUNTRY	["COUNTRY"]

Prev Next

Search by name

Actions Admins

Action Action

Close

Kylin

Apache Kylin Quick Start Guide

Mk Getting Started with Apache Ka

localhost:7070/kylin/models

Kylin

FIF

Insight

Model

Monitor

System

Help

Welcome, ADMIN

Models

Data S

+ New

Models (1)

fif_model

Hybrids (0)

No Result.

Grid

Visualization

JSON

Model Designer

✓

✓

✓

4

5

Model Info

Data Model

Dimensions

Measures

Settings

ID	Column
1	KYLIN_SALES.PRICE


← Prev

Next →

Close

Apache Kylin | Apache Kylin Community

Data Model Visualization



Create Cube



ChatGPT

Multimedia Software Pitch Deck

Apache Kylin Quick Start Guide

Kylin

localhost:7070/kylin/cubes/add/

Kylin

FIF

Insight

Model

Monitor

System

Help

Welcome, ADMIN

+ New

Models (1)

fif_model

Hybrids (0)

No Result.

Cube Designer

1

2

3

4

5

6

7

Cube Info

Dimensions

Measures

Refresh Setting

Advanced Setting

Configuration Overwrites

Overview

Model Name *

fif_model

Cube Name *

fif_cube

Notification Email List

Comma Separated

Notification Events

ERROR

DISCARDED

SUCCESS

Description

Next

Apache Kylin | Apache Kylin Community

ChatGPT

Multimedia Software Pitch Dec

Apache Kylin Quick Start Guide

Kylin

localhost:7070/kylin/cubes/add/

Kylin

FIF

Insight

Model

Monitor

System

Help

Welcome, ADMIN

+ New

Models (1)

fif_model

Hybrids (0)

No Result.

Cube Designer

1

2

3

4

5

6

7

Cube Info

Dimensions

Measures

Refresh Setting

Advanced Setting

Configuration Overwrites

Overview

Add Dimensions

Filter ...

ID	Name	Table Alias	Type	Column	Actions
1	BUYER_ID	KYLIN_SALES	normal	BUYER_ID	
2	ACCOUNT_ID	KYLIN_ACCOUNT	normal	ACCOUNT_ID	
3	ACCOUNT_COUNTRY	KYLIN_ACCOUNT	normal	ACCOUNT_COUNTRY	
4	COUNTRY	KYLIN_COUNTRY	normal	COUNTRY	

Prev

Next

Apache Kylin | Apache Kylin Community



ChatGPT

Multimedia Software Pitch Dec

Apache Kylin Quick Start Guide

Kylin

localhost:7070/kylin/cubes/add/

Kylin

FIF

Insight

Model

Monitor

System

Help

Welcome, ADMIN

Models (1)

fif_model

Hybrids (0)

No Result.

Cube Info

Dimensions

Measures

Refresh Setting

Advanced Setting

Configuration Overwrites

Overview

Bulk Add Measures

Name	Expression	Parameters	Return Type	Actions
COUNT	COUNT	Value:1, Type:constant	bigint	
Total_Prcle	SUM	Value:KYLIN_SALES.PRICE, Type:column	decimal(19,4)	

+ Measure

Prev

Next

Apache Kylin | Apache Kylin Community



ChatGPT

Multimedia Software Pitch Dec

Apache Kylin Quick Start Guide

Kylin

localhost:7070/kylin/models

Kylin

FIF

Insight

Model

Monitor

System

Help

Welcome, ADMIN

Models

Data Source

+ New

Models (1)

fif_model

Hybrids (0)

No Result.

Cubes

Search by name

Name	Status	Project	Cube Size	Source Records	Last Build Time	Owner	Create Time	Actions	Admins
fif_caca	DISABLED	FIF	0 KB	0		ADMIN	2024-10-14 07:11:14 UTC	Action	Action
fif_cube	DISABLED	FIF	0 KB	0		ADMIN	2024-10-14 07:05:09 UTC	Action	Action


Total: 2

Storage: 0 KB

Apache Kylin | Apache Kylin Community



Build Cube



The screenshot displays the Apache Kylin web interface in a browser window. The address bar shows 'localhost:7070/kylin/jobs'. The interface includes a top navigation bar with tabs for 'Insight', 'Model', 'Monitor', and 'System'. The 'Monitor' tab is active, showing a list of jobs. A search bar for 'Cube Name' and filters for 'Jobs in' (LAST ONE DAY, ALL, NEW(0), PENDING(0), RUNNING(1), STOPPED(0), FINISHED(0), ERROR(0), DISCARDED(0)) are visible. A table lists jobs, with one job selected for detailed information.

Job List:

Job Name	Cube	Progress	Last Modified Time	Duration	Actions
BUILD CUBE - fif_cube - 20000101000000_20001231235500 - UTC 2024-10-14 07:12:51	fif_cube	0	2024-10-14 07:13:20 UTC	0.68 mins	Action

Total: 1

Detail Information:

Job Name	BUILD CUBE - fif_cube - 20000101000000_20001231235500 - UTC 2024-10-14 07:12:51
Job ID	ce4ede59-ec56-17e3-e8a7-bda7b18c1d45
Project Name	FIF
Status	RUNNING
Built By	4165@kylin
Duration	0.68 mins
MapReduce Waiting	0.00 mins

Start 2024-10-14 07:13:20 UTC

2024-10-14 07:13:20 UTC

#1 Step Name: Create Intermediate Flat Hive Table
Duration: 0 seconds Waiting: 0 seconds

BUILD CUBE - fif_cube3 - FULL_BUILD - UTC 2024-10-14 07:26:22

fif_cube3

100%

2024-10-14 07:29:44 UTC


3.10 mins

Action





Write Query



```
SELECT KYLIN_COUNTRY.COUNTRY,  
SUM(KYLIN_SALES.PRICE) AS  
TOTAL_PRICEFROM KYLIN_SALESJOIN  
KYLIN_ACCOUNT ON KYLIN_SALES.BUYER_ID  
= KYLIN_ACCOUNT.ACCOUNT_IDJOIN  
KYLIN_COUNTRY ON  
KYLIN_ACCOUNT.ACCOUNT_COUNTRY =  
KYLIN_COUNTRY.COUNTRYGROUP BY  
KYLIN_COUNTRY.COUNTRYORDER BY  
TOTAL_PRICE DESC;
```

Results

1 ✓ x |

Query String

Status: Success


Project: FIF

Results (7)

	COUNTRY	TOTAL_PRICE...
	GB	74052.1557
	US	72807.8659
	DE	72034.5262
	JP	70119.6708
	FR	69939.0301
	IT	69723.7780
	CN	67048.9349

Query Result Visualization





Thanks!

