SUPPLEMENTARY INFORMATION

A modest mitigation target could address rebound effects of upcycling

food waste as feed in China while safeguarding global food security

Weitong Long[1,2], Xueqin Zhu[1*], Hans-Peter Weikard[1], Oene Oenema[2,3], Yong Hou[2*]

[1]Environmental Economics and Natural Resources Group, Wageningen University, Hollandseweg 1, 6706 KN Wageningen, The Netherlands

[2]State Key Laboratory of Nutrient Use and Management, College of Resources and Environmental Science, China Agricultural University, 100193 Beijing, China

[3]Wageningen Environmental Research, 6708 PB Wageningen, The Netherlands

∗ Corresponding author at: Wageningen University, 6706 KN Wageningen, The Netherlands; China Agricultural University, 100193, Beijing, China.

E-mail addresses: xueqin.zhu@wur.nl (X. Zhu); yonghou@cau.edu.cn (Y. Hou).

Contents

Mathematically, various ways exist to represent applied general equilibrium (AGE) models, according to Ginsburgh and Keyzer [1]. To identify the optimal solution towards greater sustainability and enable the efficient allocation of resources in the economy, we used the welfare format of the AGE models for our analysis. In the supplementary information, we specified the model for our study by explicitly considering producers, consumers, production goods, consumption goods, and intermediate goods. Subsequently, we presented the calibration of our model. Finally, we provided supplementary figures and tables, along with the sectoral aggregation scheme, social accounting matrices, and emissions data for all the regions in our study.

Supplementary Methods

Objective function

The objective function "social welfare (W)" is the weighted sum of the $\log$ utility (U_i) of all consumers, according to Zhu and Van Ierland [2].

$$W = \max \sum_i \alpha_i \log U_i \qquad (1)$$

where α_i is the Negishi weight of the representative consumer in each region i (i=China and its main food and feed trading partners (MTP, including Brazil, United States, and Canada)).

Utility function

In our model, the consumer's utility depends on the consumption of rival goods. The utility function is a Cobb-Douglas (C-D) function describing the behaviour of a representative consumer (household to maximise its utility subject to budget constraints) consuming rival goods. The utility function of the consumer in region i is written as:

$$U_i = \prod_s C_{i,s}^{\beta_{i,s}} \qquad (2)$$

where consumption goods s refers to cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, sugar crops, other non-food crops, monogastric livestock, ruminant livestock, processed food, and non-food. $C_{i,s}$ is the consumption of the rival good in region i. $\beta_{i,s}$ is the elasticity of utility concerning the consumption of rival good s in region i, i.e., the expenditure share of consumption good s in consumption of rival goods in region i, and $\sum_s \beta_{i,s} = 1$.

Production function

We present the production functions of seventeen producers, namely, cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, sugar crops, other non-food crops, monogastric livestock, ruminant livestock, compound feed, cereal brans, alcoholic pulps, oil cakes, processed food, nitrogen fertiliser, phosphorus fertiliser, and non-food.

The production function of producer j in region i is specified as:

$$Y_{i,j} = A_{i,j}\left[\left(KL_{i,j}\right)^{\eta_{1i,j}}\left(LB_{i,j}\right)^{\eta_{2i,j}}\left(LD1_{i,j}\right)^{\eta_{3i,j}}\left(LD2_{i,j}\right)^{\eta_{4i,j}}\left(NFE_{i,j}\right)^{\eta_{5i,j}}\left(PFE_{i,j}\right)^{\eta_{6i,j}}\right.$$

$$\left(CER_{i,j}\right)^{\eta_{7i,j}}\left(OSD_{i,j}\right)^{\eta_{8i,j}}\left(VF_{i,j}\right)^{\eta_{9i,j}}\left(RT_{i,j}\right)^{\eta_{10i,j}}\left(SGR_{i,j}\right)^{\eta_{11i,j}}\left(OTC_{i,j}\right)^{\eta_{12i,j}}$$

$$\left.\left(COF_{i,j}\right)^{\eta_{13i,j}}\left(BRAN_{i,j}\right)^{\eta_{14i,j}}\left(PULP_{i,j}\right)^{\eta_{15i,j}}\left(CAKE_{i,j}\right)^{\eta_{16i,j}}\right]^{1-\xi_{i,j}}$$

$$[(CERW_{i,j})^{\delta_{1i,j}}(OSDW_{i,j})^{\delta_{2i,j}}(VFW_{i,j})^{\delta_{3i,j}}(RTW_{i,j})^{\delta_{4i,j}}$$

$$(BRANW_{i,j})^{\delta_{5i,j}}(PULPW_{i,j})^{\delta_{6i,j}}(CAKEW_{i,j})^{\delta_{7i,j}}]^{\xi_{i,j}}$$

(3)

where $Y_{i,j}$ is the production of sector j in region i. $A_{i,j}$ is the technological parameter of the production of sector j in region i. $KL_{i,j}$, $LB_{i,j}$, $LD1_{i,j}$ and $LD2_{i,j}$ are capital, labour, cropland, and pasture land inputs for production j in region i, respectively. $NFE_{i,j}$, $PFE_{i,j}$, $CER_{i,j}$, $OSD_{i,j}$, $VF_{i,j}$, $RT_{i,j}$, $SGR_{i,j}$, $OTC_{i,j}$, $COF_{i,j}$, $BRAN_{i,j}$, $PULP_{i,j}$, and $CAKE_{i,j}$ are nitrogen fertiliser, phosphorus fertiliser, cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, sugar crops, other non-food crops, compound feed, cereal bran, alcoholic pulp, and oil cake inputs for the production of sector j in region i, respectively. $CERW_{i,j}$, $OSDW_{i,j}$, $VFW_{i,j}$, $RTW_{i,j}$, $BRANW_{i,j}$, $PULPW_{i,j}$, and $CAKEW_{i,j}$ are food waste (i.e., cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, roots & tubers waste, cereal bran waste, alcoholic pup waste, and oil cake waste) recycling service as feed input for the production of sector j in region i, respectively. $\xi_{i,j}$ ($0<\xi_{i,j}<1$) is the cost share of food waste for the production of sector j in region i. η_f ($f=1, 2, 3, ..., 16$) is the cost share of each factor and intermediate input for production, and $\sum_{f=1}^{16} \eta_f = 1$. δ_f ($f=1, 2, 3, ..., 7$) is the cost share of each food waste input for production, and $\sum_{f=1}^{7} \delta_f = 1$.

We also add several additional constraints on the production of crops (i.e., cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, sugar crops, other non-food crops), livestock (i.e., monogastric livestock, ruminant livestock), and food processing by-products (i.e., cereal brans, alcoholic pulps, oil cakes) based on the information from the social accounting matrices (SAM) (see Appendix Tables 2-3) in the base year of 2014 for China and its trading partners.

Crops can't be produced in a 'factory-like' setting because the chemical processes within plants require specific nutrients that can't be substituted for one another. Different combinations of nutrients, such as nitrogen (N) and phosphorus (P_2O_5), lead to varying crop yields. Thus, we kept the total output of crop as a fixed ratio of nitrogen and phosphorus fertiliser inputs. In other words, the ratio of nitrogen and phosphorus fertiliser inputs for per unit of crop output remained constant across all scenarios. Since livestock productivity is directly tied to the protein and energy levels of feed, the total output of livestock is a fixed ratio of feed inputs. When substituting primary feed (i.e., human-edible feed crops and compound feed) with food waste and food processing by-products, we maintained the protein and energy feed supply for per unit of animal output in all scenarios to prevent imbalances between nutritional (protein and energy) supply and livestock requirements. Since food processing by-products are calculated based on the consumption of food products and specific technical conversion factors, we maintained a constant ratio of by-product output to the consumption of corresponding food products across all scenarios.

When emissions are outputs of the production process, the emissions intensities of greenhouse gases (GHGs) ($\varepsilon_{gg,i,j}$, kg CO_2 equivalent USD^{-1}), acidification pollutants ($\varepsilon_{ga,i,j}$, kg NH_3 equivalent USD^{-1}), and eutrophication pollutants (EP, $\varepsilon_{ge,i,j}$, kg N equivalent USD^{-1}) from producer j in region i are calculated as:

$$\varepsilon_{gg,i,j} = \frac{EM_{gg,i,j}^{+0}}{Y_{i,j}^0} \tag{4}$$

$$\varepsilon_{ga,i,j} = \frac{EM_{ga,i,j}^{+0}}{Y_{i,j}^0} \tag{5}$$

$$\varepsilon_{ge,i,j} = \frac{EM_{ge,i,j}^{+0}}{Y_{i,j}^0} \tag{6}$$

where $EM_{gg,i,j}^{+0}$ is the emissions of GHGs gg (gg=CO_2, CH_4, and N_2O emissions) from producer j in region i in the base run. $EM_{ga,i,j}^{+0}$ is the emissions of acidification pollutants ga (ga=NH_3, NO_x, and SO_2 emissions) from producer j in region i in the base run. $EM_{ge,i,j}^{+0}$ is the emissions of eutrophication pollutants ge (ge= N and P losses) from producer j in region i in the base run. $Y_{i,j}^0$ is the production of producer j in region i in the base run.

Next, the emissions in different scenarios are calculated by multiplying the current production level by corresponding emission intensities. The total emissions of GHGs, acidification and eutrophication pollutants from all producers in region i are calculated as follows:

$$EMG_{i,j}^+ = \sum_{gg} \varepsilon_{gg,i,j} * Y_{i,j} * Eqv_{gg}$$
for emissions of GHGs gg = CO_2, CH_4, and N_2O emissions

$$\tag{7}$$

$$EMA_{i,j}^+ = \sum_{ga} \varepsilon_{ga,i,j} * Y_{i,j} * Eqv_{ga}$$
for emissions of acidification pollutants ga = NH_3, NO_x, and SO_2 emissions

$$\tag{8}$$

$$EME_{i,j}^+ = \sum_{ge} \varepsilon_{ge,i,j} * Y_{i,j} * Eqv_{ge}$$
for emissions of eutrophication pollutants ge = N and P losses

$$\tag{9}$$

where $EMG_{i,j}^+$, $EMA_{i,j}^+$, and $EME_{i,j}^+$ are the total emissions of GHGs, acidification and eutrophication pollutants from producer j in region i, respectively. Eqv_{gg}, Eqv_{ga}, and Eqv_{ge} are the GWP, AP, and EP equivalent factors based on Goedkoop, et al. [3].

Balance equations

In our applied model, we consider factor inputs (i.e., capital, labour, and land) to be mobile between different sectors but immobile between China and MTP. Cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, and other non-food crops are used for direct consumption and intermediate use for monogastric livestock, ruminant livestock, compound feed, food processing by-products (i.e., cereal bran, alcoholic pulp, and oil cake), and processed food production. Food processing by-products (i.e., cereal bran, alcoholic pulp, and oil cake) and compound feed are produced for intermediate use for monogastric livestock and ruminant livestock production. Monogastric livestock, ruminant livestock, processed food, and non-food are used for direct consumption. Nitrogen fertiliser and phosphorus fertiliser are used for cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, and other non-food crops production but not for consumption. We note C for consumption, XNET for net export (exports minus imports), and Y for production. Variables with a bar stand for exogenous ones.

International trade is modelled using the assumption of perfect substitutes between domestic and imported goods, adhering to the Heckscher-Ohlin assumption [4]. With this assumption, production

will take place in countries with comparative advantages, meaning goods will be produced in the countries that can produce them most efficiently. To prevent a strong specialisation effect under free international trade, which could reduce some goods' production to zero in a certain region, we set a lower bound of 10% of the original production for each sector in our model.

The balance equations for cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, and other non-food crops in region i are as follows:

$$C_{i,cer} + CER_{i,oap} + CER_{i,ctl} + CER_{i,cof} + CER_{i,bran} + CER_{i,pulp} + CER_{i,otf} + XNET_{i,cer} \leq Y_{i,cer} \qquad (p_{i,cer})$$

$$(10)$$

$$C_{i,osd} + OSD_{i,oap} + OSD_{i,ctl} + OSD_{i,cof} + OSD_{i,cake} + OSD_{i,otf} + XNET_{i,osd} \leq Y_{i,osd} \qquad (p_{i,osd})$$

$$(11)$$

$$C_{i,vf} + VF_{i,oap} + VF_{i,ctl} + VF_{i,cof} + VF_{i,otf} + XNET_{i,vf} \leq Y_{i,vf} \qquad (p_{i,vf})$$

$$(12)$$

$$C_{i,rt} + RT_{i,oap} + RT_{i,ctl} + RT_{i,cof} + RT_{i,otf} + XNET_{i,rt} \leq Y_{i,rt} \qquad (p_{i,rt})$$

$$(13)$$

$$C_{i,sgr} + SGR_{i,oap} + SGR_{i,ctl} + SGR_{i,cof} + SGR_{i,otf} + XNET_{i,sgr} \leq Y_{i,sgr} \quad (p_{i,sgr})$$

$$(14)$$

$$C_{i,ocr} + OCR_{i,oap} + OCR_{i,ctl} + OCR_{i,cof} + OCR_{i,otf} + XNET_{i,vf} \leq Y_{i,ocr} \quad (p_{i,ocr})$$

$$(15)$$

where $CER_{i,oap}$, $CER_{i,ctl}$, $CER_{i,cof}$, $CER_{i,bran}$, $CER_{i,pulp}$, and $CER_{i,otf}$ are cereals used for monogastric livestock, ruminant livestock, compound feed, cereal bran, alcoholic pulp, and processed food production in region i, respectively. $OSD_{i,oap}$, $OSD_{i,ctl}$, $OSD_{i,cof}$, $OSD_{i,bran}$, and $OSD_{i,otf}$ are cereals used for monogastric livestock, ruminant livestock, compound feed, oil cake, and processed food production in region i, respectively. $VF_{i,oap}$, $VF_{i,ctl}$, $VF_{i,cof}$, and $VF_{i,otf}$ are vegetables & fruits used for monogastric livestock, ruminant livestock, compound feed, and processed food production in region i, respectively. $RT_{i,oap}$, $RT_{i,ctl}$, $RT_{i,cof}$, and $RT_{i,otf}$ are roots & tubers used for monogastric livestock, ruminant livestock, compound feed, and processed food production in region i, respectively. $SGR_{i,oap}$, $SGR_{i,ctl}$, $SGR_{i,cof}$, and $SGR_{i,otf}$ are sugar crops used for monogastric livestock, ruminant livestock, compound feed, and processed food production in region i, respectively. $OCR_{i,oap}$, $OCR_{i,ctl}$, $OTC_{i,cof}$, and $OTC_{i,otf}$ are other non-food crops used for monogastric livestock, ruminant livestock, compound feed, and processed food production in region i, respectively. $p_{i,cer}$, $p_{i,osd}$, $p_{i,vf}$, $p_{i,rt}$, $p_{i,sgr}$, and $p_{i,ocr}$ are the shadow prices of cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, and other non-food crops in region i, respectively.

The balance equation for food processing by-products (i.e., cereal bran, alcoholic pulp, and oil cake) in region i is as follows:

$$BRAN_{i,oap} + XNET_{i,bran} \leq Y_{i,bran} \qquad (p_{i,bran}) \qquad (16)$$

$$PULP_{i,oap} + XNET_{i,pulp} \leq Y_{i,pulp} \qquad (p_{i,pulp}) \qquad (17)$$

$$CAKE_{i,oap} + XNET_{i,cake} \leq Y_{i,cake} \qquad (p_{i,cake}) \qquad (18)$$

where $BRAN_{i,oap}$, $PULP_{i,oap}$, and $CAKE_{i,oap}$ are cereal bran, alcoholic pulp, and oil cake used for monogastric livestock production in region i, respectively. $p_{i,bran}$, $p_{i,pulp}$, and $p_{i,cake}$ are the shadow prices of cereal bran, alcoholic pulp, and oil cake in region i.

The balance equation for compound feed in region i is as follows:

$$COF_{i,oap} + COF_{i,ctl} + XNET_{i,cof} \leq Y_{i,cof} \qquad (p_{i,cof}) \qquad (19)$$

where $COF_{i,oap}$ and $COF_{i,ctl}$ are compound feed used in monogastric livestock and ruminant livestock production in region i, respectively. $p_{i,cof}$ is the shadow price of compound feed in region i.

The balance equation for monogastric livestock, ruminant livestock, processed food, and non-food in region i is as follows:

$$C_{i,j} + XNET_{i,j} \leq Y_{i,j} \qquad (p_{i,j}) \qquad (20)$$

where $p_{i,j}$ is the shadow price of good j in region i.

The balance equation for nitrogen and phosphorus fertiliser in region i is as follows:

$$NFE_{i,cer} + NFE_{i,osd} + NFE_{i,vf} + NFE_{i,rt} + NFE_{i,sgr} + NFE_{i,ocr}$$
$$+XNET_{i,nfe} \leq Y_{i,nfe} \qquad (p_{i,nfe}) \qquad (21)$$

$$PFE_{i,cer} + PFE_{i,osd} + PFE_{i,vf} + PFE_{i,rt} + PFE_{i,sgr} + PFE_{i,ocr}$$
$$+XNET_{i,pfe} \leq Y_{i,pfe} \qquad (p_{i,pfe}) \qquad (22)$$

where $NFE_{i,cer}$, $NFE_{i,osd}$, $NFE_{i,vf}$, $NFE_{i,rt}$, $NFE_{i,sgr}$ and $NFE_{i,ocr}$ are the nitrogen fertiliser used for cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, and other non-food crops production in region i, respectively. $PFE_{i,cer}$, $PFE_{i,osd}$, $PFE_{i,vf}$, $PFE_{i,rt}$, $PFE_{i,sgr}$ and $PFE_{i,ocr}$ are the phosphorus fertiliser used for cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, and other non-food crops production in region i, respectively. $p_{i,nfe}$ and $p_{i,pfe}$ are the shadow prices of nitrogen fertiliser and phosphorus fertiliser in region i, respectively.

For trade balance of all goods:

$$\sum_i XNET_{i,j} = 0 \qquad (p_j) \qquad (23)$$

In the applied model, we assume that factor endowments (i.e., capital, labour, cropland, and pasture land) are mobile between different sectors but immobile among the two regions. For the balance equations of production factor inputs:

$$\sum_j KL_{i,j} \leq \overline{KL_i} \qquad (r_i) \qquad (24)$$
$$\sum_j LB_{i,j} \leq \overline{LB_i} \qquad (w_i) \qquad (25)$$
$$\sum_j LD1_{i,j} \leq \overline{LD1_i} \qquad (k1_i)$$

for sector j = cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, and other non-food crops

$$(26)$$

$$\sum_j LD2_{i,j} \leq \overline{LD2_i} \qquad (k2_i)$$

for sector j = ruminant livestock

$$(27)$$

where $\overline{KL_i}$, $\overline{LB_i}$, $\overline{LD1_i}$ and $\overline{LD2_i}$ are the factor endowments (i.e., capital, labour, cropland, pasture land) supply in region i, respectively. r_i, w_i, $k1_i$, and $k2_i$ are the shadow prices of capital, labour, cropland, and pasture land in region i, respectively.

If an emission permit system is implemented to control the total emissions of GHGs, acidification and eutrophication pollutants from all producers, then the following relationship holds:

$$\sum_j EMG_{i,j}^+ \leq \overline{TMG_i^+} \qquad (p_{eg,i}) \qquad (28)$$

$$\sum_j EMA_{i,j}^+ \leq \overline{TMA_i^+} \qquad (p_{ea,i}) \qquad (29)$$

$$\sum_j EME_{i,j}^+ \leq \overline{TME_i^+} \qquad (p_{ee,i}) \qquad (30)$$

where TMG_i^+, TMA_i^+, and TME_i^+ are the total emissions of GHGs, acidification and eutrophication pollutants from all producers in region i, respectively. $\overline{TMG_i^+}$, $\overline{TMA_i^+}$, and $\overline{TME_i^+}$ are the permitted level of the total emissions of GHGs, acidification and eutrophication pollutants in region i, respectively. Emissions should not be above a certain level for the regeneration of the environment. For benchmarking, the permitted emission level is the total emission level in the base year. For an environmental policy study (scenarios S3-4), the permitted emission level can be an exogenous emission permit determined by the ecological limit. $p_{eg,i}$, $p_{ea,i}$, and $p_{ee,i}$ are the shadow prices of the emissions of GHGs, acidification and eutrophication pollutants in region i, respectively.

Monogastric livestock's total demand for food waste recycling service must be equal to or less than the total supply of food waste recycling service, then the following relationship holds:

$$CERW_{i,oap} \leq \overline{CERW_{i,oap}} \qquad (p_{i,cerw1}) \qquad (31)$$
$$OSDW_{i,oap} \leq \overline{OSDW_{i,oap}} \qquad (p_{i,osdw1}) \qquad (32)$$
$$VFW_{i,oap} \leq \overline{VFW_{i,oap}} \qquad (p_{i,vfw1}) \qquad (33)$$
$$RTW_{i,oap} \leq \overline{RTW_{i,oap}} \qquad (p_{i,rtw1}) \qquad (34)$$
$$BRANW_{i,oap} \leq \overline{BRANW_{i,oap}} \qquad (p_{i,branw1}) \qquad (35)$$
$$PULPW_{i,oap} \leq \overline{PULPW_{i,oap}} \qquad (p_{i,pulpw1}) \qquad (36)$$
$$CAKEW_{i,oap} \leq \overline{CAKEW_{i,oap}} \qquad (p_{i,cakew1}) \qquad (37)$$

where $\overline{CERW_{i,oap}}$, $\overline{OSDW_{i,oap}}$, $\overline{VFW_{i,oap}}$, $\overline{RTW_{i,oap}}$, $\overline{BRANW_{i,oap}}$, $\overline{PULPW_{i,oap}}$, and $\overline{CAKEW_{i,oap}}$ are the total supply of food waste (i.e., cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, roots & tubers waste, cereal bran waste, alcoholic pup waste, and oil cake waste) recycling service. $p_{i,cerw1}$, $p_{i,osdw1}$, $p_{i,vfw1}$, $p_{i,rtw1}$, $p_{i,branw1}$, $p_{i,pulpw1}$, and $p_{i,cakew1}$ are the shadow prices of food waste (i.e., cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, roots & tubers waste, cereal bran waste, alcoholic pup waste, and oil cake waste) recycling service.

Consumer's total demand for food waste collection service must be equal to or less than the total supply of food waste collection service, then the following relationship holds:

$$C_{i,cerw} \leq \overline{C_{i,cerw}} \qquad (p_{i,cerw2}) \qquad (38)$$

$$C_{i,osdw} \leq \overline{C_{i,osdw}} \qquad (p_{i,osdw2}) \qquad (39)$$

$$C_{i,vfw} \leq \overline{C_{i,vfw}} \qquad (p_{i,vfw2}) \qquad (40)$$

$$C_{i,rtw} \leq \overline{C_{i,rtw}} \qquad (p_{i,rtw2}) \qquad (41)$$

$$C_{i,branw} \leq \overline{C_{i,branw}} \qquad (p_{i,branw2}) \qquad (42)$$

$$C_{i,pulpw} \leq \overline{C_{i,pulpw}} \qquad (p_{i,pulpw2}) \qquad (43)$$

$$C_{i,cakew} \leq \overline{C_{i,cakew}} \qquad (p_{i,cakew2}) \qquad (44)$$

where $C_{i,cerw}$, $C_{i,osdw}$, $C_{i,vfw}$, $C_{i,rtw}$, $C_{i,branw}$, $C_{i,pulpw}$, and $C_{i,cakew}$ are the total supply of food waste (i.e., cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, roots & tubers waste, cereal bran waste, alcoholic pup waste, and oil cake waste) collection service. $p_{i,cerw2}$, $p_{i,osdw2}$, $p_{i,vfw2}$, $p_{i,rtw2}$, $p_{i,branw2}$, $p_{i,pulpw2}$, and $p_{i,cakew2}$ are the shadow prices of food waste (i.e., cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, roots & tubers waste, cereal bran waste, alcoholic pup waste, and oil cake waste) collection service.

Budget constraint

The budget constraint for a consumer i holds such that the expenditure must be equal to the income:

$$\sum_s(p_{i,s}C_{i,s}) + p_{i,cerw2}C_{i,cerw} + p_{i,osdw2}C_{i,osdw} + p_{i,vfw2}C_{i,vfw} + p_{i,rtw2}C_{i,rtw} +$$
$$p_{i,branw2}C_{i,branw} + p_{i,pulpw2}C_{i,pulpw} + p_{i,cakew2}C_{i,cakew} = h_i \qquad (45)$$

where consumption goods s refers to cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, sugar crops, other non-food crops, monogastric livestock, ruminant livestock, processed food, and non-food. $\sum_s(p_{i,s}C_{i,s})$ is the total expenditure on the consumption goods in region i. $p_{i,cerw2}C_{i,cerw}$, $p_{i,osdw2}C_{i,osdw}$, $p_{i,vfw2}C_{i,vfw}$, $p_{i,rtw2}C_{i,rtw}$, $p_{i,branw2}C_{i,branw}$, $p_{i,pulpw2}C_{i,pulpw}$, and $p_{i,cakew2}C_{i,cakew}$ are the payments to the food waste (i.e., cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, roots & tubers waste, cereal bran waste, alcoholic pup waste, and oil cake waste) collection service in region i. The Negishi weight (α_i) in the welfare function (equation 1) will be chosen such that the budget constraints hold for each representative consumer in region i.

Consumer's income is the sum of the remuneration of initial endowments employed in production and payments to the environmental sector. Given that food waste is either consumed by livestock as feed or consumed by consumers as a cost of collecting food waste from the municipality, we should also include income from food waste treatment. Since goods are tradable, the consumer's income should exclude the export part. Thus, the consumer's income is:

$$h_i = r_i\overline{KL_i} + w_i\overline{LB_i} + k1_i\overline{LD1_i} + k2_i\overline{LD2_i} - \sum_j(p_jXNET_{i,j}) + p_{i,cerw1}CERW_{i,oap} +$$
$$p_{i,osdw1}OSDW_{i,oap} + p_{i,vfw1}VFW_{i,oap} + p_{i,rtw1}RTW_{i,oap} + p_{i,branw1}BRANW_{i,oap} +$$
$$p_{i,pulpw1}PULPW_{i,oap} + p_{i,cakew1}CAKEW_{i,oap} + p_{i,cerw2}C_{i,cerw} + p_{i,osdw2}C_{i,osdw} +$$
$$p_{i,vfw2}C_{i,vfw} + p_{i,rtw2}C_{i,rtw} + p_{i,branw2}C_{i,branw} + p_{i,pulpw2}C_{i,pulpw} + p_{i,cakew2}C_{i,cakew} +$$
$$p_{eg,i}\overline{TMG_i^+} + p_{ea,i}\overline{TMA_i^+} + p_{ee,i}\overline{TME_i^+}$$

$$(46)$$

where $\sum_j(p_jXNET_{i,j})$ is the income from exports. $p_{i,cerw1}CERW_{i,oap}$, $p_{i,osdw1}OSDW_{i,oap}$, $p_{i,vfw1}VFW_{i,oap}$, $p_{i,rtw1}RTW_{i,oap}$, $p_{i,branw1}BRANW_{i,oap}$, $p_{i,pulpw1}PULPW_{i,oap}$, and $p_{i,cakew1}CAKEW_{i,oap}$ are the income from food waste recycling service in region i. $p_{i,cerw2}C_{i,cerw}$, $p_{i,osdw2}C_{i,osdw}$, $p_{i,vfw2}C_{i,vfw}$, $p_{i,rtw2}C_{i,rtw}$, $p_{i,branw2}C_{i,branw}$, $p_{i,pulpw2}C_{i,pulpw}$, and $p_{i,cakew2}C_{i,cakew}$ are the income from food waste collection service in

region i. $p_{eg,i}\overline{TMG_i^+}$, $p_{ea,i}\overline{TMA_i^+}$, and $p_{ee,i}\overline{TME_i^+}$ are the income from selling emission permits of GHGs, acidification and eutrophication pollutants.

The producers' profits are specified as follows:

$$PROF_{i,j} = p_j Y_{i,j} - r_i KL_{i,j} - w_i LB_{i,j} - k1_i LD1_{i,j} - k2_i LD2_{i,j} - p_{cer}CER_{i,j} - p_{osd}OSD_{i,j} - p_{vf}VF_{i,j} - p_{rt}RT_{i,j} - p_{sgr}SGR_{i,j} - p_{ocr}OCR_{i,j} - p_{cof}COF_{i,j} - p_{bran}BRAN_{i,j} - p_{pulp}PULP_{i,j} - p_{cake}CAKE_{i,j} - p_{nfe}NFE_{i,j} - p_{pfe}PFE_{i,j} - p_{i,cerw1}CERW_{i,oap} - p_{i,osdw1}OSDW_{i,oap} - p_{i,vfw1}VFW_{i,oap} - p_{i,rtw1}RTW_{i,oap} - p_{i,branw1}BRANW_{i,oap} - p_{i,pulpw1}PULPW_{i,oap} - p_{i,cakew1}CAKEW_{i,oap} - p_{eg,i}EMG_{i,j}^+ - p_{ea,i}EMA_{i,j}^+ - p_{ee,i}EME_{i,j}^+$$

(47)

Model calibration

As in the literature on AGE models, we followed the Harberger convention [5] to calibrate the model using the base year SAMs. It means that the prices of all goods and factors are set to one, and the quantities of consumption and production goods equal the monetary value of the base year SAMs [6]. We calibrate the parameters in production and utility functions based on the cost shares of inputs in total production output and expenditure shares of consumption goods in total expenditure. In order to calibrate food waste-related parameters and add food waste (i.e., cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, roots & tubers waste, cereal bran waste, alcoholic pup waste, and oil cake waste) into the SAMs (see Appendix Tables 2-3), our model treats food waste recycling service as feed input for monogastric livestock production (see equation 3), and assumes that consumer buys food waste collection service for consumption (see equation 45).

Definition of scenarios

S0 - Baseline

The baseline (S0) represents the economies of China and MTP in 2014. The total amounts of food waste and food processing by-products and their current use as animal feed and discarded biomass (i.e., landfill and incineration) for China in S0 are presented in Supplementary Tables 2. When substituting primary feed (i.e., human-edible feed crops and compound feed) with food waste and food processing by-products, we maintained the protein and energy feed supply for per unit of animal output in all scenarios to prevent imbalances between nutritional (protein and energy) supply and livestock requirements.

The cost of increasing the supply of food waste recycling service was modelled as a rising percentage of the initial cost of recycling food waste as feed (54 dollar ton[-1]), while the cost of decreasing the supply of food waste collection service was modelled as a declining percentage of the initial cost of collecting food waste for landfill and incineration (82 dollar ton[-1]). Physical quantities and prices of food waste recycling service and food waste collection service in China were presented in Supplementary Tables 3-4.

S1 - Partial use of food waste as feed

Scenario S1 investigated the environmental and economic impacts of upcycling partial food waste as feed (54% of food waste and 100% of food processing by-products allowed to be used as feed

for monogastric livestock). In S1, cross-provincial transportation of food waste was not allowed, which limits the maximum utilisation rate of food waste with high moisture content to 54% in China, according to Fang, et al. [7].

S2 - Full use of food waste as feed

Scenario S2 analysed the environmental and economic impacts of upcycling all food waste as feed (100% of food waste and 100% of food processing by-products allowed to be used as feed for monogastric livestock), taking into account economies of scale. In S2, cross-provincial transportation of food waste was allowed in S2. Economies of scale in food waste recycling were considered in S2, where a 1% increase in recycled waste resulted in only a 0.078% rise in recycling costs, indicating that increasing the amount of recycled waste might not necessarily incur additional costs, as reported by Cialani and Mortazavi [8]. This is because, initially, recycling entails high fixed costs, yet as production scales up, marginal costs decrease and stabilise.

S3 - S1 + A modest emission mitigation target

In S3, the equations below showed that the total emissions of GHGs, acidification and eutrophication pollutants from all sectors j in both China and MTP were no more than their baseline (S0) emission levels.

$$\sum_j EMG^+_{i,j} \leq \overline{TMG^+_i} \qquad (p_{eg,i}) \tag{48}$$

$$\sum_j EMA^+_{i,j} \leq \overline{TMA^+_i} \qquad (p_{ea,i}) \tag{49}$$

$$\sum_j EME^+_{i,j} \leq \overline{TME^+_i} \qquad (p_{ee,i}) \tag{50}$$

S4 - S1 + An ambitious emission mitigation target

In S4, the equations below showed that the total emissions of GHGs, acidification and eutrophication pollutants from all sectors j in both China and MTP were no more than the emission thresholds set by their annual mitigation target of Intended Nationally Determined Contributions (INDC) under the Paris Agreement [9,10] and China's "13th Five-Year Plan" [11].

$$\sum_j EMG^+_{CN,j} \leq 0.974 * \overline{TMG^+_i} \qquad (p_{eg,i}) \tag{51}$$

$$\sum_j EMG^+_{MTP,j} \leq 0.98 * \overline{TMG^+_i} \qquad (p_{eg,i}) \tag{52}$$

$$\sum_j EMA^+_{CN,j} \leq 0.975 * \overline{TMA^+_i} \qquad (p_{ea,i}) \tag{53}$$

$$\sum_j EMA^+_{MTP,j} \leq \overline{TMA^+_i} \qquad (p_{ea,i}) \tag{54}$$

$$\sum_j EME^+_{CN,j} \leq 0.98 * \overline{TME^+_i} \qquad (p_{ee,i}) \tag{55}$$

$$\sum_j EME^+_{MTP,j} \leq \overline{TME^+_i} \qquad (p_{ee,i}) \tag{56}$$

Supplementary Figures

Supplementary Fig. 1 | Shares (%) of each type of feed within the total feed use for monogastric livestock production, categorized by (a) fresh matter, (b) dry matter, (c) protein, and (d) energy in China in scenarios.

Supplementary Fig. 2 | Changes in FCR (kg kg^{-1}) and eFCR (kg kg^{-1}) for (a) monogastric livestock and (b) ruminant livestock production in China in scenarios with respect to the baseline (S0).

Supplementary Fig. 3 | Changes (%) in prices of factor inputs in China in scenarios (a) S1-3 and (b) S4 with respect to the baseline (S0). Changes (%) in prices of factor inputs in MTP in scenarios (c) S1-3 and (d) S4 with respect to the baseline (S0).

Supplementary Fig. 4 | (a) Shares (%) of each type of crop within the total cropland use in China in scenarios. (b) Changes (Tg) in crop production in China in scenarios with respect to the baseline (S0).

Supplementary Fig. 5 | Changes (million people) in sectoral employment in China in scenarios (a) S1, (c) S2, (e) S3, and (g) S4 with respect to the baseline (S0). Changes (million people) in sectoral employment in MTP in scenarios (b) S1, (d) S2, (f) S3, and (h) S4 with respect to the baseline (S0).

Supplementary Fig. 6 | Changes (%) in sectoral output (i.e., the value of production) in China in scenarios (a) S1, (c) S2, (e) S3, and (g) S4 with respect to the baseline (S0). Changes (%) in sectoral output (i.e., the value of production) in MTP in scenarios (b) S1, (d) S2, (f) S3, and (h) S4 with respect to the baseline (S0).

Supplementary Fig. 7 | Changes (billion USD) in sectoral value-added (a) in China and (b) MTP in scenarios with respect to the baseline (S0).

Supplementary Fig. 8 | Shares (%) of sectoral value-added in (a) China and (b) MTP in scenarios.

(a) Changes in GDP (billion USD) in China

- S1: -0.8
- S2: -2.6
- S3: -0.9
- S4: -2.2

(b) Changes in GDP (%) in China

- S1: -0.02%
- S2: -0.07%
- S3: -0.02%
- S4: -0.06%

(c) Changes in GDP (billion USD) in MTP

- S1: -0.003
- S2: -0.005
- S3: -0.003
- S4: -0.193

(d) Changes in GDP (%) in MTP

- S1: -0.00002%
- S2: -0.00004%
- S3: -0.00002%
- S4: -0.001%

Supplementary Fig. 9 | (a) Absolute changes (billion USD) and (b) relative changes (%) in GDP in China in scenarios with respect to the baseline (S0). (c) Absolute changes (billion USD) and (d) relative changes (%) in GDP in MTP in scenarios with respect to the baseline (S0).

Supplementary Fig. 10 | Changes (%) in (a) household welfare and (b) household expenditure in China in scenarios with respect to the baseline (S0). Changes (%) in (c) household welfare and (d) household expenditure in MTP in scenarios with respect to the baseline (S0).

Supplementary Fig. 11 | Changes in crop emissions of (a) greenhouse gases (Tg CO_2-eq), (b) acidification pollutants (Tg NH_3-eq), and (c) eutrophication pollutants (Tg N-eq) in China and MTP in scenarios with respect to the baseline (S0). Changes in livestock emissions of (d) greenhouse gases (Tg CO_2-eq), (e) acidification pollutants (Tg NH_3-eq), and (f) eutrophication pollutants (Tg N-eq) in China and MTP in scenarios with respect to the baseline (S0). Changes in non-agriculture emissions of (g) greenhouse gases (Tg CO_2-eq), (h) acidification pollutants (Tg NH_3-eq), and (i) eutrophication pollutants (Tg N-eq) in China and MTP in scenarios with respect to the baseline (S0).

Supplementary Fig. 12 | Changes (%) in sectoral prices in scenarios (a) S1-S3 and (b) S4 with respect to the baseline (S0).

Supplementary Tables

Supplementary Table 1 | Physical quantities (Tg) in fresh form for each product in China (CN) and its main food and feed trading partners (MTP) in S0.

	CN	MTP
Cereal grains [a]	521.33	595.93
Oilseeds & pulses [a]	74.04	255.65
Vegetables & fruits [a]	397.23	116.39
Roots & tubers [a]	119.82	54.76
Sugar crops [a]	133.61	792.67
Other non-food crops [a]	36.48	23.24
Monogastric livestock [a]	103.15	18.65
Ruminant livestock [a]	52.53	46.28
Compound feed [b]	102.60	103.00
Cereal bran [c]	31.05	12.01
Alcoholic pulp [c]	45.60	76.09
Oil cake [c]	86.42	84.02
Processed food [d]	593.20	580.80
Nitrogen fertiliser	39.60	13.65
Phosphorous fertiliser	17.43	3.13
Grass [e]	286.22	0.00

[a] Physical quantities of cereal grains, oilseeds & pulses, vegetables & fruits, roots & tubers, sugar crops, other non-food crops, monogastric livestock, ruminant livestock, nitrogen fertiliser, and phosphorous fertiliser were obtained from FAO [12]. Here, physical quantities of cereal grains waste, oilseeds & pulses waste, vegetables & fruits waste, and roots & tubers waste were excluded and presented in Supplementary Table 3.
[b] Compound feed production data was calculated according to the weighted averages of crops included in the compound feed at the national level.
[c] Physical quantities of cereal bran, alcoholic pulp, and oil cake were estimated from the consumption of corresponding food products and specific technical conversion factors [13].
[d] Processed food was calculated according to the weighted averages of crops included in the processed food at the national level.
[e] Grass from natural grassland was derived from Miao and Zhang [14]. Here, grass refers to grass from natural grassland where ruminant livestock is grazing for feed, and grass from remaining grassland is excluded. We do not present grass production data in MTP due to data unavailability.

Supplementary Table 2 | Utilisation rates (%) of food waste and food processing by-products in the baseline (S0) for China.

	Used as feed (%)	Discarded biomass (%) [c]
Cereals waste	39% [a]	Landfill (40%) & incineration (21%)
Vegetables & fruits waste	39% [a]	Landfill (40%) & incineration (21%)
Roots & tubers waste	39% [a]	Landfill (40%) & incineration (21%)
Oil seeds & pulses waste	39% [a]	Landfill (40%) & incineration (21%)
Cereal bran	36% [b]	Landfill (42%) & incineration (22%)
Alcoholic pulp	16% [b]	Landfill (55%) & incineration (29%)
Oil cake	72% [b]	Landfill (18%) & incineration (10%)

[a] In China, quantitative empirical data on food waste recycled as feed for monogastric livestock was not available. We infer that the practices of feeding food waste to monogastric livestock in Japan and South Korea are rather similar to those in China, following Fang, et al. [7]. Thus, we assumed that a similar proportion (39%, the mean of values in Japan and South Korea [15]) of food waste was being used as feed in China in 2014 in S0.

[b] The utilisation rates of food processing by-products recycled as feed in China in 2014 in S0 were based on Fang, et al. [7].

[c] Excluding the portion of food waste and food processing by-products recycled as feed, 66% of the remaining amount in China in 2014 was sent to landfills, while 34% was incinerated, according to Kaza, et al. [16] and Bhada-Tata and Hoornweg [17].

Supplementary Table 3 | Physical quantities (Tg) of food waste and food processing by-products and their utilisation in China in S0.

	Total in fresh form (Tg)	Total in dry matter (Tg)	Total in crude protein (Tg)	Total in energy (billion MJ)	Physical quantity in fresh form (Tg)	
					Used as feed [a]	Discarded biomass [b]
Total food waste	**226**	**54**	**7**	**690**	**88**	**138**
1) Cereal grains waste [b]	36.09	31.40	3.14	447	14.08	22.02
2) Vegetables & fruits waste [b]	175.01	17.50	2.98	183	67.76	107.25
3) Roots & tubers waste [b]	13.32	3.46	0.28	42	5.20	8.13
4) Oilseeds & pulses waste [b]	1.28	1.19	0.18	18	0.50	0.78
Total food processing by-products	**163**	**139**	**49**	**1907**	**78**	**85**
1) Cereal bran [c]	31.05	27.63	4.42	338	11.08	19.97
2) Alcoholic pulp [c]	45.60	34.20	9.23	439	6.66	38.94
3) Oil cake [c]	86.42	76.91	35.38	1130	59.8	26.59
Total	**389**	**192**	**56**	**2597**	**166**	**223**

[a] The amount of food waste used as feed corresponds to the quantity directed to the "food waste recycling service" sector. The amount of food processing by-products used as feed are not directed to the "food waste recycling service" sector; instead, these by-products with economically values are purchased directly by livestock producers in the feed market. When upcycling the discarded biomass of food waste and food processing by-products, these biomass are directed to the "food waste recycling service" sector.

[b] Discarded biomass of food waste and food processing by-products refers to the quantity collected for landfill and incineration, meaning the amount directed to the "food waste collection service" sector.

Supplementary Table 4 | Prices of food waste recycling service and food waste collection service in China. [a]

	Food waste treatment	Price [b] (dollar ton^{-1})	Weighted price [c] (dollar ton^{-1})
Food waste recycling service	Recycling waste as feed	54	54
Food waste collection service	Collection	40	82
	Landfill	31	
	Incineration	64	

[a] Food waste recycling service refers to recycling food waste as feed for monogastric livestock production, and food waste collection service means collecting food waste for landfill and incineration.

[b] The process of recycling food waste and food processing by-products as animal feed involves sorting, shredding, thermal treatment, fermentation, hydrolysis, and extrusion to create animal feed, as outlined by Alsaleh and Aleisa [18]. Collection includes pick up, transfer, and transport to final disposal site for food waste. By multiplying the quantity of food waste with the price of food waste treatment, we can calculate the value of food waste generation. The prices of food waste recycling service and food waste collection service are obtained from Alsaleh and Aleisa [18], Kaza, et al. [16] and Bhada-Tata and Hoornweg [17]. Since the value of food waste generation needs to be taken from the "wtr" demand of consumers and monogastric producers, we further checked whether or not the value of food waste generation is more than 80% of the initial demand of "wtr". If it is higher than 80% of the "wtr" demand, the value of food waste generation is scaled down.

[c] The weighted price of food waste collection service = collection price (40 \$/t) + 66%*landfill price (31\$/t)+34%*incineration price (64\$/t)=82\$/t.

Supplementary Table 5 | The economic and mass allocation of food processing main and by-products. [a]

	Main and by-products	By-product group	Economic share (%)	Mass share (%)
Cereal flour production [a]	Cereal flour	-	93%	86%
	Cereal bran	Cereal bran	7%	14%
Maize ethanol production [b]	Maize ethanol	-	83%	49%
	Distillers' grain from maize ethanol	Alcoholic pulp	17%	51%
Barley beer production [b]	Barley beer	-	98%	82%
	Brewers' grain from barley beer	Alcoholic pulp	2%	18%
Liquor production [b]	Liquor	-	97%	25%
	Distillers' grain from liquor	Alcoholic pulp	3%	75%
Vegetable oil production [c]	Soybean oil	-	44%	23%
	Soybean oil cake	Oil cake	56%	77%
	Other oil	-	66%	43%
	Other oil cake	Oil cake	34%	57%

[a] Data source: Haque, et al. [19], Mackenzie, et al. [20], Nyhan, et al. [21], and Pourmehdi and Kheiralipour [22]

Supplementary Table 6 | Estimated mean dry matter (DM, %), crude protein (CP, %), and energy (MJ kg DM⁻)contents of feed sub-groups in China (CN) and its main food and feed trading partners (MTP). [a]

	Dry matter (DM, %)		Crude protein (CP, %)		Energy (MJ kg DM^{-1})	
	CN	MTP	CN	MTP	CN	MTP
Cereal grains	89	89	11	10	18.25	18.82
Oilseeds &pulses	74	86	22	32	19.72	19.78
Vegetables &fruits	10	10	19	19	13.80	13.80
Roots &tubers	29	29	5	5	21.54	21.54
Sugar crops	69	69	16	16	19.68	19.68
Compound feed	48	70	34	23	18.61	19.36
Cereal bran	89	89	16	16	12.24	12.24
Alcoholic pulp	75	75	27	27	12.84	12.84
Oil cake	89	89	46	47	14.69	14.94
Cereal grains waste	87	-	10	-	14.25	-
Vegetables & fruits waste	10	-	17	-	10.45	-
Roots & tubers waste	26	-	8	-	12.15	-
Oilseeds & pulses waste	94	-	15	-	14.70	-
Cereal bran waste	89	-	16	-	12.24	-
Alcoholic pulp waste	75	-	27	-	12.84	-
Oil cake waste	89	-	46	-	14.69	-
Grass	27	27	12	12	11.20	11.20

[a] The values were weighted averages of feed types included in the groups at the national level. Data were sourced from the NUFER database [23], MITERRA-EUROPE database [24], NRC [25], NRC [26], NRC [27], NRC [28], and China Feed–database Information Network Centre ((http://www.chinafeeddata.org.cn/).

Supplementary References

1 Ginsburgh, V. & Keyzer, M. A. *The Structure of Applied General Equilibrium Models*.   (The MIT Press, 2002).

2 Zhu, X. & Van Ierland, E. The enlargement of the European Union: Effects on trade and emissions of greenhouse gases. *Ecological Economics* **57**, 1-14 (2006). https://doi.org/https://dx.doi.org/10.1016/j.ecolecon.2005.03.030

3 Goedkoop, M. *et al.* ReCiPe 2008: A life cycle impact assessment method which comprises harmonised category indicators at the midpoint and the endpoint level. 1-126 (2009).

4 Deardorff, A. V. The general validity of the Heckscher-Ohlin theorem. *The American Economic Review* **72**, 683-694 (1982).

5 McLure Jr, C. E. General equilibrium incidence analysis: The Harberger model after ten years. *Journal of Public Economics* **4**, 125-161 (1975).

6 Shoven, J. B. & Whalley, J. *Applying general equilibrium*.   (Cambridge university press, 1992).

7 Fang, Q. *et al.* Low-opportunity-cost feed can reduce land-use-related environmental impacts by about one-third in China. *Nature Food* (2023). https://doi.org/10.1038/s43016-023-00813-x

8 Cialani, C. & Mortazavi, R. The Cost of Urban Waste Management: An Empirical Analysis of Recycling Patterns in Italy. *Frontiers in Sustainable Cities* **2** (2020). https://doi.org/10.3389/frsc.2020.00008

9 IPCC-WGIII. Summary for policymakers (AR5). (2014).

10 UNFCC. Paris agreement. (UNFCCC (Ed.), Paris, 2015).

11 State Council of the People's Republic of China. *Notice of the State Council on Issuing the Comprehensive Work Plan for Energy Conservation and Emission Reduction during the 13th Five-Year Plan*, <https://www.gov.cn/gongbao/content/2017/content_5163448.htm> (2017).

12 FAO. <http://www.fao.org/faostat/en/#data> (2022).

13 FAO. Technical Conversion Factors for Agricultural Commodities.   (1997).

14 Miao, D. & Zhang, Y. National grassland monitoring report. (2014).

15 Zu Ermgassen, E. K., Phalan, B., Green, R. E. & Balmford, A. Reducing the land use of EU pork production: where there's swill, there's a way. *Food Policy* **58**, 35-48 (2016). https://doi.org/10.1016/j.foodpol.2015.11.001

16 Kaza, S., Yao, L., Bhada-Tata, P. & Van Woerden, F. *What a waste 2.0: a global snapshot of solid waste management to 2050*.   (World Bank Publications, 2018).

17 Bhada-Tata, P. & Hoornweg, D. A. *What a waste?: a global review of solid waste management*. (World Bank Publications, 2012).

18 Alsaleh, A. & Aleisa, E. Triple Bottom-Line Evaluation of the Production of Animal Feed from Food Waste: A Life Cycle Assessment. *Waste and Biomass Valorization* **14**, 1169-1195 (2023). https://doi.org/10.1007/s12649-022-01914-7

19 Haque, M. A., Liu, Z., Demilade, A. & Kumar, N. M. Assessing the Environmental Footprint of Distiller-Dried Grains with Soluble Diet as a Substitute for Standard Corn–Soybean for Swine Production in the United States of America. *Sustainability* **14**, 1161 (2022).

20 Mackenzie, S. G., Leinonen, I., Ferguson, N. & Kyriazakis, I. Towards a methodology to formulate sustainable diets for livestock: accounting for environmental impact in diet formulation. *British Journal of Nutrition* **115**, 1860-1874 (2016). https://doi.org/10.1017/S0007114516000763

21 Nyhan, L., Sahin, A. W., Schmitz, H. H., Siegel, J. B. & Arendt, E. K. Brewers' Spent Grain: An Unprecedented Opportunity to Develop Sustainable Plant-Based Nutrition Ingredients Addressing

Global Malnutrition Challenges. *Journal of Agricultural and Food Chemistry* **71**, 10543-10564 (2023). https://doi.org/10.1021/acs.jafc.3c02489

22 Pourmehdi, K. & Kheiralipour, K. Assessing the effects of wheat flour production on the environment. *Advances in Environmental Technology* **6**, 111-117 (2020).

23 Ma, L. *et al.* Modeling nutrient flows in the food chain of China. *J Environ Qual* **39**, 1279-1289 (2010). https://doi.org/10.2134/jeq2009.0403

24 Hou, Y. *et al.* Feed use and nitrogen excretion of livestock in EU-27. *Agriculture, Ecosystems & Environment* **218**, 232-244 (2016). https://doi.org/10.1016/j.agee.2015.11.025

25 NRC. *Nutrient Requirements of Poultry*. (National Academy Press, 1994).

26 NRC. *Nutrient Requirements of Swine*. (National Academy Press, 1998).

27 NRC. *Nutrient Requirements of Beef Cattle*. (National Academy Press, 2000).

28 NRC. *Requirements of Dairy Cattle*. (National Academy Press, 2001).

29 Sturm, V. in *14th Annual Conference on Global Economic Analysis* (Global Trade Analysis Project, 2011).

30 Bartelings, H., Kavallari, A., van Meijl, H. & Von Lampe, M. in *19th Annual Conference on Global Economic Analysis* (Global Trade Analysis Project, 2016).

31 GTAP. *GTAP version 10 Database*, <http://www.gtap.agecon.purdue.edu/> (2014).

32 Ludemann, C. I., Gruere, A., Heffer, P. & Dobermann, A. Global data on fertilizer use by crop and by country. *Scientific Data* **9**, 501 (2022). https://doi.org/10.1038/s41597-022-01592-z

33 Climate Analysis Indicators Tool (CAIT). <https://www.climatewatchdata.org/?source=cait> (2014).

34 Hong, J., Li, X. & Zhaojie, C. Life cycle assessment of four municipal solid waste management scenarios in China. *Waste Management* **30**, 2362-2369 (2010). https://doi.org/https://doi.org/10.1016/j.wasman.2010.03.038

35 Hong, J. *et al.* Intensification of municipal solid waste disposal in China. *Renewable and Sustainable Energy Reviews* **69**, 168-176 (2017). https://doi.org/https://doi.org/10.1016/j.rser.2016.11.185

36 Liu, L. *et al.* Exploring global changes in agricultural ammonia emissions and their contribution to nitrogen deposition since 1980. *Proceedings of the National Academy of Sciences* **119**, e2121998119 (2022). https://doi.org/doi:10.1073/pnas.2121998119

37 Huang, T. *et al.* Spatial and Temporal Trends in Global Emissions of Nitrogen Oxides from 1960 to 2014. *Environmental Science & Technology* **51**, 7992-8000 (2017). https://doi.org/10.1021/acs.est.7b02235

38 Dahiya, S. *et al.* Ranking the World's Sulfur Dioxide (SO2) Hotspots: 2019–2020. *Delhi Center for Research on Energy and Clean Air-Greenpeace India: Chennai, India* **48** (2020).

39 Hamilton, H. A. *et al.* Trade and the role of non-food commodities for global eutrophication. *Nature Sustainability* **1**, 314-321 (2018).

Appendix Tables

Appendix Table 1 | Sectoral aggregation scheme.

Aggregated sectors	GTAP original sectors
Cereal grains	"Paddy rice (pdr)", "Processed rice (pcr)", "Wheat (wht)", and "Cereals grains nec (gro)" sectors
Oilseeds & pulses	"Oil seeds (osd)" sector, and pulses split from the original "Vegetables& fruits (v_f)" sector
Vegetables & fruits	"Vegetables, fruits, nuts (v_f)" sector after splitting out pulses, and roots & tubers
Roots &tubers	Split from the original "Vegetables& fruits (v_f)" sector
Sugar crops	"Sugar cane & Sugar beet (c_b)" and Sugar (sgr)" sectors
Other non-food crops	"Plant-based fibers (pfb)", and "Crops nec (ocr)" sectors
Monogastric livestock	"Animal products nec (oap)" and "Meat products nec (omt)" sectors
Ruminant livestock	"Cattle, sheep, goats, horses (ctl)", "Meat: cattle, sheep, goats, horses (cmt)", "Raw milk (rmk)", "Wool, silk-worm cocoons (wol)", and "Dairy products (mil)" sectors
Compound feed [a]	Split from the original "Food products nec (ofd)" sector
Cereal bran [a]	Split from the original "Food products nec (ofd)" sector
Alcoholic pulp [a]	Distiller's grains from maize ethanol production split from the original "Food products nec (ofd)" sector; Distiller's grains from liquor production and brewer's grains from barley beer production split from the original "Beverages and Tobacco products (b_t)" sector
Oil cake [a]	Split from the original "Vegetable oils and fats (vol)" sector
Processed food [a]	"Food products nec (ofd)" sector after splitting out splitting out compound feed, cereal bran, and distiller's grains from maize ethanol production; "Beverages and Tobacco products (b_t)" sector after splitting out distiller's grains from liquor production and brewer's grains from barley beer production; Vegetable oils and fats (vol)" sector after splitting out oil cake
Nitrogen fertiliser [b]	Split from the original "Manufacture of chemicals and chemical products (chm)" sector
Phosphorous fertiliser [b]	Split from the original "Manufacture of chemicals and chemical products (chm)" sector
Food waste recycling service [c]	Split from the original "Waste and water (wtr)" sector

Aggregated sectors	GTAP original sectors
Food waste collection service [c]	Split from the original "Waste and water (wtr)" sector
Non-food	"Manufacture of chemicals and chemical products (chm)" sector after splitting out nitrogen fertiliser and phosphorous fertiliser; "Waste and water (wtr)" sector after splitting out food waste recycling service and food waste collection service; "Forestry (frs)", "Fishing (fsh)", "Coal (coa)", "Oil (oil)", "Gas (gas)", "Minerals nec (oxt)", "Petroleum, coal products (p_c)", "Electricity (ely)", "Gas manufacture, distribution (gdt)", "Textiles (tex)", "Wearing apparel (wap)", "Leather products (lea)", "Wood products (lum)", "Paper products, publishing (ppp)", "Manufacture of pharmaceuticals, medicinal chemical and botanical products (bph)", "Manufacture of rubber and plastics products (rpp)", "Mineral products nec (nmm)", "Ferrous metal (i_s)", "Metal nec (nfm)", "Metal products (fmp)", Electronic equipment (ele)", "Manufacture of electrical equipment (eeq)", "Manufacture of machinery and equipment n.e.c. (ome)", "Motor vehicles and parts (mvh)", "Transport equipment nec (otn)", "Manufactures nec (omf)", "Construction (cns)", "Wholesale and retail trade; repair of motor vehicles and motorcycles (trd)", "Accommodation, Food and service activities (afs)", "Land transport and transport via pipelines (otp)", "Warehousing and support activities (whs)", "Sea transport (wtp)", "Air transport (atp)", "Communication (cmn)", "Financial services nec (ofi)", "Insurance (ins)", "Real estate activities (rsa)", "Other Business Services nec (obs)", "Recreation & other services (ros)", "Other Services (Government) (osg)", "Education (edu)", "Human health and social work (hht)", "Dwellings: ownership of dwellings (imputed rents of houses occupied by owners) (dwe)" sectors

[a] Compound feed was split from the "Food products nec (ofd)" sector in the original GTAP database. The substance flow from "Food products nec (ofd)" to monogastric livestock and ruminant livestock was compound feed. Cereal bran and distiller's grains from maize ethanol production were taken from the newly-splitted sector of compound feed according to the shares of economic values of cereal bran and distiller's grains from maize ethanol production in the total economic value of compound feed. Economic values of cereal bran and distiller's grains from maize ethanol production were calculated by multiplying the physical quantity (in tons) and the corresponding price (dollar per ton). Distiller's grains from liquor production and brewer's grains from barley beer production were split from the "Beverages and Tobacco products (b_t)" sector in the original GTAP database. The substance flow from "Beverages and Tobacco products (b_t)" to monogastric livestock were distillers' grains from liquor production and brewers' grains from barley beer production. Oil cake was split from the "Vegetable oils and fats (vol)" sector in the original GTAP database. The substance flow from the "Vegetable oils and fats (vol)" sector to monogastric livestock was oil cake.

[b] The nitrogen and phosphorus fertilisers were taken from the original 'Manufacture of chemicals and chemical products' sector following the method of Sturm [29] and Bartelings, et al. [30].

[c] Food waste recycling service and food waste collection service were split from the "Waste and water ("wtr") sector in the original GTAP database according to the shares of economic values of food waste recycling service and food waste collection service in the total economic value of "Waste and water ("wtr") sector. The economic values of food waste recycling service and food waste collection service were calculated by multiplying the physical quantity (in tons) and the corresponding

price (dollar per ton). Since the value of food waste generation needs to be taken from the 'wtr' demand of consumers and monogastric producers, we further checked whether or not the value of food waste generation is more than 80% of the initial demand of "wtr". If it is higher than 80% of the 'wtr' demand, the value of food waste generation are scaled down.

Appendix Table 2 | The social accounting matrix in the base year of 2014 for China (million $).[a]

	cer	osd	vf	rt	sgr	ocr	oap	ctl	cof	bran	pulp	cake	otf	nfe	pfe	nf	CONS	XNET	TOT
cer	0	0	0	0	0	0	29229	9055	11363	1372	67	0	81831	0	0	0	61825	-2016	192727
osd	0	0	0	0	0	0	1002	230	8312	0	0	182	42993	0	0	0	5092	-34661	23150
vf	0	0	0	0	0	0	5685	1495	18959	0	0	0	98059	0	0	0	145756	-139	269815
rt	0	0	0	0	0	0	595	157	1986	0	0	0	10270	0	0	0	15265	-15	28259
sgr	0	0	0	0	0	0	192	515	1280	0	0	0	6619	0	0	0	24553	-903	32256
ocr	0	0	0	0	0	0	664	262	197	0	0	0	1021	0	0	0	1282	-1465	1963
oap	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	176874	-3205	173669
ctl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	63546	-484	63062
cof	0	0	0	0	0	0	45882	7458	0	0	0	0	0	0	0	0	0	854	54194
bran	0	0	0	0	0	0	3371	0	0	0	0	0	0	0	0	0	0	27	3398
pulp	0	0	0	0	0	0	800	0	0	0	0	0	0	0	0	0	0	-398	402
cake	0	0	0	0	0	0	215	0	0	0	0	0	0	0	0	0	0	-10	205
otf	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	432109	714	432823
nfe	7396	521	3479	471	313	621	0	0	0	0	0	0	0	0	0	0	0	-78	12721
pfe	2412	211	1542	169	83	163	0	0	0	0	0	0	0	0	0	0	0	-28	4551
nf	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2563284	354672	2917956
LAD1	53323	7694	80962	8445	9849	396	0	0	0	0	0	0	0	0	0	0	-160670	0	0
LAD2	0	0	0	0	0	0	0	10240	0	0	0	0	0	0	0	0	-10240	0	0
LAB	94995	11819	148120	15450	17556	631	62255	24592	6707	959	155	8	89845	4413	1579	1542959	-2022044	0	0
CAP	34602	2905	35711	3725	4455	151	23777	9057	5390	1067	180	15	102185	8308	2972	1374997	-1609499	0	0
TRA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	312868	-312868	
TOT	192727	23150	269815	28259	32256	1963	173669	63062	54194	3398	402	205	432823	12721	4551	2917956			
cerw	0	0	0	0	0	0	754	0	0	0	0	0	0	0	0	0	1808		
vfw	0	0	0	0	0	0	3631	0	0	0	0	0	0	0	0	0	8806		

	cer	osd	vf	rt	sgr	ocr	oap	ctl	cof	bran	pulp	cake	otf	nfe	pfe	nf	CONS	XNET	TOT
rtw	0	0	0	0	0	0	278	0	0	0	0	0	0	0	0	0	667		
osdw	0	0	0	0	0	0	27	0	0	0	0	0	0	0	0	0	64		
branw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1639		
pulpw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3197		
cakew	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2184		

[a] Data source: GTAP [31]. cer=cereal grains. osd=oilseeds & pulses. vf=vegetables & fruits. rt= roots & tubers. sgr=sugar crops. ocr=other non-food crops. oap=monogastric livestock. ctl=ruminant livestock. cof=compound feed. bran=cereal bran. pulp=alcoholic pulp. cake=oil cake. otf=processed food. nfe=nitrogen fertiliser. pfe=phosphorous fertiliser. nf=non-food. CONS=consumption. XNET=net export. TOT=total. LAD1=cropland. LAD2=pasture land. LAB=labour. CAP=capital. TRA=trade. cerw=cereal grains waste. osdw= oilseeds & pulses waste. vfw=vegetables & fruits waste. rtw= roots & tubers waste. branw=cereal bran waste. pulpw=alcoholic pulp waste. cakew=oil cake waste.

Appendix Table 3 | The social accounting matrix in the base year of 2014 for China's main food and feed trading partners (MTP) (million $).[a]

	cer	osd	vf	rt	sgr	ocr	oap	ctl	cof	bran	pulp	cake	otf	nfe	pfe	nf	CONS	XNET	TOT
cer	0	0	0	0	0	0	3794	34288	4450	1023	414	0	32927	0	0	0	16597	2016	95511
osd	0	0	0	0	0	0	69	301	3307	0	0	2009	17059	0	0	0	1938	34661	59344
vf	0	0	0	0	0	0	354	1110	8351	0	0	0	43966	0	0	0	50755	139	104675
rt	0	0	0	0	0	0	37	116	875	0	0	0	4605	0	0	0	5316	15	10963
sgr	0	0	0	0	0	0	58	1037	1598	0	0	0	7759	0	0	0	16038	903	27392
ocr	0	0	0	0	0	0	130	413	943	0	0	0	4929	0	0	0	13124	1465	21003
oap	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	97851	3205	101056
ctl	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	214439	484	214923
cof	0	0	0	0	0	0	30067	32726	0	0	0	0	0	0	0	0	0	-854	61939
bran	0	0	0	0	0	0	4229	0	0	0	0	0	0	0	0	0	0	-27	4203
pulp	0	0	0	0	0	0	4967	0	0	0	0	0	0	0	0	0	0	398	5365
cake	0	0	0	0	0	0	2383	0	0	0	0	0	0	0	0	0	0	10	2393
otf	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	514821	-714	514107
nfe	2528	940	131	38	255	685	0	0	0	0	0	0	0	0	0	0	0	78	4655
pfe	1547	1164	87	47	92	231	0	0	0	0	0	0	0	0	0	0	0	28	3195
nf	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	13050326	-354672	12695654
LAD1	22886	13940	25013	2605	2260	5474	0	0	0	0	0	0	0	0	0	0	-72178	0	0
LAD2	0	0	0	0	0	0	0	15132	0	0	0	0	0	0	0	0	-15132	0	0
LAB	31115	17269	34446	3585	14182	5957	35369	71060	23869	1730	2795	231	203920	2038	1461	8550058	-8999086	0	0
CAP	37435	26030	44998	4688	10603	8655	19600	58739	18547	1450	2155	153	198941	2618	1734	4145596	-4581943	0	0
TRA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-312868	312868	
TOT	0	0	0	0	0	0	3794	34288	4450	1023	414	0	32927	0	0	0	16597	2016	95511
cerw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
vfw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

	cer	osd	vf	rt	sgr	ocr	oap	ctl	cof	bran	pulp	cake	otf	nfe	pfe	nf	CONS	XNET	TOT
rtw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
osdw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
branw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
pulpw	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
cakew	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		

[a] Data source: GTAP [31]. cer=cereal grains. osd=oilseeds & pulses. vf=vegetables & fruits. rt= roots & tubers. sgr=sugar crops. ocr=other non-food crops. oap=monogastric livestock. ctl=ruminant livestock. cof=compound feed. bran=cereal bran. pulp=alcoholic pulp. cake=oil cake. otf=processed food. nfe=nitrogen fertiliser. pfe=phosphorous fertiliser. nf=non-food. CONS=consumption. XNET=net export. TOT=total. LAD1=cropland. LAD2=pasture land. LAB=labour. CAP=capital. TRA=trade. cerw=cereal grains waste. osdw= oilseeds & pulses waste. vfw=vegetables & fruits waste. rtw= roots & tubers waste. branw=cereal bran waste. pulpw=alcoholic pulp waste. cakew=oil cake waste.

Appendix Table 4 | Emissions sources of greenhouse gases, acidification pollutants, and eutrophication pollutants across various sectors of the model. [a]

Sectors	Emissions of greenhouse gases (Tg CO_2 equivalents)	Emissions of acidification pollutants (Tg NH_3 equivalents)	Eutrophication pollutants (Tg N equivalents)
Crop	• Rice methane (CH_4) • Synthetic fertiliser and manure application (N_2O)	• Synthetic fertiliser and manure application (NH_3)	• Synthetic fertiliser and manure application (N and P losses)
Livestock	• Enteric fermentation (CH_4) • Manure management (CH_4 and N_2O) • Manure grassland (N_2O)	• Manure management (NH_3) • Manure grassland (NH_3)	• Manure management (N and P losses) • Manure grassland (N and P losses)
Non-agriculture	• Energy use (CO_2, CH_4, and N_2O)	• Energy use (NH_3, NO_x and SO_2)	• Energy use (N and P losses)

[a] Emissions from the production of N and P fertilisers were attributed to the respective fertiliser sector, while emissions from the application of these fertilisers were assigned to the crop sectors to prevent double counting. Data on N and P fertiliser use by crop types and countries were derived from Ludemann, et al. [32]. Manure data by animals were derived from FAO [12]. Allocation of manure for each crop was assumed to be consistent with the allocation of N fertiliser for each crop.

Appendix Table 5 | Total emissions of greenhouse gases (Tg CO_2 equivalents) in China (CN) and its main food and feed trading partners (MTP).[a]

	CN		MTP	
	Total	Total (%)	Total	Total (%)
Cereal grains	276.61	2.35	118.98	1.49
Oilseeds & pulses	8.33	0.07	9.88	0.12
Vegetables &fruits	54.88	0.04	3.34	0.08
Roots &tubers	7.46	0.47	0.82	0.04
Sugar crops	4.58	0.06	6.33	0.01
Other non-food crops	15.55	0.13	20.73	0.26
Monogastric livestock	79.37	0.68	63.77	0.80
Ruminant livestock	245.04	2.09	700.30	8.77
Compound feed	25.39	0.22	16.03	0.20
Cereal bran	0.00752	0.00006	0.00288	0.00004
Alcoholic pulp	0.0001148	0.0000010	0.0000318	0.0000004
Oil cake	0.01580	0.00013	0.01422	0.00018
Processed food	204.54	1.74	130.82	1.64
Nitrogen fertiliser	324.09	2.76	80.29	1.01
Phosphorus fertiliser	24.53	0.21	9.06	0.11
Non-food	10238.21	87.16	6825.11	85.47
Food waste recycling service	16.37	0.14	0.00	0.00
Food waste collection service	221.98	1.89	0.00	0.00
Total	11747	100.00	7985	100.00

[a] Data source: Climate Analysis Indicators Tool (CAIT) [33]. Emissions of food processing by-products (i.e., cereal bran, alcoholic pulp, oil cake) were derived from Mackenzie, et al. [20]. Emissions of food waste recycling service and food waste collection service were obtained from Alsaleh and Aleisa [18], Hong, et al. [34], and Hong, et al. [35]

Appendix Table 6 | Total emissions of acidification pollutants (Tg NH$_3$ equivalents) in China (CN) and its main food and feed trading partners (MTP).[a]

	CN		MTP	
	Total	Total (%)	Total	Total (%)
Cereal grains	3.94	11.71	0.94	6.77
Oilseeds & pulses	0.29	0.86	0.15	1.08
Vegetables & fruits	1.89	0.47	0.05	0.62
Roots & tubers	0.26	5.63	0.01	0.38
Sugar crops	0.16	0.77	0.09	0.10
Other non-food crops	0.54	1.60	0.34	2.47
Monogastric livestock	5.22	15.53	2.88	20.70
Ruminant livestock	2.21	6.58	1.05	7.56
Compound feed	0.04	0.13	0.02	0.13
Cereal bran	0.000328	0.0010	0.000126	0.0009
Alcoholic pulp	0.00000067	0.0000020	0.00000019	0.0000013
Oil cake	0.00080	0.0024	0.00073	0.0052
Processed food	0.35	1.05	0.16	1.11
Nitrogen fertiliser	0.0009	0.003	0.0035	0.025
Phosphorus fertiliser	0.0007	0.002	0.0029	0.021
Non-food	18.10	53.83	8.21	59.03
Food waste recycling service	0.06	0.18	0.00	0.00
Food waste collection service	0.56	1.66	0.00	0.00
Total	33.61	100.00	13.92	100.00

[a] Data source: Liu, et al. [36], Huang, et al. [37], and Dahiya, et al. [38]. Emissions of food processing by-products (i.e., cereal bran, alcoholic pulp, oil cake) were derived from Mackenzie, et al. [20]. Emissions of food waste recycling service and food waste collection service were obtained from Alsaleh and Aleisa [18], Hong, et al. [34], and Hong, et al. [35]

Appendix Table 7 | Total emissions of eutrophication pollutants (Tg N equivalents) in China (CN) and its main food and feed trading partners (MTP).[a]

	CN		MTP	
	Total	Total (%)	Total	Total (%)
Cereal grains	1.04	10.47	0.06	1.15
Oilseeds & pulses	0.15	1.48	0.05	0.93
Vegetables & fruits	0.88	0.20	0.04	0.12
Roots & tubers	0.12	8.84	0.01	0.69
Sugar crops	0.02	1.20	0.01	0.21
Other non-food crops	0.01	0.11	0.01	0.24
Monogastric livestock	0.58	5.89	0.38	6.79
Ruminant livestock	1.63	16.46	2.02	35.96
Compound feed	0.17	1.70	0.07	1.21
Cereal bran	0.0000147	0.0001	0.0000056	0.0001
Alcoholic pulp	0.00000029	0.0000030	0.00000008	0.0000015
Oil cake	0.000037	0.0004	0.000034	0.0006
Processed food	1.35	13.66	0.56	9.95
Nitrogen fertiliser	0.0002	0.002	0.0007	0.012
Phosphorus fertiliser	0.0002	0.002	0.0009	0.015
Non-food	3.66	36.88	2.40	42.71
Food waste recycling service	0.0303	0.31	0.0000	0.00
Food waste collection service	0.2790	2.81	0.0000	0.00
Total	9.92	100.00	5.61	100.00

[a] Data source: Hamilton, et al. [39]. Emissions of food processing by-products (i.e., cereal bran, alcoholic pulp, oil cake) were derived from Mackenzie, et al. [20]. Emissions of food waste recycling service and food waste collection service were obtained from Alsaleh and Aleisa [18], Hong, et al. [34], and Hong, et al. [35]

Appendix Table 8 | Emission intensities of greenhouse gases (t CO_2 equivalents million USD^{-1}) in China (CN) and its main food and feed trading partners (MTP).[a]

	CN	MTP
Cereal grains	1435	1246
Oilseeds & pulses	360	166
Vegetables &fruits	203	32
Roots &tubers	264	75
Sugar crops	142	231
Other non-food crops	7922	987
Monogastric livestock	457	631
Ruminant livestock	3886	3258
Compound feed	469	259
Cereal bran	2.2	0.7
Alcoholic pulp	0.3	0.01
Oil cake	77	6
Processed food	473	254
Nitrogen fertiliser	25477	17248
Phosphorus fertiliser	5390	2836
Non-food	3509	538
Food waste recycling service	3490	0
Food waste collection service	12087	0

[a] Data source: Calculated by our study.

Appendix Table 9 | Emission intensities of acidification pollutants (t NH_3 equivalents million USD^{-1}) in China (CN) and its main food and feed trading partners (MTP).[a]

	CN	MTP
Cereal grains	20.44	9.84
Oilseeds & pulses	12.53	2.53
Vegetables & fruits	7.00	0.48
Roots & tubers	9.20	0.91
Sugar crops	4.96	3.29
Other non-food crops	275.09	16.19
Monogastric livestock	30.06	28.50
Ruminant livestock	35.04	4.89
Compound feed	0.74	0.32
Cereal bran	0.10	0.03
Alcoholic pulp	0.002	0.00004
Oil cake	3.90	0.31
Processed food	0.81	0.31
Nitrogen fertiliser	0.07	0.75
Phosphorus fertiliser	0.15	0.91
Non-food	6.20	0.65
Food waste recycling service	12.79	0.00
Food waste collection service	30.49	0.00

[a] Data source: Calculated by our study.

Appendix Table 10 | Emission intensities of eutrophication pollutants (t N equivalents million USD[-1]) in China (CN) and its main food and feed trading partners (MTP).[a]

	CN	MTP
Cereal grains	5.40	0.63
Oilseeds & pulses	6.48	0.84
Vegetables & fruits	3.26	0.38
Roots & tubers	4.25	0.91
Sugar crops	0.62	0.37
Other non-food crops	5.09	0.48
Monogastric livestock	3.34	3.76
Ruminant livestock	25.85	9.40
Compound feed	3.14	1.13
Cereal bran	0.004	0.001
Alcoholic pulp	0.001	0.00001
Oil cake	0.18	0.01
Processed food	3.12	1.09
Nitrogen fertiliser	0.02	0.15
Phosphorus fertiliser	0.04	0.28
Non-food	1.25	0.19
Food waste recycling service	6.46	0.00
Food waste collection service	15.19	0.00

[a] Data source: Calculated by our study.