

Index

- action
 - integral in Lagrangian formalism, 76
 - in wave–wave coupling, 497
 - relation to quantum number, 497
- action integral, 81
- adiabatic invariance
 - breakdown of, 115
 - pendulum, 80
- adiabatic invariant
 - general proof for Hamiltonian system, 85
 - $\mathcal{J}$, second adiabatic invariant, 105
 - μ conservation, 96
 - relation to quantum number, 83
 - third adiabatic invariant, 106
- adiabatic limit of energy equation, 46
- Airy equation, 279
- Alfvén time, 423
- Alfvén velocity, 212
- Alfvén wave, 155
 - compressional (fast), 159, 161
 - in parameter space, 227
 - inertial Alfvén wave, 216, 240
 - shear (slow), 163
 - two-fluid model, 164
 - compressional mode, 172
 - inertial Alfvén wave, 170
 - kinetic Alfvén wave, 171
- alpha particle, 340
- Altar–Appleton–Hartree dispersion relation, 228
- ambipolar diffusion, 21
- analytic continuation, 187
- antenna, 223
- Appleton–Hartree dispersion relation, 228
- arc, 333
- astrophysical jet, 338
- axisymmetry, 322

- bad curvature, 350
- ballistic term, 476
- beam echo, 478
- beat waves, 456
- Bennett pinch, 316, 338
- Bernstein waves, 273

- Bessel function model, 408
- Bessel relationships, 270
- beta, 62, 365
- bilinear function, 356
- Bohm–Gross wave, 152
- Boltzmann relation
 - difficulties with, 573
 - in Debye shielding, 8
 - limitations of, 570
- bounce frequency, 136
- bounded volume, 219
- bounding surface, 219
- break-even, fusion, 340
- Brillouin backscatter, 503
- Brillouin flow, 530
- Brillouin limit, 532
- Bromwich contour, 184

- Calugareanu theorem, 407
- canonical angular momentum, 118
 - in non-neutral plasma, 535
 - toroidal confinement, 327
- canonical momentum, 300
 - definition of, 78
- cathode emission, 31
- caviton, 246, 519
- center-of-mass frame dynamics, 436
- Child–Langmuir space-charge-limited emission, 32
- CMA diagram, 218
- coalescence, mode, 245, 278
- cold plasma wave-energy equation, 255
- collimation, 338
- collision
 - frequencies, 16
 - relations between cross-section, mean free path, 30
- collisionless plasma, 16
- collisions
 - and quasi-linear diffusion, 489
 - coulomb, 12
 - Fokker–Planck model, 445
 - qualitative treatment in Vlasov equation, 39
 - with neutrals, 19

- condensation
 - of dusty plasma, 569
- confinement time, 340
- constant of the motion
 - definition of, 78
- constraints, 69
- convective derivative
 - definition of, 43
- coronal loop, 338
- correspondence of drift equations with MHD, 108
- Coulomb gauge, 148
- coupled oscillator, 508
- cross-section
 - effective, for dust grain charging, 558
 - fusion, 340
 - neutral, 19
 - small-angle scattering, 15
- crystallization, 569
- crystallization criterion, dusty plasma, 577
- current
 - curvature, 111
 - diamagnetic, 109, 289
 - force-free in Grad–Shafranov equation, 324
 - grad B , 111
 - polarization, 111
 - poloidal, 322
 - sheet, 413
 - sheet, in Sweet–Parker reconnection, 434
 - toroidal, 322
- curvature
 - good vs. bad, 350, 365
 - magnetic field, 313
- curvature current, 111
- curvature drift, 96
- curved magnetic field, 96
- cusp field, 123
- cutoff, 154, 214, 220
- cyclotron frequency, 94
- cyclotron motion
 - sense of rotation, 32
- d’Alembert’s principle of least action, 76
- daughter wave, 492
- Debye shielding, 152
 - derivation of, 7
 - in dusty plasma, 573
 - solution of pde for, 27
- decay instability, 491, 503
- delta W
 - in MHD energy principle, 359
- destructive interference, 233
- deuterium, 340
- diamagnetic, 325
 - current, 109
 - drift velocity, 289
- dielectric constant, 113
- dielectric tensor, 208
- dielectric tensor elements, 209
 - right-, left-hand polarization, 212
- diffusion
 - ambipolar, 21
 - magnetic, 415
 - quasi-linear velocity space, 464
- diocotron mode, 537
 - resistive wall, image charge method, 553
- distribution function
 - definition of, 35
 - for collisionless drift wave, 301
 - moments of, 38
- Doppler-shifted frequency, 175
- double adiabatic laws
 - derivation of, 57
- Dreicer electric field, 451
- drift equations, 88
 - curvature drift, 96
 - derivation of, 91
 - drift in arbitrary force field, 93
 - grad B drift, 96
 - grad B force, 94
 - polarization drift, 94
- drift wave, 289
 - collisional, 292
 - collisionless, 299
 - destabilization of, 297, 303
 - features, 297
 - nonlinear pumping of plasma, 298
- drifts
 - curvature, 96
 - $\mathbf{E} \times \mathbf{B}$, 88, 90
 - force, 90
 - generalization to arbitrary frequency, 131
 - grad B , 96
 - polarization, 94, 96
- dumbbell wave normal surface, 220
- dust
 - charge on grain, 559
 - charging of grains, 559
 - levitation, 580
- dust acoustic waves, 564
- dust charging, 579
- dust ion acoustic waves, 568
- dusty plasma, 556
 - crystallization (condensation), 569
 - crystallization criterion, 577
 - parameter space, 563
- dynamic equilibria, 316, 328
- $\mathbf{E} \times \mathbf{B}$ drift, 88, 96
- echoes, 473
 - higher order, 488
 - spatial, 488
- effective potential, 119
- electric field
 - runaway (Dreicer), 451
- electromagnetic plasma wave
 - in inhomogeneous plasma, 243
- electromagnetic wave
 - derivation of, 153
 - in decay instability, 508
- electron plasma wave, 152
 - in decay instability, 506
- electrostatic ion cyclotron wave, 304
- ellipsoid wave normal surface, 220

- energy
 - inductive, 315
 - per helicity, 393
 - wave, 253
- energy conservation
 - in nonlinear waves, 457
- energy equation
 - adiabatic limit, 46
 - isothermal limit, 46
 - wave, 253
- energy equation, two-fluid, 45
- energy principle, 351
- energy transfer between waves and particles, 135
- entropy
 - collisions, 49
 - conservation of, 474
 - of a distribution function, 46
- equilibrium
 - impossibility of spherically symmetric MHD, 338
 - stable vs. unstable, 342
- extraordinary wave, 215
- fast mode, 159, 222
- Fermi acceleration, 106
- first adiabatic invariant, 98
- floating potential, 68
- flow (MHD accelerated), 328
 - compressible, 334
 - incompressible, 328
 - stagnation of, 338
- flux
 - accumulation of toroidal flux in flow, 337
 - frozen-in, inductance, 314
 - poloidal, 117
 - private and public, 432
 - relation to vector potential, 117
 - volume per unit, 383
- flux linkage, 397
- flux preservation, 314
- flux surface, 116
 - in mirror, 108
- flux tube
 - Grad–Shafranov solution for, 339
- Fokker–Planck theory, 436
- force
 - axial MHD, 330
 - between parallel currents, 310
 - centrifugal, 96
 - flux-conserving, 315
 - grad B , 95
 - hoop, 311
 - non-conservative, 328
 - pinch, 310
- force-free magnetic field, 394
- force-free equilibrium, 370, 384
 - Bessel function model, 408
 - Lundquist solution, 408
- force-free magnetic field, 309
- free energy in sheared non-neutral plasma, 550
- frequency
 - bounce, 136
 - cyclotron, 94
 - Doppler shifted, 175
 - frequently used formulae, 593
 - frictional drag, 447
 - qualitative derivation of, 42
 - frozen-in flux
 - proof of, 56
 - fusion
 - break-even, 340
 - criteria for, 340
- gauge
 - Coulomb, 148
- Gaussian integrals, 72
- geometric optics, 245
- good curvature, 350
- grad B
 - current, 111
 - drift, 96
 - force, 94
- Grad–Shafranov equation, 320
- Green's function in diocotron mode, 547
- group velocity, 233
- guiding center, definition of, 91
- Hall term, 55
- Hamilton–Lagrange formalism, 76
- Hamiltonian, 78, 79
 - coupled harmonic oscillator, 493
 - geometric optics, 246
- Helmholtz equation, 409
- Hermitian part, 257
- hollow profile, 547
- hoop force, 311
- ideal plasma, 16
- ignitron, 33
- ignorable coordinate, 78
- image charge, line, 552
- inductance, 314
- induction equation, 57
 - in magnetic reconnection, 417
- inhomogeneous plasmas, 242
- initial condition, Poisson's equation as, 208
- initial value, 185
- instability
 - caviton, 519
 - decay, 491
 - free-boundary, 370, 374
 - kink, 372, 380
 - parametric, 491
 - positron–electron streaming, 176
 - Rayleigh–Taylor, 343
 - resistive wall, 544
 - sausage, 371, 380
 - streaming, 174
- ion acoustic velocity, in sheath, 67
- ion acoustic wave, 152
 - in decay instability, 505
 - Landau damping of, 198
 - Landau instability, 204
- ion saturation current, 67

- ion–ion resonance, 241
- isothermal limit of energy equation, 46
- $\mathcal{J}$, second adiabatic invariant, 105
- jet, astrophysical, 338
- joining, in mode conversion, 288
- kappa, magnetic curvature, 313
- Kelvin vorticity theorem, 534
- kink, 370
- kink instability, 372, 380
 - diamagnetic or paramagnetic?, 384
- Korteweg–de Vries equation, 524
- Kruskal–Shafranov stability criterion, 382
- Lagrange multipliers, 69
- Lagrange’s equation, 77
- Lagrangian, electromagnetic, 78
- Landau damping, 196
 - and entropy, 474
- Landau problem, 180
- Langmuir probe, 67
- Langmuir wave, 152
- Laplace transform, 182
 - and ballistic term, 477
- Laplace’s equation, 307
- Larmor orbit, 94
- Larmor radius, 94
 - poloidal, 328
- laser fusion, 528
- Lawson criterion, 340
- leap-frog numerical integration, 28
- lightning bolt, 232
- line-averaged density, 155
- linear mode conversion, 279
- linearization, general method, 146
- loss-cone, 104
- lower hybrid frequency, 215
- Lundquist number, 435
- Lundquist solution, 408
- magnetic
 - axis, 326
 - diffusion, 415
 - islands, 430
 - reconnection, 410
 - shear, 350
- magnetic field
 - force-free, 309
 - minimum energy, 392
 - most general axisymmetric, 321
 - pressure, 310
 - reconnection in sheared field, 424
 - Solov’ev solution, 324
 - tension, 310
 - vacuum, 306
- magnetic field curvature, 313
- magnetic helicity, 367, 385, 394
 - association with current-driven instability, 366
 - conservation equation, 368, 407
 - conservation of, 390
 - global, 369
 - linkage, 385
 - linked ribbons, 409
 - twist, 387
- magnetic mirror, 101
- magnetic moments
 - density of, 109
- magnetic pressure, 310
- magnetic stress tensor, 312
- magnetic tension, 310
- magnetization, 109
- magnetofluid, definition of, 351
- magnetoplasmadynamic thruster, 333
- magnetron, 554
- Manley–Rowe relations, 493
- Maxwellian distribution
 - definition of, 51
- MHD equations
 - derivation of, 52
 - Ohm’s law, derivation of, 54
- MHD with neutrals, 73
- minimum energy
 - frozen-in flux, 314
- minimum energy magnetic field, 392
- moments of distribution function, 38
- momentum conservation
 - in nonlinear waves, 457
- μ conservation, 96
- μ , definition of, 98
- National Ignition Facility, 529
- negative energy wave, 260
- neutron, 340
- nominal plasma parameters, 25
- non-adiabatic motion, 115
- nonlinear dispersion relation, 511
- non-neutral plasma, 530
 - relation to Landau damping, 549
- non-resonant particles
 - in quasi-linear velocity-space diffusion, 471
- numerical integration of particle trajectory, 28
- O-point, 415
- orbital motion limited model, 558, 579
- ordinary wave, 215
- orthogonal curvilinear coordinates, 586
- overdense, 227
- parallel current, 310
- paramagnetic, 325
- parameter space, 225
- parametric decay instability, 491, 528
- Parker reconnection model, 432
- Penrose criterion, 200
- phase integral, 269
- phase mixing, 233
 - and echoes, 478
- phase-space, 34
- physical constants, 593
- pinch
 - Bennett, 338
- pinch force, 310

- plasma dispersion function
 - definition of, 192
 - large argument limit of, 194
 - small argument limit of, 194
- plasma frequency
 - definition of, 150
- plateau velocity distribution, 472
- Plemelj formula, 199
- polarization current, 111
 - relation to capacitance, 113
- polarization drift, 94, 96
 - change in particle energy, 142
 - in Alfvén wave, 156
 - relation to MHD equation of motion, 111
 - stochastic motion, 126
- poles, 187
- poloidal, definition of, 321
- poloidal flux, 321
- poloidal Larmor radius, 328
- poloidal magnetic field, 322
- ponderomotive force, 500, 517
- Poynting flux, 253, 354
- Poynting theorem, 408
- pressure, magnetic, 310
- pressure tensor, definition of, 42
- principal resonances, 219
- private flux, 432
- product rule for oscillating physical quantities, 254
- public flux, 432
- pump, MHD acceleration of fluid, 333
- pump depletion, 527
- pump wave, 492
- pure electron plasma, 530

- QL modes, 231
- QT modes, 230
- quantum mechanics, 370
- quantum mechanics, correspondence to, 246
- quasi-linear velocity-space diffusion, 458
- quasi-linear diffusion and collisions, 489
- quasi-neutrality, 11
- quiver velocity, 501

- radiation pressure, 501
- radius of curvature, 96
- Raman backscatter, 503
- random velocity, 42
- reduced mass, 437
- redundancy of Poisson's equation, 206
- refractive index, definition of, 210
- relaxation, 392
- relaxed state, 394
- residues, 187
- resistive mode, 411
- resistive time, 423
- resistive wall instability, 544, 553
- resistivity
 - Fokker–Planck model, 450
 - simple derivation of, 20
- resonance, 214, 220
 - ion cyclotron, 223
 - ion–ion, 241
 - resonance cones, 236
- resonant particles
 - in quasi-linear velocity-space diffusion, 467, 469
- reversal of magnetic field
 - spatial (cusp), 123
 - temporal, 122
- reversed field pinch, 328, 394
- ribbon, gift-wrapping, 409
- Richardson–Dushman temperature-limited
 - emission, 32
- Rosenbluth potentials, 444, 453
- runaway electric field, 451, 455
- Rutherford scattering, derivation, 25

- saddle point, 281
- safety factor, 383
- tokamak, 429
- sausage instability, 371, 380
- scale factor, 586
- scattering
 - energy transfer, 26
 - large-angle, 14
 - Rutherford, 12, 25
 - small-angle, 15
- second adiabatic invariant, 105
- self-adjointness, 356
- self-confinement
 - impossibility of, 318
- self-focusing, 503
- separatrix, 326
- sheath physics, 64
- sheet current, 413
- short-wave radio transmission, 263
- slow mode, 222
- slow wave, 158
- Snell's law, 244
- solar corona loop, 338, 435
- soliton
 - interaction, 526
 - ion acoustic wave, 523
 - propagating envelope, 522
 - stationary envelope, 521
- Solov'ev solution, 324
 - orbits in, 339
- space-charge-limited current, 31
- spheromak, 328, 394, 409
- stagnation of flow, 338
- static equilibria, 316
- steepest-descent contour, 281
- stellarator, 328
- stimulated Raman scattering, 528
- Stirling's formula, 69
- stochastic motion, 126
- streaming instability, 174
- stress tensor
 - magnetic, 312
- strongly coupled plasma, 569
- surface wave, 247
- susceptibility
 - definition of, 150
- Sweet–Parker reconnection, 432

- symmetry
 - assumption in MHD jet, 329
 - canonical angular momentum and toroidal confinement, 327
 - in Grad–Shafranov equation, 322
 - in Lagrangian formalism, 78
 - in solution of Grad–Shafranov equation, 323
- taxonomy of cold plasma waves, 218
- Taylor relaxation, 392
- TE mode, 249
- tearing, 416
- temperature-limited current, 31
- tension
 - magnetic, 310
- thermal force, 72
- third adiabatic invariant, 106
- thruster, 333
- TM mode, 249
- tokamak, 328, 382
- topology, minimum energy, 315
- torque, 328
- trapped particle in mirror, 104
- tritium, 340
- twist and writhe, 401, 407
- two-fluid equations, derivation of, 41
- underdense, 227
- unperturbed orbit, 269
- untrapped particle in mirror, 104
- upper hybrid frequency, 215
- vacuum magnetic field, 306
- variational calculus, 69
- vector calculus identities, 582
- vector potential, 366
 - relation to flux, 117
- velocity
 - Alfvén, 156, 212
 - bounce-averaged, 108
 - definitions of “average” velocity, 131
 - diamagnetic drift, 289
 - group, 233
 - in sawtooth wave, 132
 - in small-amplitude oscillatory field, 129
 - quiver, 501
- virial theorem, 318
- viscosity, 316, 329
- Vlasov equation
 - derivation of, 35
 - moments of, 38
 - treatment of collisions, 39
- volume per unit flux, 383
- vortices
 - magnetic reconnection, 416
- vorticity, 328
 - source for, 332
- wall stabilization, 373
- warm plasma dispersion relation (electrostatic), 271
- water beading, 413
- wave
 - Alfvén, 155
 - beating, 456
 - Bernstein, 273
 - definition of cold plasma, 206
 - drift, 289
 - dust acoustic, 564
 - dust Alfvén, 580
 - dust ion acoustic, 568
 - dust whistler, 580
 - electron plasma, 152
 - electrostatic ion cyclotron, 304
 - energy equation, 253, 255
 - energy, finite temperature wave, 259
 - extraordinary, 215
 - frequency dispersion, 233
 - ion acoustic, 152
 - magnetized cold plasma dispersion, 210
 - negative energy, 260
 - ordinary, 215
 - quasi-electrostatic cold plasma, 234
 - surface, 247
 - whistler, 231
- wave energy
 - in diocotron mode, 541
 - in terms of dispersion relation, 253
- wave normal surface, 217, 221
- wave–wave nonlinearity, 491
- waveguide, plasma, 247
- wheel wave normal surface, 220
- whistler wave, 231, 239
- Wigner–Seitz radius, 560
- WKB approximation, 81
- WKB criterion, 244
- WKB mode, correspondence to saddle point, 284
- WKB solution, 243
 - of mode conversion problem, 288
- Woltjer–Taylor relaxation, 392
- work function, 32
- writhe and twist, 401, 407
- X-point, 432
- Yukawa solution, 10, 27, 570, 573