

References

- Alfvén, H. (1943). On the existence of electromagnetic-hydrodynamic waves, *Arkiv Mat. Astron. Fysik*, **B29**, 2.
- Allen, J. E., Boyd, R. L. F., and Reynolds, P. (1957). The collection of positive ions by a probe immersed in a plasma, *P. Phys. Soc. Lon. B*, **70**, 297.
- Allis, W. P. (1955). *Waves in a Plasma*, MIT Res. Lab. Electronics Quarterly Report, Vol. 54, p. 5.
- Appleton, E. V. (1932). Wireless studies of the ionosphere, *J. Inst. Elec. Engrs.*, **71**, 642.
- Bachman, D. A. and Gould, R. W. (1996). Landau-like damping in rotating pure electron plasmas, *IEEE Trans. Plasma Sci.*, **24**, 14.
- Barkan, A., D'Angelo, N., and Merlino, R. L. (1996). Experiments on ion acoustic waves in dusty plasmas, *Planet. Space Sci.*, **44**, 239.
- Barkan, A., Merlino, R. L., and D'Angelo, N. (1995). Laboratory observation of the dust acoustic wave mode, *Phys. Plasmas*, **2**, 3563.
- Barkhausen, H. (1930). Whistling tones from the Earth, *Proc. Inst. Radio Engrs.*, **18**, 1115.
- Barnes, A. (1977). Geometrical meaning of curl operation when $\mathbf{A} \cdot \text{curl } \mathbf{A} \neq 0$, *Am. J. Phys.*, **45**, 371.
- Bateman, G. (1978). *MHD Instabilities*, Cambridge, Mass.: MIT Press.
- Bellan, P. M. (1992). Vorticity model of flow driven by purely poloidal currents, *Phys. Rev. Lett.*, **69**, 3515.
- (2000). *Spheromaks: A Practical Application of Magnetohydrodynamic Dynamos and Plasma Self-Organization*, London: Imperial College Press, pp. 61–64.
- (2003). Why current-carrying magnetic flux tubes gobble up plasma and become thin as a result, *Phys. Plasmas*, **10**, 1999.
- (2004a). A microscopic, mechanical derivation of the adiabatic gas relation, *Am. J. Phys.*, **72**, 679.
- (2004b). A model for the condensation of a dusty plasma, *Phys. Plasmas*, **11**, 3368.
- Bellan, P. M. and Porkolab, M. (1975). Excitation of lower-hybrid waves by a slow-wave structure, *Phys. Rev. Lett.*, **34**, 124.
- Bennett, W. H. (1934). Magnetically self-focussing streams, *Phys. Rev.*, **45**, 890.
- Berger, M. A. and Field, G. B. (1984). The topological properties of magnetic helicity, *J. Fluid Mech.*, **147**, 133.
- Bernstein, I. B. (1958). Waves in a plasma in a magnetic field, *Phys. Rev.*, **109**, 10.
- Bernstein, I. B. and Engelmann, F. (1966). Quasi-linear theory of plasma waves, *Phys. Fluids*, **9**, 937.
- Bernstein, I. B., Frieman, E. A., Kruskal, M. D., and Kulsrud, R. M. (1958). An energy principle for hydromagnetic stability problems, *Proc. R. Soc. Lon. Ser. A*, **244**, 17.

- Birdsall, C. K. and Langdon, A. B. (1985). *Plasma Physics via Computer Simulation*, New York: McGraw Hill.
- Bohm, D. and Gross, E. P. (1949). Theory of plasma oscillations. A. Origin of medium-like behavior, *Phys. Rev.*, **75**, 1851.
- Braginskii, S. I. (1965). Transport processes in a plasma, *Rev. Plasma Phys.*, **1**, 205.
- Briggs, R. J., Daugherty, J. D., and Levy, R. H. (1970). Role of Landau damping in crossed-field electron beams and inviscid shear flow, *Phys. Fluids*, **13**, 421.
- Briggs, R. J. and Parker, R. R. (1972). Transport of rf energy to lower hybrid resonance in an inhomogeneous plasma, *Phys. Rev. Lett.*, **29**, 852.
- Brillouin, L. (1926). La mécanique ondulatoire de Schrödinger, une méthode générale de résolution par approximations successives, *Compt. Rend.*, **183**, 24.
- Buchsbaum, S. J. (1960). Resonance in a plasma with two ion species, *Phys. Fluids*, **3**, 418.
- Calugareanu, G. (1959). L'intégrale de Gauss et l'analyse des nuds tridimensionnels, *Rev. Math. Pures Appl.*, **4**, 5.
- Chew, G. F., Goldberger, M., and Low, F. E. (1956). The Boltzmann equation and the one-fluid hydromagnetic equations in the absence of particle collisions, *Proc. R. Soc. Lon. Ser. A*, **236**, 112.
- Chu, J. H. and I, L. (1994). Direct observation of Coulomb crystals and liquids in strongly coupled rf dusty plasmas, *Phys. Rev. Lett.*, **72**, 4009.
- Clemmow, P. C. and Mullaly, R. F. (1955). Dependence of the refractive index in magneto-ionic theory on the direction of the wave normal, *Physics of the Ionosphere: Report of Phys. Soc. Conf. Cavendish Lab.*, London: Physical Society, 340.
- Crawford, F. W. (1965). Cyclotron harmonic waves in warm plasmas, *J. Res. N. B. S. D. Rad. Sci.*, **D 69**, 789.
- Davidson, R. C. (2001). *Physics of Nonneutral Plasmas*, London: Imperial College Press; World Scientific.
- Debye, P. and Hückel, E. (1923). Zur Theorie der Elektrolyte. I. Gefrierpunktniedrigung und verwandte Erscheinungen, *Physik. Zeits.*, **24**, 185.
- Drazin, P. G. and Johns, R. S. (1989). *Solitons: An Introduction*, Cambridge: Cambridge University Press.
- Dreicer, H. (1959). Electron and ion runaway in a fully ionized gas. 1., *Phys. Rev.*, **115**, 238.
- Driscoll, C. F. and Fine, K. S. (1990). Experiments on vortex dynamics in pure electron plasmas, *Phys. Fluids B – Plasma*, **2**, part 2, 1359.
- Drummond, W. E. and Pines, D. (1962). Non-linear stability of plasma oscillations, *Nucl. Fusion*, 1049.
- Eckersley, T. L. (1935). Musical atmospherics, *Nature*, **135**, 104.
- Fermi, E. (1954). Galactic magnetic fields and the origin of cosmic radiation, *Astrophys. J.*, **119**, 1.
- Fisch, N. J. (1978). Confining a tokamak plasma with rf-driven currents, *Phys. Rev. Lett.*, **41**, 873.
- Fisher, R. K. and Gould, R. W. (1969). Resonance cones in the field pattern of a short antenna in an anisotropic plasma, *Phys. Rev. Lett.*, **22**, 1093.
- (1971). Resonance cones in the field pattern of a radio frequency probe in a warm anisotropic plasma, *Phys. Fluids*, **14**, 857.
- Furth, H. P., Killeen, J., and Rosenbluth, M. N. (1963). Finite-resistivity instabilities of a sheet pinch, *Phys. Fluids*, **6**, 459.
- Gardner, C. S., Greene, J. M., Kruskal, M. D., and Miura, R. M. (1967). Method for solving Korteweg–de Vries equation, *Phys. Rev. Lett.*, **19**, 1095.
- Goree, J. (1992). Ion trapping by a charged dust grain in a plasma, *Phys. Rev. Lett.*, **69**, 277.
- Gould, R. W. (1995). Dynamics of nonneutral plasmas, *Phys. Plasmas*, **2**, 2151.

- Gould, R. W., O'Neil, T. M., and Malmberg, J. H. (1967). Plasma wave echo, *Phys. Rev. Lett.*, **19**, 219.
- Grad, H. and Rubin, H. (1958). *MHD Equilibrium in an Axisymmetric Toroid*, Proceedings of the 2nd UN Conf. on the Peaceful Uses of Atomic Energy, Vol. 31, Vienna: IAEA p. 190.
- Hansen, J. F. and Bellan, P. M. (2001). Experimental demonstration of how strapping fields can inhibit solar prominence eruptions, *Astrophys. J.*, **563**, L183.
- Havnes, O., Goertz, C. K., Morfill, G. E., Grun, E., and Ip, W. (1987). Dust charges, cloud potential, and instabilities in a dust cloud embedded in a plasma, *J. Geophys. Res. – Space*, **92**, 2281.
- Hayashi, Y. and Tachibana, K. (1994). Observation of Coulomb crystal formation from carbon particles grown in a methane plasma, *Jpn. J. Appl. Phys.* 2, **33**, L804.
- Hudgings, D. W., Meger, R. A., Striffler, C. D., *et al.* (1978). Trapping of cusp-injected, nonneutral electron rings with resistive walls and static mirror coils, *Phys. Rev. Lett.*, **40**, 764.
- Ikezi, H. (1986). Coulomb solid of small particles in plasmas, *Phys. Fluids*, **29**, 1764.
- Jackson, J. D. (1998). *Classical Electrodynamics*, 3rd edn. New York: Wiley.
- Jeans, J. H. (1915). On the theory of star-streaming and the structure of the universe, *Mon. Not. R. Astron. Soc.*, **76**, 70.
- Kim, H. C., Stenzel, R. L., and Wong, A. Y. (1974). Development of cavitons and trapping of rf field, *Phys. Rev. Lett.*, **33**, 886.
- Klimchuk, J. (2000). Cross-sectional properties of coronal loops, *Sol. Phys.*, **193**, 53.
- Korteweg, D. J. and de Vries, F. (1895). On the change of form of long waves advancing in a rectangular canal and on a new type of long stationary waves, *Philos. Mag.*, **39**, 422.
- Kramers, H. A. (1926). Wellenmechanik und halbzahlige Quantisierung, *Z. Physik.*, **39**, 828.
- Kribel, R. E., Shinsky, K., Phelps, D. A., and Fleischmann, H. H. (1974). Generation of field-reversing electron rings by neutralized cusp injection into a magnetic-mirror trap, *Plasma Phys. Cont. F.*, **16**, 113.
- Kruskal, M. D., Johnson, J. L., Gottlieb, M. B., and Goldman, L. M. (1958). Hydromagnetic instability in a stellarator, *Phys. Fluids*, **1**, 421.
- Kruskal, M. D. and Schwarzschild, M. (1954). Some instabilities of a completely ionized plasma, *Proc. R. Soc. Lon. Ser. A*, **223**, 348.
- Laframboise, J. G. and Parker, L. W. (1973). Probe design for orbit-limited current collection, *Phys. Fluids*, **16**, 629.
- Landau, L. D. (1946). On the vibrations of the electronic plasma, *J. Physics (USSR)*, **10**, 25.
- Langmuir, I. (1928). Oscillations in ionized gases, *P. Natl. Acad. Sci.*, **14**, 627.
- Leuterer, F. (1969). Forward and backward Bernstein waves, *Plasma Phys.*, **11**, 615.
- Livio, M. (1999). Astrophysical jets: a phenomenological examination of acceleration and collimation, *Phys. Rep.*, **311**, 225.
- Lundquist, S. (1950). Magneto-hydrostatic fields, *Arkiv for Fysik*, **B2**, 361.
- Maecker, H. (1955). Plasmastromungen in Lichtbogen infolge eigenmagnetischer Kompression, *Z. Physik*, **141**, 198.
- Malmberg, J. H. (1992). Some recent results with nonneutral plasmas, *Plasma Phys. Cont. F.*, **34**, 1767.
- Malmberg, J. H. and de Grassie, J. S. (1975). Properties of nonneutral plasma, *Phys. Rev. Lett.*, **35**, 577.
- Malmberg, J. H. and Wharton, C. B. (1964). Collisionless damping of electrostatic plasma waves, *Phys. Rev. Lett.*, **13**, 184.
- Malmberg, J. H., Wharton, C. B., Gould, R. W., and O'Neil, T. M. (1968). Plasma wave echo experiment, *Phys. Rev. Lett.*, **20**, 95.

- Manley, J. M. and Rowe, H. E. (1956). Some general properties of nonlinear elements 1. General energy relations, *P. I. R. E.*, **44**, 904.
- Marshall, J. (1960). Performance of a hydromagnetic plasma gun, *Phys. Fluids*, **3**, 134.
- McChesney, J. M., Stern, R. A., and Bellan, P. M. (1987). Observations of fast stochastic ion heating by drift waves, *Phys. Rev. Lett.*, **59**, 1436.
- Melzer, A., Trottenberg, T., and Piel, A. (1994) Experimental determination of the charge on dust particles forming Coulomb lattices, *Phys. Lett. A*, **191**, 301.
- Moffatt, H. K. (1978). *Magnetic Field Generation in Electrically Conducting Fluids*, Cambridge: Cambridge University Press.
- Moffatt, H. K. and Ricca, R. L. (1992). Helicity and the Calugareanu invariant, *P. R. Soc. Lon. Ser. A*, **439**, 411.
- Moncuquet, M., Meyervernet, N., and Hoang, S. (1995). Dispersion of electrostatic waves in the Io plasma torus and derived electron temperature, *J. Geophys. Res. – Space*, **100**, 21697.
- Morfill, G. E., Annaratone, B. M., Bryant, P., *et al.* (2002). A review of liquid and crystalline plasmas – new physical states of matter?, *Plasma Phys. Cont. F.*, **44**, B263.
- Nefedov, A. P., Morfill, G. E., Fortov, V. E., *et al.* (2003). PKE-Nefedov: plasma crystal experiments on the International Space Station, *New J. Phys.*, **5**, art. no. 33.
- Nishikawa, K. (1968a). Parametric excitation of coupled waves 1. General formulation, *J. Phys. Soc. Jpn.*, **24**, 916.
- (1968b). Parametric excitation of coupled waves 2. Parametric plasmon–photon interaction, *J. Phys. Soc. Jpn.*, **24**, 1152.
- O’Neil, T. M. (1995). Plasmas with a single sign of charge (an overview), *Phys. Scripta*, **T59**, 341.
- Ono, M. (1979). Cold, electrostatic, ion cyclotron waves and ion–ion hybrid resonances, *Phys. Rev. Lett*, **42**, 1267.
- Parker, E. N. (1957). Sweet’s mechanism for merging magnetic fields in conducting fluids, *J. Geophys. Res.*, **62**, 509.
- Penrose, O. (1960). Electrostatic instabilities of a uniform non-Maxwellian plasma, *Phys. Fluids*, **3**, 258.
- Pfister, H. and Gekelman, W. (1991). Demonstration of helicity conservation during magnetic reconnection using Christmas ribbons, *Am. J. Phys.*, **59**, 497.
- Rosenbluth, M. N., Macdonald, W. M., and Judd, D. (1957). Fokker–Planck equation for an inverse-square force, *Phys. Rev.*, **107**, 1.
- Rutherford, P. H. (1973). Nonlinear growth of tearing mode, *Phys. Fluids*, **16**, 1903.
- Sagdeev, R. Z. and Galeev, A. (1969). *Nonlinear plasma theory*, New York: W. A. Benjamin.
- Schecter, D. A., Dubin, D. H. E., Cass, A. C., Driscoll, C. F., Lansky, I. M., and O’Neil, T. M. (2000). Inviscid damping of asymmetries on a two-dimensional vortex, *Phys. Fluids*, **12**, 2397.
- Schmitt, J. M. (1973). Dispersion and cyclotron damping of pure ion Bernstein waves, *Phys. Rev. Lett.*, **31**, 982.
- Shafranov, V. D. (1958). On magnetohydrodynamical equilibrium configurations, *Sov. Phys. – JETP*, **6**, 545.
- (1966). Plasma equilibrium in a magnetic field, *Reviews of Plasma Physics*, Vol. 2, New York: Consultants Bureau, p. 103.
- Shukla, P. K. and Silin, V. P. (1992). Dust ion acoustic wave, *Phys. Scripta*, **45**, 508.
- Silin, V. P. (1965). Parametric resonance in a plasma, *Sov. Phys. JETP*, **21**, 1127.
- Solov’ev, L. S. (1976). Hydromagnetic stability of closed plasma configurations, *Rev. Plasma Phys.*, **6**, 239.
- Spitzer, L. and Harm, R. (1953). Transport phenomena in a completely ionized gas, *Phys. Rev.*, **89**, 977.

- Stasiewicz, K., Bellan, P., Chaston, C., *et al.* (2000). Small scale Alfvénic structure in the aurora, *Space Sci. Rev.*, **92**, 423.
- Stasiewicz, K., Lundin, R., and Marklund, G. (2000). Stochastic ion heating by orbit chaotization on electrostatic waves and nonlinear structures, *Phys. Scripta*, **T84**, 60.
- Stenzel, R. and Wong, A. Y. (1972). Threshold and saturation of parametric decay instability, *Phys. Rev. Lett.*, **28**, 274.
- Stix, T. H. (1962). *The Theory of Plasma Waves*, New York: McGraw-Hill.
- (1965). Radiation and absorption via mode conversion in an inhomogeneous collision-free plasma, *Phys. Rev. Lett.*, **15**, 878.
- (1992). *Waves in Plasmas*, New York: American Institute of Physics.
- Storey, L. R. O. (1953). An investigation of whistling atmospherics, *Philos. T. R. Soc. Lon.*, **246**, 113.
- Surko, C. M., Leventhal, M., and Passner, A. (1989). Positron plasma in the laboratory, *Phys. Rev. Lett.*, **62**, 901.
- Swanson, D. G. (1989). *Plasma Waves*, San Diego: Academic Press. See p. 24 for discussion regarding Altar.
- (2003). *Plasma waves*, 2nd edn. Bristol Institute of Physics Publishing.
- Sweet, P. A. (1958). The neutral point theory of solar flares. In *Electromagnetic Phenomena in Cosmical Physics*, ed. B. Lehnert. Cambridge: Cambridge University Press.
- Taylor, J. B. (1974). Relaxation of toroidal plasma and generation of reverse magnetic fields, *Phys. Rev. Lett.*, **33**, 1139.
- Thomas, H., Morfill, G. E., Demmel, V., Goree, J., Feuerbacher, B., and Mohlmann, D. (1994). Plasma crystal – Coulomb crystallization in a dusty plasma, *Phys. Rev. Lett.*, **73**, 652.
- Trintchouk, F., Yamada, M., Ji, H., Kulsrud, R. M., and Carter, T. A. (2003). Measurement of the transverse Spitzer resistivity during collisional magnetic reconnection, *Phys. Plasmas*, **10**, 319.
- Trivelpiece, A. W. and Gould, R. W. (1959). Space charge waves in cylindrical plasma columns, *J. Applied Phys.*, **30**, 1784.
- Vedenov, A. A., Velikhov, E. P., and Sagdeev, R. (1962). Quasi-linear theory of plasma oscillations, *Nucl. Fusion Suppl.* 2, p. 465.
- Wang, C. L., Joyce, G., and Nicholson, D. R. (1981). Debye shielding of a moving test charge in plasma, *J. Plasma Phys.*, **25**, 225.
- Watson, G. N. (1922). *A Treatise on the Theory of Bessel Functions*, Cambridge: Cambridge University Press.
- Watson, K. M. (1956). Use of the Boltzmann equation for the study of ionized gases of low density 1, *Phys. Rev.*, **102**, 12.
- Wentzel, G. (1926). Eine Verallgemeinerung der Quantenbedingungen für die Zwecke der Wellenmechanik, *Z. Physik.*, **38**, 518.
- White, R., Chen, L., and Lin, Z. H. (2002). Resonant plasma heating below the cyclotron frequency, *Phys. Plasmas*, **9**, 1890.
- White, W. D., Malmberg, J. H., and Driscoll, C. F. (1982). Resistive-wall destabilization of diocotron waves, *Phys. Rev. Lett.*, **49**, 1822.
- Woltjer, L. (1958). A theorem on force-free magnetic fields, *P. Natl. Acad. Sci.*, **44**, 489.
- Wong, A. Y., Motley, R. W., and D'Angelo, N. (1964). Landau damping of ion acoustic waves in highly ionized plasmas, *Phys. Rev. A*, **133**, 436.
- You, S., Yun, G. S., and Bellan, P. M. (2005). Dynamic and stagnating plasma flow leading to magnetic-flux-tube collimation, *Phys. Rev. Lett.*, **95**, 045002.
- Yu, J. H. and Driscoll, C. F. (2002). Diocotron wave echoes in a pure electron plasma, *IEEE Trans. Plasma Sci.*, **30**, 24.