



IOS STATIC ANALYSIS REPORT



🍏 LongbridgeHK (4.70.0)

File Name:	ios-daily-important-hk_4.70.0_67331_202601121608.ipa
Identifier:	global.longbridge.ios
Scan Date:	Jan. 12, 2026, 12:13 p.m.

App Security Score:

28/100 (CRITICAL RISK)

Grade:



Trackers Detection:

1/432

 FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
10	13	9	0	109

FILE INFORMATION

File Name: ios-daily-important-hk_4.70.0_67331_202601121608.ipa
Size: 107.97MB
MD5: b7337e1b6bc74e8142bf23f98b66eac6
SHA1: ff3822dd695711bddd28d793540d523c7b7b8509
SHA256: 2c7559e94cefd2d2129715706dab49e36ea76f10ec1a64ac2f29605e74130563

APP INFORMATION

App Name: LongbridgeHK
App Type: Swift
Identifier: global.longbridge.ios
SDK Name: iphoneos18.4
Version: 4.70.0
Build: 67331
Platform Version: 18.4
Min OS Version: 13.0
Supported Platforms: iPhoneOS,

BINARY INFORMATION

Arch: ARM64
Sub Arch: CPU_SUBTYPE_ARM64_ALL
Bit: 64-bit
Endian: <

#CUSTOM URL SCHEMES

URL NAME	SCHEMES
None Editor	lb
None Editor	longbridge
None Editor	longbridge-ios-app

URL NAME	SCHEMES
None Editor	lb-hk
wx Editor	wx397b88639b385820
wb Editor	wb3461409096
dingtalk Editor	dingoa7mw2bvmdvmrrok2o
qq Editor	QQ61303e9
tencent Editor	tencent101909481
Facebook Editor	fb307237984310272
twitter Editor	twitterkit-bC3aYH3INBZI1eQC5jGOcSRPy
None Editor	sa937ae034
None Editor	fwpuqd
Google Editor	com.googleusercontent.apps.1051783500969-pga4rf7kfut39m7ln2uk5ed0qa30gdjd
None Editor	appauthlb

☰ APPLICATION PERMISSIONS

NO	ISSUE	SEVERITY	DESCRIPTION
6	Insecure communication to sina.com.cn is allowed	high	NSExceptionAllowsInsecureHTTPLoads allows insecure HTTP loads to sina.com.cn, or to be able to loosen the server trust evaluation requirements for HTTPS connections to the domain.
7	NSIncludesSubdomains set to TRUE for sina.com.cn	info	NSIncludesSubdomains applies the ATS exceptions for the given domain to all subdomains as well. For example, the ATS exceptions in the domain exception dictionary apply to sina.com.cn, as well as math.sina.com.cn, history.sina.com.cn, and so on. Otherwise, if the value is NO, the exceptions apply only to sina.com.cn.
8	NSRequiresCertificateTransparency set to NO for sina.com.cn	warning	Certificate Transparency (CT) is a protocol that ATS can use to identify mistakenly or maliciously issued X.509 certificates. Set the value for the NSRequiresCertificateTransparency key to YES to require that for a given domain, server certificates are supported by valid, signed CT timestamps from at least two CT logs trusted by Apple. This key is optional. The default value is NO.
9	Insecure communication to sinaimg.cn is allowed	high	NSExceptionAllowsInsecureHTTPLoads allows insecure HTTP loads to sinaimg.cn, or to be able to loosen the server trust evaluation requirements for HTTPS connections to the domain.
10	NSIncludesSubdomains set to TRUE for sinaimg.cn	info	NSIncludesSubdomains applies the ATS exceptions for the given domain to all subdomains as well. For example, the ATS exceptions in the domain exception dictionary apply to sinaimg.cn, as well as math.sinaimg.cn, history.sinaimg.cn, and so on. Otherwise, if the value is NO, the exceptions apply only to sinaimg.cn.
11	NSRequiresCertificateTransparency set to NO for sinaimg.cn	warning	Certificate Transparency (CT) is a protocol that ATS can use to identify mistakenly or maliciously issued X.509 certificates. Set the value for the NSRequiresCertificateTransparency key to YES to require that for a given domain, server certificates are supported by valid, signed CT timestamps from at least two CT logs trusted by Apple. This key is optional. The default value is NO.
12	Insecure communication to sinajs.cn is allowed	high	NSExceptionAllowsInsecureHTTPLoads allows insecure HTTP loads to sinajs.cn, or to be able to loosen the server trust evaluation requirements for HTTPS connections to the domain.
13	NSIncludesSubdomains set to TRUE for sinajs.cn	info	NSIncludesSubdomains applies the ATS exceptions for the given domain to all subdomains as well. For example, the ATS exceptions in the domain exception dictionary apply to sinajs.cn, as well as math.sinajs.cn, history.sinajs.cn, and so on. Otherwise, if the value is NO, the exceptions apply only to sinajs.cn.
14	NSRequiresCertificateTransparency set to NO for sinajs.cn	warning	Certificate Transparency (CT) is a protocol that ATS can use to identify mistakenly or maliciously issued X.509 certificates. Set the value for the NSRequiresCertificateTransparency key to YES to require that for a given domain, server certificates are supported by valid, signed CT timestamps from at least two CT logs trusted by Apple. This key is optional. The default value is NO.
15	Insecure communication to weibo.cn is allowed	high	NSExceptionAllowsInsecureHTTPLoads allows insecure HTTP loads to weibo.cn, or to be able to loosen the server trust evaluation requirements for HTTPS connections to the domain.
16	NSIncludesSubdomains set to TRUE for weibo.cn	info	NSIncludesSubdomains applies the ATS exceptions for the given domain to all subdomains as well. For example, the ATS exceptions in the domain exception dictionary apply to weibo.cn, as well as math.weibo.cn, history.weibo.cn, and so on. Otherwise, if the value is NO, the exceptions apply only to weibo.cn.
17	NSExceptionMinimumTLSVersion set to TLSv1.0 on weibo.cn	high	The minimum Transport Layer Security (TLS) version for network connections sent to weibo.cn is set to TLSv1.0. This version is deemed to be insecure

NO	ISSUE	SEVERITY	DESCRIPTION
18	NSRequiresCertificateTransparency set to NO for weibo.cn	warning	Certificate Transparency (CT) is a protocol that ATS can use to identify mistakenly or maliciously issued X.509 certificates. Set the value for the NSRequiresCertificateTransparency key to YES to require that for a given domain, server certificates are supported by valid, signed CT timestamps from at least two CT logs trusted by Apple. This key is optional. The default value is NO.
19	Insecure communication to weibo.com is allowed	high	NSExceptionAllowsInsecureHTTPLoads allows insecure HTTP loads to weibo.com, or to be able to loosen the server trust evaluation requirements for HTTPS connections to the domain.
20	NSIncludesSubdomains set to TRUE for weibo.com	info	NSIncludesSubdomains applies the ATS exceptions for the given domain to all subdomains as well. For example, the ATS exceptions in the domain exception dictionary apply to weibo.com, as well as math.weibo.com, history.weibo.com, and so on. Otherwise, if the value is NO, the exceptions apply only to weibo.com.
21	NSExceptionMinimumTLSVersion set to TLSv1.0 on weibo.com	high	The minimum Transport Layer Security (TLS) version for network connections sent to weibo.com is set to TLSv1.0. This version is deemed to be insecure
22	NSRequiresCertificateTransparency set to NO for weibo.com	warning	Certificate Transparency (CT) is a protocol that ATS can use to identify mistakenly or maliciously issued X.509 certificates. Set the value for the NSRequiresCertificateTransparency key to YES to require that for a given domain, server certificates are supported by valid, signed CT timestamps from at least two CT logs trusted by Apple. This key is optional. The default value is NO.

</> IPA BINARY CODE ANALYSIS

HIGH: 0 | WARNING: 3 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	DESCRIPTION
1	Binary makes use of insecure API(s)	warning	CWE: CWE-676: Use of Potentially Dangerous Function OWASP Top 10: M7: Client Code Quality OWASP MASVS: MSTG-CODE-8	The binary may contain the following insecure API(s) _fopen , _memcpy , _printf , _sprintf , _scanf , _stat , _strcat , _strcpy , _strlen , _strncat , _strncpy , _vsprintf
2	Binary makes use of the insecure Random function(s)	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	The binary may use the following insecure Random function(s) _random , _srand
3	Binary makes use of Logging function	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	The binary may use _NSLog function for logging.

NO	ISSUE	SEVERITY	STANDARDS	DESCRIPTION
4	Binary makes use of malloc function	warning	CWE: CWE-789: Uncontrolled Memory Allocation OWASP Top 10: M7: Client Code Quality OWASP MASVS: MSTG-CODE-8	The binary may use _malloc function instead of calloc

🔍 IPA BINARY ANALYSIS

PROTECTION	STATUS	SEVERITY	DESCRIPTION
NX	True	info	The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.
PIE	True	info	The binary is build with -fPIC flag which enables Position independent code. This makes Return Oriented Programming (ROP) attacks much more difficult to execute reliably.
STACK CANARY	False	high	This binary does not have a stack canary value added to the stack. Stack canaries are used to detect and prevent exploits from overwriting return address. Use the option -fstack-protector-all to enable stack canaries.
ARC	True	info	The binary is compiled with Automatic Reference Counting (ARC) flag. ARC is a compiler feature that provides automatic memory management of Objective-C objects and is an exploit mitigation mechanism against memory corruption vulnerabilities.
RPATH	True	warning	The binary has Runpath Search Path (@rpath) set. In certain cases an attacker can abuse this feature to run arbitrary executable for code execution and privilege escalation. Remove the compiler option -rpath to remove @rpath.
CODE SIGNATURE	True	info	This binary has a code signature.
ENCRYPTED	False	warning	This binary is not encrypted.
SYMBOLS STRIPPED	False	warning	Debug Symbols are available. To strip debugging symbols, set Strip Debug Symbols During Copy to YES, Deployment Postprocessing to YES, and Strip Linked Product to YES in project's build settings.

🚩 DYNAMIC LIBRARY & FRAMEWORK BINARY ANALYSIS

NO	DYLIB/Framework	NX	STACK CANARY	ARC	RPATH	CODE SIGNATURE	ENCRYPTED	SYMBOLS STRIPPED
1	Frameworks/libswift_Concurrency.dylib	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	True info The binary is compiled with Automatic Reference Counting (ARC) flag. ARC is a compiler feature that provides automatic memory management of Objective-C objects and is an exploit mitigation mechanism against memory corruption vulnerabilities.	False info The binary does not have Runpath Search Path (@rpath) set.	True info This binary has a code signature.	False warning This binary is not encrypted.	False warning Debug Symbols are available. To strip debugging symbols, set Strip Debug Symbols During Copy to YES, Deployment Postprocessing to YES, and Strip Linked Product to YES in project's build settings.

NO	DYLIB/Framework	NX	STACK CANARY	ARC	RPATH	CODE SIGNATURE	ENCRYPTED	SYMBOLS STRIPPED
1	Payload/longbridge-ios-app.app/Frameworks/TwitterKit.framework/TwitterKit	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	True info The binary is compiled with Automatic Reference Counting (ARC) flag. ARC is a compiler feature that provides automatic memory management of Objective-C objects and is an exploit mitigation mechanism against memory corruption vulnerabilities.	True warning The binary has Runpath Search Path (@rpath) set. In certain cases an attacker can abuse this feature to run arbitrary executable for code execution and privilege escalation. Remove the compiler option -rpath to remove @rpath.	True info This binary has a code signature.	False warning This binary is not encrypted.	False warning Debug Symbols are available. To strip debugging symbols, set Strip Debug Symbols During Copy to YES, Deployment Postprocessing to YES, and Strip Linked Product to YES in project's build settings.

NO	DYLIB/Framework	NX	STACK CANARY	ARC	RPATH	CODE SIGNATURE	ENCRYPTED	SYMBOLS STRIPPED
2	Payload/longbridge-ios-app.app/Frameworks/NIMSDK.framework/NIMSDK	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	True info The binary is compiled with Automatic Reference Counting (ARC) flag. ARC is a compiler feature that provides automatic memory management of Objective-C objects and is an exploit mitigation mechanism against memory corruption vulnerabilities.	True warning The binary has Runpath Search Path (@rpath) set. In certain cases an attacker can abuse this feature to run arbitrary executable for code execution and privilege escalation. Remove the compiler option -rpath to remove @rpath.	True info This binary has a code signature.	False warning This binary is not encrypted.	False warning Debug Symbols are available. To strip debugging symbols, set Strip Debug Symbols During Copy to YES, Deployment Postprocessing to YES, and Strip Linked Product to YES in project's build settings.

NO	DYLIB/Framework	NX	STACK CANARY	ARC	RPATH	CODE SIGNATURE	ENCRYPTED	SYMBOLS STRIPPED
3	Payload/longbridge-ios-app.app/Frameworks/FBSDKCoreKit_Basics.framework/FBSDKCoreKit_Basics	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	True info The binary is compiled with Automatic Reference Counting (ARC) flag. ARC is a compiler feature that provides automatic memory management of Objective-C objects and is an exploit mitigation mechanism against memory corruption vulnerabilities.	True warning The binary has Runpath Search Path (@rpath) set. In certain cases an attacker can abuse this feature to run arbitrary executable for code execution and privilege escalation. Remove the compiler option -rpath to remove @rpath.	True info This binary has a code signature.	False warning This binary is not encrypted.	False warning Debug Symbols are available. To strip debugging symbols, set Strip Debug Symbols During Copy to YES, Deployment Postprocessing to YES, and Strip Linked Product to YES in project's build settings.

NO	DYLIB/Framework	NX	STACK CANARY	ARC	RPATH	CODE SIGNATURE	ENCRYPTED	SYMBOLS STRIPPED
4	Payload/longbridge-ios-app.app/Frameworks/FBAEMKit.framework/FBAEMKit	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	True info The binary is compiled with Automatic Reference Counting (ARC) flag. ARC is a compiler feature that provides automatic memory management of Objective-C objects and is an exploit mitigation mechanism against memory corruption vulnerabilities.	True warning The binary has Runpath Search Path (@rpath) set. In certain cases an attacker can abuse this feature to run arbitrary executable for code execution and privilege escalation. Remove the compiler option -rpath to remove @rpath.	True info This binary has a code signature.	False warning This binary is not encrypted.	False warning Debug Symbols are available. To strip debugging symbols, set Strip Debug Symbols During Copy to YES, Deployment Postprocessing to YES, and Strip Linked Product to YES in project's build settings.

NO	DYLIB/Framework	NX	STACK CANARY	ARC	RPATH	CODE SIGNATURE	ENCRYPTED	SYMBOLS STRIPPED
5	Payload/longbridge-ios-app.app/Frameworks/AliyunPlayer.framework/AliyunPlayer	True info The binary has NX bit set. This marks a memory page non-executable making attacker injected shellcode non-executable.	True info This binary has a stack canary value added to the stack so that it will be overwritten by a stack buffer that overflows the return address. This allows detection of overflows by verifying the integrity of the canary before function return.	True info The binary is compiled with Automatic Reference Counting (ARC) flag. ARC is a compiler feature that provides automatic memory management of Objective-C objects and is an exploit mitigation mechanism against memory corruption vulnerabilities.	True warning The binary has Runpath Search Path (@rpath) set. In certain cases an attacker can abuse this feature to run arbitrary executable for code execution and privilege escalation. Remove the compiler option -rpath to remove @rpath.	True info This binary has a code signature.	False warning This binary is not encrypted.	False warning Debug Symbols are available. To strip debugging symbols, set Strip Debug Symbols During Copy to YES, Deployment Postprocessing to YES, and Strip Linked Product to YES in project's build settings.

</> CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
----	-------	----------	-----------	-------

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://longbridgeapp-9876a.firebaseio.com

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
www.baidu.com	IP: 180.101.49.44 Country: China Region: Jiangsu City: Nanjing
crl.apple.com	IP: 122.227.254.9 Country: China Region: Zhejiang City: Ningbo
www.futunn.com	IP: 171.108.209.197 Country: China Region: Guangxi City: Qinzhou
api-e189.21cn.com	IP: 222.93.106.185 Country: China Region: Jiangsu City: Suzhou
wannos-bj.127.net	IP: 60.188.66.35 Country: China Region: Zhejiang City: Taizhou
activity.lbkrs.com	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong

DOMAIN	COUNTRY/REGION
www.gelonghui.com	IP: 47.242.158.6 Country: Hong Kong Region: Hong Kong City: Hong Kong
m-ack.lbkrs.com	IP: 120.77.37.195 Country: China Region: Zhejiang City: Hangzhou
card.e.189.cn	IP: 222.93.107.242 Country: China Region: Jiangsu City: Suzhou
longbridge-uat.activity.wbrks.com	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong
turing.captcha.qcloud.com	IP: 101.91.33.243 Country: China Region: Shanghai City: Shanghai
longbridge.feishu.cn	IP: 36.27.213.140 Country: China Region: Zhejiang City: Jinhua
www.apple.com	IP: 23.198.115.35 Country: Hong Kong Region: Hong Kong City: Hong Kong
long.open.weixin.qq.com	IP: 109.244.217.35 Country: China Region: Beijing City: Beijing
service.weibo.com	IP: 106.63.15.10 Country: China Region: Yunnan City: Kunming

DOMAIN	COUNTRY/REGION
nisportal.10010.com	IP: 124.64.196.20 Country: China Region: Beijing City: Beijing
openmobile.qq.com	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai
www.stcn.com	IP: 47.112.24.129 Country: China Region: Zhejiang City: Hangzhou
itunes.apple.com	IP: 115.223.48.19 Country: China Region: Zhejiang City: Wenzhou
app-pre.lbkrs.com	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong
riskct.geetest.com	IP: 180.188.25.23 Country: China Region: Zhejiang City: Taizhou
m.alipay.com	IP: 203.209.245.120 Country: China Region: Zhejiang City: Hangzhou
45.127.128.25	IP: 45.127.128.25 Country: China Region: Guangdong City: Guangzhou
log.geetest.com	IP: 47.100.115.221 Country: China Region: Zhejiang City: Hangzhou

DOMAIN	COUNTRY/REGION
opencloud.wostore.cn	IP: 116.128.209.136 Country: China Region: Shanghai City: Shanghai
monitor.geetest.com	IP: 47.95.165.133 Country: China Region: Zhejiang City: Hangzhou
prod-lb-geotest.oss-cn-shenzhen.aliyuncs.com	IP: 47.113.74.114 Country: China Region: Zhejiang City: Hangzhou
appsupport.qq.com	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai
45.127.128.24	IP: 45.127.128.24 Country: China Region: Guangdong City: Guangzhou
assets.lbkrs.com	IP: 220.185.164.206 Country: China Region: Zhejiang City: Taizhou
e.189.cn	IP: 42.123.76.65 Country: China Region: Beijing City: Beijing
open.weibo.com	IP: 49.7.37.74 Country: China Region: Beijing City: Beijing
wannos-oversea.127.net	IP: 103.129.255.21 Country: Hong Kong Region: Hong Kong City: Hong Kong

DOMAIN	COUNTRY/REGION
www.qq.com	IP: 101.91.22.57 Country: China Region: Shanghai City: Shanghai
activity.longbridge.global	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong
mcgw.alipay.com	IP: 60.188.126.100 Country: China Region: Zhejiang City: Taizhou
msg.cmpassport.com	IP: 120.232.74.115 Country: China Region: Beijing City: Beijing
wap.cmpassport.com	IP: 120.232.169.168 Country: China Region: Guangdong City: Guangzhou
certs.apple.com	IP: 122.227.254.9 Country: China Region: Zhejiang City: Ningbo
mpush-api.aliyun.com	IP: 106.11.248.144 Country: China Region: Zhejiang City: Hangzhou
longbridge-uat.support.wbrks.com	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong
nosup-hz1.127.net	IP: 60.188.114.200 Country: China Region: Zhejiang City: Taizhou

DOMAIN	COUNTRY/REGION
activity-pre.lbkrs.com	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong
media.weibo.cn	IP: 106.63.15.9 Country: China Region: Yunnan City: Kunming
dr.netease.im	IP: 111.124.204.212 Country: China Region: Guizhou City: Zunyi
open.weibo.cn	IP: 106.63.15.10 Country: China Region: Yunnan City: Kunming
manual.sensorsdata.cn	IP: 8.147.229.174 Country: China Region: Zhejiang City: Hangzhou
m-pre.lbkrs.com	IP: 47.106.99.190 Country: China Region: Zhejiang City: Hangzhou
cgi.connect.qq.com	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai
statistic.live.126.net	IP: 220.197.34.75 Country: China Region: Sichuan City: Leshan
qm.qq.com	IP: 114.222.112.243 Country: China Region: Jiangsu City: Nanjing

DOMAIN	COUNTRY/REGION
apps.apple.com	IP: 115.231.33.1 Country: China Region: Zhejiang City: Ningbo
sns.whalecloud.com	IP: 203.119.169.82 Country: China Region: Beijing City: Beijing
api.weibo.com	IP: 106.63.15.10 Country: China Region: Yunnan City: Kunming
ws.lbkrs.com	IP: 47.106.99.190 Country: China Region: Zhejiang City: Hangzhou
cloud.tencent.com	IP: 49.119.123.181 Country: China Region: Xinjiang City: Urumqi
app.lbkrs.com	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong
videocloud.cn-hangzhou.log.aliyuncs.com	IP: 47.111.48.239 Country: China Region: Zhejiang City: Hangzhou
render.alipay.com	IP: 220.185.164.196 Country: China Region: Zhejiang City: Taizhou
lbs.netease.im	IP: 111.124.216.99 Country: China Region: Guizhou City: Zunyi

DOMAIN	COUNTRY/REGION
longportapp.cn	IP: 139.196.26.110 Country: China Region: Zhejiang City: Hangzhou
detect.longbridge-inc.com	IP: 180.163.146.111 Country: China Region: Shanghai City: Shanghai
crbt.i139.cn	IP: 112.35.183.229 Country: China Region: Beijing City: Beijing
jd.com	IP: 106.39.171.134 Country: China Region: Beijing City: Beijing
cloud-config-service.rtc.aliyuncs.com	IP: 47.93.95.208 Country: China Region: Zhejiang City: Hangzhou
cdp.rapidssl.com	IP: 23.66.33.52 Country: Hong Kong Region: Hong Kong City: Hong Kong
help.wechat.com	IP: 14.18.251.125 Country: China Region: Guangdong City: Guangzhou
graph.qq.com	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai
api.lbkrs.com	IP: 139.196.35.5 Country: China Region: Zhejiang City: Hangzhou

DOMAIN	COUNTRY/REGION
ocsp.apple.com	IP: 106.227.70.99 Country: China Region: Jiangxi City: Nanchang
mp.weixin.qq.com	IP: 220.196.132.78 Country: China Region: Jiangsu City: Zhenjiang
live.aliyuncs.com	IP: 59.82.44.229 Country: China Region: Zhejiang City: Hangzhou
longbridge.app.wbrks.com	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong
api-ack.lbkrs.com	IP: 120.77.37.195 Country: China Region: Zhejiang City: Hangzhou
help.aliyun.com	IP: 203.119.145.38 Country: China Region: Beijing City: Beijing
msv6.wosms.cn	IP: 124.64.196.40 Country: China Region: Beijing City: Beijing
h5.m.taobao.com	IP: 47.96.203.82 Country: China Region: Zhejiang City: Hangzhou
api.weixin.qq.com	IP: 101.91.34.103 Country: China Region: Shanghai City: Shanghai

DOMAIN	COUNTRY/REGION
id6.me	IP: 42.123.76.150 Country: China Region: Beijing City: Beijing
umc.danuoyi.alicdn.com	IP: 47.100.164.181 Country: China Region: Zhejiang City: Hangzhou
ti.qq.com	IP: 101.226.141.56 Country: China Region: Shanghai City: Shanghai
223.5.5.5	IP: 223.5.5.5 Country: China Region: Zhejiang City: Hangzhou
m.weibo.cn	IP: 106.63.15.9 Country: China Region: Yunnan City: Kunming
www.googleapis.cn	IP: 114.250.68.34 Country: China Region: Beijing City: Beijing
www.bilibili.com	IP: 175.4.62.129 Country: China Region: Hunan City: Yongzhou
nos.netease.com	IP: 111.124.197.18 Country: China Region: Guizhou City: Zunyi
wannos-hz.127.net	IP: 60.188.66.35 Country: China Region: Zhejiang City: Taizhou

DOMAIN	COUNTRY/REGION
www.sina.com	IP: 117.40.89.93 Country: China Region: Jiangxi City: Nanchang
loggw-exsdk.alipay.com	IP: 110.76.6.75 Country: China Region: Zhejiang City: Hangzhou
mobilegw.alipay.com	IP: 203.209.247.65 Country: China Region: Zhejiang City: Hangzhou
link.lbkrs.com	IP: 47.106.103.141 Country: China Region: Zhejiang City: Hangzhou
ws-ack.lbkrs.com	IP: 139.196.26.110 Country: China Region: Zhejiang City: Hangzhou
wannos.127.net	IP: 60.188.66.35 Country: China Region: Zhejiang City: Taizhou
lbs.chatnos.com	IP: 111.124.216.100 Country: China Region: Guizhou City: Zunyi
pre-api.lbkrs.com	IP: 120.77.37.195 Country: China Region: Zhejiang City: Hangzhou
longbridge.activity.wbrks.com	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong

DOMAIN	COUNTRY/REGION
api.geetest.com	IP: 180.188.25.23 Country: China Region: Zhejiang City: Taizhou
cloud-config-service-pre rtc.aliyuncs.com	IP: 47.93.95.208 Country: China Region: Zhejiang City: Hangzhou
vod.cn-shanghai.aliyuncs.com	IP: 47.116.84.234 Country: China Region: Zhejiang City: Hangzhou
yunxin.163.com	IP: 1.95.20.156 Country: China Region: Beijing City: Beijing
cacerts.rapidssl.com	IP: 23.66.33.52 Country: Hong Kong Region: Hong Kong City: Hong Kong
crl.verisign.com	IP: 23.66.32.218 Country: Hong Kong Region: Hong Kong City: Hong Kong
dns.alidns.com	IP: 223.5.5.5 Country: China Region: Zhejiang City: Hangzhou
qzs.qq.com	IP: 113.201.47.251 Country: China Region: Shaanxi City: Baoji
www.geetest.com	IP: 223.221.177.184 Country: China Region: Qinghai City: Xining

DOMAIN	COUNTRY/REGION
open.weixin.qq.com	IP: 116.128.171.214 Country: China Region: Shanghai City: Shanghai
helpx.adobe.com	IP: 23.202.34.168 Country: Hong Kong Region: Hong Kong City: Hong Kong

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
support.longbridge.hk	ok	IP: 43.199.245.231 Country: Australia Region: Queensland City: Brisbane Latitude: -27.467939 Longitude: 153.028091 View: Google Map
www.baidu.com	ok	IP: 180.101.49.44 Country: China Region: Jiangsu City: Nanjing Latitude: 32.061668 Longitude: 118.777779 View: Google Map
ns.adobe.com	ok	No Geolocation information available.
support.whalesit.xyz	ok	IP: 8.217.172.68 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map

DOMAIN	STATUS	GEOLOCATION
crl.apple.com	ok	IP: 122.227.254.9 Country: China Region: Zhejiang City: Ningbo Latitude: 29.878189 Longitude: 121.549454 View: Google Map
event-forward.longbridge.xyz	ok	IP: 8.217.172.68 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
status.rapidssl.com0	ok	No Geolocation information available.
www.futunn.com	ok	IP: 171.108.209.197 Country: China Region: Guangxi City: Qinzhou Latitude: 21.950001 Longitude: 108.616669 View: Google Map
tools.ietf.org	ok	IP: 104.16.44.99 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
.css	ok	No Geolocation information available.
api-e189.21cn.com	ok	IP: 222.93.106.185 Country: China Region: Jiangsu City: Suzhou Latitude: 31.311390 Longitude: 120.618057 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.renebieder.com	ok	IP: 76.76.21.142 Country: United States of America Region: California City: Walnut Latitude: 34.015400 Longitude: -117.858223 View: Google Map
www.style	ok	IP: 99.83.155.228 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
api.longbridge.xyz	ok	IP: 13.35.185.50 Country: India Region: Delhi City: Delhi Latitude: 28.666670 Longitude: 77.216667 View: Google Map
wannos-bj.127.net	ok	IP: 60.188.66.35 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map
activity.lbkrs.com	ok	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
detect6.netease.im	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.gelonghui.com	ok	IP: 47.242.158.6 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
m-ack.lbkrs.com	ok	IP: 120.77.37.195 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
longbridgehk.com	ok	IP: 8.218.30.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
card.e.189.cn	ok	IP: 222.93.107.242 Country: China Region: Jiangsu City: Suzhou Latitude: 31.311390 Longitude: 120.618057 View: Google Map
www.app-ads-services.com	ok	IP: 142.250.197.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api.whalesit.xyz	ok	IP: 43.199.123.93 Country: Australia Region: Queensland City: Brisbane Latitude: -27.467939 Longitude: 153.028091 View: Google Map
www.renebieder.comcamptonmedium	ok	No Geolocation information available.
example.invalid	ok	No Geolocation information available.
momentjs.com	ok	IP: 104.17.63.214 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
longbridge-uat.activity.wbrks.com	ok	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
turing.captcha.qcloud.com	ok	IP: 101.91.33.243 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
longbridge.feishu.cn	ok	IP: 36.27.213.140 Country: China Region: Zhejiang City: Jinhua Latitude: 30.013470 Longitude: 120.288658 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.apple.com	ok	IP: 23.198.115.35 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
huatuocode.huatuo.qq.com	ok	No Geolocation information available.
www.years	ok	No Geolocation information available.
long.open.weixin.qq.com	ok	IP: 109.244.217.35 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
service.weibo.com	ok	IP: 106.63.15.10 Country: China Region: Yunnan City: Kunming Latitude: 25.038891 Longitude: 102.718330 View: Google Map
nisportal.10010.com	ok	IP: 124.64.196.20 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
www.css	ok	No Geolocation information available.
www.fontfont.com0	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
support.longbridge.global	ok	IP: 8.218.30.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
ping.lbkrs.com	ok	IP: 155.102.181.147 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
openmobile.qq.com	ok	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
firebaseinstallations.googleapis.com	ok	IP: 142.250.197.202 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
app.longbridge.global	ok	IP: 8.218.30.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
mobilegw.stable.alipay.net	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.stcn.com	ok	IP: 47.112.24.129 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
itunes.apple.com	ok	IP: 115.223.48.19 Country: China Region: Zhejiang City: Wenzhou Latitude: 27.999420 Longitude: 120.666817 View: Google Map
app-pre.lbkrs.com	ok	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
longbridge-lts-sit.support.whalesit.xyz	ok	IP: 8.217.172.68 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
riskct.geetest.com	ok	IP: 180.188.25.23 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.whalesit.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
m.alipay.com	ok	IP: 203.209.245.120 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
45.127.128.25	ok	IP: 45.127.128.25 Country: China Region: Guangdong City: Guangzhou Latitude: 23.116671 Longitude: 113.250000 View: Google Map
log.geetest.com	ok	IP: 47.100.115.221 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
www.interpretation	ok	No Geolocation information available.
activity.longbridge.xyz	ok	IP: 8.217.171.213 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map

DOMAIN	STATUS	GEOLOCATION
longbridge.activity.longbridge.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
api.longbridge.xyzvalid	ok	No Geolocation information available.
detect4.netease.im	ok	No Geolocation information available.
opencloud.wostore.cn	ok	IP: 116.128.209.136 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
vpp-license-proxy.taobao.net	ok	No Geolocation information available.
i.open.t.sina.com.cn	ok	IP: 10.6.64.52 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
.app-analytics-services.com	ok	No Geolocation information available.
app-nightly.lbkrs.com	ok	IP: 3.175.207.22 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
pre-ws.longbridge.global	ok	IP: 16.162.111.161 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
monitor.geetest.com	ok	IP: 47.95.165.133 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
prod-lb-geotest.oss-cn-shenzhen.aliyuncs.com	ok	IP: 47.113.74.114 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
csc3-2004-crl.verisign.com	ok	No Geolocation information available.
appsupport.qq.com	ok	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
45.127.128.24	ok	IP: 45.127.128.24 Country: China Region: Guangdong City: Guangzhou Latitude: 23.116671 Longitude: 113.250000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
assets.lbkrs.com	ok	IP: 220.185.164.206 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map
graph.facebook.com	ok	IP: 157.240.24.3 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
performance-data.longbridge.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
assets-canary.lbkrs.com	ok	IP: 155.102.181.183 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
support.longbridgeapp.com	ok	IP: 13.35.185.8 Country: India Region: Delhi City: Delhi Latitude: 28.666670 Longitude: 77.216667 View: Google Map

DOMAIN	STATUS	GEOLOCATION
e.189.cn	ok	IP: 42.123.76.65 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
mobilegw.aaa.alipay.net	ok	No Geolocation information available.
api-status-test.lbkrs.com	ok	IP: 155.102.181.148 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
open.weibo.com	ok	IP: 49.7.37.74 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
ocsp.verisign.com0	ok	No Geolocation information available.
wannos-oversea.127.net	ok	IP: 103.129.255.21 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
mobilegw-1-64.test.alipay.net	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.qq.com	ok	IP: 101.91.22.57 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
odm.app-ads-services.com	ok	IP: 142.250.197.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
activity.longbridge.global	ok	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
mcgw.alipay.com	ok	IP: 60.188.126.100 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map
longportapp.com	ok	IP: 170.33.12.239 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map

DOMAIN	STATUS	GEOLOCATION
certs.apple.com	ok	IP: 122.227.254.9 Country: China Region: Zhejiang City: Ningbo Latitude: 29.878189 Longitude: 121.549454 View: Google Map
curl.se	ok	IP: 151.101.1.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
api-gl.lbkrs.com	ok	IP: 13.35.185.28 Country: India Region: Delhi City: Delhi Latitude: 28.666670 Longitude: 77.216667 View: Google Map
mpush-api.aliyun.com	ok	IP: 106.11.248.144 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
longbridge-uat.support.wbrks.com	ok	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map

DOMAIN	STATUS	GEOLOCATION
canary-lb-news.s3-ap-east-1.amazonaws.com	ok	IP: 3.5.214.248 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
m.longbridge.xyz	ok	IP: 13.33.183.71 Country: India Region: Tamil Nadu City: Chennai Latitude: 13.087840 Longitude: 80.278473 View: Google Map
www.globalsign.com	ok	IP: 104.18.21.226 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
m-gl.lbkrs.com	ok	IP: 3.175.207.41 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
nosup-hz1.127.net	ok	IP: 60.188.114.200 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map

DOMAIN	STATUS	GEOLOCATION
activity-pre.lbkrs.com	ok	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
geotest.lbkrs.com	ok	IP: 155.102.181.181 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
media.weibo.cn	ok	IP: 106.63.15.9 Country: China Region: Yunnan City: Kunming Latitude: 25.038891 Longitude: 102.718330 View: Google Map
dr.netease.im	ok	IP: 111.124.204.212 Country: China Region: Guizhou City: Zunyi Latitude: 27.686670 Longitude: 106.907219 View: Google Map
open.weibo.cn	ok	IP: 106.63.15.10 Country: China Region: Yunnan City: Kunming Latitude: 25.038891 Longitude: 102.718330 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mp.longportapp.com	ok	IP: 8.218.30.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
manual.sensorsdata.cn	ok	IP: 8.147.229.174 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
m-pre.lbkrs.com	ok	IP: 47.106.99.190 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
static.longbridge.xyz	ok	IP: 13.33.183.90 Country: India Region: Tamil Nadu City: Chennai Latitude: 13.087840 Longitude: 80.278473 View: Google Map
ob-gl.lbkrs.com	ok	IP: 16.163.134.125 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cgi.connect.qq.com	ok	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
api-adservices.apple.com	ok	IP: 17.188.23.47 Country: United States of America Region: California City: Cupertino Latitude: 37.316605 Longitude: -122.046486 View: Google Map
www.ietf.org	ok	IP: 104.16.44.99 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
bit.ly	ok	IP: 67.199.248.10 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
www.joda.org	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

DOMAIN	STATUS	GEOLOCATION
statistic.live.126.net	ok	IP: 220.197.34.75 Country: China Region: Sichuan City: Leshan Latitude: 29.562281 Longitude: 103.763863 View: Google Map
www.googleadservices.com	ok	IP: 142.250.199.226 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
qm.qq.com	ok	IP: 114.222.112.243 Country: China Region: Jiangsu City: Nanjing Latitude: 32.061668 Longitude: 118.777779 View: Google Map
apps.apple.com	ok	IP: 115.231.33.1 Country: China Region: Zhejiang City: Ningbo Latitude: 29.878189 Longitude: 121.549454 View: Google Map
docs.rs	ok	IP: 151.101.1.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
m.whalesit.xyz	ok	IP: 8.217.172.68 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
sns.whalecloud.com	ok	IP: 203.119.169.82 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
activity.whalesit.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
api.weibo.com	ok	IP: 106.63.15.10 Country: China Region: Yunnan City: Kunming Latitude: 25.038891 Longitude: 102.718330 View: Google Map
www.hortcut	ok	No Geolocation information available.
longbridge-uat.app.wbrks.com	ok	IP: 8.218.30.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ws.lbkrs.com	ok	IP: 47.106.99.190 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
docs.python.org	ok	IP: 151.101.64.223 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.recent	ok	No Geolocation information available.
app-analytics-services.com	ok	IP: 142.250.71.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
.app-analytics-services-att.com	ok	No Geolocation information available.
www.world	ok	IP: 75.2.38.108 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
sg.app.longbridge.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cloud.tencent.com	ok	IP: 49.119.123.181 Country: China Region: Xinjiang City: Urumqi Latitude: 43.800961 Longitude: 87.600456 View: Google Map
app.lbkrs.com	ok	IP: 47.243.107.98 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
longbridgeapp.com	ok	IP: 13.35.185.78 Country: India Region: Delhi City: Delhi Latitude: 28.666670 Longitude: 77.216667 View: Google Map
www.renebieder.comcamptonlight	ok	No Geolocation information available.
www.c	ok	No Geolocation information available.
videocloud.cn-hangzhou.log.aliyuncs.com	ok	IP: 47.111.48.239 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
render.alipay.com	ok	IP: 220.185.164.196 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map

DOMAIN	STATUS	GEOLOCATION
lbs.netease.im	ok	IP: 111.124.216.99 Country: China Region: Guizhou City: Zunyi Latitude: 27.686670 Longitude: 106.907219 View: Google Map
cdn.jsdelivr.net	ok	IP: 104.16.175.226 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
longportapp.cn	ok	IP: 139.196.26.110 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
crl.globalsign.com	ok	IP: 104.18.21.226 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
vod.ap-southeast-1.aliyuncs.com	ok	IP: 47.241.205.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map

DOMAIN	STATUS	GEOLOCATION
detect.longbridge-inc.com	ok	IP: 180.163.146.111 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
.jpg	ok	No Geolocation information available.
api-status.longbridgeapp.com	ok	IP: 155.102.181.185 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
crbt.i139.cn	ok	IP: 112.35.183.229 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
jd.com	ok	IP: 106.39.171.134 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
ocsp.globalsign.com	ok	IP: 104.18.21.226 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
cloud-config-service.rtc.aliyuncs.com	ok	IP: 47.93.95.208 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
cdp.rapidssl.com	ok	IP: 23.66.33.52 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
event-tracking.lbkrs.com	ok	IP: 8.218.30.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
accounts.google.com	ok	IP: 198.18.2.1 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
help.wechat.com	ok	IP: 14.18.251.125 Country: China Region: Guangdong City: Guangzhou Latitude: 23.116671 Longitude: 113.250000 View: Google Map
www.jpg	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
graph.qq.com	ok	IP: 101.89.49.221 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
www.googleorganizationautocomplete requirements conservative	ok	No Geolocation information available.
www.in	ok	No Geolocation information available.
api.lbkrs.com	ok	IP: 139.196.35.5 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
csc3-2004-aia.verisign.com	ok	No Geolocation information available.
www.ibm.com	ok	IP: 23.42.94.71 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
pub.lbkrs.com	ok	IP: 13.35.185.71 Country: India Region: Delhi City: Delhi Latitude: 28.666670 Longitude: 77.216667 View: Google Map

DOMAIN	STATUS	GEOLOCATION
twitter.com	ok	IP: 172.66.0.227 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
ocsp.apple.com	ok	IP: 106.227.70.99 Country: China Region: Jiangxi City: Nanchang Latitude: 28.683331 Longitude: 115.883331 View: Google Map
en.wikipedia.org	ok	IP: 208.80.153.224 Country: United States of America Region: California City: San Francisco Latitude: 37.791256 Longitude: -122.400810 View: Google Map
skan.singular.net	ok	IP: 54.230.71.106 Country: India Region: Karnataka City: Bengaluru Latitude: 12.976230 Longitude: 77.603287 View: Google Map
www.openssl.org	ok	IP: 34.49.79.89 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map

DOMAIN	STATUS	GEOLOCATION
mp.weixin.qq.com	ok	IP: 220.196.132.78 Country: China Region: Jiangsu City: Zhenjiang Latitude: 32.209171 Longitude: 119.434174 View: Google Map
www.google.com	ok	IP: 198.18.2.6 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
live.aliyuncs.com	ok	IP: 59.82.44.229 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
longbridge.app.wbrks.com	ok	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
api-ack.lbkrs.com	ok	IP: 120.77.37.195 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map

DOMAIN	STATUS	GEOLOCATION
help.aliyun.com	ok	IP: 203.119.145.38 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
activity-nightly.lbkrs.com	ok	IP: 54.230.71.111 Country: India Region: Karnataka City: Bengaluru Latitude: 12.976230 Longitude: 77.603287 View: Google Map
msv6.wosms.cn	ok	IP: 124.64.196.40 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
longbridge.app.longbridge.xyz	ok	IP: 8.217.171.213 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
www.googleapis.com	ok	IP: 198.18.2.31 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map
www.wencodeuricomponent	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
h5.m.taobao.com	ok	IP: 47.96.203.82 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
api.weixin.qq.com	ok	IP: 101.91.34.103 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
www.digicert.com	ok	IP: 45.60.121.229 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
id6.me	ok	IP: 42.123.76.150 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
dev.twitter.com	ok	IP: 162.159.140.229 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
w3.org	ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
umc.danuoyi.alicdn.com	ok	IP: 47.100.164.181 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
ti.qq.com	ok	IP: 101.226.141.56 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
app.longbridge.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
223.5.5.5	ok	IP: 223.5.5.5 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
www.risktabsprev10pxrise25pxblueding300ballfordearnwilddbox.fairlackverspairjunetechifpickevil	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
modernizr.com	ok	IP: 75.2.60.5 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
m.weibo.cn	ok	IP: 106.63.15.9 Country: China Region: Yunnan City: Kunming Latitude: 25.038891 Longitude: 102.718330 View: Google Map
longbridge-lts-sit.activity.whalesit.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
amazon.com	ok	IP: 98.82.161.185 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
www.googleapis.cn	ok	IP: 114.250.68.34 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
www.fontfont.comhttp	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.bilibili.com	ok	IP: 175.4.62.129 Country: China Region: Hunan City: Yongzhou Latitude: 26.216667 Longitude: 111.616669 View: Google Map
cdn-support.lbkrs.com	ok	IP: 3.175.207.7 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
nos.netease.com	ok	IP: 111.124.197.18 Country: China Region: Guizhou City: Zunyi Latitude: 27.686670 Longitude: 106.907219 View: Google Map
support.longbridge.xyz	ok	IP: 8.217.171.213 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
wannos-hz.127.net	ok	IP: 60.188.66.35 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.sina.com	ok	IP: 117.40.89.93 Country: China Region: Jiangxi City: Nanchang Latitude: 28.683331 Longitude: 115.883331 View: Google Map
ping-gl.lbkrs.com	ok	IP: 155.102.181.191 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
loggw-exsdk.alipay.com	ok	IP: 110.76.6.75 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
m.lbkrs.com	ok	IP: 3.175.207.41 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.manifestations	ok	No Geolocation information available.
mobilegw.alipay.com	ok	IP: 203.209.247.65 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map

DOMAIN	STATUS	GEOLOCATION
pub.lbctrl.com	ok	IP: 155.102.181.183 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
firebase.google.com	ok	IP: 142.250.199.78 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.digicert.com1	ok	No Geolocation information available.
sts.amazonaws.com	ok	IP: 52.119.198.216 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
assets.whalesit.xyz	ok	IP: 155.102.181.193 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
safetrack.singular.net	ok	IP: 54.230.71.129 Country: India Region: Karnataka City: Bengaluru Latitude: 12.976230 Longitude: 77.603287 View: Google Map

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.113.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
link.lbkrs.com	ok	IP: 47.106.103.141 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
ws-ack.lbkrs.com	ok	IP: 139.196.26.110 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
static.lbkrs.com	ok	IP: 3.175.207.103 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.icon	ok	No Geolocation information available.
crl.sca1b.amazontrust.com	ok	IP: 13.35.218.189 Country: India Region: Delhi City: Delhi Latitude: 28.666670 Longitude: 77.216667 View: Google Map

DOMAIN	STATUS	GEOLOCATION
longbridge.xyz	ok	IP: 13.33.183.32 Country: India Region: Tamil Nadu City: Chennai Latitude: 13.087840 Longitude: 80.278473 View: Google Map
service.amazonaws.com	ok	No Geolocation information available.
longbridgeapp-9876a.firebaseio.com	ok	IP: 34.120.160.131 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
console.firebase.google.com	ok	IP: 142.250.197.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
secure.globalsign.com	ok	IP: 104.18.20.226 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
wannos.127.net	ok	IP: 60.188.66.35 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map

DOMAIN	STATUS	GEOLOCATION
lbs.chatnos.com	ok	IP: 111.124.216.100 Country: China Region: Guizhou City: Zunyi Latitude: 27.686670 Longitude: 106.907219 View: Google Map
ocsp.sca1b.amazontrust.com06	ok	No Geolocation information available.
pre-api.lbkrs.com	ok	IP: 120.77.37.195 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
longbridge.activity.wbrks.com	ok	IP: 47.243.118.180 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
api.geetest.com	ok	IP: 180.188.25.23 Country: China Region: Zhejiang City: Taizhou Latitude: 28.666668 Longitude: 121.349998 View: Google Map
cloud-config-service-pre rtc.aliyuncs.com	ok	IP: 47.93.95.208 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
www.language	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
vod.cn-shanghai.aliyuncs.com	ok	IP: 47.116.84.234 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
vcdn.lbkrs.com	ok	IP: 155.102.181.147 Country: United States of America Region: California City: San Mateo Latitude: 37.547424 Longitude: -122.330589 View: Google Map
longbridge-lts-sit.app.whalesit.xyz	ok	IP: 8.217.172.8 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
vod-license-proxy-pre.aliyun-inc.com	ok	IP: 100.64.26.218 Country: - Region: - City: - Latitude: 0.000000 Longitude: 0.000000 View: Google Map

DOMAIN	STATUS	GEOLOCATION
crt.sca1b.amazontrust.com	ok	IP: 13.226.65.201 Country: Philippines Region: National Capital Region City: Manila Latitude: 14.604200 Longitude: 120.982201 View: Google Map
yunxin.163.com	ok	IP: 1.95.20.156 Country: China Region: Beijing City: Beijing Latitude: 39.907501 Longitude: 116.397232 View: Google Map
api-acs.longbridge.xyz	ok	IP: 8.217.172.68 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
purl.org	ok	IP: 207.241.225.157 Country: United States of America Region: California City: San Francisco Latitude: 37.781734 Longitude: -122.459435 View: Google Map
support.longbridgehk.com	ok	IP: 43.198.130.46 Country: Australia Region: Queensland City: Brisbane Latitude: -27.467939 Longitude: 153.028091 View: Google Map

DOMAIN	STATUS	GEOLOCATION
zenorocha.github.io	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
developer.mozilla.org	ok	IP: 199.232.113.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.verisign.com	ok	IP: 72.13.63.40 Country: United States of America Region: Virginia City: Reston Latitude: 38.956692 Longitude: -77.342102 View: Google Map
cacerts.rapidssl.com	ok	IP: 23.66.33.52 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map
crl.verisign.com	ok	IP: 23.66.32.218 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map

DOMAIN	STATUS	GEOLOCATION
dns.alidns.com	ok	IP: 223.5.5.5 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
ws-gl.lbkrs.com	ok	IP: 16.163.134.125 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
internetfileserver.phillip.com.sg	ok	IP: 23.35.148.189 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map
app-analytics-services-att.com	ok	IP: 142.250.71.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
qzs.qq.com	ok	IP: 113.201.47.251 Country: China Region: Shaanxi City: Baoji Latitude: 34.353611 Longitude: 107.375275 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.twitter.com	ok	IP: 172.66.0.227 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.geetest.com	ok	IP: 223.221.177.184 Country: China Region: Qinghai City: Xining Latitude: 36.616669 Longitude: 101.766670 View: Google Map
www.a	ok	No Geolocation information available.
support.lbkrs.com	ok	IP: 8.218.30.161 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
www.text-decoration	ok	No Geolocation information available.
open.weixin.qq.com	ok	IP: 116.128.171.214 Country: China Region: Shanghai City: Shanghai Latitude: 31.222219 Longitude: 121.458061 View: Google Map
helpx.adobe.com	ok	IP: 23.202.34.168 Country: Hong Kong Region: Hong Kong City: Hong Kong Latitude: 22.285521 Longitude: 114.157692 View: Google Map

EMAIL	FILE
e_set_guide2_zh-hans@2x.png set_guide_dark_zh-hk@2x.png home_set_guide_en@3x.png set_guide_dark_zh-hk@3x.png _guide2_dark_zh-hans@3x.png ome_set_guide2_zh-hk@2x.png ._home_set_guide_en@3x.png home_set_guide_zh-hk@2x.png _guide3_dark_zh-hans@3x.png e_set_guide3_dark_en@3x.png qrm@mxxz.r e_set_guide3_zh-hans@2x.png home_set_guide2_en@2x.png home_set_guide3_en@3x.png et_guide2_dark_zh-hk@2x.png t_guide_dark_zh-hans@3x.png et_guide3_dark_zh-hk@3x.png e_set_guide3_zh-hans@3x.png ome_set_guide3_zh-hk@3x.png me_set_guide_zh-hans@3x.png e_set_guide2_zh-hans@3x.png ome_set_guide2_zh-hk@3x.png e_set_guide2_dark_en@2x.png home_set_guide_zh-hk@3x.png c@a.svghc ome_set_guide3_zh-hk@2x.png r@9rysj.km me_set_guide_zh-hans@2x.png _guide3_dark_zh-hans@2x.png me_set_guide_dark_en@3x.png home_set_guide3_en@2x.png home_set_guide_en@2x.png home_set_guide2_en@3x.png ._home_set_guide_en@2x.png e_set_guide2_dark_en@3x.png me_set_guide_dark_en@2x.png _guide2_dark_zh-hans@2x.png et_guide2_dark_zh-hk@3x.png t_guide_dark_zh-hans@2x.png et_guide3_dark_zh-hk@2x.png e_set_guide3_dark_en@2x.png	longbridge-ios-app.app/HomeSetGuide_3.zip

EMAIL	FILE
guide_example_zh-hk@3x.pngut e_example_dark_zh-hk@3x.pngut example_dark_zh-hans@2x.pngut e_example_dark_zh-hk@2x.pngut guide_example_zh-hk@2x.pngut _guide_example_en@2x.pngut _guide_example_zh-hk@2x.pngut guide_example_en@3x.pngut uide_example_zh-hans@2x.pngut uide_example_dark_en@2x.pngut guide_example_zh-hk@3x.pngut _guide_example_en@3x.pngut uide_example_dark_en@3x.pngut example_dark_zh-hans@3x.pngut uide_example_zh-hans@3x.pngut guide_example_en@2x.pngut	longbridge-ios-app.app/OcrGuidePage.zip
7@pw.xeÿa4n	longbridge-ios-app.app/LBMineWatchListInteractive_animal.zip
field@typetype.googleapis 0@-k.dl l-extension-registry@google.com appro@openssl.org 8@r.o6 icon@2x.png 7jd@oe.r1 0@4b7tt.b66b7a6hn qy@b.cs s[]j@9hé.wxk l@c.34wypju kenton@google.com 8fd[]pi@vt.n\$ ha3+1@e.jn 0@k.rkr p@v.tg8 close@3x.png qx@a._u 4w@r7.a1l zc315197@alibaba-inc.com0 w@a-.3xommz	longbridge-ios-app.app/longbridge-ios-app
4101823@qq.com	longbridge-ios-app.app/LBUnitTestJson.bundle/v1_login.json
4101823@qq.com	longbridge-ios-app.app/LBUnitTestJson.bundle/v1_member_info.json

EMAIL	FILE
pa@f.a2 'kk5@uyl.yq h@j51.wy rq@yt6gz.ay3lq oibqyz@px.jd	longbridge-ios-app.app/LBWebKitPerset.bundle/h5_app_spa_prod_lb_4798614ee962649ef3ef0be02f7543ff30376e7e.zip
èm@g--.fr t@0k_.emb ie@5lcf.n1 m@0av8x.la 38@z.4i ṽ@mdh.ubgy m@l.fy ti@ce6kri.hb .@5aup.oj xĵ@w.hz	longbridge-ios-app.app/LBWebKitPerset.bundle/7fbbebf07f43236b9f82ae5caae7359.zip
gyy@cj.21 c@y.ηw ſw@f.lhy w@v.bsm ba@u10bexo.wcu h@r.r2 9ω@d1.v6h _yetqnk@wŁ_.m_ lr4p@c.c3z	longbridge-ios-app.app/LBWebKitPerset.bundle/h5_stock_spa_prod_lb_4f5be0055a6d05cd64f6ddf1dab4519c7b44463e.zip
eopu9x@qtr.vj5itv h6@█.igir	longbridge-ios-app.app/LBWebKitPerset.bundle/8b09ddf073594030cd726ac48194c886.zip

EMAIL	FILE
rive@20250724.wasmut 2el@nz.sns x@v.g51 4@.m7 b@s.qo i@f-4.p8 đ@ub.uaa panda_dark@3x.pngut j@tkx.wi q@tc.iq p@ea1q.cn l@dj.mĪq lb_dark@2x.pngut d@jr.j6 n@i.9t t@h.n0uu1s nqgᵱj-l-@hk.ᵱhls3o ·m5@d.yᵱat lb_light@2x.pngut b@p.paa 6@f.ey kbni@yr.memc 2d2r.37@z.9ç l@a4lsa.lĭi u@p.nᵱ moment@2.24 7na@w.tt 6@sb.ci panda_light@2x.pngut c@h.rᵱp 3.4.9-vue-i18n@8.22 lb_light@3x.pngut panda_dark@2x.pngut ni2e@ᵱ-z.0vvix ᵱ@s.wᵱqh panda_light@3x.pngut y@é4.hv lb_dark@3x.pngut 1uh@k.bl v@vr.lms	longbridge-ios-app.app/LBWebKitPerset.bundle/599be1ef5c1ea1c3e64955812ae22763ae3292ab.zip
-g@c.38 5hx@u2.zy q82mwgr@uwd8.a3 ᵱt7om1@p.h7d j@3v-.av4	longbridge-ios-app.app/LBWebKitPerset.bundle/h5_h5hub_opa_prod_lb_8aaf848d9cf3d49cddd93f61c69bbfe3e2ac8335.zip

EMAIL	FILE
i@5.cn er4@2rĊ.qb	longbridge-ios-app.app/LBWebKitPerset.bundle/h5_h5_editor_prod_lb_5bb33e8b7a05f3e86a59c62a91b38cf210f2804b.zip
moment@2.24	longbridge-ios-app.app/LBWebKitPerset.bundle/moment@2.24.0-timezone-with-data-1970-2030@0.5.27.min.js
q@u-.6° t@t.d□jje rxj@z.ŷr ouf@e_.hixo60 wn@ok.6ķ8 e@n.om6 c@fs.u■ 8n-@qn.wvq4 j5_3j@ě.uw z@bwp.lm 7h@9.i_s y+ę@e9.l_ -f@q.0v u@r.57zm kg@s.3k ę@l.mþt f@o8.qq9 h@b.7uz0of kgt@s7.6kz 3@z.5g -qnk@-.t8wai c@w.5yf j3@v.fqvzw m@oge.k_o8 Ÿtj7@_p.et 1en@czv.rra k@p.acx 2@ua.94 s@1.jqum mq@l.53y i@qkf.ske □@t.id n@g.kb jph@d.6ix 4@□.2qzr a@b.ğl 1@m8.ŷfŋg blhy@nh8.xqn ■@me.3qw u@fse.4ujb r@kdz.jط	longbridge-ios-app.app/LBWebKitPerset.bundle/f1f20e07e5b5f910730dd25d599761c0.zip

EMAIL	FILE
5@ikid.zo ue@pw4fu.2t_	longbridge-ios-app.app/LBLoginModule.bundle/login_baner_default.mp4
example@gmail.com_	longbridge-ios-app.app/en.lproj/Localizable.strings
6@l.em	longbridge-ios-app.app/PlugIns/HomeWidgetsExtension.appex/HomeWidgetsExtension
appro@openssl.org l@c.34wypju field@typetype.googleapis 8@r.o6 0@-k.dl kenton@google.com icon@2x.png close@3x.png l-extension-registry@google.com qx@a._u zc315197@alibaba-inc.com0 w@a-.3xommz qy@b.cs	IPA Strings Dump
support@fabric.io	Payload/longbridge-ios-app.app/Frameworks/TwitterKit.framework/TwitterKit
ftp@example.com appro@openssl.org	Payload/longbridge-ios-app.app/Frameworks/AliyunPlayer.framework/AliyunPlayer

TRACKERS

TRACKER	CATEGORIES	URL
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312

HARDCODED SECRETS

POSSIBLE SECRETS
Key : enabled_preference
branch_key : key_live_lm1FLOnFrBmJKJO5WSjfOndpuufDTSLW
Key : name_preference
Key : slider_preference
API_KEY : AlzaSyC0APah_FnTWA8VERmhthr1GC7P8-q2x6E
FacebookClientToken : b874142c438d4e8258b59c29b89df98a
AlivcLicenseKey : IP8LOmbal2gZBHyFQ687b2b8f362b4ebcb54d5869bed9e251

SCAN LOGS

Timestamp	Event	Error
2026-01-12 12:13:05	iOS Binary (IPA) Analysis Started	OK
2026-01-12 12:13:05	Generating Hashes	OK
2026-01-12 12:13:05	Extracting IPA	OK
2026-01-12 12:13:05	Unzipping	OK
2026-01-12 12:13:07	iOS File Analysis and Normalization	OK
2026-01-12 12:13:07	iOS Info.plist Analysis Started	OK

2026-01-12 12:13:07	Finding Info.plist in iOS Binary	OK
2026-01-12 12:13:07	Fetching Details from App Store: global.longbridge.ios	OK
2026-01-12 12:13:08	Failed to get app details	KeyError('sellerUrl')
2026-01-12 12:13:08	Searching for secrets in plist files	OK
2026-01-12 12:13:08	Starting Binary Analysis	OK
2026-01-12 12:13:10	Dumping Classes from the binary	OK
2026-01-12 12:13:10	Running jtool against the binary for dumping classes	OK
2026-01-12 12:13:13	Library Binary Analysis Started	OK
2026-01-12 12:13:13	Analyzing Payload/longbridge-ios-app.app/Frameworks/libswift_Concurrency.dylib	OK
2026-01-12 12:13:13	Framework Binary Analysis Started	OK
2026-01-12 12:13:13	Analyzing Payload/longbridge-ios-app.app/Frameworks/TwitterKit.framework/TwitterKit	OK
2026-01-12 12:13:13	Analyzing Payload/longbridge-ios-app.app/Frameworks/NIMSDK.framework/NIMSDK	OK
2026-01-12 12:13:13	Analyzing Payload/longbridge-ios-app.app/Frameworks/FBSDKCoreKit_Basics.framework/FBSDKCoreKit_Basics	OK
2026-01-12 12:13:13	Analyzing Payload/longbridge-ios-app.app/Frameworks/FBAEMKit.framework/FBAEMKit	OK

2026-01-12 12:13:13	Analyzing Payload/longbridge-ios-app.app/Frameworks/AliyunPlayer.framework/AliyunPlayer	OK
2026-01-12 12:13:13	Analyzing Payload/longbridge-ios-app.app/Frameworks/TwitterCore.framework/TwitterCore	OK
2026-01-12 12:13:13	Error Performing Framework Binary Analysis	AttributeError("'int' object has no attribute 'value'")
2026-01-12 12:13:13	Extracting String Metadata	OK
2026-01-12 12:13:13	Extracting URL and Email from IPA	OK
2026-01-12 12:13:26	Performing Malware check on extracted domains	OK
2026-01-12 12:14:16	Fetching IPA icon path	OK
2026-01-12 12:14:20	Detecting Trackers from Domains	OK
2026-01-12 12:14:21	Saving to Database	OK

Report Generated by - MobSF v4.4.4

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2026 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).