

TiO2

IKHLAS TITANIUM

TITANIUM DIOXIDE PRODUCT APPLICATIONS & GOOGLE SEARCH KEYWORDS

English Reference Guide for Buyer Prospecting, Product Matching and Market Development

M-200	M-108	M-210
M-340	M-886	M-52
M-510	M-895	M-996
M-2196	M-2377	CR-901

Prepared from the supplied Technical Data Sheets
Edition: July 2026

PORTFOLIO MAP

PORTFOLIO AT A GLANCE

Use this page to select the most relevant grade before building a Google prospecting list.

GRADE	POSITIONING	CORE APPLICATIONS	PRIMARY BUYER SEGMENT
M-200	Exterior plastics grade	uPVC profiles, PVC calendered film, outdoor plastic products, durable masterbatch	uPVC profile, film and masterbatch factories
M-108	High-heat plastics grade	Masterbatch, compounds, polyolefin film, PVC film and heat-stable plastics	Masterbatch, film and plastic-compounding plants
M-210	Chloride masterbatch grade	Polyolefin masterbatch, PE, PP, ABS, PS copolymers and rubber	White masterbatch and engineering-plastics compounders
M-340	High-concentration plastics grade	High-concentration masterbatch, films, filament, wire/cable compounds, injection plastics and rubber	Masterbatch, film, cable-compound and injection plants
M-886	Bright-white plastics grade	Polyolefin masterbatch, extrusion coating, cast film, engineering plastics and footwear	Film, compound and footwear-material producers
M-52	Low-abrasivity ink grade	Printing inks, can coatings and high-gloss interior architectural coatings	Printing-ink and metal-packaging coating plants
M-510	TMP/TME-free multi-purpose grade	Architectural, automotive, coil, anticorrosive and powder coatings; inks; engineering plastics and profiles	Diversified coatings, ink and plastics manufacturers
M-895	Chloride coatings grade	Interior and exterior architectural coatings and industrial coatings	Architectural and industrial paint manufacturers
M-996	Durable sulfate coatings grade	Industrial coatings, powder coatings and interior/exterior architectural coatings	Industrial, powder and architectural coating plants
M-2196	Durable sulfate coatings grade	Industrial coatings, powder coatings and interior/exterior architectural coatings	Industrial, powder and architectural coating plants
M-2377	General-purpose rutile grade	Coatings, paints, ink, plastics, rubber and paper	Multi-industry pigment users and general compounders
CR-901	99.97% high-purity rutile grade	MLCC, PTC, VDR, ferrites, electronic ceramics, optical glass, battery materials and specialty uses	Electronic ceramic, component and advanced-material producers

HOW TO USE: Search with buyer-finding keywords to locate end-user factories. Search with product-matching keywords to identify competing grades, technical references and SEO opportunities. Add a target country, city or market segment to every query.

SOURCE NOTE: The source file named TDS_CR-200_2024 V3 displays the grade as M-200. This guide follows the grade printed on the TDS page.

M-200

CHLORIDE PROCESS | EXTERIOR PLASTICS GRADE

A durable rutile TiO2 grade designed for exterior plastic products, with good compatibility, dispersion and processing behavior in plastic systems.

PROCESS / TYPE Chloride process	PRIMARY SEGMENT Exterior plastics	BEST FIT uPVC, outdoor PVC and durable masterbatch
------------------------------------	--------------------------------------	---

RECOMMENDED APPLICATION FIELDS

- uPVC profiles and plastic plates
- Exterior plastic furniture and outdoor plastic products
- PVC calendered films, including advertising film
- Durable and weather-resistant plastic masterbatch

GOOGLE BUYER-FINDING KEYWORDS

"uPVC profile manufacturer"	"PVC window profile manufacturer"
"PVC calendered film manufacturer"	"advertising film manufacturer"
"outdoor plastic furniture manufacturer"	"weather-resistant white masterbatch manufacturer"

GOOGLE PRODUCT-MATCHING KEYWORDS

"exterior plastics grade rutile titanium dioxide"	"titanium dioxide for uPVC profiles"
"TiO2 for PVC calendered film"	"weather-resistant TiO2 for masterbatch"

PROSPECTING FOCUS: Prioritize manufacturers of outdoor PVC building products, uPVC window profiles, calendered advertising films and durable white masterbatch.

M-108

SULFATE PROCESS | HIGH-THERMAL-STABILITY PLASTICS GRADE

An alumina-treated rutile TiO2 grade for masterbatch and compounding, designed for easy dispersion in polyolefins and applications requiring high thermal stability.

PROCESS / TYPE Sulfate process	PRIMARY SEGMENT Masterbatch & film	BEST FIT Heat-stable plastic systems
-----------------------------------	---------------------------------------	---

RECOMMENDED APPLICATION FIELDS

- White masterbatch and plastic compounds
- Polyolefin films, including PE-based film systems
- PVC film
- Plastic applications requiring high thermal stability

GOOGLE BUYER-FINDING KEYWORDS

"white masterbatch manufacturer"	"plastic compounder"
"polyolefin film manufacturer"	"PE film manufacturer"
"PVC film manufacturer"	"high-temperature plastic compound manufacturer"

GOOGLE PRODUCT-MATCHING KEYWORDS

"rutile titanium dioxide for white masterbatch"	"high heat stability TiO2 for plastics"
"TiO2 for polyolefin film"	"titanium dioxide for PVC film"

PROSPECTING FOCUS: Target factories that process polyolefin or PVC at elevated temperatures and need stable whiteness with limited impact on melt flow.

PLASTICS & MASTERBATCH

M-210

CHLORIDE PROCESS | MASTERBATCH GRADE

A high-hiding, high-tinting-strength rutile TiO2 grade with a bluish undertone, easy dispersion and favorable processing properties in many polymers.

PROCESS / TYPE	PRIMARY SEGMENT	BEST FIT
Chloride process	Polyolefin masterbatch	PE, PP, ABS, PS and rubber

RECOMMENDED APPLICATION FIELDS

- Polyolefin white masterbatch
- Engineering plastics such as PE, PP and ABS
- Polystyrene and its copolymers
- Rubber compounds

GOOGLE BUYER-FINDING KEYWORDS

"polyolefin white masterbatch manufacturer"	"PE masterbatch manufacturer"
"PP masterbatch producer"	"ABS compound manufacturer"
"polystyrene compound manufacturer"	"rubber compound manufacturer"

GOOGLE PRODUCT-MATCHING KEYWORDS

"chloride process TiO2 for masterbatch"	"rutile titanium dioxide for PE PP ABS"
"high tinting strength TiO2 for engineering plastics"	"blue undertone titanium dioxide for polymers"

PROSPECTING FOCUS: Focus on medium and high-concentration white masterbatch producers and compounders using PE, PP, ABS or PS as the carrier or base resin.

QUALIFICATION NOTE: The uploaded filename contains 'FDA GRADE', but the TDS page identifies M-210 as 'MASTERBATCH GRADE'. Use FDA or food-contact wording only when separate compliance documents are available.

PLASTICS & MASTERBATCH

M-340

CHLORIDE PROCESS | HIGH-CONCENTRATION MASTERBATCH & FILM GRADE

A chloride-process rutile TiO2 grade with strong dispersion, a clean bluish undertone, high whiteness and resistance to yellowing at elevated processing temperatures.

PROCESS / TYPE	PRIMARY SEGMENT	BEST FIT
Chloride process	High-concentration plastics	Film, filament, cable and injection

RECOMMENDED APPLICATION FIELDS

- High-concentration white masterbatch
- High-quality plastic films
- Plastic filament, monofilament and wire/cable compounds
- Injection-molded plastics
- Moderately durable plastics and rubber

GOOGLE BUYER-FINDING KEYWORDS

"high concentration white masterbatch manufacturer"	"plastic film manufacturer"
"plastic monofilament manufacturer"	"plastic filament manufacturer"
"wire and cable compound manufacturer"	"injection molding compound manufacturer"
"rubber compound manufacturer"	

GOOGLE PRODUCT-MATCHING KEYWORDS

"TiO2 for high concentration masterbatch"	"high whiteness titanium dioxide for plastic film"
"anti-yellowing TiO2 for injection molding"	"rutile titanium dioxide for monofilament and cable compounds"

PROSPECTING FOCUS: Use several related phrases - filament, monofilament and wire/cable compound - because the source wording 'silk and wire plastics' is not a standard global search term.

PLASTICS & MASTERBATCH

M-886

CHLORIDE PROCESS | PLASTICS GRADE

A bright-white chloride-process TiO2 grade developed for plastics, offering excellent dispersion, strong processability and minimal effect on melt flow.

PROCESS / TYPE Chloride process	PRIMARY SEGMENT Film & engineering plastics	BEST FIT Cast film, extrusion coating and footwear
------------------------------------	--	---

RECOMMENDED APPLICATION FIELDS

- Polyolefin masterbatches
- High-temperature extrusion coatings
- Cast films
- Engineering plastics
- Footwear and shoe-sole compounds

GOOGLE BUYER-FINDING KEYWORDS

"polyolefin masterbatch manufacturer"	"extrusion coating manufacturer"
"cast film manufacturer"	"engineering plastics compounder"
"footwear compound manufacturer"	"shoe sole material manufacturer"

GOOGLE PRODUCT-MATCHING KEYWORDS

"chloride process titanium dioxide for plastics"	"TiO2 for cast film"
"titanium dioxide for extrusion coating"	"TiO2 for footwear compounds"

PROSPECTING FOCUS: Prioritize converters and compounders that need bright color, easy dispersion and stable high-temperature processing in film or footwear applications.

QUALIFICATION NOTE: For food-contact film or packaging applications, confirm compliance with the regulations applicable to the intended market and use.

COATINGS & PRINTING INKS

M-52

SULFATE PROCESS | INK GRADE

A sulfate-process rutile TiO₂ grade specifically designed for printing inks, with very high gloss and opacity, excellent dispersion and low abrasivity.

PROCESS / TYPE	PRIMARY SEGMENT	BEST FIT
Sulfate process	Printing inks	White inks and can coatings

RECOMMENDED APPLICATION FIELDS

- Printing inks, including white and packaging inks
- Can coatings
- Metal packaging coatings
- High-gloss interior architectural coatings

GOOGLE BUYER-FINDING KEYWORDS

"printing ink manufacturer"	"white printing ink manufacturer"
"packaging ink manufacturer"	"can coating manufacturer"
"metal packaging coatings manufacturer"	"high gloss interior paint manufacturer"

GOOGLE PRODUCT-MATCHING KEYWORDS

"rutile titanium dioxide for printing ink"	"low abrasivity titanium dioxide for ink"
"high gloss TiO ₂ for printing ink"	"titanium dioxide for can coatings"

PROSPECTING FOCUS: Search for ink formulators using high-speed dispersion or printing equipment where low abrasivity, gloss and opacity are important purchasing criteria.

M-510

CHLORIDE PROCESS | TMP/TME-FREE MULTI-APPLICATION GRADE

A multifunctional chloride-process rutile TiO2 grade for coatings, printing inks and plastics, designed to cover multiple pigment requirements while reducing grade complexity and inventory cost.

PROCESS / TYPE Chloride process	PRIMARY SEGMENT Multi-application	BEST FIT Coatings, inks and engineering plastics
---	---	--

RECOMMENDED APPLICATION FIELDS

- Interior and exterior architectural coatings
- Automotive OEM and refinishing paints
- Coil, anticorrosive, decorative and powder coatings
- Letterpress, offset and intaglio/gravure printing inks
- Engineering plastics, masterbatch and plastic profiles

GOOGLE BUYER-FINDING KEYWORDS

"architectural coatings manufacturer"	"automotive OEM coatings manufacturer"
"automotive refinish paint manufacturer"	"coil coating manufacturer"
"anticorrosive paint manufacturer"	"powder coatings manufacturer"
"offset printing ink manufacturer"	"gravure ink manufacturer"
"engineering plastics compounder"	"PVC profile manufacturer"

GOOGLE PRODUCT-MATCHING KEYWORDS

"TMP-free titanium dioxide"	"TME-free titanium dioxide"
"multi-purpose chloride process TiO2"	"titanium dioxide for automotive coatings"
"TiO2 for printing inks and plastics"	

PROSPECTING FOCUS: Best suited to diversified manufacturers that consume TiO2 across several product lines or want to reduce the number of pigment grades held in inventory.

COATINGS

M-895

CHLORIDE PROCESS | COATINGS GRADE

A chloride-process coatings grade with fast dispersion, excellent opacity and gloss, brilliant blue-toned whiteness and good weather resistance for interior and exterior use.

PROCESS / TYPE Chloride process	PRIMARY SEGMENT Architectural & industrial coatings	BEST FIT High-gloss and durable coatings
------------------------------------	--	---

RECOMMENDED APPLICATION FIELDS

- Interior architectural coatings
- Exterior architectural coatings
- Industrial coatings
- High-gloss, blue-toned white coating systems

GOOGLE BUYER-FINDING KEYWORDS

"interior paint manufacturer"	"exterior paint manufacturer"
"architectural coatings manufacturer"	"industrial coatings manufacturer"
"high gloss industrial paint manufacturer"	"weather-resistant exterior paint manufacturer"

GOOGLE PRODUCT-MATCHING KEYWORDS

"chloride process TiO2 for coatings"	"blue undertone rutile titanium dioxide for paint"
"high opacity TiO2 for architectural coatings"	"weather-resistant TiO2 for exterior paint"

PROSPECTING FOCUS: Prioritize medium-to-high-end architectural and industrial coating manufacturers that value clean whiteness, gloss, opacity and exterior durability.

QUALIFICATION NOTE: If the pigment is intended for food-contact coatings or packaging coatings, confirm compliance for the specific market and end use.

COATINGS

M-996

SULFATE PROCESS | GENERAL COATINGS GRADE

A zirconia- and alumina-treated sulfate-process rutile TiO2 grade with high durability, good gloss and brightness, strong opacity and easy dispersion.

PROCESS / TYPE Sulfate process	PRIMARY SEGMENT General coatings	BEST FIT Industrial, powder and architectural paints
-----------------------------------	-------------------------------------	---

RECOMMENDED APPLICATION FIELDS

- Industrial coatings
- Powder coatings
- Exterior architectural coatings
- Interior architectural coatings
- Industrial protective coating systems

GOOGLE BUYER-FINDING KEYWORDS

"industrial paint manufacturer"	"powder coatings manufacturer"
"architectural coatings manufacturer"	"exterior wall paint manufacturer"
"industrial protective coatings manufacturer"	

GOOGLE PRODUCT-MATCHING KEYWORDS

"sulfate process rutile TiO2 for coatings"	"zirconia alumina treated titanium dioxide"
"titanium dioxide for powder coatings"	"durable TiO2 for exterior paint"

PROSPECTING FOCUS: Develop industrial, powder-coating and architectural-paint manufacturers seeking a durable sulfate-process rutile grade with balanced performance and cost.

COATINGS

M-2196

SULFATE PROCESS | DURABLE COATINGS GRADE

A durable zirconia- and alumina-treated rutile TiO2 grade with good gloss, brightness, opacity and dispersibility for a broad range of coating systems.

PROCESS / TYPE Sulfate process	PRIMARY SEGMENT Durable coatings	BEST FIT Industrial and architectural coating systems
--	--	---

RECOMMENDED APPLICATION FIELDS

- Industrial coatings
- Powder coatings
- Exterior architectural coatings
- Interior architectural coatings

GOOGLE BUYER-FINDING KEYWORDS

"industrial coatings manufacturer"	"powder coatings manufacturer"
"interior and exterior paint manufacturer"	"durable architectural coatings manufacturer"
"industrial protective paint manufacturer"	

GOOGLE PRODUCT-MATCHING KEYWORDS

"durable sulfate process rutile titanium dioxide"	"TiO2 for industrial coatings"
"rutile titanium dioxide for powder coatings"	"zirconia alumina treated TiO2 for architectural paint"

PROSPECTING FOCUS: M-2196 and M-996 can share the same prospecting pool. Qualify each opportunity by whiteness, opacity, gloss, dispersion, durability, cost target and the customer's current benchmark grade.

M-2377

RUTILE TiO2 | COATINGS, PLASTICS, RUBBER & PAPER GRADE

A zirconia-, alumina- and organic-treated rutile TiO2 grade for coatings and plastics, offering high gloss, good opacity, medium exterior durability and easy dispersion across multiple applications.

PROCESS / TYPE Rutile / surface-treated	PRIMARY SEGMENT General purpose	BEST FIT Coatings, plastics, rubber and paper
---	---	---

RECOMMENDED APPLICATION FIELDS

- Coatings and paints
- Printing inks
- Plastic compounds and products
- Rubber compounds and rubber products
- Paper coating and decorative paper

GOOGLE BUYER-FINDING KEYWORDS

"paint and coatings manufacturer"	"printing ink manufacturer"
"plastic compound manufacturer"	"rubber products manufacturer"
"rubber compound manufacturer"	"paper coating manufacturer"
"decorative paper manufacturer"	

GOOGLE PRODUCT-MATCHING KEYWORDS

"general purpose rutile titanium dioxide"	"TiO2 for coatings plastics and rubber"
"titanium dioxide for paper coating"	"medium durability rutile TiO2 pigment"

PROSPECTING FOCUS: Use this grade to approach broad-use factories that value versatility and balanced performance rather than a narrowly specialized premium grade.

HIGH-PURITY FUNCTIONAL MATERIALS

CR-901

VAPOR-PHASE OXIDATION | HIGH-PURITY RUTILE GRADE

A high-purity rutile TiO2 grade produced by vapor-phase oxidation, with low impurity content, narrow particle-size distribution, good dispersion and stable batch-to-batch quality.

PROCESS / TYPE Vapor-phase oxidation	PRIMARY SEGMENT Electronic & functional materials	BEST FIT Ceramics, batteries, glass and specialty materials
---	--	--

RECOMMENDED APPLICATION FIELDS

- MLCC multilayer ceramic capacitors
- PTC thermistors and VDR varistors
- Soft ferrites and electronic ceramics
- Optical glass and battery materials
- Cosmetics and medicine
- Special metallurgy

GOOGLE BUYER-FINDING KEYWORDS

"MLCC manufacturer"	"multilayer ceramic capacitor manufacturer"
"PTC thermistor manufacturer"	"varistor manufacturer"
"soft ferrite manufacturer"	"electronic ceramics manufacturer"
"optical glass manufacturer"	"battery materials manufacturer"
"cosmetics manufacturer titanium dioxide"	"pharmaceutical manufacturer titanium dioxide"
"special metallurgy materials manufacturer"	

GOOGLE PRODUCT-MATCHING KEYWORDS

"99.97% high purity rutile titanium dioxide"	"electronic grade titanium dioxide"
"TiO2 for MLCC ceramics"	"high purity titanium dioxide for optical glass"
"high purity TiO2 for battery materials"	

PROSPECTING FOCUS: Search directly for downstream component and advanced-material manufacturers rather than generic TiO2 buyers. Prioritize MLCC, thermistor, varistor, ferrite, optical-glass and electronic-ceramic producers.

QUALIFICATION NOTE: Cosmetics and medicine are listed as application fields, but purity, heavy-metal, microbiological, particle-size and regulatory requirements must be verified for each target market and end use.

PROSPECTING METHOD

GOOGLE SEARCH PLAYBOOK

Use exact industry phrases, add geography, exclude intermediaries and then identify the responsible decision-maker.

1. FIND END-USER FACTORIES

"<industry keyword>" manufacturer <Country> -trader -distributor
"<industry keyword>" producer <Country>
"<industry keyword>" factory <City>
site:linkedin.com/company "<industry keyword>" <Country>

2. FIND NAMED DECISION-MAKERS

site:linkedin.com/in "<Company Name>" ("procurement manager" OR "purchasing manager")
site:linkedin.com/in "<Company Name>" ("technical director" OR "R&D manager")
site:linkedin.com/in "<Company Name>" ("managing director" OR owner)
"<Company Name>" raw material purchasing

3. REFINE AND EXCLUDE

-trader -distributor -wholesaler -marketplace
manufacturer OR producer OR factory OR compounder OR converter OR mill
Add: country, city, resin type, coating type, printing process or end-use
Use quotation marks around the most important buyer phrase

READY-TO-USE EXAMPLES

EXAMPLE SEARCH STRINGS

"white masterbatch manufacturer" India -trader -distributor	"powder coatings manufacturer" Italy
"printing ink manufacturer" Turkey	"uPVC profile manufacturer" Poland
"MLCC manufacturer" South Korea	site:linkedin.com/company "industrial coatings manufacturer" Brazil

RECOMMENDED WORKFLOW: Build a company list first, confirm that the company is an actual manufacturer, identify the product line that consumes TiO₂, then search the procurement, technical, R&D or owner-level contact.

CONTACT STRATEGY

TARGET DECISION-MAKERS & QUALIFICATION NOTES

Use role-specific searches to reach people who control raw-material approval, formulation and purchasing.

PLASTICS, MASTERBATCH & COMPOUNDING

Raw Material Purchasing Manager	Purchasing Manager
Procurement Director	Technical Manager
R&D Manager	Masterbatch Formulation Manager
Plant Manager	Managing Director / Owner

COATINGS & PRINTING INKS

Raw Material Procurement Manager	Formulation Manager
Coatings R&D Manager	Ink Technical Manager
Technical Director	Strategic Sourcing Manager
Plant Manager	Managing Director / Owner

ELECTRONIC CERAMICS & HIGH-PURITY MATERIALS

Strategic Sourcing Manager	Ceramic Materials R&D Manager
Materials Engineer	Technical Director
Procurement Director	Quality Manager
Plant Director	Managing Director

QUALIFICATION AND COMPLIANCE NOTES

M-210	The uploaded filename contains 'FDA GRADE', but the TDS page identifies the product as 'MASTERBATCH GRADE'. Do not use an FDA or food-contact claim without separate supporting documentation.
M-886 / M-895	The TDS instructs users to confirm food-contact compliance for the intended market and use. Treat food-contact suitability as a separate regulatory qualification.
CR-901	Cosmetics and medicine are listed as application fields, but market-specific purity, heavy-metal, particle-size and regulatory requirements must be verified before promotion.
Keyword use	Buyer-finding keywords locate potential end-user factories. Product-matching keywords locate competing grades, formulation references and search-engine content opportunities.

FINAL REMINDER: A keyword match indicates commercial relevance, not automatic technical suitability. Confirm the customer's resin, formulation, processing temperature, gloss, opacity, dispersion, weatherability, regulatory requirements and current benchmark grade before recommending a product.