

THREE KEY AREAS | THREE SPATIAL PROTOTYPES


V2.2 / PROVISIONAL

Each board pairs an enterprise request with a resident return, spatial move, stop rule and evidence request.


01 ZHONGZHIYUAN | RIVER FORECOURT

WORK ARRIVAL × PUBLIC RIVER PASSAGE

CONCEPT PLAN



INDICATIVE SECTION



ENTERPRISE: peak feeder + midday loading

RESIDENT: river walk stays open; curb returns

STOP: public passage breaks or nobody clears curb


EVIDENCE BEFORE RELEASE

entry | rights | section | peak flow | owner receipt


02 AI ORIGIN | CARE LOOP

DAILY LIFE × HUMAN-EQUIVALENT ENTRY

CONCEPT PLAN



INDICATIVE SECTION



ENTERPRISE: visitor booking + campus service

RESIDENT: care loop + quiet rest + human entry

STOP: app-only access or broken wheelchair/care chain


EVIDENCE BEFORE RELEASE

route audit | night light | staff | fallback | appeal


03 DAZHONGSI | FOUR-QUADRANT HALL

TASK ANCHOR × STATION-CITY PUBLIC INTERFACE

CONCEPT PLAN



INDICATIVE SECTION



ENTERPRISE: visitor, event exit + timed loading

RESIDENT: 4-way passage + night human fallback

STOP: PROV-KEY-003 is not station-anchored

EVIDENCE BEFORE RELEASE

official anchor | sections | flow | rights | egress owner

COMMON RELEASE GATE

ENTERPRISE GETS: arrival, feeder, visitor or loading window

RESIDENT GETS: continuous access, human route and appeal

MISSING FIELD PROOF: record only; do not book or expand

SLOWEST GROUP WORSE: stop; transit + human

Concept prototypes, not surveyed conditions or engineering alignments. Sources: public brief, geometry/key_areas.geojson and Issue #1029. Recalculate after official geometry, station anchors, rights, sections, flows and responsibility receipts.


Two-sided demand ledger / Time-windowed land-use

MULTIMODAL / v1.1

MOBILITY COMMONS / v1.0

Enterprise arrival, resident daily access and public curb share one time axis

Time windows are pilot defaults, not a local forecast



数据规则 / data rule

聚合到班次、服务类型和时间窗；不保存个人连续轨迹

Concept land-use base

Enterprise




Green



Service



Resident



Key: demand is measured in P0

MOBILITY EVIDENCE BOARD

Known geometry · unknown baseline · pilot gates · traceable outputs

JING-ZHANG / EVIDENCE

11.41

km² / provisional working area

KNOWN

12.34%

green ratio / concept footprint

KNOWN

7.33%

public space / concept footprint

KNOWN

5

GROUND MODES

+ 1 conditional air gate

GATED

01 EVIDENCE INVENTORY

44 traceable items · state decides whether a value enters comparison



UNKNOWN ≠ ZERO

add field evidence before updating the sandbox

02 EVIDENCE CHAIN

P0 □ P1 □ P2 · hard gates stay visible



No current performance claim · no air route claim

The board separates known files, unknown local baseline, pilot targets and blocked permissions.

Source: metrics.json + visual/assets/evidence-ledger.json


PROVISIONAL · UNKNOWN BASELINE · GATED PILOT

MULTIMODAL MOBILITY LOOP

Five ground modes + one conditional air experiment / people flow stays visible

01 MODE STACK / 方式叠层

Backbone → transfer → curb → people flow




MULTIMODAL MODEL OBJECTS

Residents · vehicles · metro · curb · accessible flow · gated air candidate

JING-ZHANG / MODEL

01 MODEL OBJECTS

Agent-based demand meets capacity, queues and hard gates.



S0 / S1 / S3 values are design sensitivities; replace with dated local calibration before any performance claim.

Source: visual/assets/movement-simulation.json

PROVISIONAL · MODEL SPEC · NOT A BASELINE


DESIGN-SCENARIO SIMULATION

Transparent sandbox · not a current baseline · gates before scores

P0 ▢ P1 / DESIGN BOARD

01 CANDIDATE EFFICIENCY

0–100 illustrative index · dashed line = 75 suggested threshold




1,000-person design unit

TRADE-OFF READOUT

illustrative values / design inputs

	S0	S1	S2	S3
Generalized cost (lower) index	100	78	—	85
Transfer reliability (higher) %	72%	88%	—	84%
People conflicts (lower) /1000	12.4	5.8	—	6.8
External car inflow (lower) %	42%	25%	—	28%
Worst-group gap (lower) pt	22	9	—	12
Energy index (lower) index	100	77	—	84

02 DECISION & CALIBRATION



Design values only. Replace each row with dated, grouped and locally calibrated evidence before claiming performance.

Source: visual/assets/movement-simulation.json

PROVISIONAL · NOT A BASELINE

Jing-Zhang Flow Commons

Enterprise-Resident Reciprocity Gate

An enterprise saving does not automatically become a resident benefit; both sides pass through one evidence chain.



R-01	AM peak	ENTERPRISE REQUEST	merged shuttles, employee arrivals and visitor drop-off windows school, care and accessible station routes remain continuous despite enterprise priority
R-02	midday curb	ENTERPRISE REQUEST	short loading, charging and maintenance windows
		RESIDENT RETURN	fire, wheelchair, walking and community-service passages remain continuous
R-03	weather and night return	ENTERPRISE REQUEST	night-shift feeders, timetable changes and digital dispatch
		RESIDENT RETURN	public transport, telephone or staffed return remains usable during outage or bad weather
R-04	failure, repair and exit	ENTERPRISE REQUEST	service restoration, asset reuse and reopening
		RESIDENT RETURN	prior records persist, appeals pause release and public routes recover first

G0 PACKAGE REPLAY

PASS

4/4 fallback · 6/6 checks · 5/5 rollback

structure replay only; does not advance P1/P2

G1 FIELD RELEASE

HOLD

0 audit · 0 transfer · 0 locked denominator · 0 authorization

no release without field baseline, accepted responsibility and authorization