


EXISTING BASE × SIX GATEWAYS

01 / PLANNING ALIGNMENT

THE PARK LINKS NORTH–SOUTH; WE ADD SIX CROSS-CORRIDOR GATEWAYS

AI MAIN STREET / v2.6



The existing park, centres and nodes form an enterable, pausable first-use network.

REACH IT

The heritage park and active green corridor are the existing public base.

ENTER IT

Six named gateways connect neighbourhoods, campuses, innovation parks, communities and transit.

PASS 3 GATES

Zhongzhiyuan asks safety; Origin asks understanding; Dazhongsi asks real use.

EXIT SAFELY

The Street Pass carries evidence and duty; ordinary space still works with AI off.


ALIGNMENT: publicised draft 'one belt, one axis, two centres, multiple nodes' × Haidian four-zone integration.

REAL PROBLEM × EVIDENCE PASS

ONE PERSON / ONE SERVICE / ONE EVIDENCE PASS

ONE PERSON RAISES A REAL PROBLEM; ONE SERVICE PASSES THREE EVIDENCE GATES

Lin Lan (a composite persona) represents a passenger accompanying an older person; she raises a real arrival problem at Dazhongsi | The person stays at the real site to co-test and veto; the problem, service and evidence travel through the Street Pass. No passenger identity is uploaded, and the ordinary route must work first.



Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

NO NEW AXIS

02 / THREE PLANS → ONE RESPONSE

THREE PLANNING DIRECTIONS CONVERGE IN ENTERABLE URBAN INTERFACES

AI MAIN STREET / v2.6

01 PUBLICISED CONTROL-PLAN DRAFT

One belt, one axis, two centres, multiple nodes

Use the structure; add no new axis

02 HAIDIAN RENEWAL GUIDE

Neighbourhood × campus × innovation park × community

Make integration visible at public ground floors

03 HERITAGE PARK × GARDEN CITY

Active green corridor, city-green integration, participation

Complete shade, access and ordinary service first

AI MAIN STREET ADDS ONLY: 6 gateways + 3 evidence gates + an everyday public base that works with AI off

X1–X6

Turn real directions into walkable, askable, pausable gateways

PROVE

Incomplete safety evidence stays in verification

TRANSLATE

If people cannot explain it, it does not enter first use

FIRST USE

If ordinary service fails, AI does not launch

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

PROVE

PROVE / 100 m CONCEPT STUDY

Zhongzhiyuan Garden Validation Yard


AI MAIN STREET / v2.6



AI-GENERATED CONCEPT ATMOSPHERE | NOT A SITE PHOTO

Can it work safely without displacing ordinary movement?

100 m CONCEPT SEQUENCE / NOT SURVEYED



SECTION / AI OFF = ORDINARY SPACE



DAILY

DAILY: garden walking, observation and rest; test equipment is stored.

TEST

TEST: low-speed operation within a bounded window and the visible reach of a safety steward.

FAILURE

FAILURE: physical stop, pink status and human guidance keep the outside route open.

EXIT

EXIT: equipment and barriers return to C6; shade, seating and ordinary activity are restored.

STOP: Equipment leaves the geo-fence / Human takeover times out / The accessible route is blocked

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

TRANSLATE

TRANSLATE / 100 m CONCEPT STUDY

AI Origin Translation Street House and Courtyard

AI MAIN STREET / v2.6



AI-GENERATED CONCEPT ATMOSPHERE | NOT A SITE PHOTO

Can ordinary people understand, refuse, correct and safely adopt it?

DAILY

DAILY: information, shared reading, rest and community activity; co-test tables are stored.

TEST

TEST: booked small-sample co-testing with purpose, limits and human responsibility published on site.

FAILURE

FAILURE: dialogue and screens stop; paper/human service and correction take over.


EXIT

EXIT: C4 is removed while model cards, human information and courtyard activity continue.

STOP: Purpose, limits, responsibility and withdrawal cannot be explained in plain language / No human explanation or equivalent service / AI is forced or identity is continuously tracked

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

100 m CONCEPT SEQUENCE / NOT SURVEYED



SECTION / AI OFF = ORDINARY SPACE



T0 CURRENT / T1 CONSTRUCTION / T2 FUTURE

FIRST USE / 100 m CONCEPT STUDY

Dazhongsi Relocatable Station-City First-use Interface


AI MAIN STREET / v2.6



FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

As entrances and transfers change, can ordinary arrival work first and can the service relocate with it?

100 m CONCEPT SEQUENCE / NOT SURVEYED



SECTION / AI OFF = ORDINARY SPACE



T0

Current time slice: Exit A–surface–1733–Exit D, with daily checks of entrances, hoarding, accessibility and human help.

T1

Construction transition: the old route expires automatically; the board and human desk move to the temporary entrance, and no digital advice is published before re-checking.

T2

Future station-city integration: connect to approved passages and public ground floors; later professional design determines exact locations, hours and the accessible chain.

STOP: Physical wayfinding or human help is unavailable / An unverified accessible route is recommended / Tactile paving, stair landings or the commuting line are occupied

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

ONE OBSERVATION → THREE TIME STATES

FIELD 01 / EVIDENCE → CORRECTION

ONE FIELD OBSERVATION DEFINES THREE TIME STATES

AI MAIN STREET / v2.6



FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-01 / 18:09


Surface route near Line 13 Exit A



FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-02 / 19:36


1733 sunken commercial interface and Line 12 Exit D



FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-03 / 19:33

Line 12 Exit D




FIELD OBSERVATION | 2026-08-13 | ONE EVENING | NOT A SURVEY

FIELD-DZS-04 / 19:42

Walking-micromobility interface under North Third Ring Road

A → 1733 → D

Line 13 Dazhongsi Exit A direction—surface route—1733 ground/B1/B2—Line 12 Dazhongsi Exit D—North Third Ring underpass



ONE OBSERVATION IS NOT A PERMANENT PLAN: THREE TIME STATES

T0 Current time slice: Exit A—surface—1733—Exit D, with daily checks of entrances, hoarding, accessibility and human help.

T1 Construction transition: the old route expires automatically; the board and human desk move to the temporary entrance, and no digital advice is published before re-checking.

T2 Future station-city integration: connect to approved passages and public ground floors; later professional design determines exact locations, hours and the accessible chain.

If an entrance, hoarding, passage, operation or access condition changes, retire the old route and return to human review.

C1–C6

05 / REVERSIBLE KIT

SIX COMPONENTS MAKE RESPONSIBILITY VISIBLE

AI MAIN STREET / v2.6



Street Pass and low-light status board

Shows purpose, status, accountable roles, the non-AI entry and reasons for pause or exit on site.

AI OFF

Keeps ordinary wayfinding, staffed hours and appeal access.



Human desk and paper counter

Provides need framing, human explanation, review, appeal and an equivalent paper service.

AI OFF

Continues as an ordinary information and community-service desk.



Dual-height accessible counter and physical map

Lets wheelchair users, children, older people and people without smart devices complete the same process.

AI OFF

Keeps no-app wayfinding, waiting and paper handling.



Reversible test pocket

Holds time-limited trials with movable tables, soft barriers, floor marks and bounded power.

AI OFF

Returns to seating, shared reading, ordinary shopfront use or everyday activity.



Emergency-stop, power-off and maintenance cabinet

Makes human takeover, shutdown, tools and maintenance responsibility visible on site.

AI OFF

Becomes an ordinary public-facility maintenance and storage point.



Exit-and-recovery cart

Stores trial objects, paper alternatives and the ordinary-space restoration checklist.

AI OFF

Publishes the exit reason, restoration check and deletion or withdrawal receipt.


Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

ORDINARY MOVEMENT FIRST

04 / SIX GATEWAYS + EVERYDAY BASE

NOT SIX NEW ROADS, BUT SIX ARRIVAL GAPS TO CLOSE

AI MAIN STREET / v2.6



01 WALK THE ORDINARY ROUTE FIRST

Crossing | accessible continuity | shade | toilet | physical map | human help

02 REPAIR CONFLICT EDGES

Cycle parking | bus waiting | loading | stairs | tactile paving | maintenance access

03 ADD A REVERSIBLE SIDE POCKET LAST

Status | paper desk | low-light service | timed trial | stop | relocate and exit

EVERY MATERIAL CHANGE INVALIDATES THE OLD ROUTE

Entrance, hoarding, passage, operation or access changes → take advice offline → human review → publish a new version

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

06 / DELIVERY GATES

FIRST USE IS NOT ROLLOUT: EVIDENCE DECIDES REPLICATION OR EXIT

AI MAIN STREET / v2.6

FIRST VERIFIABLE MOVE | DAZHONGSI T0: SP-01 PASS + SP-04 STATION-CITY INTERFACE + SP-05 ACCESSIBLE JOURNEY | M-SCALE

Package		0–6 m reversible	6–18 m evidence-gated	18–36 m network review	Stop/accept gate
SP-01	S Street Pass and status board existing venue + mobile kit + one operating shift	Paper pass, human desk, shutdown drill	Shared status fields and appeal receipt	Cross-node version ledger	No launch without on-site staff, a non-AI route and a shutdown drill
SP-02	M Zhongzhiyuan Validation Yard bounded 100-m pocket + safety and maintenance review	Closed or physically bounded pocket	Controlled loop after safety evidence	Replication after independent review	Near-miss closure, takeover and restored exit
SP-03	S AI Origin Translation Window existing public ground floor + staffed explanation shift	Model cards and human explanation	Booked co-testing and need return	One-kilometre translation-loop nodes	Understandable, correctable and withdrawable
SP-04	M Dazhongsi Relocatable Station-City Interface multi-point route audit + mobile desk + joint review	T0 physical map, human desk and route version	T1 relocation to a reviewed temporary entrance	T2 connection to approved passages and public ground floors	Route changes invalidate it; human review, maintenance and restoration
SP-05	M Accessible Journey Chain continuous-route audit + human help + repair list	Physical-route audit and human help	Optional AI advice after gaps close	Extension to twelve nodes	Connected main route, response and no-app access
SP-06	L Twelve-node service kit multi-node replication + annual maintenance and spares	Dual-height, low-light and maintenance samples	Replication matched to maintenance capacity	Annual replacement and repair protocol	No route obstruction, switchable and maintained
SP-07	S Correctable Contribution Record open template + curatorial and rights review	Contribution template and first verification	Four landmarks linked	Globally correctable archive	Evidence, licence, version and correction access
SP-08	M Four-season public operation annual operator + four seasonal releases and public review	One problem call and one co-test	Complete four-season loop	Annual maintainers' review	Public archive, failure review and exit route

Time denotes a conceptual maturity sequence only; every cell still needs authority, professional review and public co-review.

ACCESS + UNDERSTANDING + MAINTENANCE + FAIR VALUE

07 / PUBLIC EVIDENCE

NOT A COOL DEMO: PUBLIC BASELINES MUST BE PROVABLE

AI MAIN STREET / v2.6

3

100-m studies

6

reversible components

7

first-use rights

4

co-review evidence cards

PUBLIC CO-REVIEW

Affected users, including older and disabled people and merchants

On-site maintainers

Professional reviewers

Potentially authorised accountable operator

EVIDENCE CARDS

Access: whether the no-app route and human help work

Understanding: whether limits, responsibility and exit can be restated

Safety and maintenance: stop, near-miss closure and ordinary-space restoration

Fair value: problem origin, return, appeal, correction and deletion receipt

Any party may request a pause; expansion cannot be decided by the proposer or operator alone.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.

CONCEPTUAL / PROVISIONAL / NOT AUTHORISED

08 / BOUNDARY + NEXT WORK

DESIGN THE EVIDENCE BOUNDARY, TOO

AI MAIN STREET / v2.6

WHAT THESE DRAWINGS CAN SHOW

Spatial relationships, the everyday public base, reversible components, four operating states, stop conditions and questions for field verification.

WHAT THEY CANNOT PROVE

Official lines, surveyed dimensions, ownership, engineering feasibility, funding, approval, real performance or authorisation by any institution or public.

FIELD CHECKS FIRST

Accessible-route continuity, shade and staying, entries and servicing, station-front movement and shopfront conflict, existing services and maintenance capacity.

PROFESSIONAL HANDOVER

Planning and survey, transport and access, heritage, fire and utilities, data and ethics, operations and procurement, and public co-review.

VISUAL EVIDENCE DISCLOSURE

Zhongzhiyuan and Origin use AI-generated concept atmosphere; Dazhongsi and the cover use contributor-owned field stills with EXIF removed. Neither replaces survey, operating checks or pilot authorisation.

Each is a representative 100-m concept study window, not an official area boundary, road line, surveyed plan, engineering dimension, investment or delivery commitment. It requires official data, ownership, heritage, transport, fire, utility, operating-authority and professional review before development.