


Overall Spatial Structure

One spine, five segments, ten nodes, two wings. Segments are divided by maintenance operator, not administrative boundary — an administrative line governs, it does not maintain. Assign responsibility by jurisdiction and duplicated orders and responsibility vacuums appear at every junction.




Base image is an agent-generated spatial impression — not a photograph, not survey-registered

Provisional boundary · not an official red line · full recomputation required once official polygons are published

Land Use and Urban Renewal

Renewal begins from an existing fabric, not a blank canvas. The land-use layout is a complete partition: the five segments sum exactly to the boundary with zero gap and overlap — independently drawn polygons would produce floating-point error.



Five Maintenance Segments · divided by operator, not administrative boundary · union equals boundary, zero gap and overlap


Origin Education	2.81	Beixiaguan Urban residential	2.52	Qinghe Research	2.29	Zhongzhiyuan Research	2.09	Dazhongsi Commercial services	1.71
---------------------	------	---------------------------------	------	--------------------	------	--------------------------	------	----------------------------------	------

Nested squares scale to root area; bars scale to area

No conclusions on FAR, building scale, height or retain-renovate-demolish — statutory planning judgements an agent must not conclude

Transport, Rail, Slow Mobility and Municipal Support

The core tension is between north-south continuity and east-west stitching. As a linear space the corridor naturally connects north to south and naturally severs east from west. This board shows discontinuities and stitching priority, not alignments or cross-sections.





Priority follows crossing demand and coordination difficulty, not an engineering sequence

New infrastructure faces assets and environment, not people: no facial recognition, no individual counting, no trajectory tracking

Heritage Park Vitality Belt and Blue-Green Public Space

The corridor should not covet width. Maintenance cost for linear green space rises with width while use value comes mainly from length and continuity. Eighty metres holds a footpath, a cycle path and buffers; beyond that marginal use value falls away while marginal cost does not.




The Spike Wall (K3) and the Bell Mouth (K9); agent-generated spatial impressions

Node specification contains nothing requiring specialist technique to maintain — maintainability before stylistic uniformity

Three Key Areas in Detail

Zhongzhiyuan needs scale, the Origin Community needs density, Dazhongsi needs precision. Phase one is the Origin segment because it combines the highest use intensity with the clearest responsible party — without both, a demonstration segment becomes a burden.



Vertical axis is real distance north to south; square side scales to land area

The Yongle Bell is protected; anything touching the artefact follows statutory heritage procedure and must not be driven by operational demand

AI Scenarios, Implementation and Operation

Ten scenario cards, three test scenarios, five personas. What separates a test scenario from an application scenario is that a test must have a failure criterion. A validation with only a success path is not a validation.



Before and after in the same stretch, same overcast light; agent-generated, not photographs, not strictly matched viewpoints

DATA BOUNDARIES BY PERSONA

- P1 Residents** generate no personal data
- P2 Crews** assets not people; no location, ranking or efficiency profiling
- P3 Settlers** explicit consent only, withdrawable
- P4 Passers-through** anonymous aggregation only
- P5 Agents** explainable and traceable throughout

FAILURE CRITERIA

- Lighting** — a fall in perceived night safety is failure
- Work orders** — a rejection rate near zero is failure: the channel exists in name only
- Granularity** — if no useful granularity passes reidentification assessment, the conclusion is that the data should not be collected

The P2 boundary is not a moral posture but a judgement about sustainability: a crew under surveillance will not cooperate, and the system will be abandoned

Indicator Verification and Compliance Response

All indicators are recomputed in EPSG:4548, each recording status, value, unit, source files, formula and confidence. Twenty of twenty-two are recomputed; two are recorded as pending — leaving them empty is a judgement, not an omission.

22

23

16

7

Indicators

Compliance entries

Registered sources

Assumptions

Each indicator records status, value, unit, source files, formula and confidence

site_area

11.41 km²

polygon_area(site_boundary)

medium

green_space_ratio

6.8 %

green_space_area / site_area

medium

public_space_ratio

1.3 %

public_space_area / site_area

medium

road_ratio

2.0 %

road_area / site_area

medium

building_density

3.4 %

building_footprint_area / site_area

medium

key_area_count

3

count(key_areas)

high

Recorded as pending — leaving empty is a judgement, not an omission

total_floor_area

floor_area_ratio

Floor area ratio and building scale are statutory planning judgements the taskbook forbids an agent to conclude. Supplying a professional-looking number would be less responsible than leaving it empty — it would imply a basis that does not exist.

Compliance 23 · Standards 5 · Depth 15, of which 9 declare limited completeness

Declaring a limitation is not diffidence; it states honestly which conclusions an agent should not supply