



A contributor-drawn, non-final identifier makes four public states and accountable handoffs legible. Jing-Zhang rail heritage supplies only a chain-of-custody and shared-maintenance narrative; the operating year assigns spring, summer, autumn and winter decisions to maintainers, the public and operators.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive.

READABLE DESIGN CONTENT

The identity is a service grammar, not an official place brand: status, responsibility, stop condition, remedy and handover receipt remain visible across recurring clinics, accessibility tests, recall drills and public learning.

NEXT EVIDENCE GATE

Co-design the name and mark, obtain legal and heritage review, confirm an accountable operator, and validate any site with official boundaries and surveys before public or permanent use.

AUDIT ENTRY

proposal.md • spatial.json • report/copyright_statement.md

02

Internal land-use topology × regional interfaces: boundaries before proposals

Left: internal program partition. Right: interfaces proposed for co-design—not existing partnerships, commitments or approvals



Data relation: GeoJSON is authoritative; repeated codes are aggregated across precincts and rounded to 0.1%, so displayed values may total 99.9% or 100.1%.

BOARD CLAIM

The land-use topology is an internal design partition, not statutory zoning. Repeated land-use codes are visibly aggregated across precincts.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive. Issue #846 reports 0% intersection and a 412.5 m OSM cross-check mismatch; this submission has not independently reproduced it, and official geometry must decide.

READABLE DESIGN CONTENT

Open display and restricted evidence are physically separated; reuse and reversible fit-out precede any new-build decision.

NEXT EVIDENCE GATE

Replace the provisional container with official controls and survey each carrier before assigning statutory code, FAR, height or demolition status.

AUDIT ENTRY

geometry/land_use.geojson • geometry/green_space.geojson • metrics.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.

03

Three key-area contracts: distinct users, interfaces, milestones and stop gates

Integrity release, public trace and recall exchange interlock; locator insets are provisional concepts pending official polygons

01

Zhongzhiyuan | Integrity Release Yard

Provisional locator
Not an official redline



PRIMARY USERS

maintainers, start-up releasers, public buyers

PUBLIC / CONTROLLED INTERFACE

Public: signature state / use / limits / appeal
Controlled: raw logs / keys / exploitable detail

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 synthetic intake | D60 isolated test + human go/no-go | D90 public signed-release drill


ACCEPT / STOP GATE

Accept: offline-verifiable evidence bundle + rollback
Stop: missing license, owner or rollback evidence

02

AI Origin | Public Trace Hall

Provisional locator
Not an official redline



PRIMARY USERS

residents, front-line staff, accessibility users

PUBLIC / CONTROLLED INTERFACE

Public: state / evidence level / staffed desk
Controlled: identity / appeal files / raw evaluations

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 co-design status card | D60 offline + access walk | D90 public appeal tabletop

ACCEPT / STOP GATE

Accept: phone-free offline query + receipt
Stop: no human appeal owner or same-level alternative

03

Dazhongsi | Recall Exchange

Provisional locator
Not an official redline



PRIMARY USERS

service owners, security coordinators, downstream users

PUBLIC / CONTROLLED INTERFACE

Public: service state / user action / alternative
Controlled: dependency graph / VEX / patch + rollback evidence

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 freeze synthetic graph | D60 patch/rollback integration | D90 recall drill without exploit detail

ACCEPT / STOP GATE

Accept: traceable impact + continuity + receipts
Stop: real vulnerability enters drill or fallback is unreachable

Interlock: releases point downstream, public objections reach human review, and recall preserves service continuity; recalculate siting, areas and engineering conditions from official data.

BOARD CLAIM

Release, public trace and recall exchange are three non-interchangeable service contracts, not one showroom copied across provisional polygons.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive.

READABLE DESIGN CONTENT

Each contract names primary users, separates public and controlled evidence, binds D30/D60/D90 reversible milestones, and states both acceptance and stop conditions.

NEXT EVIDENCE GATE

Official key-area polygons, station interfaces and parcel surveys must relocate—not bend—the concept before professional siting review.

AUDIT ENTRY

geometry/key_areas.geojson • geometry/public_space.geojson • spatial.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.

3/5

04

A reversible 90-day pilot: space, people, evidence and equipment pass together

Freeze a synthetic exercise contract, integrate three stations with offline/access/rollback tests, then drill publicly and decide go, revise or stop

Public walk (green) | controlled back route (orange) | provisional design relation



Spatial gate | phone-free, offline and automation-paused service keeps a same-level staffed route

30 / 60 / 90-day decision timeline

D0-30

freeze synthetic artifact, users, evidence and stop gates

D31-60

integrate three stations; test offline, access and rollback

D61-90

public drill, independent observation and go / revise / stop

Decision only: go / revise / stop; a synthetic pass is not a field outcome

RACI | who owns the pilot decision

A

pilot accountable owner

R

maintainer + station operator

C

resident, accessibility, legal, security

I

public buyer + downstream service owner

Minimum BOM | what must arrive together

Space

3 reversible rooms + 1 public walk | cost UNKNOWN

People

4 named leads + 1 staffed fallback | cost UNKNOWN

Evidence

1 frozen bundle + 1 paper/log/receipt set | cost UNKNOWN

Equipment

1 kiosk + 1 local mirror + 1 status board + access furniture | cost UNKNOWN

Buy / handover

2 independent quotes → A approves; no funded handover owner → STOP

Field outcomes remain unobserved: staffed-service findability, human-switch attainment, downstream notice, unknown-dependency closure, repair/retest pass, maintainer-effort budget attainment, accessible completion and timely post-exit deletion. Official data and professional review still determine alignments, sites, capacity and compliance.

BOARD CLAIM

A public drill begins only after synthetic scope, users, evidence and stop gates are frozen and three stations pass offline, accessibility and rollback integration.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive.

READABLE DESIGN CONTENT

RACI assigns accountable, responsible, consulted and informed roles; the minimum BOM keeps space, people, evidence and equipment together. The decision is go, revise or stop—not a field-success claim.

NEXT EVIDENCE GATE

Transport alignment, station access, traffic capacity, utility capacity and accessibility compliance remain pending official data and field audit.

AUDIT ENTRY

geometry/roads.geojson • geometry/constraints.geojson • assumptions.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.

05

Sources, licenses and machine evidence: every value has an entry, every right a boundary

Three core metrics recompute from submitted geometry; synthetic ledgers, citations and contributor checks do not become field observation or independent certification

Design-area measure

11.41 km²

Entry: metrics.json ← GeoJSON geometry formula

Green ratio

16.78 %

Entry: metrics.json ← GeoJSON geometry formula

Public-space ratio

2.29 %

Entry: metrics.json ← GeoJSON geometry formula

MACHINE-AUDIT CHAIN | FIXED FILE

geometry/" .geojson

metrics.json

simulation.json

sources + assumptions

manifest.json

Evidence ladder | no promotion

DECLARED

geometry, formula and owner

SYNTHETIC

fictional tasks, not production

REPLAYED TEST

retain environment and output

OBSERVED

requires real-site records

INDEPENDENT

requires external provenance

This package records provisional geometry and a synthetic drill only; it claims neither field observation nor independent certification.

Release passport / public receipt specimen

synthetic_non_operational

RECEIPT ID
JZ-IV-SYN-0001

VERSION
v0.4

EXPIRY
D+90; invalid for field use

STATUS
PENDING REVIEW

HUMAN ALTERNATIVE
staffed desk + paper kit

EVIDENCE LEVEL
SYNTHETIC

APPEAL
receipt → named human review

OWNER
pilot accountable owner

RECALL
signed state + downstream notice

Fictional, non-operational specimen | freeze fields and require named human sign-off before any pilot.

Rights matrix | no blanket relicensing

MATERIAL	TERMS	USE BOUNDARY
Original submission	CC-BY-4.0	only rights LiuLin1220 can grant
Noto Sans SC fonts	SIL OFL 1.1	font terms remain separate
External mechanisms	citation only	no copied diagrams or certification claim
OSM, if used	ODbL	© OpenStreetMap contributors + ODbL notice
Repository sources	source-specific	retain each file/source terms and attribution

Boundary: values match metrics.json and official polygons trigger full recalculation. CC-BY-4.0 covers only original submission material LiuLin1220 can license.

BOARD CLAIM

Three geometry-derived metrics lead into separate machine files for geometry, formulas, synthetic tasks, provenance and inventory; no file role is promoted into a stronger evidence class.

EVIDENCE BOUNDARY

Official exact polygons, statutory controls, existing-condition surveys and live deployment evidence remain unavailable. All proposed layers are recalculated when those inputs arrive.

READABLE DESIGN CONTENT

CC-BY-4.0 applies only to original material LiuLin1220 can license. Font, OSM-derived background when present, repository sources and cited external mechanisms retain their own terms and limitations.

NEXT EVIDENCE GATE

CC-BY-4.0 applies only to grantable original submission rights. Official data, professional controls, lawful security governance and accountable operators precede any live pilot.

AUDIT ENTRY

metrics.json • simulation.json • geometry/phasing.geojson • compliance_matrix.json

All boards are explanatory views; audit quantities, extents and states from the JSON / GeoJSON evidence layer.