


One artifact, five accountable handoffs

Controlled intake → public trace → coordinated recall → staffed continuity

ONE ARTIFACT / FIVE ACCOUNTABLE HANDOFFS

A human-scale service journey across release, public trace, recall and continuity

CONTROLLED BACKSTAGE • original evidence / keys / raw logs



CORE CLAIM

A synthetic artifact moves through named users and accountable owners. Only sanitized state crosses the public/controlled boundary; missing evidence stops release, appeal reaches a staffed counter, and recall switches to human or offline continuity until retest and acknowledgement.

EVIDENCE ENTRY

proposal.md • simulation.json • risk.json • spatial.json

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

Source, license and evidence boundary

Geometry metrics, machine duties and rights remain separate

Sources, licenses and machine evidence: every value has an entry, every right a boundary

Three core metrics recompute from submitted geometry; synthetic ledgers, citations and contributor checks do not become field observation or independent certification



Boundary: values match metrics.json and official polygons trigger full recalculation. CC-BY-4.0 covers only original submission material LiuLin1220 can license.

CORE CLAIM

Core metrics recompute from provisional submission geometry. Synthetic ledgers are not production evidence; contributor checks are not independent review; CC-BY-4.0 covers only grantable original material. Issue #846 remains an unverified OSM background cross-check, and official geometry must decide.

EVIDENCE ENTRY

metrics.json • sources.json • report/copyright_statement.md

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

Internal land-use topology × regional interfaces: boundaries before proposals

Left: internal program partition. Right: interfaces proposed for co-design—not existing partnerships, commitments or approvals



Data relation: GeoJSON is authoritative; repeated codes are aggregated across precincts and rounded to 0.1%, so displayed values may total 99.9% or 100.1%.

CORE CLAIM

The public blue-green spine carries status, guidance, appeal and learning; controlled wings host verification, evidence custody, maintenance and service switching.

EVIDENCE ENTRY

geometry/land_use.geojson • geometry/public_space.geojson

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

Three differentiated station contracts

Users - interfaces - milestones - accept/stop gates

Three key-area contracts: distinct users, interfaces, milestones and stop gates

Integrity release, public trace and recall exchange interlock; locator insets are provisional concepts pending official polygons

01Zhongzhiyuan | Integrity Release Yard

Provisional locator
Not an official redline

PRIMARY USERS

maintainers, start-up releasers, public buyers

PUBLIC / CONTROLLED INTERFACE

Public: signature state / use / limits / appeal
Controlled: raw logs / keys / exploitable detail

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 synthetic intake | D60 isolated test + human go/no-go | D90 public signed-release drill

ACCEPT / STOP GATE

Accept: offline-verifiable evidence bundle + rollback
Stop: missing license, owner or rollback evidence

02AI Origin | Public Trace Hall

Provisional locator
Not an official redline

PRIMARY USERS

residents, front-line staff, accessibility users

PUBLIC / CONTROLLED INTERFACE

Public: state / evidence level / staffed desk
Controlled: identity / appeal files / raw evaluations

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 co-design status card | D60 offline + access walk | D90 public appeal tabletop

ACCEPT / STOP GATE

Accept: phone-free offline query + receipt
Stop: no human appeal owner or same-level alternative

03Dazhongsi | Recall Exchange

Provisional locator
Not an official redline

PRIMARY USERS

service owners, security coordinators, downstream users

PUBLIC / CONTROLLED INTERFACE

Public: service state / user action / alternative
Controlled: dependency graph / VEX / patch + rollback evidence

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 freeze synthetic graph | D60 patch/rollback integration | D90 recall drill without exploit detail

ACCEPT / STOP GATE

Accept: traceable impact + continuity + receipts
Stop: real vulnerability enters drill or fallback is unreachable

Interlock: releases point downstream, public objections reach human review, and recall preserves service continuity; recalculate siting, areas and engineering conditions from official data.

CORE CLAIM

Release, public trace and recall exchange define different users, public/controlled interfaces, reversible milestones and stop gates; no exact parcel, partnership or statutory quantity is asserted.

EVIDENCE ENTRY

geometry/key_areas.geojson • spatial.json • assumptions.json

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

A reversible 90-day pilot: space, people, evidence and equipment pass together

Freeze a synthetic exercise contract, integrate three stations with offline/access/rollback tests, then drill publicly and decide go, revise or stop

Public walk (green) | controlled back route (orange) | provisional design relation



Spatial gate | phone-free, offline and automation-paused service keeps a same-level staffed route

30 / 60 / 90-day decision timeline

D0–30

freeze synthetic artifact, users, evidence and stop gates

D31–60

integrate three stations; test offline, access and rollback

D61–90

public drill, independent observation and go / revise / stop

Decision only: go / revise / stop; a synthetic pass is not a field outcome

RACI | who owns the pilot decision

A

pilot accountable owner

R

maintainer + station operator

C

resident, accessibility, legal, security

I

public buyer + downstream service owner

Minimum BOM | what must arrive together

Space

3 reversible rooms + 1 public walk | cost UNKNOWN

People

4 named leads + 1 staffed fallback | cost UNKNOWN

Evidence

1 frozen bundle + 1 paper/log/receipt set | cost UNKNOWN

Equipment

1 kiosk + 1 local mirror + 1 status board + access furniture | cost UNKNOWN

Buy / handover

2 independent quotes → A approves; no funded handover owner → STOP

Field outcomes remain unobserved: staffed-service findability, human-switch attainment, downstream notice, unknown-dependency closure, repair/retest pass, maintainer-effort budget attainment, accessible completion and timely post-exit deletion. Official data and professional review still determine alignments, sites, capacity and compliance.

CORE CLAIM

The timeline binds RACI and a minimum space/people/evidence/equipment BOM to offline, accessibility and rollback gates. Its result is go, revise or stop—never a claim of field success.

EVIDENCE ENTRY

geometry/roads.geojson • geometry/constraints.geojson • proposal.md

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.


Artifact integrity contract

Digest + BOM + provenance + signature + policy

01

Overall space × agent.1–6: one auditable taskbook loop

One walk, three stations, two wings and a depot carry six tasks; public state and remedy in front, sensitive evidence controlled



CORE CLAIM

A local index envelope points to standards-native evidence without pretending to be SLSA, SPDX, CycloneDX or Sigstore certification.

EVIDENCE ENTRY

simulation.json • sources.json • compliance_matrix.json

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

Synthetic recall drill

No real vulnerability, exploit or production system

Sources, licenses and machine evidence: every value has an entry, every right a boundary

Three core metrics recompute from submitted geometry; synthetic ledgers, citations and contributor checks do not become field observation or independent certification



CORE CLAIM

The public record separates VEX state from release disposition and rehearses impact mapping, fallback, patch verification, acknowledgement and sanitized learning.

EVIDENCE ENTRY

simulation.json • metrics.json • risk.json

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

Three key-area contracts

12 service cards are allocated across three stations; full table in proposal/visual

Three key-area contracts: distinct users, interfaces, milestones and stop gates

Integrity release, public trace and recall exchange interlock; locator insets are provisional concepts pending official polygons

01Zhongzhiyuan | Integrity Release Yard

Provisional locator
Not an official redline

PRIMARY USERS

maintainers, start-up releasers, public buyers

PUBLIC / CONTROLLED INTERFACE

Public: signature state / use / limits / appeal
Controlled: raw logs / keys / exploitable detail

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 synthetic intake | D60 isolated test + human go/no-go | D90 public signed-release drill

ACCEPT / STOP GATE

Accept: offline-verifiable evidence bundle + rollback
Stop: missing license, owner or rollback evidence

02AI Origin | Public Trace Hall

Provisional locator
Not an official redline

PRIMARY USERS

residents, front-line staff, accessibility users

PUBLIC / CONTROLLED INTERFACE

Public: state / evidence level / staffed desk
Controlled: identity / appeal files / raw evaluations

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 co-design status card | D60 offline + access walk | D90 public appeal tabletop

ACCEPT / STOP GATE

Accept: phone-free offline query + receipt
Stop: no human appeal owner or same-level alternative

03Dazhongsi | Recall Exchange

Provisional locator
Not an official redline

PRIMARY USERS

service owners, security coordinators, downstream users

PUBLIC / CONTROLLED INTERFACE

Public: service state / user action / alternative
Controlled: dependency graph / VEX / patch + rollback evidence

D30 / D60 / D90 REVERSIBLE MILESTONES

D30 freeze synthetic graph | D60 patch/rollback integration | D90 recall drill without exploit detail

ACCEPT / STOP GATE

Accept: traceable impact + continuity + receipts
Stop: real vulnerability enters drill or fallback is unreachable

Interlock: releases point downstream, public objections reach human review, and recall preserves service continuity; recalculate siting, areas and engineering conditions from official data.

CORE CLAIM

The three station contracts host 12 bounded service cards for maintainers, release owners, public buyers, front-line staff, residents and security/downstream coordinators. This page shows the station contracts; the complete card matrix remains in proposal/visual.

EVIDENCE ENTRY

proposal.md • spatial.json • compliance_matrix.json

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

Internal land-use topology × regional interfaces: boundaries before proposals

Left: internal program partition. Right: interfaces proposed for co-design—not existing partnerships, commitments or approvals



Data relation: GeoJSON is authoritative; repeated codes are aggregated across precincts and rounded to 0.1%, so displayed values may total 99.9% or 100.1%.

CORE CLAIM

Phase 1 reuses existing space for three minimal prototypes; Phase 2 connects the promenade and dependency registry; Phase 3 scales only after independent review and official data.

EVIDENCE ENTRY

geometry/phasing.geojson • design_depth_matrix.json

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.

Risks, rights and next decisions

A reviewable concept is not an approved plan

05

Sources, licenses and machine evidence: every value has an entry, every right a boundary

Three core metrics recompute from submitted geometry; synthetic ledgers, citations and contributor checks do not become field observation or independent certification

Design-area measure

11.41 km²

Entry: metrics.json ← GeoJSON geometry formula

Green ratio

16.78 %

Entry: metrics.json ← GeoJSON geometry formula

Public-space ratio

2.29 %

Entry: metrics.json ← GeoJSON geometry formula

MACHINE-AUDIT CHAIN | FIXED FILE

geometry/*.geojson

metrics.json

simulation.json

sources + assumptions

manifest.json

Evidence ladder | no promotion

DECLARED

geometry, formula and owner

SYNTHETIC

fictional tasks, not production

REPLAYED TEST

retain environment and output

OBSERVED

requires real-site records

INDEPENDENT

requires external provenance

This package records provisional geometry and a synthetic drill only; it claims neither field observation nor independent certification.

Release passport / public receipt specimen

synthetic_non_operational

RECEIPT ID
JZ-IY-SYN-0001

VERSION
v0.4

EXPIRY
D+90; invalid for field use

STATUS
PENDING REVIEW

HUMAN ALTERNATIVE
staffed desk + paper kit

EVIDENCE LEVEL
SYNTHETIC

APPEAL
receipt → named human review

OWNER
pilot accountable owner

RECALL
signed state + downstream notice

Fictional, non-operational specimen | freeze fields and require named human sign-off before any pilot.

Rights matrix | no blanket relicensing

MATERIAL	TERMS	USE BOUNDARY
Original submission	CC-BY-4.0	only rights LiuLin1220 can grant
Noto Sans SC fonts	SIL OFL 1.1	font terms remain separate
External mechanisms	citation only	no copied diagrams or certification claim
OSM, if used	ODbL	© OpenStreetMap contributors + ODbL notice
Repository sources	source-specific	retain each file/source terms and attribution

Boundary: values match metrics.json and official polygons trigger full recalculation. CC-BY-4.0 covers only original submission material LiuLin1220 can license.

CORE CLAIM

Original submission material is offered under CC-BY-4.0 where LiuLin1220 can grant the rights; third-party terms remain separate. Before implementation: obtain official polygons, surveys, statutory controls, security governance and operator commitments.

EVIDENCE ENTRY

risk.json • assumptions.json • report/copyright_statement.md

Boundary | Provisional extents support concept location only; recalculate with official polygons, statutory controls and surveys.