

01 Reviewer brief and evidence index

A legible, measurable, contestable, and withdrawable public test line

THE DECISION

SWITCH vague discomfort into verifiable action

AI generates candidates, never the final choice; every move carries an owner, evidence, and an exit condition.

CONCEPT ONLY

3 YARDS / 7 STEPS



Zhongzhiyuan measures · AI Origin compares · Dazhongsi fulfills

FOUR REVIEW QUESTIONS

Spatial spine

One spine + three yards + three interfaces

roads.geojson / key_areas

AI boundary

Candidates, assumptions, feedback; final choice stays public

switch-protocol / ledger

First-year move

100 m demo + red-card drill + three no-permanent pilots

catalogs / phasing

Evidence discipline

Formed / provisional / unknown / future validation

metrics / assumptions

02 Spatial spine and the first 100 metres

Three scales, three non-interchangeable yards, and one observable public route

43.6 km²

Coordination study

Method package, regional interfaces, annual public ledger

11.4 km²

Overall design


Spine, blue-green network, land and transport interfaces

368.4 ha

Key-area range

Observable working yards

ONE SPINE · THREE YARDS · THREE INTERFACES



THE FIRST 100 METRES



03 Three key areas: measure, compare, fulfill

Each area has a move, an output, a human entry, and a return route

Zhongzhiyuan

Measure the issue

Signal plaza

Baseline lab

Soil window

Human review room

Red: data overreach

Does not generate the final scheme

PROV-KEY-001

AI Origin

Let disagreement stop

Zero-km plaza

Co-drawing table

Open-source incubator

Locomotive classroom

Red: objection unanswered

Does not treat a demo as the answer

PROV-KEY-002

Dazhongsi

Check fulfillment

Human window

Shop continuity

Annual ledger wall

Withdrawable market

Red: service not equivalent

Does not turn a test into permanent deployment

PROV-KEY-003

Professional review checks whether each interface is clear: where it sits, whom it serves, who reviews it, and how it withdraws on failure.

04 Scenario system and four release gates

Scenarios are the fast track; five slow variables are the chassis; red cards stop the system

12 SCENARIO CARDS

01

Switch Heart Plaza

spine

02

AI Governance Display

Zhongzhiyuan

03

Mobility Dispatch

greenway

04

Human Takeover Test

Zhongzhiyuan

05

Enterprise Sandbox

Dazhongsi

06

Founder Launch

AI Origin

07

Cultural Guide

historical siding

08

AI Classroom

AI Origin

09

Pop-up Scenarios

west siding

10

Public Service

Dazhongsi

11

Privacy Shield

Zhongzhiyuan

12

Recognition Hall

spine

FOUR RELEASE GATES

- G1 data and safety
- G2 human service and access
- G3 affected-group review
- G4 annual slow-variable health

A failed gate keeps the scenario yellow, smaller, returned, or retired; the human path remains.

FIVE SLOW VARIABLES

SV-01 canopy and shade

Measure before target

SV-02 infiltration and recovery

Measure before target

SV-03 access continuity

Measure before target

SV-04 local-use continuity

Measure before target

SV-05 children’s travel

Measure before target

05 Single catalog: five landmarks and eighteen projects

IDs, names, anchors, and statuses synchronize across narrative, web, metrics, matrices, and drawings

L1	Qinghuayuan Station Remnant	AI Origin side	L2	Zero Baseline Marker	North end of Zhongzhiyuan
L3	Objection Platform	AI Origin	L4	Dazhongsi Ten-Year Ledger Wall	Dazhongsi
L5	Release-Gate Signal Group	Four gates on the spine			

RENEWAL PROJECTS P01–P18

P01	Switch Heart Plaza and Central Park	A Baseline	P02	Marshalling Yard Forecourt and Intelligent-Native Experience Venue Retrofit	A Baseline
P03	Departure Yard Zero-Kilometer Plaza and Open-Source Incubator Retrofit	C Origin	P04	Acceleration Track Signal Plaza and Governance Lab	F Industry
P05	Southern Greenway Active Segment	B Interfaces	P06	Northern Greenway Ecological Segment	A Baseline
P07	Origin Talent Housing	C Origin	P08	Dazhongsi Business-Service Complex Retrofit	D Fulfillment
P09	Locomotive Shed Education Lab	C Origin	P10	Developer Recognition Wall	E Culture
P11	Historical Siding AR Guide	E Culture	P12	Station Access and Slow-Mobility Breakpoint Repair	B Interfaces
P13	Switch Heart Visitor Service Centre	D Fulfillment	P14	Greenway Accessibility and Slow-Mobility Breakpoint Repair	B Interfaces
P15	Developer Digital Passport	F Industry	P16	SWITCH CON Annual Forum Venue	D Fulfillment
P17	Historical Siding Interpretation and Wayfinding	E Culture	P18	Pilgrimage Route Lighting and Wayfinding	E Culture

Conceptual recommendations only; not approved, authorized, or built. phasing.geojson records three conceptual bands, not an engineering ledger for each project.

06 Implementation, metrics, and exit

Test reversibly before permanence; write the stop condition before discussing AI speed

FOUR PHASES

0–3 mo Baseline

Rights, sample points, human fallback

4–6 mo Pilot

100 m route, drawing table, red-card drill

7–12 mo Review

Five slow variables, exit form, public artifact

Year 2 Renew

Version delta, maintenance, recalculated metrics

SIX LAUNCH PACKAGES

A

A Baseline: P01/P02/P06

B

B Interfaces: P05/P12/P14

C

C Origin: P03/P07/P09

D

D Fulfillment: P08/P13/P16

E

E Culture: P10/P11/P17/P18

F

F Industry: P04/P15

METRIC DISCIPLINE

45 metrics split into:
recalculable design quantities
context references
first-year measurements

Unknown is not a forecast.

EXIT CONDITIONS

Safety, privacy, or rights: stop and hand over

Two worsening seasons: repair before expansion


No artifact or successor for two years: remove

Official data arrives: recalculate and publish delta

PROVISIONAL BOUNDARY • CONCEPT VALUES • NOT AN OFFICIAL REDLINE

OVERALL CONCEPT | ONE SPINE, THREE YARDS, TWO SIDINGS

Three yards carry distinct duties; this diagram shows relationships, not official boundaries.




Data: conceptual GeoJSON in this package; WGS84 display, EPSG:4548 metric calculations.

Replace and recompute the full package when official geometry and verified surveys become available.

PROVISIONAL BOUNDARY • CONCEPT VALUES • NOT AN OFFICIAL REDLINE

LAND-USE STRUCTURE | 26 CONCEPTUAL UNITS

Land-use codes describe a design study, not approved statutory controls.




Data: conceptual GeoJSON in this package; WGS84 display, EPSG:4548 metric calculations. Land-use codes follow the MNR classification guide. Replace and recompute the full package when official geometry and verified surveys become available.

PROVISIONAL BOUNDARY • CONCEPT VALUES • NOT AN OFFICIAL REDLINE

MOBILITY, BLUE-GREEN AND PUBLIC SPACE

One accessible spine, six conceptual branches and three key public spaces; all require field and professional checks.



Data: conceptual GeoJSON in this package; WGS84 display, EPSG:4548 metric calculations.

Replace and recompute the full package when official geometry and verified surveys become available.