

JING-ZHANG FOR PEOPLE

City for people. AI for use.

Centennial Jing-Zhang AI Innovation Belt Open Call for Urban Design

A people-first concept proposal that turns the historic railway into a shared public-life spine and makes AI useful, optional and accountable.



JING-ZHANG FOR PEOPLE

City for people. AI for use.

- Innovation resources are concentrated; everyday life deserves more attention.
- The railway becomes a shared public-life spine for everyone.
- AI remains useful, optional, accountable and supported by human service.

THREE SCALES, ONE PUBLIC-LIFE SPINE

Regional capability → corridor structure → three implementable key areas



43.6 km²

COORDINATED RESEARCH

Industry ecosystem, regional interfaces and future-city mechanisms

11.4 km²

OVERALL DESIGN

One spine, cross-links, three areas, six gateways and three nodes

368.4 ha

KEY AREAS

Zhongzhiyuan, AI Origin and Dazhongsi

EVERYONE

PUBLIC TEST

Reachable, usable, accountable and optional

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

AI-generated concept intent · provisional work base · not a statutory control

DESIGN BASIS AND SOURCE LIST

Evidence before precision

- Official announcement and AI-agent taskbook define tasks.
- Current polygons are provisional constraints frozen as the work base.
- No diagram is presented as a statutory boundary or approval.

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

THREE SCALES, ONE PUBLIC-LIFE SPINE

Regional capability → corridor structure → three implementable key areas



AI-generated concept intent · provisional work base · not a statutory control

43.6 km²

COORDINATED RESEARCH

Industry ecosystem, regional interfaces and future-city mechanisms

11.4 km²

OVERALL DESIGN

One spine, cross-links, three areas, six gateways and three nodes

368.4 ha

KEY AREAS

Zhongzhiyuan, AI Origin and Dazhongsi

EVERYONE

PUBLIC TEST

Reachable, usable, accountable and optional

THREE-LEVEL SCOPE FRAMEWORK

43.6 km² · 11.4 km² · 368.4 ha

- Regional ecosystem, corridor-wide renewal and three detailed areas form one chain.
- The three scales share geometry, metrics and review matrices.

THREE SCALES, ONE PUBLIC-LIFE SPINE

Regional capability → corridor structure → three implementable key areas



43.6 km²

COORDINATED RESEARCH

Industry ecosystem, regional interfaces and future-city mechanisms

11.4 km²

OVERALL DESIGN

One spine, cross-links, three areas, six gateways and three nodes

368.4 ha

KEY AREAS

Zhongzhiyuan, AI Origin and Dazhongsi

EVERYONE

PUBLIC TEST

Reachable, usable, accountable and optional

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

AI-generated concept intent · provisional work base · not a statutory control

COORDINATED RESEARCH AREA

Industry and future-city strategy


- Public question research open collaboration testing transfer feedback.
- Six international cases are converted into local operating disciplines.

ONE SPINE, CROSS-LINKS, THREE AREAS, SIX GATEWAYS

Functional mix, capacity scenarios and public space jointly control growth

OVERALL FUNCTION AND CONCEPT LAND-USE OVERLAY

Provisional geometry · conceptual suggestion · not standard



CAP CAPACITY ZONES

Heritage and waterfront 18–30m; ordinary renewal blocks 24–45m; rail gateways 45–80m. Intensify only where capacity is sufficient.

MIX FUNCTION FLOOR

40/20/20/10/10 is the starting mix for released renewal floor area; living, civic and shared capacity cannot be displaced.

CTRL SEVEN STEP-DOWNS

Overload in mobility, utilities, services, climate, heritage or housing returns the renewal unit to a lower scenario.



Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

One public-life spine, multiple east-west stitches

- ### Functional mix, capacity scenarios and public space jointly control growth

Provisional geometry - conceptual suggestion - not stable



Heritage and waterfront 18–30m; ordinary renewal blocks 24–45m; rail gateways 45–80m. Intensify only where capacity is sufficient.

40/20/20/10/10 is the starting mix for released renewal floor area; living, civic and shared capacity cannot be displaced.

Overload in mobility, utilities, services, climate, heritage or housing returns the renewal unit to a lower scenario.

Innovation Type	Percentage
Innovation	40%
Living	20%
Daily service	20%
Civic culture	10%
Shared tech	10%

DETAILED DESIGN OF KEY AREAS

Zhongzhiyuan · AI Origin · Dazhongsi

- Garden-based full-stack innovation.
- Campus-city conversion and public learning.
- Four-quadrant hub and AI life services.

THREE KEY AREAS, THREE INNOVATION PROCESSES

Plans, functional ratios, implementation nodes and public scenes shown together

01 ZHONGZHIYUAN · JZ-06—08

50/15/20/5/10


Qinghe public-innovation reach + shared technical service



02 AI ORIGIN · JZ-09—11

35/25/20/15/5


Two-station link + heritage learning + talent living



03 DAZHONGSI · JZ-12—14

35/20/30/10/5

Four-quadrant access + station living room + active ground floors



Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

AI ECOSYSTEM, PERSONAS AND SCENARIOS

Eight user groups · ten daily cards · three industry tests

- Every scenario declares data minimum, human review, refusal and stopping conditions.
- Public space is not a passive laboratory.

THREE KEY AREAS, THREE INNOVATION PROCESSES

Plans, functional ratios, implementation nodes and public scenes shown together

01 ZHONGZHIYUAN · JZ-06—08

50/15/20/5/10


Qinghe public-innovation reach + shared technical service



02 AI ORIGIN · JZ-09—11

35/25/20/15/5


Two-station link + heritage learning + talent living



03 DAZHONGSI · JZ-12—14

35/20/30/10/5

Four-quadrant access + station living room + active ground floors



Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

LAND USE, BUILDINGS AND RENEWAL

Retain value, adapt structures, test infill


- Concept geometry supports audit and comparison.
- Final parcel-level decisions require survey and approval.

ONE SPINE, CROSS-LINKS, THREE AREAS, SIX GATEWAYS

Functional mix, capacity scenarios and public space jointly control growth

OVERALL FUNCTION AND CONCEPT LAND-USE OVERLAY

Provisional geometry - conceptual suggestion - not statutory



CAP CAPACITY ZONES

Heritage and waterfront 18–30m; ordinary renewal blocks 24–45m; rail gateways 45–80m. Intensify only where capacity is sufficient.

MIX FUNCTION FLOOR

40/20/20/10/10 is the starting mix for released renewal floor area; living, civic and shared capacity cannot be displaced.

CTRL SEVEN STEP-DOWNS

Overload in mobility, utilities, services, climate, heritage or housing returns the renewal unit to a lower scenario.



Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

TRANSPORT, INFRASTRUCTURE AND SERVICES

Access first; technology second

- Continuous cross-corridor journeys and station integration.
- Offline and human fallback remain available during failure.


A WALK-FIRST MOBILITY, BLUE-GREEN AND SERVICE NETWORK

Six rail gateways, five cross-link types and the Qinghe–Xiaoyue stormwater system

FIVE BREAK TYPES + SIX RAIL GATEWAYS + COMPLETE ACCESSIBLE CHAIN

步行—骑行—无障碍三级网络与断点优先级

宽度与300米均为概念



三类典型断面

A | 开敞公园段




B | 遗产类路段



C | 桥下与站口段



完整无障碍链



ORDER · MOBILITY PRIORITY

Walk and universal access—cycle—transit—cars.
Repair surface connections before comparing major structures.

Beijing North · Qinghe · Dazhongsi · Zhichunlu · Wudaokou ·
Qinghuadonglu/xizikou

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

BLUE-GREEN SPACE AND URBAN CHARACTER

Shade, storm safety, heritage and everyday use

- Climate performance is measured through real journeys and bodily experience.
- Railway heritage stays alive through learning, care, small businesses and public discussion.


A WALK-FIRST MOBILITY, BLUE-GREEN AND SERVICE NETWORK

Six rail gateways, five cross-link types and the Qinghe–Xiaoyue stormwater system

FIVE BREAK TYPES + SIX RAIL GATEWAYS + COMPLETE ACCESSIBLE CHAIN

步行—骑行—无障碍三级网络与断点优先级

宽度与300米均为概念



三类典型断面

A | 开敞公园段




B | 遗产类断面



C | 桥下与站口段



完整无障碍链



ORDER · MOBILITY PRIORITY

Walk and universal access—cycle—transit—cars.
Repair surface connections before comparing major structures.

Beijing North · Qinghe · Dazhongsi · Zhichunlu · Wudaokou ·
Qinghuadonglu/xizikou

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

PROJECTS, POLICY AND PHASING

Sixteen concept packages with stage gates

- Near term: public space and open testing.
- Mid term: renewal units and services.
- Long term: regional coordination and operation.

SIXTEEN PROJECTS AND AN AUDITABLE AI GOVERNANCE CHAIN

Place, phase, owner, threshold and exit conditions make implementation testable

16 projects are derived from one spatial proposal and located as JZ-01—16



PHASE 1

Baseline · repair · connection trials

Start with reversible, low-cost actions with measurable public benefit

PHASE 2

Priority works · services · rolling review

Gate: funding, property coordination and long-term operator confirmed

PHASE 3

Network growth · major works · operation

Gate: statutory, ownership, engineering and funding conditions met

PROJECT REGISTER · SPINE—KEY AREAS—GOVERNANCE

01 Heritage spine	02 Cross-links
03 Six rail gateways	04 Blue-green network
05 Daily services	06 Qinghe reach
07 Shared validation	08 Fifth-ring entry
09 AI Origin walking	10 Public learning
11 Talent living	12 Four quadrants
13 Active ground floor	14 Civic green service
15 Three civic nodes	16 Bounded AI tests

EIGHT GATES BEFORE AI ENTERS PUBLIC SPACE

01 Public need	02 AI necessity	03 Data minimum	04 Place consent
05 Human review	06 Refusal	07 Stop + fallback	08 Open audit

SIX THRESHOLDS TRIGGER SPATIAL OR OPERATIONAL CHANGE

Detour >1.3	Any access break
800m trip >15min	Open frontage <50%
Blue-green path cut	Human route unavailable

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

METRICS AND COMPLIANCE


Reproducible concept values, explicit limits

- 17 announcement tasks plus six agent tasks are covered.
- Fifteen design-depth items connect text, drawings, geometry, metrics and review.

SIXTEEN PROJECTS AND AN AUDITABLE AI GOVERNANCE CHAIN

Place, phase, owner, threshold and exit conditions make implementation testable

16 projects are derived from one spatial proposal and located as JZ-01—16



PHASE 1

Baseline · repair · connection trials

Start with reversible, low-cost actions with measurable public benefit

PHASE 2

Priority works · services · rolling review

Gate: funding, property coordination and long-term operator confirmed

PHASE 3

Network growth · major works · operation

Gate: statutory, ownership, engineering and funding conditions met

PROJECT REGISTER · SPINE—KEY AREAS—GOVERNANCE

01 Heritage spine	02 Cross-links
03 Six rail gateways	04 Blue-green network
05 Daily services	06 Qinghe reach
07 Shared validation	08 Fifth-ring entry
09 AI Origin walking	10 Public learning
11 Talent living	12 Four quadrants
13 Active ground floor	14 Civic green service
15 Three civic nodes	16 Bounded AI tests

EIGHT GATES BEFORE AI ENTERS PUBLIC SPACE

01 Public need	02 AI necessity	03 Data minimum	04 Place consent
05 Human review	06 Refusal	07 Stop + fallback	08 Open audit

SIX THRESHOLDS TRIGGER SPATIAL OR OPERATIONAL CHANGE

Detour >1.3	Any access break
800m trip >15min	Open frontage <50%
Blue-green path cut	Human route unavailable

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.

RISK, COPYRIGHT AND REFERENCES


Concept proposal, not statutory approval

- Boundary precision, data governance, accessibility and media rights are disclosed.
- All source, standard and license records remain traceable.

SIXTEEN PROJECTS AND AN AUDITABLE AI GOVERNANCE CHAIN

Place, phase, owner, threshold and exit conditions make implementation testable

16 projects are derived from one spatial proposal and located as JZ-01—16



PHASE 1

Baseline · repair · connection trials

Start with reversible, low-cost actions with measurable public benefit

PHASE 2

Priority works · services · rolling review

Gate: funding, property coordination and long-term operator confirmed

PHASE 3

Network growth · major works · operation

Gate: statutory, ownership, engineering and funding conditions met

PROJECT REGISTER · SPINE—KEY AREAS—GOVERNANCE

01 Heritage spine	02 Cross-links
03 Six rail gateways	04 Blue-green network
05 Daily services	06 Qinghe reach
07 Shared validation	08 Fifth-ring entry
09 AI Origin walking	10 Public learning
11 Talent living	12 Four quadrants
13 Active ground floor	14 Civic green service
15 Three civic nodes	16 Bounded AI tests

EIGHT GATES BEFORE AI ENTERS PUBLIC SPACE

01 Public need	02 AI necessity	03 Data minimum	04 Place consent
05 Human review	06 Refusal	07 Stop + fallback	08 Open audit

SIX THRESHOLDS TRIGGER SPATIAL OR OPERATIONAL CHANGE

Detour >1.3	Any access break
800m trip >15min	Open frontage <50%
Blue-green path cut	Human route unavailable

Conceptual design evidence using the current provisional work base. It is not a statutory control, approved project or government commitment.