


Four quadrants, six interfaces and three sections; A survives rain, night, equipment failure and property closure

Dazhongsi Flagship Masterplan · A Independent Ground Baseline + C Conditional Public Ground Floor

Urban fabric, four quadrants, Shunxinyuan, future parcel, transfer clearing, recovery nodes and three section cuts in one coordinated plan



OSM © contributors · ODbL · separate orientation inset only, not overlaid with concept alignments; design objects from P3.4 GeoJSON; pale fabric is not existing footprint, ownership, redline or survey evidence

FORMAL URBAN DESIGN MASTERPLAN

SPATIAL HIERARCHY

- A - all-hours independent public ground baseline
- C - conditional public ground-floor enhancement
- Outside-property night / failure bypass
- Cycle arrival-parking-walking transfer
- B underground enhancement: HOLD_NOT_SCHEDULED
- Shade-rest-drainage-help recovery nodes

OSM ORIENTATION BACKGROUND · NOT OVERLAID WITH CONCEPT ALIGNMENTS



HURDLE + MATERIAL INTENT




DESIGN BOUNDARIES + STOP CONDITIONS

- Redlines, ownership, actual exits, road widths and levels remain UNKNOWN.
- C counts only with binding public rights, hours, fire, accessibility and maintenance conditions
- An equivalent accessible temporary route opens before any construction occupation.
- A cannot be replaced by an underground option, single lift or controlled lobby.

Section 01 · Station Transfer Clearing: Walking, Wheelchairs, Cycling and Pick-Up without Encroachment


Code bases define minimum target semantics; actual widths, lanes, exits, signals, flows and levels still need survey and professional review



Bases: CB 550/93-2021 (1.8 m, 2.4+7.0 m) + CB 11/T 1195-2024 (4.0 m recommendation within 50 m of station entrance, cycling continuity); transportaccessibility/tires review required

Section 02 · Shunxinyuan Interface Recovery: Shade, Shelter, Rest, Drainage and Help in One Sequence


Preserve the built park and repair only its project interface; trees, roots, entrance, drainage, lighting and maintenance boundaries remain UNKNOWN



Bases: official Shuangqiyuan registry/opening information + GB 55019-2021 + Beijing sponge-city standard; 3.0 m canopy and 50 m recovery interval are conceptual design targets, not code minima

Section 03 · Public Ground Route A Survives Closure; C Remains Conditional

C is an enhancement, not the required route; if public rights, hours, fire, accessibility, structure or maintenance fail, revert to A



Basis: CB 55019-2021 + urban-design/TEDP fire requirements; this section claims no parcel refine, floor height, structure, fire compartment, clearance, bridge/tunnel or lift feasibility

02

Three Key Areas | Three Different Professional Judgments

FORMAL COMPETITION BOARD


Deepen Dazhongsi; receive the Qinghe endpoint; preserve and re-audit approved work at AI Origin

03

Three Key Areas · Three Different Detailed-Design Judgements

Dazhongsi: flagship A+C · Qinghe: six spatial handoffs · AI Origin: preserve, re-audit, evidence trigger


A · DAZHONGSI FLAGSHIP: four-quadrant public realm + independent ground baseline A + conditional public ground floor C




Sources: P3.4 same-source GeoJSON + metrics; pale Dazhongsi fabric is conceptual, not an existing footprint; all key-area polygons are provisional_constraint

FORMAL URBAN DESIGN FIGURE

B · QINGHE-ZHONGZHIYUAN: six urban-space handoffs



C · AI ORIGIN: professional judgement for no major intervention



CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING


QH-A01

Qinghe QH-A01 Receiving Apron | The Next Segment Must Receive the Endpoint


Concept interface detail: no route change and no claim of an as-built endpoint or current failure

CONCEPT NODE · NOT EXISTING

NODE PLAN



NODE SECTION



QH-A01 RESPONSIBILITY

interface_from
station forecourt / exit threshold IF-QH-02

interface_to
under-construction scene-project edge

beneficiary
adult, wheelchair user, older/slow walker, parent-child, cyclist, night worker

responsible_role
scene-project delivery entity + receiving public-realm maintainer

evidence
IF-QH-01 / IF-QH-02 / QH-SCENE-PROGRESS


approval_dependency
completion drawings, boundary, station/municipal/accessibility acceptance, temporary route inspection

maintenance_owner
receiving station-area public-realm maintainer after handover

stop_condition
do not call the Journey complete while the onward edge, temporary route or maintainer is unverified

FIELD + APPROVAL UNKNOWN

PRESERVE → RE-AUDIT → TRIGGER → OPTIONAL PATCH



No traceable residual failure: NO NEW MAJOR INTERVENTION. Duplicate approved work or failed approval/maintenance gate: HOLD / KILL.

Dazhongsi | Deepen

Independent ground A + conditional C; four quadrants, six interfaces and three sections. B remains on hold.

FLAGSHIP A+C

Qinghe | Receive endpoint

QH-A01 makes the boundary, clear line, cycle-walk change, recovery and temporary handoff one acceptance object.

QH-A01 SELECTED

AI Origin | Preserve + re-audit

Approved work proceeds first. Only verified residual failure plus approval and maintenance may trigger a minimal patch.


NO MAJOR INTERVENTION

Mobility, recovery, phasing and responsibility serve complete everyday Journeys


Mobility + Blue-Green · Completing the Journey in Rain, Night and Failure

Walking, accessibility, cycling, transfer, rain-heat recovery and public service are designed around one human route


DAZHONGSI · A ground baseline + C conditional enhancement + construction equivalent route



QINGHE-ZHONGZHIYUAN · arrival chain + continuous cycling + outside-property fallback



THE JOURNEY MUST REMAIN COMPLETE ACROSS REAL TIME, WEATHER AND FAILURE



Sources: geometry/roads.geojson, green_space.geojson, public_space.geojson; widths/intervals are DESIGN_TARGET or CONCEPT_DESIGN_DIMENSION, not existing measurements

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

Metrics + Evidence · Known, Designed, Unknown, Re-audited


No KPI ranking from 42 lineage records; only what a juror needs to judge spatial-design credibility



Sources: metrics.json, spatial_audit.json, journey_audit_v4.json; all values unless OFFICIAL / DERIVED / CONCEPTUAL_DERIVED / DESIGN_TARGET / UNKNOWN semantics

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

The Auditor discovers, compares and re-audits; it never creates FIELD_PASS.



0 | Field + professional proof

boundary, survey, field, ownership

1 | Independent public ground

A + equivalent temporary continuity

2 | Cross-project interfaces

station / municipal / blue-green / park

3 | Conditional public ground floor

rights + approval + maintenance

Underground / vertical B is not a later phase: HOLD_NOT_SCHEDULED