


# Shared Delivery of the Complete Cross-Project Journey

FORMAL COMPETITION BOOKLET

## Project Completion Does Not Equal Journey Completion



### A | All-hours, step-free public ground outside property control

A remains independently usable when every enhancement fails.

### C | Conditional public ground-floor enhancement

Counts only after rights, fire, accessibility, hours and maintenance are secured.

### B | Underground / vertical enhancement:...

No fixed bridge, tunnel, lift or underground alignment; never weaken A.

A station, road, park and parcel are jointly complete only when six target profiles retain an end-to-end usable route, or a compliant equivalent, in critical periods and failure scenarios.

# Jury Reading Path | 30 Seconds, 3 Minutes, 10 Minutes

FORMAL BOOKLET

Centennial Jing-Zhang AI Belt Urban Design | The end-to-end human route as the shared unit of delivery

 30 SECONDS

Project completion ≠ Journey completion  
Cross-project spatial interfaces  
Dazhongsi A+C

 3 MINUTES

Three different treatments  
Usable under failure  
AI only discovers and re-audits

 10 MINUTES

Scale, boundary, standards, phasing  
Responsibility and maintenance  
Unknowns, evidence and bilingual rights

Dazhongsi

Flagship depth | A+C / B HOLD

Qinghe-Zhongzhiyuan

Receive endpoint | QH-A01

AI Origin

Preserve + re-audit | No major intervention


# Three Scales and the Evidence Boundary

Official SITE\_BOUNDARY / KEY\_AREA polygons are absent; exact position, ownership and field performance remain UNKNOWN

01

## Projects Can Finish While Human Journeys Remain Incomplete

Three scales, three key areas, and cross-project status chains · space first, Journey second



Sources: design\_brief.json; provisional\_boundaries.geojson; Phase 2 official-project status ledger (audit baseline 2026-08-13)

FORMAL URBAN DESIGN FIGURE

THREE SCALES · AREA FACTS SEPARATE FROM GEOMETRY

43.6 km²

Coordinated Research Area (published area)

11.4 km²

Overall Design Area (published area)

3

Key-area detailed designs (official count)

Areas are published facts; shown polygons remain provisional\_rough, not official redlines.

01 Qinghe-Zhongzhiyuan

Station endpoint → construction → municipal/blue-green → renewal → property/building

Built proves project status only; end-to-end usability still needs field and joint acceptance.

02 Wudaokou-AI Origin

Existing chain + nearby approved project; residual direct-OD issues require post-delivery re-audit

Built proves project status only; end-to-end usability still needs field and joint acceptance.

03 Dazhongsi Four Quadrants

Station → North Third Ring → Shunxinyuan → renewal parcel → shared ground floor / target quadrant

Built proves project status only; end-to-end usability still needs field and joint acceptance.

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

WHY

Three levels follow evidence precision

WHERE

43.6 / 11.4 km² + three key areas

EVIDENCE


Official taskbook, Skill and site package

UNKNOWN

Official polygons and field survey

# Why Completed Projects Can Still Lose the Complete Journey

Evidence → Journey → Interface failure → Spatial intervention → Re-audit



Every red dashed line is a project handover where redlines, schedules, hours, ownership or maintenance can sever the end-to-end human Journey.


CONCEPTUAL DESIGN STRUCTURE / NOT STATUTORY LAND USE

02




Conceptual Urban-Design Structure · Not Statutory Land Use

Heritage public space, innovation/R&D, community life, public services, transport and blue-green recovery organise 11.4 km²

FORMAL URBAN DESIGN FIGURE



THREE URBAN FABRICS · ONE PROTOCOL, DIFFERENT FORMS



CONCEPTUAL DESIGN STRUCTURE · NOT STATUTORY LAND USE  
Existing land use, ownership, RDP parcels and development intensity still need official data / professional review.

Sources: geometry/land\_use.geojson, key\_areas.geojson, public\_space.geojson, green\_space.geojson; relation band derived from key-area centroids for conceptual structure only

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

**WHY**

Overall scale organizes public relationships

**WHERE**

Rail arrival + public ground + blue-green recovery

**EVIDENCE**

Concept GeoJSON and reproducible metrics

**UNKNOWN**

Regulatory plan, redlines, FAR, height and survey


A public ground baseline survives rain, night, closure and equipment failure

04


Mobility + Blue-Green · Completing the Journey in Rain, Night and Failure

Walking, accessibility, cycling, transfer, rain-heat recovery and public service are designed around one human route

DAZHONGSI · A ground baseline + C conditional enhancement + construction equivalent route





QINGHE-ZHONGZHIYUAN · arrival chain + continuous cycling + outside-property fallback



|       |                         |                     |                              |
|-------|-------------------------|---------------------|------------------------------|
| DAY   | NIGHT / PROPERTY CLOSED | RAIN                | LIFT / EQUIPMENT UNAVAILABLE |
| A + C | A / BYPASS              | A + SHELTER / DRAIN | A / HUMAN HELP               |

THE JOURNEY MUST REMAIN COMPLETE ACROSS REAL TIME, WEATHER AND FAILURE



Sources: geometry/roads.geojson, green\_space.geojson, public\_space.geojson; widths/intervals are DESIGN\_TARGET or CONCEPT\_DESIGN\_DIMENSION, not existing measurements

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

WHY

Complete arrival survives weather and time

WHERE

Station, road, park, blue-green and parcel edges

EVIDENCE

A, cycle-walk change, recovery and fallback

UNKNOWN

Actual toilet/water/seating locations and hours

# Three Key Areas | Not Three Copies of One Template


Dazhongsi A+C | Qinghe six handovers | AI Origin preserve + re-audit

03

## Three Key Areas · Three Different Detailed-Design Judgements

Dazhongsi: flagship A+C · Qinghe: six spatial handoffs · AI Origin: preserve, re-audit, evidence trigger


A · DAZHONGSI FLAGSHIP: four-quadrant public realm + independent ground baseline A + conditional public ground floor C




Sources: P3.4 same-source GeoJSON + metrics; pale Dazhongsi fabric is conceptual, not an existing footprint; all key-area polygons are provisional\_constraint

FORMAL URBAN DESIGN FIGURE

B · QINGHE-ZHONGZHIYUAN: six urban-space handoffs



C · AI ORIGIN: professional judgement for no major intervention



CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

### WHY

Different states require different actions

### WHERE

Three provisional key areas

### EVIDENCE

BUILT / APPROVED / PLANNED / UNKNOWN chains

### UNKNOWN


Official polygons and field performance

FLAGSHIP | A independent ground + C conditional ground floor | B HOLD

06

Dazhongsi Flagship Masterplan · A Independent Ground Baseline + C Conditional Public Ground Floor

Urban fabric, four quadrants, Shunxinyuan, future parcel, transfer clearing, recovery nodes and three section cuts in one coordinated plan



FORMAL URBAN DESIGN MASTERPLAN

SPATIAL HIERARCHY

- A · all-hours independent public ground baseline
- C · conditional public ground-floor enhancement
- Outside-property night / failure bypass
- Cycle arrival-parking-walking transfer
- B underground enhancement: HOLD\_NOT\_SCHEDULED
- Shade-rest-drainage-help recovery nodes

OSM ORIENTATION BACKGROUND · NOT OVERLAID WITH CONCEPT ALIGNMENTS



HV SE + MATERIAL INTENT



DESIGN BOUNDARIES + STOP CONDITIONS

- Redlines, ownership, actual exits, road widths and levels remain UNKNOWN.
- C counts only with binding public rights, hours, fire, accessibility and maintenance conditions.
- An equivalent accessible temporary route opens before any construction occupation.
- A cannot be replaced by an underground option, single lift or controlled lobby.

OSM © contributors · ODbL · separate orientation inset only, not overlaid with concept alignments; design objects from P3.4 GeoJSON; pale fabric is not existing footprint, ownership, redline or survey evidence

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

WHY

Quadrants are not unified by one landmark

WHERE

Station-municipal-park-future parcel

EVIDENCE


Six interfaces, A/C, sections and stop gates

UNKNOWN

Exact exit, redlines, ownership and as-built state

# Six Dazhongsi Interfaces | Space, Responsibility and a Stop Condition

A independent | C conditional | B HOLD\_NOT\_SCHEDULED



01 Station → municipal forecourt

joint station / municipal receipt

02 Transfer clearing

modes do not encroach on clear line

03 Road → Shunxinyuan

shade, rest, drainage and help

04 Park → future parcel

A stays outside property

05 Parcel edge → ground floor C


rights / fire / access / maintenance

06 Construction / closure / failure

temporary route and night fallback

# Section 01 | Station Transfer Clearing

FIELD + PROFESSIONAL + APPROVAL UNKNOWN



1.8 m clear line is a target, not field measurement

4.0 m envelope awaits demand and turning review

Parking, pickup and delivery stay off the line

# Section 02 | Shunxinyuan Interface Recovery


FIELD + PROFESSIONAL + APPROVAL UNKNOWN

07B

## Section 02 · Shunxinyuan Interface Recovery: Shade, Shelter, Rest, Drainage and Help in One Sequence

FORMAL URBAN DESIGN SECTION

Preserve the built park and repair only its project interface; trees, roots, entrance, drainage, lighting and maintenance boundaries remain UNKNOWN



Entrance clearance precedes added furniture

Shelter, seating, drainage and help stay outside movement

Reduce or kill if roots, drainage, glare or maintenance fail

# Section 03 | Public Ground A + Conditional C


FIELD + PROFESSIONAL + APPROVAL UNKNOWN

07C

## Section 03 · Public Ground Route A Survives Closure; C Remains Conditional

C is an enhancement, not the required route; if public rights, hours, fire, accessibility, structure or maintenance fail, revert to A

FORMAL URBAN DESIGN SECTION



A always remains outside property control

C requires rights, hours, fire, access and maintenance

Closure or lift failure falls back to A; B stays on hold

# One Space Under Three Real Operating Conditions


CONCEPT EXPERIENCE | PRESENTATION\_ONLY | NOT A SITE PHOTO OR APPROVED RENDERING

08

## How People Use the Space · Day, Rain/Equipment Failure, Night/Property Closure

Same conceptual space and camera: A always remains; C is conditional; basic mobility depends on neither AI, phones, one lift nor business hours

CONCEPT EXPERIENCE · NOT FIELD EVIDENCE



A - all-hours, step-free, outside-property public ground baseline      C - conditional public ground floor: shelter + non-consumption rest + help      Rain-heat recovery: shade/canopy/drainage/non-slip surface      Failure fallback: human help + night bypass + cycle transfer

AI-generated conceptual base (OpenAI built-in image generation, 2026-08-13) + local vector annotation; design intent only, not an existing-site photo, resident observation or approved-project rendering

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING

### WHY

Space serves people under bad conditions

### WHERE

Daily, rain/failure and night/closure

### EVIDENCE

SCENARIO\_SIMULATION, not observation

### UNKNOWN

Actual flow, ponding, lighting, hours and maintenance

QH-A01 SELECTED\_FOR\_DEVELOPMENT | FIELD + APPROVAL UNKNOWN


QH-A01

Qinghe QH-A01 Receiving Apron | The Next Segment Must Receive the Endpoint


Concept interface detail; no route change and no claim of an as-built endpoint or current failure

CONCEPT NODE · NOT EXISTING

NODE PLAN



NODE SECTION



QH-A01 RESPONSIBILITY

- interface\_from**  
station forecourt / exit threshold IF-QH-02
- interface\_to**  
under-construction scene-project edge
- beneficiary**  
adult, wheelchair user, older/slow walker, parent-child, cyclist, night worker
- responsible\_role**  
scene-project delivery entity + receiving public-realm maintainer
- evidence**  
IF-QH-01 / IF-QH-02 / QH-SCENE-PROGRESS
- approval\_dependency**  
completion drawings, boundary, station/municipal/accessibility acceptance, temporary-route inspection
- maintenance\_owner**  
receiving station-area public-realm maintainer after handover
- stop\_condition**  
do not call the Journey complete while the onward edge, temporary route or maintainer is unverified

FIELD + APPROVAL UNKNOWN

1 Station corridor

2 Station endpoint

3 Scene project

4 Municipal edge

5 Blue-green edge

6 Renewal / property entry

# AI Origin | No Major Intervention Is a Professional Judgment

Existing / Approved → PRESERVE → RE-AUDIT → TRIGGER

## PRESERVE → RE-AUDIT → TRIGGER → OPTIONAL PATCH



No traceable residual failure: NO NEW MAJOR INTERVENTION. Duplicate approved work or failed approval/maintenance gate: HOLD / KILL.

KEEP

Retain existing and approved public space and direct OD; do not duplicate axes, bridges, tunnels, landmarks or parking.

RE-AUDIT

After delivery, six profiles test day/night, rain/heat, construction and property hours.

TRIGGER

Only traceable residual failure can start one removable, single-interface minimal patch.

STOP

No evidence, duplicate work, or failed ownership/fire/accessibility/maintenance gate means HOLD/KILL.

# Six Profiles + Public Services | Average Gain Cannot Cancel Exclusion

FORMAL BOOKLET

Design for people, not only for the validator.

08

How People Use the Space · Day, Rain/Equipment Failure, Night/Property Closure

Same conceptual space and camera: A always remains; C is conditional; basic mobility depends on neither AI, phones, one lift nor business hours

ORDINARY DAY · A + C

RAIN / LIFT UNAVAILABLE · A + SHELTER / DRAINAGE / HUMAN HELP

NIGHT / PROPERTY CLOSED · A + OUTSIDE BYPASS; C CLOSED

A · all-hours, step-free, outside-property public ground baseline

C · conditional public ground floor: shelter + non-consumption rest + help

Rain-heat recovery: shade/canopy/drainage/non-slip surface

Failure fallback: human help + night bypass + cycle transfer

AI-generated conceptual base (OpenAI built-in image generation, 2026-05-13) + local vector annotation; design intent only, not an existing-site photo, resident observation or approved-project rendering

CONCEPT DESIGN · NOT SURVEY / STATUTORY LAND USE / OFFICIAL REDLINE / CONSTRUCTION DRAWING



WHY

Failure exposes the least served

WHERE

A, recovery nodes and exterior fallback

EVIDENCE

Six profiles + rain/night/failure



UNKNOWN

Field usability and service hours

Public-service interfaces: toilets, water, seating, shade/rain shelter, drainage/non-slip surfaces, low-glare light and visible human help. Actual locations and hours remain UNKNOWN.

# Culture in Everyday Space | Legible, Pausable and Accessible

Verified movement + view + pause + interpretation



WHY

Cultural continuity comes from daily access

WHERE

Shunxinyuan edge, quadrant pauses and public wayfinding

EVIDENCE

Registered relationships + design-model nodes

UNKNOWN

Exact heritage boundary, views and operation

# Phasing + Responsibility | Verify → Continue → Interface → Conditional C

FORMAL BOOKLET

spatial action → suggested lead → suggested maintenance → start evidence → STOP

0 | Field + professional proof

boundary, survey, field, ownership

1 | Independent public ground

A + equivalent temporary continuity

2 | Cross-project interfaces

station / municipal / blue-green / park


3 | Conditional public ground floor

rights + approval + maintenance

| Phase / spatial action                 | Suggested lead role                                        | Suggested maintenance role                        | Start evidence                                         | STOP                                                      |
|----------------------------------------|------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------|
| 0   Evidence lock                      | Planning/survey + relevant professional review             | Existing-asset maintenance role (to confirm)      | Official boundary/controls/as-builts + field/ownership | Untraceable source or unconfirmed professional gate       |
| 1   Dazhongsi A + temporary continuity | Municipal public-realm delivery + rail operations          | Public-realm maintainer by asset boundary         | Survey + transport/rail + access + emergency           | No safe continuous clear line                             |
| 2   Shunxinyuan / Qinghe interfaces    | Park/municipal + construction/receiving public-asset roles | Park / receiving public-asset maintainer          | Trees/drainage + as-built endpoint + handover          | No onward line, temporary route or maintainer             |
| 3   Conditional C / AI Origin patch    | Future developer/property or existing asset/property       | Exterior public-realm / existing-asset maintainer | Rights + fire + access + hours + residual failure      | Depends on hours/one lift, duplicates work, or no failure |

All entries are suggested roles, not confirmed organizations; unconfirmed onward receipt or maintenance means HOLD.

OFFICIAL / OBSERVED / DERIVED / CONCEPTUAL\_DERIVED / DESIGN\_TARGET / SCENARIO\_SIMULATION / UNKNOWN



# The Urban Design Still Stands After Removing the AI Vocabulary

FORMAL BOOKLET

Design for people, not only for the validator.

