


JINGZHANG CIVIC WEAVE / SPATIAL DECISION

Real urban fabric as context; provisional boxes orient only; AI Origin is the sole first release



SOLE FIRST RELEASE

P03 AI Origin conversion room 30-day baseline → 100-day bounded pilot → adopt/revise/withdraw

3 PROTOTYPES

SP-A Trackside room SP-B
Ground-floor room SP-C
Kerb test bench

5 GATES

Accessible / non-AI
minimal data / human
reversible

WHY DISTRIBUTED?

- Central landmark: sunk cost
- Belt-wide smart rollout: locks risk in
- Distributed: small, stoppable, baseline restored


EVIDENCE BOUNDARY

OSM is public context only. Boundaries and programme allocations are low-confidence; all fixed works remain HOLD.


THREE KEY AREAS / THREE LEGIBLE CANDIDATE PLANS

Road, rail and building context from OSM; red circles are candidate pilot centres, not approved sites


Zhongzhiyuan



Beijing AI Origin



Dazhongsi



P02

Closed safety test / Stop Marker Option: closed 6x12m; emergency route retained

P03

FIRST: conversion room / Origin Table FIRST: existing bay; 60-attempt baseline

P04

Manual transfer / No-AI Clock Option: desire-line audit; station route retained

LANDMARKS / COMPONENTS / CULTURE / ANNUAL OPERATION

Tasks 4-6: turn communication into useful, accountable and reversible public mechanisms

STOP MARKER

A visible manual stop station, red boundary frame and aggregate near-miss ledger at the closed test yard.

ORIGIN TABLE

A staffed common table where every demo exposes source, rights, human owner and appeal route.

NO-AI CLOCK

A station-forecourt display that regularly turns digital assistance off and times completion of the physical/manual route.

SIX COMPONENTS

BASELINE

3 m protected through-route with tactile/visual continuity

WEAVE FRAME

painted/removable trial envelope; never a statutory boundary

STOP MARKER

human stop authority and visible operator contact

DUAL DESK

AI-assisted and same-task human service side by side

EVIDENCE RAIL

source, consent, limitation and appeal metadata

REMOVABLE REST

resting without narrowing the protected path

REMEMBER → QUESTION → MAKE → RETURN

Traceable history

Public problems/risks

Bounded making

Evidence/appeal/restoration

Q1 LISTEN

field baseline, public task call, owner/operator map no installation

Q2 TEST

one closed prototype and stop/restoration drill G1-G5 evidence

Q3 OPEN


capped civic open week with staffed routes site permits and insurance

Q4 DECIDE

public evidence review and adopt/revise/withdraw record no automatic renewal

P03 FIRST-RELEASE CANDIDATE PLAN / HUMAN + AI ROUTES

Nominal 18×12m existing ground-floor bay; adapt only after measured fire, structure and accessibility survey



A-A HUMAN-SCALE INTERFACE

EXISTING BAY TO SURVEY



ROUTE ALLOCATION

60 same-task attempts block-randomised: human 30, AI-assisted 30; general 36, low-digital-skill 12, mobility-aid 12; balance routes within strata.

EXPLORATORY CONTINUATION SIGNALS

Descriptive only: observed difference overall ≥ -5 points and priority strata ≥ -10 ; time or interventions improve $\geq 10\%$. This cannot prove noninferiority or justify scale.

MISSING DATA + WORKLOAD

Count withdrawal/missing as incomplete and report all. Frontline intervention time must not rise $>10\%$ per task. Any safety-gate failure overrides effect and triggers HOLD.

DRAWING BOUNDARY

A measurable candidate type plan, not a selected address or construction drawing. Survey governs walls, doors, fire and structure.