




JINGZHANG LIFE-LINE / FORMAL URBAN DESIGN PROPOSAL

GRACEFUL DEGRADATION IS URBAN DESIGN

Urban resilience is not a back-office dashboard. It is a public space that remains legible, walkable and staffed when networks fail.

01

EXTREME HEAT

shade · water · staffed care

02

STORMWATER

verified accessible detours

03

POWER / NETWORK LOSS

offline kits · manual queue

04

MODEL / CROWD ANOMALY

pause · handover · rollback

11.41 km²

provisional overall-design area

9.66 km

continuous service spine


12

scenario contracts

100%

manual-equivalent design





ONE LINE · THREE STATIONS · SIX SEAMS · TWO WINGS

A topology-complete study model - not statutory land use.



Overall urban design and land-use structure

Three scopes share one operational protocol, but use different evidence depth.

43.6

km² coordinated research

11.41

km² provisional overall design

368.4

ha announced key areas

09

Continuity supply

0702

Public care

0802

Research testing

1401

Park green

0803

Railway memory

1207

Mobility interface

1

Continuous care spine

Slow mobility, shade, offline guidance and visible staffed help.

3

Resilience stations

Distinct spatial prototypes for test, care and continuity.

6

Verification seams


Entrances, slopes, crossings, light, shade and opening time.


2

Wing interfaces

Technology service and Xiaoyuehe scenario exchange.

EVIDENCE BEFORE EXPANSION





THREE RESILIENCE STATIONS

Space, operation, failure and human authority on one board.

B03

01

Zhongzhiyuan Resilience Test Yard

Failure injection / robot safety / human handover

concept plan

FAILURE LADDER

NORMAL

controlled test

DEGRADED

isolate + slow

HUMAN

handover + stop

FOUR SPATIAL COMPONENTS

1 isolated failure injection

2 robot safety court

3 human handover room

4 public failure archive

PROTOTYPE - location and dimensions require professional review

02

AI Origin Public Care Station

Heat refuge / offline service / account-free desk

concept plan

FAILURE LADDER

NORMAL

ambient care

DEGRADED

offline queue

HUMAN

staffed desk

FOUR SPATIAL COMPONENTS

1 heat refuge and water

2 account-free staffed desk

3 offline service kit

4 accessible rest loop

PROTOTYPE - location and dimensions require professional review

03

Dazhongsi Continuity Depot

Supply relay / crowd shedding / business continuity

concept plan

FAILURE LADDER

NORMAL

scheduled relay

DEGRADED

manual dispatch

HUMAN

close route + stop

FOUR SPATIAL COMPONENTS

1 bounded supply relay

2 crowd-load shedding

3 small-business continuity

4 manual dispatch desk

PROTOTYPE - location and dimensions require professional review

12 SCENARIO CONTRACTS · EVERY DIGITAL PATH HAS A MANUAL OR ACCOUNT-FREE EQUIVALENT

S01

Heat care

shade · water · staffed

MANUAL

S02

Rain detour

static map · broadcast

MANUAL

S03

Blackout service

battery · paper · queue

MANUAL

S04

Crowd shedding

zoning · staffed entry

MANUAL

S05

Low-speed relay

bounded lane · handover

MANUAL

S06

Anomaly inspection

isolate · review · stop

MANUAL

S07

Twin fault

return to trusted state

MANUAL

S08

Model drift

threshold → human

MANUAL

S09

Multilingual

graphic signs · staffed

MANUAL

S10

Privacy check-in

account-free equivalent

MANUAL

S11

Heritage guide

offline text · guide

MANUAL


S12

Business continuity


manual dispatch · receipt

MANUAL

COMMON STOP RULE: stale source · uncertain data · missing operator · unsafe site → degrade / stop



Recomputable geometry meets rehearsable operations.



9.66 km audit spine - not a new road redline

SERVICE STATES

Graceful-degradation service states

Technology steps down before people lose the service.

01

NORMAL

networked guidance · sensing · booking

02

DEGRADED

battery · cache · static rules · manual queue

03

MINIMUM SAFE

visible exits · staffed broadcast · risky devices stopped

CORE METRICS

29.6%

concept green ratio

17.7%

concept public-space ratio

12

scenario contracts

100%

manual-equivalent coverage

EVIDENCE-GATED IMPLEMENTATION

0-18 mo

audit · field checks · reversible pilots

18-36 mo

three-station integration after review

36-72 mo

scale / change / stop by evidence

NO NAMED OPERATOR + NO COMPLAINT PATH + NO LOGGED STOP TEST = NO EXPANSION

REGIONAL SYNERGY INTERFACES: EXCHANGE, ENTRY GATES AND STOP RULES

These are auditable open interfaces, not confirmed cooperation, funding, data access, procurement or institutional commitments. Each interface activates only after authorization, responsibility, cost and exit conditions are agreed.

INTERNAL LIFE-LINE LOOP: ZHONGZHIYUAN (FIND FAILURE) → AI ORIGIN (VERIFY PUBLIC VALUE) → DAZHONGSI (VERIFY CONTINUITY) → EVIDENCE RETURNS

1	BEIWEI / BFSU-RELATED COMMUNITIES Multilingual public service, youth volunteers, community feedback, accessibility walks	EXCHANGE Multilingual public service, youth volunteers, community feedback, accessibility walks	MECHANISM Issue a community task brief from the AI Origin station; exchange only anonymized problem lists and public service information.	EVIDENCE / GATE Evidence: named by the taskbook; boundary and counterpart remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: community partner + public service seats. No collection, publication or siting without authorization.
2	FUTURE SCIENCE CITY Energy AI, life-health research and campus continuity testing methods	EXCHANGE Energy AI, life-health research and campus continuity testing methods	MECHANISM Publish reproducible protocols from Zhongzhiyuan; counterparts may voluntarily contribute interface samples or failure cases under a separate agreement.	EVIDENCE / GATE Evidence: regional-synergy direction only; no project, budget or data commitment.	OWNER / NON-COMMITMENT Suggested owner: technology-safety seat. No connection before data, procurement and safety review.
3	HUAIROU SCIENCE CITY Basic research, major-facility resilience, trusted measurement and verification	EXCHANGE Basic research, major-facility resilience, trusted measurement and verification	MECHANISM Use joint "question-method-evidence" research interfaces; do not duplicate major scientific facilities inside the corridor.	EVIDENCE / GATE Evidence: regional-synergy direction; specific institutions and studies remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: independent observer + professional review. Never portray a research link as signed.
4	BEIJING E-TOWN / YIZHUANG Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	EXCHANGE Embodied-AI hardware, manufacturing tests, repair and supply-chain feedback	MECHANISM The south station can export bounded scenarios and failure logs; E-Town may return device improvement and maintenance evidence under a separate agreement.	EVIDENCE / GATE Evidence: algorithm/scenario-manufacturing complementarity hypothesis; no procurement or attraction decision.	OWNER / NON-COMMITMENT Suggested owner: operations + safety seats. No public-road operation before road, insurance, service and liability clearance.
5	BEIJING-TIANJIN-HEBEI / ZHANGJIAKOU Green compute, disruption-response experience, standards interoperability and talent exchange	EXCHANGE Green compute, disruption-response experience, standards interoperability and talent exchange	MECHANISM Maintain an auditable compute/service-continuity interface list at Dazhongsi, limited to service levels and recovery evidence.	EVIDENCE / GATE Evidence: corridor-synergy concept; cross-region governance, energy and network protocols remain unconfirmed.	OWNER / NON-COMMITMENT Suggested owner: standards/compliance seat. No land, investment or construction assignment outside the design scope.

COMMON STOP RULE: without verifiable authorization, minimum data, named responsibility, cost/maintenance, complaint and exit mechanisms, the interface remains NOT ACTIVATED.

THREE RESILIENCE STATIONS: IMPLEMENTATION HANDOVER DIAGRAMS

All geometry remains provisional. The diagrams define relationships, responsibility and stop boundaries - not parcel dimensions, road redlines or approval precision.

PUBLIC FLOW


STEP-FREE PATH

LOGISTICS/SERVICE

STOP / ISOLATION

NORTH ZHONGZHIYUAN RESILIENCE TEST

Find, contain and document failure before public release.




SCENARIOS: S06 anomaly inspection · S07 twin failure injection · S08 drift takeover · S05 pre-road logistics test

STOP: any production connection, failed e-stop, absent observer/audit, or public-logistics mixing.

MIDDLE AI ORIGIN PUBLIC CARE STATION

Equivalent service without a smartphone or account.




SCENARIOS: S01 heat care · S02 rain detour · S03 outage service · S09 multilingual navigation · S10 consent check-in

STOP: stale authority source, absent human seat, blocked step-free path, inadequate fire/battery conditions, or professional judgement.

SOUTH DAZHONGSI CONTINUITY DEPOT

Keep manual receipt, commerce and egress available during disruption.



SCENARIOS: S04 crowd relief · S05 low-speed relay · S12 enterprise continuity assistant

STOP: positioning drift, mixed traffic, blocked exits, count anomaly, failed e-stop, absent manual receipt, or unverified site rights.

JINGZHANG LIFE-LINE v1.4

ONE GRACEFUL-DEGRADATION LIFE-LINE | FIVE REGIONAL INTERFACES | THREE STATIONS | THREE FIRST-YEAR PILOTS

- Overview Map
- Three-Level Scope
- Key Areas
- Land Use Zoning
- Transport / Slow Mobility
- Blue-Green Public Space
- Buildings
- Renewal Projects
- AI Scenarios
- Core Metrics
- Task Coverage
- Self-check Status
- Sources
- Assumptions

EXCHANGE IN NORMALITY | CARE UNDER PRESSURE | DEGRADE ON FAILURE | EXIT UNDER DISPUTE

Every public AI scenario binds minimum data, visible human authority, stop/rollback and account-free equivalence; 72 hours remains an unverified target.

11.41 km²

provisional site

29.6%

green concept

17.7%

public-space concept

5

regional interfaces

3

first-year pilots

7

responsibility seats

THREE FORMAL REPAIRS

01

NO-FONT CHINESE

Build-time glyph outlines; no font distribution; co-located searchable/copyable semantics.

02

REGIONAL INTERFACE MATRIX

Five interfaces specify exchange, evidence, responsibility, stop and non-commitment boundaries.

03

IMPLEMENTATION-LEVEL STATIONS

Named gates, handover, public/logistics flows, accessibility, isolation/e-stop, components and S01-S12.

□□□□ / EVIDENCE GATES

AUTHORIZATION / SITE

MISSING ONE = NOT ACTIVATED

PUBLIC SERVICE STAFFING

MISSING ONE = NOT ACTIVATED

FIRE / ACCESSIBILITY

MISSING ONE = NOT ACTIVATED

DATA / PRIVACY

MISSING ONE = NOT ACTIVATED

COST / MAINTENANCE

MISSING ONE = NOT ACTIVATED

ULTIMATE STOP AUTHORITY

MISSING ONE = NOT ACTIVATED