
WifiP2pManager.java
WifiP2pServiceImpl.java
WifiP2pServiceImpl.java inner class DefaultState
WifiP2pServiceImpl.java inner class P2pNotSupportedState
WifiP2pServiceImpl.java inner class P2pEnabledState
WifiP2pServiceImpl.java inner class GroupCreatingState
WifiP2pActive.java
SupplicantP2pIfaceHal.java
ISupplicantP2pIface.hal
ISupplicantP2pIface.java
ISupplicantP2pIface.h
p2p_iface.h
p2p_iface.cpp
p2p_supplicant.c
p2p.c
driver_nl80211_scan.c
driver_nl80211.c
libnl genl.c
libnl msg.c
libnl nl.c
kernel net/wireless/nl80211.c
driver hal_apollo/mac80211/cfg.c
driver hal_apollo/mac80211/scan.c
driver hal_apollo/mac80211/scan.c
kernel net/wireless/scan.c
kernel net/wireless/nl80211.c
wifiscd net/ik_manager.cpp
wifiscd scanning/scanner_impl.cpp
wifiscd IScanEvent.aidl
wifi-service WifiControl.java
wifi-service WifiMonitor.java
wifi-service WifiConnectedNetworkScanner.java
WifiScanningServiceImpl.java inner WifiSingleScanStateMachine
WifiScanningServiceImpl.java inner WifiBackgroundScanStateMachine
WifiScanner.java
WifiConnectivityManager.java
IP 冲突响应工作
kernel net/wireless/nl80211.c
driver_nl80211_event.c
event.c
p2p.c
p2p_supplicant p2p.c
notify.c
hidl.cpp
hidl_manager.cpp
SupplicantP2pIfaceCallbackImpl.java
WifiP2pMonitor.java
WifiP2pServiceImpl.java
Application
WifiP2pDeviceList.java
收到广播 WifiP2pDeviceList.getDeviceList
WifiP2pManager.WIFI_P2P_PEERS_CHANGED_ACTION
getDeviceList()
return mDevices
updateSupplicantPeerlist()
WifiP2pDeviceList 保存了所有发现的 P2P 设备信息，可通过 getDeviceList() 获取设备列表。