











<https://newscrewdriver.com/2021/01/28/circuit-schematic-of-generic-l298n-drive-board/>



<https://dientunhattung.com/san-pham/dong-co-dc-encoder-jga25-370-12v-620rpm-dc-giam-to/>

Title		
Size A3	Number	Revision
Date 7/09/2026	Sheet of	
File: D:\Data_User\...\Sheet1.SchDoc	Drawn By:	



Comment	Description	Designator	Footprint	LibRef	Quantity
1 μ F	CAP CER1UF50VX7R0805	C1, C2, C4	CAP0805_2012	CC0805KXX7R9BB105	3
870235174004	WCAP-PT5H Aluminum Polymer Capacitors	C3	WCAP-PT5H_D8H11.5	CMP-03913-54202634-2	1
1N4007	Rectifier diode 1000 V 1 A DO-41, ,	D1, D2, D3, D4, D5, D6, D7, D8	FP-1N4007-MFG	CMP-123542-000001-1	8
KLDX-0202-B	3 Conductor Power Jack, 2 break 2 aux contacts	J1	KYCN-KLDX-0202-B_V	CMP-0256-00001-1	1
B6B-PH-SM4-TBT(LF)(SN)	CONN HEADER SMD 6POS2MM	MOTORL, MOTORR, PI4, SW_POWER	FP-B6B-PH-SM4-TBT_LF_SN-MFG	CMP-17439-000069-1	4
MC00100	DC-DC LM2596 Step Down Adjustable Converter Power Supply Module 1.3V-35V	PS1, PS2	CONV_MC00100	MC00100	2
LED1206, Red	LED RED 1206 SMD	PW1, PW2	LED 1206_3216 RED	5990210007F	2
3.3K, 0805	RES470 OHM 1% 1/8W0805	R2, R4	YAGEO RES0805_2012	RC0805FR-07470RL	2
0R, 0805	RES0 OHM 1% 1/8W0805	R3, R5, R6	YAGEO RES0805_2012	RC0805FR-07470RL_3	3
ESP32-S3-DEVKITC-1-N8R2	WiFi Development Tools - 802.11 (Engineering Samples Only) ESP32-S3 General-Purpose Development Board, ESP32-S3-WROOM-1-N8R2, with Pin Header	U1	XCVR_ESP32-S3-DEVKITC-1-N8R2	ESP32-S3-DEVKITC-1-N8R2	1
L298N	Motor Driver, DC Brush, Full Bridge, 4 Outputs, 4.8V to 46V Supply, 2A Out, Multiwatt-15	U2	L298N_MFG	CMP-2000-06526-2	1