TAPIO PITKÄRANTA & LEENA PITKÄRANTA · AALTO UNIVERSITY · 2026

Agentic Discovery & Agentic Engineering

How AI agents change the software development lifecycle: when building gets cheap, the traditional six-phase SDLC collapses into two phases.

Agentic Discovery

learning velocity · a runnable probe to find the right problem

- Vision & strategy
- Market & customer
- Discovery
- Design
- Requirements & spec

Agentic Engineering

production reliability · production-grade code from a validated spec

- Dev
- QA
- Release & Ops

SOURCES Pitkäranta & Pitkäranta 2026

Tapio Pitkäranta



longshoreforrest
.github.io/myself →

WHO

25 years	of AI and software agents, since agent research at VTT (2001)
Siili	Head of AI Development, Siili Solutions
4× CTO	retail, healthcare, tax and HR; part of RELEX's growth to a unicorn
D.Sc.	doctoral thesis on generative AI, Aalto University 2026
30+	international publications

HOW I USE AI

Agents every day. Building software, analyses and this very deck.

Consumer apps. Search, writing and summarising daily.

My own apps. I build my own AI applications with AI, often in hours.

The point: this is everyday reality, not the future.

CO-AUTHOR INTRODUCTION

Leena Pitkäranta



LinkedIn
leena-pitkaranta →

WHO

Aalto Department of Industrial Engineering and Management, Aalto University

Paper co-author of the Agentic Discovery & Engineering paper

Group Associate Professor Natalia Vuori's research group: strategy work and AI

JOINT PUBLICATIONS

2026 **Agentic Discovery & Engineering** ↗ · working paper

2025 **HADA** ↗ · AGENTICS / IJCCI 2025

2025 **AADAR** · Springer LNBIP 566

2025 **Towards Curated Learning** (NordDRG) · PCSI 2025

2024 **RAGADA** · ICEIS 2024

2024 **Software platform of strategic decision-making** · PROS 2024 and SMS 2024 · *Leena as lead author, with Natalia Vuori*

RESEARCH GROUP

Natalia Vuori ↗

Associate Professor, Industrial Engineering and Management, Aalto


Studies how leaders' and teams' cognitive biases and emotions shape strategic decisions and change such as AI adoption. Published in e.g. Strategic Management Journal and Academy of Management Annals; six international SMS and AoM awards.

Generative AI in Strategy Work and Firm Performance (AoM 2025, among the best papers) ↗

SOURCES Pitkäranta & Pitkäranta 2026 · Pitkäranta & Pitkäranta 2025 · Vuori 2025

SYNTHESIS

The agentic wave: from Dev, upstream and downstream




SOURCES Pitkäranta & Pitkäranta 2026

Figure: Pitkäranta & Pitkäranta 2026. Maturity levels are a qualitative estimate, not a measurement; the studies under the phases anchor it (tap a name).

AGENTIC DISCOVERY PAPER §2 FORMAL SKETCH

Problem and solution as a joint search



Search both at once

The problem is not fixed before the solution. Discovery looks for the right problem and a fitting solution at the same time.

Learn from the probe

A stakeholder uses the probe, and their feedback shows what the problem really is.

Building is now cheap

With agents, building a probe costs about as much as describing the problem, so it pays to build in order to learn.


SOURCES Pitkäranta & Pitkäranta 2026 Formal sketch (math.html)

TIME ALLOCATION ILLUSTRATIVE, NOT MEASURED

Coding shrinks; the problem and validation grow


TRADITIONAL SDLC

Most of the time is spent writing code.



AGENTIC SDLC

Time shifts to finding the problem and validating.




Block size shows where human attention goes. When agents do design, code and tests in parallel, human work moves to the two ends: finding the right problem with probes (Agentic Discovery) and validating the result at gates (Agentic Engineering).

SOURCES Pitkäranta & Pitkäranta 2026

EXECUTIVE SUMMARY THE WHOLE DECK ON ONE SLIDE

Building got cheap. The bottleneck is now the right problem.




16 h+
AI task horizon passed METR's measurement ceiling in spring 2026

>80 %
of expert tasks won or tied against professionals (GDPval)

90 %
of developers use coding agents weekly (JetBrains 2026)

69
probes and ~142,000 lines of code in 4 weeks, 2 organisations; intent to code 1 : 56

THE BOTTLENECK MOVES UPSTREAM




1 Build probes to learn
A throwaway probe finds the right problem; the spec goes to Engineering only once validated.

2 Verification is the new scarcity
Producing is cheap, verifying is expensive: human validation gates are worth more than ever.

3 Invest in people and gates
Stakeholder time, orchestration and boundaries (sandboxes, gates) are architecture, not a brake.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · METR 2026b · OpenAI 2026 · JetBrains 2026

Twelve layers: agents discover, build and run



SOURCES Pitkäranta & Pitkäranta 2026

INTERLUDE · OCTOBER 2026

AI status: where we are now

Benchmarks, agents and observations from 2026: what the yardsticks say, where they run out, and what that means for agentic product development.

Figures checked against primary sources on 12 Oct 2026; vendor self-reports are marked.

AI OVERVIEW BASICS

AI is blending into everything


There is no single AI. It is already in almost every application:

- search summaries and general assistants (ChatGPT, Claude, Gemini)
- agentic tools that carry out tasks on their own
- translation, recommendation and personalisation
- imaging and face recognition

Multimodality

AI handles text, images, sound and video. The newest models spot an error in an image that a human may miss.

Progress in everyday life: made by children



2023 · a 4-year-old makes bedtime stories with AI




2025 · an 8-year-old builds a 3D game in hours



2026 · an 11-year-old founds a game studio

METR THE SAME DATA ON A LINEAR SCALE

On a linear scale, almost all the growth is in the last year



The previous slide's log scale shows steady doubling as a straight line. On a linear scale the same exponential is a hockey stick: until 2024 every model stayed under an hour; in spring 2026 the frontier passed the 16-hour measurement ceiling. Vertical bars are METR's confidence intervals; an arrow up = the interval continues beyond the chart.

SOURCES METR 2026b METR 2026a Kwa et al. 2025 (METR)

AI OVERVIEW PACE OF PROGRESS

Is the AI shift mostly about programming?



Lana Del Rey - I Hate You (Official Lyrics Video)


Woman in Love | AI Lip Sync Cover – Dana Winner Version #danawinner #coversong #masonmusic

YouTube results: left, the artist's official video; right, an AI-made lip-sync cover (#aimusic).

No.

Try it tonight


Search YouTube for your favourite artist with the tag **#aimusic**. AI music is already everyday in the creative industries.

The same holds for knowledge work

Next slide: AI results on real expert tasks across 44 occupations.

OPENAI · GOOGLE DEEPMIND RESEARCH-LEVEL MATHEMATICS 7/2024 → 10/2026

Mathematics: genuine breakthroughs and retractions in the same year




What changed: 5/2026 AI for the first time solved a central open problem of a field, and it survived human verification. FrontierMath Tier 4: 31% → nearly 100% during 2026.

What did not change: the claimed frontier rises faster than the verified one. Verification is the bottleneck: "no human has read it, and no human is going to read it" (Bloom).

SOURCES Google DeepMind 2024 · Alon et al. 2026 · Quanta 2026 · DeepMind 2026 · Clay Institute 2026 · Retraction Watch 2026 · Epoch AI 2026d

OPENAI GDPVAL 9/2025 → 4/2026

Expert work: from 12% to over 80% in eighteen months



Claude Sonnet 4.5 was first above 50% (9/2025). **The metric froze in April 2026:** after GPT-5.5 no new model (GPT-5.6, GPT-6, Claude Opus 5.x) has reported the original win-or-tie figure. Caveats: tasks are precisely specified and one-shot; grader agreement about 71%; 2026 numbers are OpenAI's own; on the harder GDPval+ the top is about 22%.

Successor: GDPval-AA (9/2026)


An independent re-run of the same 220 tasks: agentic harness, LLM judge, Elo scores. Leader **Claude Opus 5.5: 1866 ±26 Elo**. Elo and percentage are different scales, and the scale has been re-anchored three times, so it cannot be drawn on the chart above.

SOURCES Patwardhan et al. 2025 (GDPval) · Epoch AI 2026c · OpenAI 2026 · Aggregaattorit 2026 · Artificial Analysis 2026b · Snorkel AI 2026

BENCHMARK SATURATION

TOP SCORES 10/2026 · TAP A TEST NAME

Even the hardest tests are nearing the ceiling



The “hardest” of 2025

ARC-AGI-2, FrontierMath and HLE were the toughest tests of 2025; two are now above 90%.

The harness again

ARC-AGI-3: the same model scores 62.7% with the standard harness and 99.9% with another. A model name alone does not tell the result.


Consequence

New yardsticks move to real work and long tasks (GDPval, Terminal-Bench, METR’s Expenditure Horizon).

SOURCES ARC Prize 2026 · Epoch AI 2026d · Scale / CAIS 2026

EPOCH AI EPOCH CAPABILITIES INDEX · BEST MODEL AT EACH DATE

Open-weight models follow a few months behind




The open frontier is Chinese (DeepSeek, Qwen, Kimi, GLM); the best Western open models (gpt-oss, Llama 4) are 17–24 points behind. On the Artificial Analysis index the gap shrank in a year from about 13 to 3–6 points, but on the hardest agentic evals it is still about 15.

SOURCES Epoch AI 2026b · Epoch AI 2026a · Artificial Analysis 2026

AGENT + MODEL TERMINAL-BENCH 4.0 · 6.10.2026

Claude Code and Codex lead, but costs vary widely




Terminal-Bench measures harness and model together on real command-line tasks. The top 20 all run on either the Claude Code or the Codex harness; Claude Code also runs other models (GLM, Qwen). Version 4.0 is harder than 2.0, so scores are not comparable across versions.

SOURCES Terminal-Bench 2026 Stanford AI Index 2026

SURVEYS AND PR DATA STACK OVERFLOW · JETBRAINS · MSR 2026

Coding agents are everyday work, and Claude Code leads in use



Use at work

JetBrains (15,000+ developers, 5–7/2026): 90% use coding agents at work weekly, 68% daily. Claude Code 18% → 39% and Codex 3% → 16% in half a year; Cursor 18% → 12%.

Is the agent's PR accepted?

MSR 2026, 7,156 PRs (2025 data): Codex 77.9%, Cursor 74.5%, Claude Code 71.9%, Copilot 68.0%, Devin 61.6%. Human PRs in popular repos 76.8%.

Surveys measure use, not quality; PR acceptance mixes agent quality with how the agent is used.

SOURCES Stack Overflow 2026 · JetBrains 2026 · Pinna et al. 2026 · Li et al. 2025 (AIDev)

PART 0


Agentic Discovery & Engineering: the paper's theories, figures and results

Pitkäranta & Pitkäranta (Aalto, 2026). Two-phase SDLC, the Probe, 12 formal frames, 33 traditions and a 69-probe field corpus. Every other part maps onto this frame.

SOURCES Pitkäranta & Pitkäranta 2026 | Formal sketch (math.html) | Traditions gallery | Appendix A.1–A.12

PAPER FIG. 2 · 8 TRADITIONS §2.1

The seam between problem and solution domain becomes permeable



Double Diamond
Design Council 2005

PMF Pyramid
Olsen 2015

Lean Canvas
Maurya 2012

Opportunity Solution Tree
Torres 2021

Problem Frames
Jackson 2001

Cynefin
Snowden & Boone 2007

Discovery vs. Delivery
Cagan 2017


Are Your Lights On?
Gause & Weinberg 1990

Hidden premise of all these visuals: the problem can be understood before any artefact exists.

SOURCES Design Council 2005 · Jackson 2001 · Pohl 2010 · Traditions gallery

PAPER FIG. 3 · 7 TRADITIONS §2.2

Mistakes at the top cost the most: probe every layer



Golden Circle
Sinek 2009

Vision · Strategy · Roadmap · Backlog
Pichler 2016

Escaping the Build Trap
Perri 2018

Empowered
Cagan & Jones 2020

OKR cascade
Doerr 2018

Hoshin Kanri
Akao 1991

Classical strategy hierarchy
Mintzberg 1994


Vision: cheap to change, expensive to misalign (cascades). Feature: expensive to change, misalignment stays local. A probe tests every altitude.

SOURCES Pichler 2016 Perri 2018 Traditions gallery

WHY · HOW · WHAT

SINEK'S CIRCLE AND ITS RESEARCH COUNTERPARTS

Discovery finds the why, Engineering builds the what



Rasmussen 1985
Abstraction hierarchy: up = why, down = how

Vallacher & Wegner 1987
Action identification: high level = why, low = how

van Lamsweerde 2001
GORE: WHY abstracts to goals, HOW refines them

Gutman 1982
Means–end chain: attribute → consequence → value


Zachman 1987
IS architecture: What · How · … · Why

Sinek (2009) frames leadership inside-out: why → how → what. Agentic Discovery reverses the direction: a cheap probe is a concrete *what* used to learn the *why*. The academic counterparts share the same why–how axis. Placing the two phases on the circle is this deck's synthesis.

SOURCES Sinek 2009 · Rasmussen 1985 · Vallacher & Wegner 1987 · van Lamsweerde 2001 · Gutman 1982 · Zachman 1987 · Pitkäranta & Pitkäranta 2026

PAPER FIG. 5 · 12 MODELS §2.4

Royce’s waterfall with an agentic overlay



NATO 1968
Naur & Randell 1969

Waterfall 1970
Royce 1970

Spiral 1988
Boehm 1988

V-Model 1991
Forsberg & Mooz 1991

Scrum 1995
Schwaber 1995

XP 1999
Beck 1999

Agile 2001
Beck et al. 2001

RUP
Kruchten 2003

Lean SD 2003
Poppendieck 2003

Kanban 2010
Anderson 2010


CD/DevOps 2010
Humble & Farley 2010

Royce (1970): pure sequence “is risky and invites failure”.

SOURCES Royce 1970 Traditions gallery

CORE THESIS ABSTRACT AND §4

The PDLC collapses into two phases



	AGENTIC DISCOVERY	AGENTIC ENGINEERING
Optimises	learning velocity	production reliability
Output	throwaway-grade probe	production-grade code
Spec	extracted from the probe	an input
Cycle	minutes–hours	days–sprints

SOURCES Pitkäranta & Pitkäranta 2026

Source: Agentic Discovery paper · talk-deck

SECTION


Agentic Probe

The instrument of Agentic Discovery: a runnable, throwaway probe into the problem space, built by an agent from the stakeholder's own words. What it is, why it must be run rather than read, and how it learns about the problem.

SOURCES Pitkäranta & Pitkäranta 2026

DEFINITION PAPER §3.1 · EDITION 2026-10-13

The Probe: a sounding into the problem space



> "A **Probe** is a stakeholder-runnable instance of a candidate solution to a stated pain. It is throwaway-grade by design -- its job is to validate or falsify the pain, not to be production-ready."

Forms

working software · process simulation · walkable future scenario · mixed renderable


Edition 2026-10

agentic, usable, disposable. A prototype reveals φ, a simulation s_0, κ and ρ, a possible future V.

SOURCES Pitkäranta & Pitkäranta 2026

PAPER FIG. 1 §3.2

Problem-validating and solution-proposing probes




$$(p^*, s^*) = \arg\max_{(p,s)\in\mathcal{P}\times\mathcal{S}} \varphi(p,s)\cdot\pi(p), \qquad \pi(p \mid o) \propto L(o \mid p)\,\pi(p), \qquad \widehat{\nabla_s \varphi} \text{ from probe use}$$

SOURCES Pitkäranta & Pitkäranta 2026 Formal sketch (math.html)

PAPER FIG. 6 §3.3 · §6.8

The probe maps constraints outside-in, inside-out or in between



Outside-in

Start with a new AI process in the outer ring. The probe shows which integrations and core parts are really needed.

Middle-out

Start from the integration layer (APIs, connectors). The probe tests what can change without touching the core.

Inside-out

Interview and reflect the current process as a simulation of the core, then propose paths outward; in regulated settings this eases adoption.

A constraint is a part that cannot or should not change: legacy IT, regulation, data. The probe reveals which constraints are real, i.e. which parts to keep and which to let go. A failed probe costs only in the outer ring.

SOURCES Pitkäranta & Pitkäranta 2026

LITERATURE REVIEW · OCTOBER 2026

Agentic Search & Agentic Information Retrieval


How the concept is defined in the academic literature: definitions, formal models and taxonomies from about 35 sources.

Zhang et al. 2024 · Huang et al. 2025 · Xi et al. 2025 · Lin et al. 2025 · Shi et al. 2025 · Search-R1 · ReAct · …

SOURCES Zhang et al. 2024 (Agentic IR) Huang et al. 2025 (Deep Research Agents)

CONCEPT MAP THIS DECK'S SYNTHESIS

Agentic Study ⊃ Agentic Analysis ⊃ Agentic Search



Each outer layer calls the inner one as a subroutine and decides itself when to call it again. The layers match Marchionini's (2006) three search activities and the PRISMA 2020 review stages; the layering is our synthesis, not any single source's terminology.

SOURCES Marchionini 2006 · Page et al. 2021 (PRISMA 2020) · Shi et al. 2025 (Deep Research survey) · Xi et al. 2025 (search agents) · Zhang et al. 2024 (Agentic IR) · Huang et al. 2025 (Deep Research Agents)

DEFINITIONS THE LAYERS MAPPED TO THE LITERATURE

Three nested policies, each with its own output

$$E = \pi_S(q), \qquad F = \pi_A\big(q, E\big), \qquad R = \pi_{St}(Q, B) = \mathrm{synth}\Big(\{\pi_A(q_i, \pi_S(q_i))\}_{i=1}^{n}\Big)$$

LAYER	DEFINITION	OUTPUT	MARCHIONINI 2006	SHI ET AL. 2025	XI ET AL. 2025 LOOP	PRISMA 2020
Agentic Search	Decides over many steps when, what, where and how to search, and when to stop.	evidence E	Lookup	I · Agentic Search	Plan · Act · Reflect	identification
Agentic Analysis	Appraises, extracts, compares and combines search results; may search again if evidence is insufficient.	findings F + provenance	Learn	I "extracting" + II synthesis	Select · Generate	screening, appraisal
Agentic Study	Poses sub-questions q_i, runs many search and analysis rounds within budget B, synthesises and reports.	report R	Investigate	II Integrated Research · III AI Scientist	the whole loop, repeated	synthesis, reporting

Boundaries. Search ↔ Analysis: does a step change the evidence set E (search) or the interpretation F (analysis)? Analysis ↔ Study: is the question given (analysis) or does the agent pose its own sub-questions and report (study)? Shi et al. do not separate analysis as a phase; that is this synthesis's addition.

SOURCES Marchionini 2006 · Shi et al. 2025 (Deep Research survey) · Xi et al. 2025 (search agents) · Page et al. 2021 (PRISMA 2020) · Huang et al. 2025 (Deep Research Agents) · Y. Li et al. 2025 (RAG–Reasoning)

SECTION

Agentic Discovery: experiments

What we did and what we measured: the research design (DSRM), the session protocol, eight field engagements with two organisations (Experiment A, 69 probes) and process simulations in healthcare (Experiment B).

SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12

IN PRACTICE SESSION · EXPERIMENTS · MEASURES

A pain in, a runnable probe out, in minutes

ONE SESSION ROUND

1 DREAMER

State a pain or an idea

An employee says in their own words what hurts in their work or what they wish for. About 34 words on average.

→

2 ORCHESTRATOR

Shape and check

The researcher turns the wish into a prompt, checks it is safe and keeps the queue in order.

→

3 AGENT

Build and deploy

Claude Code builds a working probe and deploys it to its own URL. Minutes; about 1.7 min per probe in a burst.

→

4 DREAMER

Use it and react

The stakeholder opens the probe on their own device in the room. Feedback is operational ("save twice fails"), and the next round starts.

Experiment A · field

8 engagements in four weeks: a tour of Organisation A's seven offices (49 probes) and a one-day workshop at Organisation B (20 probes). 69 probes and ~142,000 lines of code in total.

What we measured


Time to first probe (minutes), deployability (69/69), spec to code (1 : 56), re-engagement (7/8 sites), safety (0 incidents) and where the bottleneck sits.

The research design is design science (DSRM): we built the way of working, tried it in real organisations and evaluated it against objectives set in advance. Details on the following slides.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Peffers et al. 2007

EXPERIMENT A · 8 ENGAGEMENTS IN CALENDAR ORDER · §6.1 · §7.4

69 probes and ~142,000 lines of code in four weeks




Bar = probes per engagement, solid line = cumulative probes, dashed line = cumulative generated code (kLOC). Circle = people invited (≈ 310 in total; invited is not attended: about 50 were in the room at T8). The two largest engagements produced 46 of the 69 probes.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12

BOTTLENECK SHIFT C5 · §6.5 · §7.4

Getting rid of the bottleneck with orchestrated agentic engineering



Events 1–4
2–4 parallel requests, all built live: production capacity binds.

Event 5
7 requests: the Orchestrator becomes the bottleneck.


Largest
~100 invited; Org B 18/20 probes in 31 min: idea supply and validation bind.

Speed multiplier ~570× on work time (37–65× with a 10× quality discount); ~2,370 person-days traditional vs ~33 h of prompt writing.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Osmani 2026

EXPERIMENT A §6.1–6.4 · APPENDIX A.1–A.12

69 probes, 2 organisations, ~118,000 LOC




	ORG A	ORG B	TOTAL
Probes	49	20	69
LOC	~97 500	~20 900	~118 400
Spec lines	~1 430	~540	~1 970
Ratio	1:68	1:39	1:60
Span	~4 wk	1 day	


Categories: weather 10, wellness 8, office services 7, productivity 7, dev tools 7… Weather is 45% of Org B. LOC ~142,000 counted at site level vs ~118,400 at cohort level.

SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12

PAPER FIG. 8 §3.4 · §5

Dreamer, Orchestrator, Agent and two safety gates





Dreamer: stakeholder, natural language or voice · **Orchestrator**: shapes the prompt, safety gate S, curates (skipping it is an anti-pattern) · **AI Agent**: self-check (gate AS, AGENT_SAFETY.md), build, deploy, report. 0 safety incidents in 69 generations.

SOURCES Pitkäranta & Pitkäranta 2026 Pitkäranta & Pitkäranta 2025

SECTION

Agentic Discovery in healthcare

We pointed the method at Finnish public healthcare. Agentic search and analysis built the input, and the input generated one probe per simulation: 173 simulations of today's process and its AI version.

METHOD SEARCH · ANALYSIS · PROBES

From agentic search to 173 probes in one night

1 · Frame
human

18
process families

brief and data contract:
every number with source,
quote and grade A–E

2 · Agentic search
129 sub-agents

~970
sources read

6,589 verbatim
quotes extracted
up to 20 in parallel

3 · Agentic analysis
map of today

181
processes

320 pain points
money flows and € values
142 AI benchmarks

4 · Input → probes
generation

173
probes

one per process +
pain point + benchmark:
today vs. AI version

5 · Verification
independent agents

3
rounds

~710 corrections
972 URLs checked
grades lowered

Agentic Search

Agentic Analysis

Agentic Study: one question, many rounds → a report and 173 probes

The first complete version was ready in about two hours, the final one with its complement wave and verification in about seven (12–13 Oct 2026). The layers match the concept map in the Agentic Search part.

SOURCES Pitkäranta 2026c Pitkäranta & Pitkäranta 2026

METRICS WHAT THE AGENTS DID

Agentic search in numbers

129
sub-agents launched, up to 20 in parallel

~970
sources read; 924 ended up cited

6,589
verbatim quotes backing the numbers

~4,400
data points graded A–E

~710
corrections in three verification rounds

~7 h
start to finish; first version ~2 h

How strong is each data point?



D 200 · E 317 · V 24 (A = strongest, E = weakest, V = changed by a verifier)

Did the sources respond when checked?



972 URLs: 39 blocked bots, 4 did not respond

Where do today's step durations come from?




1,019 steps: source 23 · estimate 102 · judgement 894; step timings are not published

The biggest gap shows in the bottom bar: today's durations are mostly judgement. That is exactly what a problem-validating probe collects from people.

SOURCES Pitkäranta 2026c Pitkäranta & Pitkäranta 2026

PROBE S-F01-01 · TODAY PROBLEM-VALIDATING

Simulation: Marja waits for the health centre to call back



1 The phone queue
Average answer time 6 min 16 s (Satakunta 2023).

2 Waiting for the callback
Median of county averages 146 min; range 1.7–14 h (Helsinki, Satakunta, Ostrobothnia).

3 The same questions again
The nurse asks for the background Marja already gave when calling.


Monday 8 am: Marja calls about knee pain and leaves a callback request. The same path repeats in about 8.9 million appointment calls a year (THL 2025). Durations are county measurements and estimates.

SOURCES Pitkäranta 2026c · Satakunta 2024 · Helsinki 2026 · Yle 2025 · THL 2025

FINDINGS BEFORE AND AFTER

The queue, not the minutes: what 173 probes say

Marja's case, minutes



All 173 probes

5 %	median saving in total time with AI assistance
105	of 173 probes save less than 10%
11	probes save at least half the time
8 · 70 · 95	evidence grades B · C · D (A: 0)

AI shortens tasks, rarely queues. The bottleneck is capacity and rules, not documentation. Every simulation is a probe to take to the people in the process for validation: that is the next step.

SOURCES Pitkäranta 2026c THL 2025

Figures computed from the simulation data on 13 Oct 2026. The reading is this deck's synthesis.

SECTION

Summary

The deck in two slides: what we claim, on what evidence, and what it means for product development.

SUMMARY 1/2 SITUATION · CLAIM · INSTRUMENT · EVIDENCE · ENGINE

Building got cheap, so finding the right problem is the new bottleneck

1 Where we are

The agentic wave ignited in writing code and spreads from there both ways. Downstream, **Agentic Engineering** is maturing fast: coding agents are everyday tools, and review, test and release are following. Upstream, **Agentic Discovery** is the least established and has the most to explore.

2 Core claim

When execution gets cheap, the SDLC collapses into two phases: **Agentic Discovery** finds the right problem (learning velocity) and **Agentic Engineering** builds it right (production reliability). The seam between them is the validated spec.

3 Instrument

The **agentic probe** is a runnable, throwaway instrument into the problem space: problem-validating or solution-proposing. It must be run, not read, and it also reveals the constraints.

4 Evidence

8 field engagements, 2 organisations, 69 probes and ~142,000 lines of code in four weeks. Intent-to-code 1 : 56 on average (up to 1 : 467). The bottleneck moved from production to orchestration, then to idea supply and validation.


5 Engine

Discovery is agentic search over $\mathcal{P} \times \mathcal{S}$. Agentic Search $\subset$ Analysis $\subset$ Study; the human acts as an ask-or-act gate, and autonomy is a design choice, not a capability.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Zhang et al. 2024 (Agentic IR)

GOLDRATT & COX 1984 THEORY OF CONSTRAINTS · PAPER C5 · §7.4

The bottleneck moves, and we have only scratched the surface



Goldratt & Cox 1984: a constraint is not removed, it moves. **About the book ↗**

BEFORE

Writing code

Agents made building cheap, and this bottleneck opened up.

↓

WHAT WE SAW

Two new bottlenecks

1 **The supply of ideas**
Agents built faster than ideas arrived: 18 of 20 probes in 31 minutes.

2 **The operator's context switching**
One person steering many agents at once, and their attention set the pace.

↓

NEXT

The wave reaches Agentic Discovery

Upstream, many more bottlenecks wait to be found and solved. **We just scratched the surface.**

SOURCES Goldratt & Cox 1984 · Pitkäranta & Pitkäranta 2026

TAPIO PITKÄRANTA & LEENA PITKÄRANTA · AALTO UNIVERSITY · 2026

Thank you

Everything is openly online. Read and comment.

- The paper in a commentable reader
- This long slide deck and its PDFs

longshoreforrest.github.io/
publications/agentic-discovery/

SOURCES · CLICK TO OPEN · 331

Reference list A–B

Aaen et al. 1997
Software Factories: Contributions and Illusions

Aggregaattorit 2026
GDPval wins-or-ties: GPT-5.5

Ahmed et al. 2023
Recommending Root-Cause and Mitigation Steps for Cloud...

Ai et al. 2026 (SteER)
An Interactive Paradigm for Deep Research

Akao 1991
Hoshin Kanri: Policy Deployment for Successful TQM

Albert & Billinger 2025
Reproducing and Extending Experiments in Behavioral Strategy...

Aliannejadi et al. 2019
Asking Clarifying Questions in Open-Domain Information-Seekin...

Allan et al. 2024 (CCC)
Future of Information Retrieval Research in the Age of Generative...

Alon et al. 2026
The unit distance conjecture is false: a human-verified version of...

Alshahwan et al. 2024 (TestGen-LLM)
Automated Unit Test Improvement using Large Language Models...

Anderson 2010
Kanban

Anderson et al. 2024
Homogenization Effects of Large Language Models on Human...

Appendix A.1–A.12
Agentic Discovery — Experiment Data & Analytics (A.1–A.12)

ARC Prize 2026
ARC-AGI-2 and ARC-AGI-3 leaderboards

Argyle et al. 2023
Out of One, Many: Using Language Models to Simulate Human...

Arora et al. 2024
Advancing Requirements Engineering through Generative AI:...

Arora et al. 2025
AI–Human Hybrids for Marketing Research: Leveraging Large...

Artificial Analysis 2026
Recent open weights model launches

Artificial Analysis 2026b
GDPval-AA (independent re-run of the GDPval gold tasks)

Ataei et al. 2024 (Elicitron)
Elicitron: An LLM Agent-Based Simulation Framework for Design...

Aurum & Wohlin 2005
Engineering and Managing Software Requirements

Bagnall et al. 2001
The next release problem

Bainbridge 1983
Ironies of automation

Bansal et al. 2021
Does the Whole Exceed its Parts? The Effect of AI Explanations o...

Bates 1989
The design of browsing and berrypicking techniques for the onli...

Beck 1999
Extreme Programming Explained

Beck et al. 2001
Manifesto for Agile Software Development

Becker et al. 2025 (METR)
Measuring the Impact of Early-2025 AI on Experienced Open-...

Belkin et al. 1982
ASK for Information Retrieval: Part I. Background and Theory

Berant et al. 2025
Learning Steerable Clarification Policies with Collaborative Self-...

SOURCES · CLICK TO OPEN · 331

Reference list B–D

Bird et al. 2022
Taking Flight with Copilot

Bisbee et al. 2024
Synthetic Replacements for Human Survey Data? The Perils of...

Blackwell 1953
Equivalent Comparisons of Experiments

Boehm & Basili 2001
Software Defect Reduction Top-10 List

Boehm 1981
Software Engineering Economics

Boehm 1988
A spiral model of software development and enhancement

Boehm et al. 2000
Software Cost Estimation with COCOMO II

Bougie & Watanabe 2025
SimUSER: Simulating User Behavior with Large Language Models...

Boussioux et al. 2024
The Crowdless Future? Generative AI and Creative Problem-...

Bouzenia et al. 2024 (RepairAgent)
RepairAgent: An Autonomous, LLM-Based Agent for Program...

Brand et al. 2023
Using LLMs for Market Research (aiemmin: Using GPT for Market...

Brooks 1995
The Mythical Man-Month (Anniversary Ed.)

Buçinca et al. 2021
To Trust or to Think: Cognitive Forcing Functions Can Reduce...

Cagan & Jones 2020
Empowered

Cagan 2017
Inspired: How to Create Tech Products Customers Love (2nd ed.)

Cao & Ramesh 2008
Agile Requirements Engineering Practices: An Empirical Study

Charnov 1976
Optimal foraging, the marginal value theorem

Chen et al. 2024 (RCACopilot)
Automatic Root Cause Analysis via Large Language Models for...

Chen et al. 2025 (AIOpsLab)
AIOpsLab: A Holistic Framework to Evaluate AI Agents for Enabli...

Chen et al. 2025 (ReSearch)
ReSearch: Learning to Reason with Search for LLMs via...

Chesbrough 2003
Open Innovation

Choudhury et al. 2026 (BED-LLM)
BED-LLM: Intelligent Information Gathering with LLMs and...

Clay Institute 2026
Statement on the Navier–Stokes announcement

Clements & Northrop 2002
Software Product Lines: Practices and Patterns

Cosler et al. 2023 (nl2spec)
nl2spec: Interactively Translating Unstructured Natural Languag...

Csaszar et al. 2024
Artificial Intelligence and Strategic Decision-Making: Evidence...

Cui et al. 2026
The Effects of Generative AI on High-Skilled Work: Evidence fro...

Cusumano 1991
Japan's Software Factories

Davis et al. 2006
Effectiveness of Requirements Elicitation Techniques: Empirical...

de Moura & Ullrich 2021
The Lean 4 Theorem Prover and Programming Language

SOURCES · CLICK TO OPEN · 331

Reference list D–G

DeepMind 2026
AlphaProof Nexus: formally verified progress on Erdős problems...

del Águila et al. 2025
The extended next release problem. Generic formulation of the...

Dell'Acqua et al. 2026
Navigating the Jagged Technological Frontier

Dell'Acqua et al. 2026
The Cybernetic Teammate: A Field Experiment on Generative AI...

Deng et al. 2026
Uncertainty-Aware Clarification in LLM Agents with Information...

Design Council 2005
The 'Double Diamond' design process model

Doerr 2018
Measure What Matters

Doshi & Hauser 2024
Generative AI enhances individual creativity but reduces the...

Doshi et al. 2025
Generative artificial intelligence and evaluating strategic decisions

Duan et al. 2024
Generating Automatic Feedback on UI Mockups with Large...

Duan et al. 2024 (UICrit)
UICrit: Enhancing Automated Design Evaluation with a UI Critiqu...

Díaz et al. 2026
Spec-Driven Development for Agentic Software Engineering:...

Ehsani et al. 2026
Where Do AI Coding Agents Fail? An Empirical Study of Failed...

Epoch AI 2026a
Epoch Capabilities Index (ECI) data and frontier trend

Epoch AI 2026b
Open models lag closed models by about four months

Epoch AI 2026c
GDPval benchmark data (copied from OpenAI's leaderboard)

Epoch AI 2026d
FrontierMath (v2) results

Epoch AI 2026e
Trends in AI (compute, cost, inference prices)

Fan et al. 2026
An Empirical Study of Harness Design for Coding Agents

Feng et al. 2024 (Cocoa)
Cocoa: Co-Planning and Co-Execution with AI Agents

Feng et al. 2025 (Levels of Autonomy)
Levels of Autonomy for AI Agents

Feng et al. 2026 (IDRBench)
IDRBench: Benchmarking the Interactive Capabilities of Deep...

Formal sketch (math.html)
Agentic Discovery — formal-sketch companion (12 frames)

Forsberg & Mooz 1991
The relationship of system engineering to the project cycle

Foster et al. 2025 (ACH, Meta)
Mutation-Guided LLM-based Test Generation at Meta

Frömmgen et al. 2024
Resolving Code Review Comments with Machine Learning

Gama et al. 2026
"Can you feel the vibes?": An exploration of novice programmer...

Gao et al. 2025 (Self-Evolving Agents)
A Survey of Self-Evolving Agents: What, When, How, and Where ...

Gao et al. 2026 (uxCUA)
Training Computer Use Agents to Assess the Usability of Graphic...

Gause & Weinberg 1990
Are Your Lights On? How to Figure Out What the Problem Really Is

SOURCES · CLICK TO OPEN · 331

Reference list G–I

Geiecke & Jaravel 2024
Conversations at Scale: Robust AI-led Interviews with a Simple...

Ghaleb 2026
When AI Agents Touch CI/CD Configurations: Frequency and...

Girotra et al. 2010
Idea Generation and the Quality of the Best Idea

Girotra et al. 2023
Ideas are Dimes a Dozen: Large Language Models for Idea...

Glass 2003
Facts and Fallacies of Software Engineering

Glazer et al. 2024
FrontierMath: A Benchmark for Evaluating Advanced Mathematic...

Goldratt & Cox 1984
The Goal: A Process of Ongoing Improvement

Goli & Singh 2024
Frontiers: Can Large Language Models Capture Human...

Google DeepMind 2024
AI achieves silver-medal standard solving International...

Google DeepMind 2025
Gemini Deep Think achieves gold-medal standard at IMO 2025

Gottweis et al. 2025 (AI co-scientist)
Towards an AI co-scientist / Accelerating scientific discovery wit...

Greenfield & Short 2004
Software Factories

Guerino et al. 2025
Can GPT-4o Evaluate Usability Like Human Experts? A...

Gui & Toubia 2023
The Challenge of Using LLMs to Simulate Human Behavior: A...

Gunter et al. 2000
A Reference Model for Requirements and Specifications

Gutman 1982
A Means-End Chain Model Based on Consumer Categorization...

Hassani et al. 2026
From Law to Gherkin: A Human-Centred Quasi-Experiment on th...

Helsinki 2026
Odotusajat ja asiakaskokemus

Hevner et al. 2004
Design Science in Information Systems Research

Hewitt et al. 2026
Large language models can predict the results of social science...

Hong et al. 2024 (MetaGPT)
MetaGPT: Meta Programming for A Multi-Agent Collaborative...

Horton et al. 2023
Large Language Models as Simulated Economic Agents: What C...

Horvitz 1999
Principles of Mixed-Initiative User Interfaces

Hou et al. 2025
The Double-Edged Roles of Generative AI in the Creative Proces...

Huang et al. 2025 (Deep Research Agents)
Deep Research Agents: A Systematic Examination and Roadmap

Hugging Face 2026
Security incident, July 2026

Humble & Farley 2010
Continuous Delivery

Humphrey 1989
Managing the Software Process

Hämäläinen et al. 2023
Evaluating Large Language Models in Generating Synthetic HCI...

Imai 2022
Is GitHub Copilot a Substitute for Human Pair-Programming?

SOURCES · CLICK TO OPEN · 331

Reference list J–L

Jackson 2001
Problem Frames: Analysing and Structuring Software Developme...

JetBrains 2026
AI coding agent adoption in 2026

Jha et al. 2025 (ITBench)
ITBench: Evaluating AI Agents across Diverse Real-World IT...

Jiang et al. 2024 (Co-STORM)
Into the Unknown Unknowns: Engaged Human Learning through...

Jiang et al. 2024 (Self-planning)
Self-planning Code Generation with Large Language Models

Jiang et al. 2025 (s3)
s3: You Don't Need That Much Data to Train a Search Agent via RL

Jimenez et al. 2024 (SWE-bench)
SWE-bench: Can Language Models Resolve Real-World GitHub...

Jin et al. 2024 (MARE)
MARE: Multi-Agents Collaboration Framework for Requirements...

Jin et al. 2025 (Search-R1)
Search-R1: Training LLMs to Reason and Leverage Search Engin...

Jin et al. 2026 (ReqElicitGym)
ReqElicitGym: An Evaluation Environment for Interview...

K. Li et al. 2025 (WebSailor)
WebSailor: Navigating Super-human Reasoning for Web Agent

Kahn 1974
The Semantics of a Simple Language for Parallel Programming

Kanoulas et al. 2025
Agent-centric Information Access

Kaur et al. 2025
Beyond Static Evaluation: Rethinking the Assessment of...

Keller et al. 2022 (RAND)
Personnel Needs for DAF Digital Talent: A Case Study of Softwar...

Kobalczyk et al. 2025
Active Task Disambiguation with LLMs

Korn et al. 2025 (LLMREI)
LLMREI: Automating Requirements Elicitation Interviews with LLMs

Krogh & Vedelsby 1994
Neural Network Ensembles, Cross Validation, and Active Learning

Kruchten 2003
The Rational Unified Process: An Introduction (3rd ed.)

Kwa et al. 2025 (METR)
Measuring AI Ability to Complete Long Tasks

Lee et al. 2025
The Impact of Generative AI on Critical Thinking: Self-Reported...

Lemieux et al. 2023 (CodaMosa)
CodaMosa: Escaping Coverage Plateaus in Test Generation with...

Levinthal 1997
Adaptation on Rugged Landscapes

Lewis et al. 2020 (RAG)
Retrieval-Augmented Generation for Knowledge-Intensive NLP...

Li et al. 2024
Frontiers: Determining the Validity of Large Language Models for...

Li et al. 2024
User Experience Design Professionals' Perceptions of Generativ...

Li et al. 2025
User-Centered Design with AI in the Loop: A Case Study of Rapid...

Li et al. 2025 (AIDev)
The Rise of AI Teammates in Software Engineering (SE) 3.0: How...

Li et al. 2025 (GATE)
Eliciting Human Preferences with Language Models

Lieberman et al. 2006
End User Development

SOURCES · CLICK TO OPEN · 331

Reference list L–M

Lin et al. 2025 (RL agentic search)
A Comprehensive Survey on Reinforcement Learning-based...

Lindley 1956
On a Measure of the Information Provided by an Experiment

Liu et al. 2024
Large Language Model-Based Agents for Software Engineering: ...

Liu et al. 2026 (Agentic-R)
Agentic-R: Learning to Retrieve for Agentic Search

Liu et al. 2026 (MigrationBench)
MigrationBench: Repository-Level Code Migration Benchmark...

Lu et al. 2024 (AI Scientist)
The AI Scientist: Towards Fully Automated Open-Ended Scientifi...

Lu et al. 2025 (AgentA/B)
AgentA/B: Automated and Scalable Web A/B Testing with...

Lu et al. 2025 (UXAgent)
UXAgent: An LLM Agent-Based Usability Testing Framework for...

Lu et al. 2026 (Search Self-Play)
Search Self-Play: Pushing the Frontier of Agent Capability withou...

Lucassen et al. 2016
Improving agile requirements: the Quality User Story framework...

Luera et al. 2025
MLLM as a UI Judge: Benchmarking Multimodal LLMs for...

Luo et al. 2026 (IntentRL)
IntentRL: Training Proactive User-intent Agents for Open-ended...

Ma et al. 2025 (SpecGen)
SpecGen: Automated Generation of Formal Program Specificatio...

Majgaonkar et al. 2025
Understanding Code Agent Behaviour: An Empirical Study of...

Manning et al. 2008
Introduction to Information Retrieval

Marchionini 2006
Exploratory Search: From Finding to Understanding

Markus et al. 2002
A Design Theory for Systems That Support Emergent Knowledge...

mathlib Community 2020
The Lean Mathematical Library

Maurya 2012
Running Lean (2nd ed.)

Meincke et al. 2024
Prompting Diverse Ideas: Increasing AI Idea Variance

Meincke et al. 2025
ChatGPT decreases idea diversity in brainstorming

Meister et al. 2025
Benchmarking Distributional Alignment of Large Language Models

METR 2026a
Time Horizon 1.1

METR 2026b
Time horizons (measurement page and data, TH1.1)

METR 2026c
GPT-5.6 Sol evaluation

METR 2026d
Developer productivity uplift: update

METR 2026e
Measuring time horizon using Claude Code and Codex

METR 2026f
OpenAI–Hugging Face incident: independent investigation

Milner 1993
Elements of Interaction (Turing Award Lecture)

Mintzberg 1994
The Rise and Fall of Strategic Planning

SOURCES · CLICK TO OPEN · 331

Reference list M–P

Miserendino et al. 2025 (SWE-Lancer)
SWE-Lancer: Can Frontier LLMs Earn $1 Million from Real-World...

Mittal et al. 2026
Learning by Chatting? Investigating the Impact of Generative AI o...

Moggi 1991
Notions of Computation and Monads

Mozannar et al. 2025 (Magentic-UI)
Magentic-UI: Towards Human-in-the-loop Agentic Systems

Naur & Randell 1969
Software Engineering: Report on a NATO conference, Garmisch, ...

Nikolov et al. 2025 (Google)
How is Google using AI for internal code migrations?

Nikolov et al. 2026 (Google)
A Multi-agent AI System for Deep Learning Model Migration from...

Ning et al. 2026
Agentic Search in the Wild: Intents and Trajectory Dynamics fro...

Novikov et al. 2025 (AlphaEvolve)
AlphaEvolve: A coding agent for scientific and algorithmic...

Olsen 2015
The Lean Product Playbook

OpenAI 2024
Learning to reason with LLMs (o1)

OpenAI 2026
Introducing GPT-5.4

Osmani 2026
The Factory Model: How Coding Agents Changed Software...

Page et al. 2021 (PRISMA 2020)
The PRISMA 2020 statement: an updated guideline for reporting...

Pan et al. 2026 (InterDeepResearch)
InterDeepResearch: Enabling Human-Agent Collaborative...

Park et al. 2023
Generative Agents: Interactive Simulacra of Human Behavior

Park et al. 2024
Generative Agent Simulations of 1,000 People (v3: LLM Agents...

Passi & Vorvoreanu 2022
Overreliance on AI: Literature Review

Patwardhan et al. 2025 (GDPval)
GDPval: Evaluating AI Model Performance on Real-World...

Peffers et al. 2007
A Design Science Research Methodology for Information System...

Peng et al. 2023
The Impact of AI on Developer Productivity: Evidence from GitHu...

Perri 2018
Escaping the Build Trap

Pichler 2016
Strategize: Product Strategy and Product Roadmap Practices

Pinna et al. 2026
Comparing AI Coding Agents: A Task-Stratified Analysis of Pull...

Pir Muhammad et al. 2025
Influence of LLM Prioritizations on Human Decisions in...

Pirolli & Card 1995
Information Foraging in Information Access Environments

Pirolli & Card 1999
Information foraging

Pitkäranta & Pitkäranta 2025
HADA: Human-AI Agent Decision Alignment Architecture

Pitkäranta & Pitkäranta 2026
Agentic Discovery & Engineering: AI agents are collapsing the...

Pitkäranta 2026c
Agentic Discovery in Finnish public healthcare: processes, pain...

SOURCES · CLICK TO OPEN · 331

Reference list P–S

Pohl 2010
Requirements Engineering: Fundamentals, Principles, and...

Poppendieck 2003
Lean Software Development: An Agile Toolkit

Prabhakar et al. 2025 (EDR)
Enterprise Deep Research: Steerable Multi-Agent Deep Research...

Prahalad & Ramaswamy 2004
The Future of Competition: Co-Creating Unique Value with...

Qi et al. 2025 (WebRL)
WebRL: Training LLM Web Agents via Self-Evolving Online...

Qian et al. 2024 (ChatDev)
ChatDev: Communicative Agents for Software Development

Quanta 2026
Why the legendary Erdős problems are falling to AI

Radlinski & Craswell 2017
A Theoretical Framework for Conversational Search

Rasmussen 1985
The role of hierarchical knowledge representation in...

Rein et al. 2023 (GPQA)
GPQA: A Graduate-Level Google-Proof Q&A Benchmark

Retraction Watch 2026
OpenAI withdraws preprints from its 722 manuscripts on unsolve...

Rice 1953
Classes of Recursively Enumerable Sets and Their Decision...

Rieh et al. 2016
Towards searching as a learning process: A review of current...

Robertson 1977
The Probability Ranking Principle in IR

Rondon et al. 2025 (Google)
Evaluating Agent-Based Program Repair at Google

Royce 1970
Managing the development of large software systems

Salminen et al. 2024
Deus Ex Machina and Personas from Large Language Models

Sami et al. 2025
A Multi-agent LLM System for Automated Requirements Analysis...

Santurkar et al. 2023
Whose Opinions Do Language Models Reflect?

Satakunta 2024
Omavalvonnan seuranta 2023: puhelinpalvelut

Scale / CAIS 2026
Humanity's Last Exam leaderboard

Schuler & Namioka 1993
Participatory Design: Principles and Practices

Schwaber 1995
SCRUM Development Process

Scientific American 2025
Mathematicians question AI performance at International Math...

Scott & Strachey 1971
Toward a Mathematical Semantics for Computer Languages

Shao et al. 2024 (Co-Gym)
Collaborative Gym: A Framework for Enabling and Evaluating...

Shao et al. 2024 (STORM)
Assisting in Writing Wikipedia-like Articles From Scratch with...

Sharma et al. 2024
Towards Understanding Sycophancy in Language Models

Shi et al. 2025 (Deep Research survey)
Deep Research: A Systematic Survey

Shinn et al. 2023 (Reflexion)
Reflexion: Language Agents with Verbal Reinforcement Learning

SOURCES · CLICK TO OPEN · 331

Reference list S–V

Shneiderman 2020
Human-Centered Artificial Intelligence: Reliable, Safe &...

SiliconANGLE 2026
OpenAI's Astra solves 10 long-open math problems, publishes...

Singh et al. 2025 (Agentic RAG)
Agentic Retrieval-Augmented Generation: A Survey on Agentic...

Song et al. 2025 (R1-Searcher)
R1-Searcher: Incentivizing the Search Capability in LLMs via...

Stanford AI Index 2026
AI Index Report 2026: 12 takeaways

Suh et al. 2024 (Luminate)
Luminate: Structured Generation and Exploration of Design Spac...

Szczepanik & Chudziak 2026
Collaborative LLM Agents for C4 Software Architecture Design...

Terwiesch & Ulrich 2009
Innovation Tournaments

Timoshenko & Hauser 2019
Identifying Customer Needs from User-Generated Content

Traditions gallery
Agentic Discovery — traditions gallery (33 traditions)

Si et al. 2025
Can LLMs Generate Novel Research Ideas? A Large-Scale Huma...

Simkute et al. 2025
Ironies of Generative AI: Understanding and Mitigating Productivi...

Snorkel AI 2026
GDPval+ (rubric-graded, pass@1)

Stack Overflow 2026
Developer Survey 2026: AI coding agents

Subramonyam et al. 2025
Prototyping with Prompts: Emerging Approaches and Challenges...

Sun et al. 2025 (ZeroSearch)
ZeroSearch: Incentivize the Search Capability of LLMs without...

TechCrunch 2025
OpenAI's "embarrassing" math

Terwiesch et al. 2026
AI and Its Impact on Creativity and Diversity: An Empirical Study ...

Timoshenko et al. 2025
Transforming the Voice of the Customer: Large Language Model...

Vaccaro et al. 2024
When combinations of humans and AI are useful: A systematic...

Si et al. 2025b
The Ideation-Execution Gap

Sinek 2009
Start With Why

Snowden & Boone 2007
A Leader's Framework for Decision Making

Standish Group (CHAOS)
CHAOS Report

Suh et al. 2023 (Sensecape)
Sensecape: Enabling Multilevel Exploration and Sensemaking wit...

Sutton & Barto 2018
Reinforcement Learning: An Introduction (2nd ed.)

Terminal-Bench 2026
Terminal-Bench leaderboard (4.0; 2.0 via Wayback 26.8.2026)

THL 2025
Hoitoonpääsy perusterveydenhuollossa: puhelinyhteydet (kysely...

Torres 2021
Continuous Discovery Habits

Vaithilingam et al. 2022
Expectation vs. Experience: Evaluating the Usability of Code...

SOURCES · CLICK TO OPEN · 331

Reference list V–X

Vakkari 2016
Searching as learning: A systematization based on literature

Vallacher & Wegner 1987
What do people think they're doing? Action identification and...

van Lamsweerde 2001
Goal-oriented requirements engineering: a guided tour

Vogelsang & Fischbach 2025
Using Large Language Models for Natural Language Processing...

von Hippel 2005
Democratizing Innovation

Vuori 2025
Generative AI in Strategy Work and Firm Performance

W. Zhang et al. 2025 (Agentic Deep Research)
From Web Search towards Agentic Deep Research: Incentivizing...

Wadinambiarachchi et al. 2024
The Effects of Generative AI on Design Fixation and Divergent...

Walls et al. 1992
Building an Information System Design Theory for Vigilant EIS

Wang & Ai 2021
Controlling the Risk of Conversational Search via Reinforcement...

Wang et al. 2024 (AWM)
Agent Workflow Memory

Wang et al. 2025
Large language models that replace human participants can...

Wang et al. 2025 (OpenHands)
OpenHands: An Open Platform for AI Software Developers as...

Wang et al. 2025 (RecAgent)
User Behavior Simulation with Large Language Model-based...

Wang et al. 2025 (StepSearch)
StepSearch: Igniting LLMs Search Ability via Step-Wise Proximal...

Wang et al. 2026 (UXBench)
UXBench: Measuring the Actionability of LLM-Generated UX...

Watanabe et al. 2026
On the Use of Agentic Coding: An Empirical Study of Pull Reques...

Wegner 1997
Why Interaction Is More Powerful Than Algorithms

Wei et al. 2025 (BrowseComp)
BrowseComp: A Simple Yet Challenging Benchmark for Browsing...

Weng et al. 2025 (DeepScientist)
DeepScientist: Advancing Frontier-Pushing Scientific Findings...

White 2023
Advancing the Search Frontier with AI Agents

Wijk et al. 2024 (RE-Bench)
RE-Bench: Evaluating frontier AI R&D capabilities of language...

Wohlin et al. 2012
Experimentation in Software Engineering (2nd ed.)

Wooldridge & Jennings 1995
Intelligent agents: theory and practice

Wu et al. 2024 (UIClip)
UIClip: A Data-driven Model for Assessing User Interface Design

Wu et al. 2025 (CollabLLM)
CollabLLM: From Passive Responders to Active Collaborators

Wu et al. 2025 (WebDancer)
WebDancer: Towards Autonomous Information Seeking Agency

Wuttke et al. 2025
AI Conversational Interviewing: Transforming Surveys with LLMs...

X. Li et al. 2025 (Search-o1)
Search-o1: Agentic Search-Enhanced Large Reasoning Models

X. Li et al. 2025 (WebThinker)
WebThinker: Empowering Large Reasoning Models with Deep...

SOURCES · CLICK TO OPEN · 331

Reference list X–Z

Xi et al. 2024 (AgentGym)
AgentGym: Evolving Large Language Model-based Agents acros...

Xi et al. 2025 (search agents)
A Survey of LLM-based Deep Search Agents: Paradigm,...

Xia et al. 2024 (Agentless)
Agentless: Demystifying LLM-based Software Engineering Agents

Xu & Peng 2025
A Comprehensive Survey of Deep Research: Systems,...

Xu et al. 2025 (OpenRCA)
OpenRCA: Can Large Language Models Locate the Root Cause o...

Y. Li et al. 2025 (AI Search Paradigm)
Towards AI Search Paradigm

Y. Li et al. 2025 (RAG–Reasoning)
Towards Agentic RAG with Deep Reasoning: A Survey of RAG-...

Yang et al. 2024 (SWE-agent)
SWE-agent: Agent-Computer Interfaces Enable Automated...

Yang et al. 2025 (Search+Chat)
Search+Chat: Integrating Search and GenAI to Support Users wit...

Yang et al. 2025 (SWE-smith)
SWE-smith: Scaling Data for Software Engineering Agents

Yao et al. 2023 (ReAct)
ReAct: Synergizing Reasoning and Acting in Language Models

Yle 2025
Pohjanmaan takaisinsoittopyynnöt jäivät toteutumatta

Yuan et al. 2025 (Dolphin)
Dolphin: Closed-loop Open-ended Auto-research through...

Z. Li et al. 2026 (DCI)
Beyond Semantic Similarity: Rethinking Retrieval for Agentic...

Zachman 1987
A framework for information systems architecture

Zadenoori et al. 2025
Large Language Models for Requirements Engineering: A...

Zamani et al. 2023
Conversational Information Seeking

Zave & Jackson 1997
Four Dark Corners of Requirements Engineering

Zhai 2025
Information Retrieval for Artificial General Intelligence: A New...

Zhang et al. 2024 (Agent4Rec)
On Generative Agents in Recommendation

Zhang et al. 2024 (Agentic IR)
Agentic Information Retrieval

Zhang et al. 2024 (ALAS)
LLM-based Agents for Automating the Enhancement of User Sto...

Zhang et al. 2024 (AutoCodeRover)
AutoCodeRover: Autonomous Program Improvement

Zhang et al. 2025 (EvolveSearch)
EvolveSearch: An Iterative Self-Evolving Search Agent

Zhao et al. 2024 (ExpeL)
ExpeL: LLM Agents Are Experiential Learners

Zheng et al. 2025 (DeepResearcher)
DeepResearcher: Scaling Deep Research via Reinforcement...

Zhong et al. 2025
Synthetic Heuristic Evaluation: A Comparison between AI- and...

Zhong et al. 2026
Human-AI Synergy in Agentic Code Review

Zhou et al. 2024 (WebArena)
WebArena: A Realistic Web Environment for Building Autonomou...

Zhou et al. 2025 (Memento)
Memento: Fine-tuning LLM Agents without Fine-tuning LLMs

SOURCES · CLICK TO OPEN · 331

Reference list Z–Z

Zhu et al. (LLMs for IR)
Large Language Models for Information Retrieval: A Survey