TAPIO PITKÄRANTA & LEENA PITKÄRANTA · AALTO UNIVERSITY · 2026

Agentic Discovery & Agentic Engineering

How AI agents change the software development lifecycle: when building gets cheap, the traditional six-phase SDLC collapses into two phases.

Agentic Discovery

learning velocity · a runnable probe to find the right problem

Discovery | Design | Spec

Agentic Engineering

production reliability · production-grade code from a validated spec

Dev | QA | Release & Ops

SOURCES Pitkäranta & Pitkäranta 2026

Tapio Pitkäranta



longshoreforrest
.github.io/myself →

WHO

25 years	of AI and software agents, since agent research at VTT (2001)
Siili	Head of AI Development, Siili Solutions
4× CTO	retail, healthcare, tax and HR; part of RELEX's growth to a unicorn
D.Sc.	doctoral thesis on generative AI, Aalto University 2026
30+	international publications

HOW I USE AI

Agents every day. Building software, analyses and this very deck.

Consumer apps. Search, writing and summarising daily.

My own apps. I build my own AI applications with AI, often in hours.

The point: this is everyday reality, not the future.

CO-AUTHOR INTRODUCTION

Leena Pitkäranta



LinkedIn
leena-pitkaranta →

WHO

Aalto Department of Industrial Engineering and Management, Aalto University

Paper co-author of the Agentic Discovery & Engineering paper

Group Associate Professor Natalia Vuori's research group: strategy work and AI

JOINT PUBLICATIONS

2026 **Agentic Discovery & Engineering** ↗ · working paper

2025 **HADA** ↗ · AGENTICS / IJCCI 2025

2025 **AADAR** · Springer LNBIP 566

2025 **Towards Curated Learning** (NordDRG) · PCSI 2025

2024 **RAGADA** · ICEIS 2024

2024 **Software platform of strategic decision-making** · PROS 2024 and SMS 2024 · *Leena as lead author, with Natalia Vuori*

RESEARCH GROUP

Natalia Vuori ↗

Associate Professor, Industrial Engineering and Management, Aalto


Studies how leaders' and teams' cognitive biases and emotions shape strategic decisions and change such as AI adoption. Published in e.g. Strategic Management Journal and Academy of Management Annals; six international SMS and AoM awards.

Generative AI in Strategy Work and Firm Performance (AoM 2025, among the best papers) ↗

SOURCES Pitkäranta & Pitkäranta 2026 · Pitkäranta & Pitkäranta 2025 · Vuori 2025

EXECUTIVE SUMMARY THE WHOLE DECK ON ONE SLIDE

Building got cheap. The bottleneck is now the right problem.




16 h+
AI task horizon passed METR's measurement ceiling in spring 2026

>80 %
of expert tasks won or tied against professionals (GDPval)

90 %
of developers use coding agents weekly (JetBrains 2026)

69
probes and ~142,000 lines of code in 4 weeks, 2 organisations; intent to code 1 : 56

THE BOTTLENECK MOVES UPSTREAM



1 Build probes to learn
A throwaway probe finds the right problem; the spec goes to Engineering only once validated.


2 Verification is the new scarcity
Producing is cheap, verifying is expensive: human validation gates are worth more than ever.

3 Invest in people and gates
Stakeholder time, orchestration and boundaries (sandboxes, gates) are architecture, not a brake.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · METR 2026b · OpenAI 2026 · JetBrains 2026

SYNTHESIS


The agentic wave: from Dev, upstream and downstream



SOURCES Pitkäranta & Pitkäranta 2026

Figure: Pitkäranta & Pitkäranta 2026. Maturity levels are a qualitative estimate, not a measurement; the studies under the phases anchor it (tap a name).

Twelve layers: agents discover, build and run




SOURCES Pitkäranta & Pitkäranta 2026

TIME ALLOCATION ILLUSTRATIVE, NOT MEASURED

Coding shrinks; the problem and validation grow


TRADITIONAL SDLC

Most of the time is spent writing code.



AGENTIC SDLC

Time shifts to finding the problem and validating.




Block size shows where human attention goes. When agents do design, code and tests in parallel, human work moves to the two ends: finding the right problem with probes (Agentic Discovery) and validating the result at gates (Agentic Engineering).

SOURCES Pitkäranta & Pitkäranta 2026 Pitkäranta 2026

AGENTIC DISCOVERY PAPER §2 FORMAL SKETCH

Problem and solution as a joint search



FIT

$$\varphi : \mathcal{P} \times \mathcal{S} \to [0,1]$$

✓ GATE 2025

~ Prototyping w/ prompts 2025

JOINT SEARCH

$$(p^*, s^*) = \arg\max_{p,s} \ \varphi(p,s)\,\pi(p)$$

✓ Cybernetic Teammate 2026

✓ Task disambiguation 2025

~ Vibe coding 2026

LEARNING

$$\pi(p \mid o) \propto L(o \mid p)\,\pi(p)$$

✓ BED-LLM 2026

✓ InfoGain 2026

✓ CollabLLM 2025

✓ Vibe-coded probes 2025

COST RATIO

$$c_{\mathcal{S}}/c_{\mathcal{P}} \to \mathcal{O}(1)$$

✓ 3 RCTs 2026

✗ METR RCT 2025

~ Design work 2025

Tap an equation for a plain-language explanation. Below: recent studies 2025–26: ✓ supports · ~ nuances · × challenges (tap).

SOURCES Pitkäranta & Pitkäranta 2026 Formal sketch (math.html)

INTERLUDE · OCTOBER 2026

AI status: where we are now

Benchmarks, agents and observations from 2026: what the yardsticks say, where they run out, and what that means for agentic product development.

Figures checked against primary sources on 12 Oct 2026; vendor self-reports are marked.

AI OVERVIEW BASICS

AI is blending into everything


There is no single AI. It is already in almost every application:

- search summaries and general assistants (ChatGPT, Claude, Gemini)
- agentic tools that carry out tasks on their own
- translation, recommendation and personalisation
- imaging and face recognition

Multimodality

AI handles text, images, sound and video. The newest models spot an error in an image that a human may miss.

Progress in everyday life: made by children



2023 · a 4-year-old makes bedtime stories with AI




2025 · an 8-year-old builds a 3D game in hours



2026 · an 11-year-old founds a game studio

METR THE SAME DATA ON A LINEAR SCALE

On a linear scale, almost all the growth is in the last year



The previous slide's log scale shows steady doubling as a straight line. On a linear scale the same exponential is a hockey stick: until 2024 every model stayed under an hour; in spring 2026 the frontier passed the 16-hour measurement ceiling. Vertical bars are METR's confidence intervals; an arrow up = the interval continues beyond the chart.

SOURCES METR 2026b METR 2026a Kwa et al. 2025 (METR)

AI OVERVIEW PACE OF PROGRESS

Is the AI shift mostly about programming?



Lana Del Rey - I Hate You (Official Lyrics Video)


Woman in Love | AI Lip Sync Cover – Dana Winner Version #danawinner #coversong #masonmusic

YouTube results: left, the artist's official video; right, an AI-made lip-sync cover (#aimusic).

No.

Try it tonight


Search YouTube for your favourite artist with the tag **#aimusic**. AI music is already everyday in the creative industries.

The same holds for knowledge work

Next slide: AI results on real expert tasks across 44 occupations.

OPENAI · GOOGLE DEEPMIND RESEARCH-LEVEL MATHEMATICS 7/2024 → 10/2026

Mathematics: genuine breakthroughs and retractions in the same year




What changed: 5/2026 AI for the first time solved a central open problem of a field, and it survived human verification. FrontierMath Tier 4: 31% → nearly 100% during 2026.

What did not change: the claimed frontier rises faster than the verified one. Verification is the bottleneck: "no human has read it, and no human is going to read it" (Bloom).

SOURCES Google DeepMind 2024 · Alon et al. 2026 · Quanta 2026 · DeepMind 2026 · Clay Institute 2026 · Retraction Watch 2026 · Epoch AI 2026d

OPENAI GDPVAL 9/2025 → 4/2026

Expert work: from 12% to over 80% in eighteen months



OpenAI
Anthropic
Google
xAI
OpenAI grading its own model
* aggregator, unverified

1,320 tasks · 44 occupations · 9 sectors
experts avg. 14 years experience
blind pairwise grading, 220 tasks

Claude Sonnet 4.5 was first above 50% (9/2025). **The metric froze in April 2026:** after GPT-5.5 no new model (GPT-5.6, GPT-6, Claude Opus 5.x) has reported the original win-or-tie figure. Caveats: tasks are precisely specified and one-shot; grader agreement about 71%; 2026 numbers are OpenAI's own; on the harder GDPval+ the top is about 22%.

Successor: GDPval-AA (9/2026)


An independent re-run of the same 220 tasks: agentic harness, LLM judge, Elo scores. Leader **Claude Opus 5.5: 1866 ±26 Elo**. Elo and percentage are different scales, and the scale has been re-anchored three times, so it cannot be drawn on the chart above.

SOURCES Patwardhan et al. 2025 (GDPval) · Epoch AI 2026c · OpenAI 2026 · Aggregaattorit 2026 · Artificial Analysis 2026b · Snorkel AI 2026

BENCHMARK SATURATION

TOP SCORES 10/2026 · TAP A TEST NAME

Even the hardest tests are nearing the ceiling



The “hardest” of 2025

ARC-AGI-2, FrontierMath and HLE were the toughest tests of 2025; two are now above 90%.

The harness again

ARC-AGI-3: the same model scores 62.7% with the standard harness and 99.9% with another. A model name alone does not tell the result.


Consequence

New yardsticks move to real work and long tasks (GDPval, Terminal-Bench, METR’s Expenditure Horizon).

SOURCES ARC Prize 2026 · Epoch AI 2026d · Scale / CAIS 2026

EPOCH AI EPOCH CAPABILITIES INDEX · BEST MODEL AT EACH DATE

Open-weight models follow a few months behind




The open frontier is Chinese (DeepSeek, Qwen, Kimi, GLM); the best Western open models (gpt-oss, Llama 4) are 17–24 points behind. On the Artificial Analysis index the gap shrank in a year from about 13 to 3–6 points, but on the hardest agentic evals it is still about 15.

SOURCES Epoch AI 2026b · Epoch AI 2026a · Artificial Analysis 2026

AGENT + MODEL TERMINAL-BENCH 4.0 · 6.10.2026

Claude Code and Codex lead, but costs vary widely




Terminal-Bench measures harness and model together on real command-line tasks. The top 20 all run on either the Claude Code or the Codex harness; Claude Code also runs other models (GLM, Qwen). Version 4.0 is harder than 2.0, so scores are not comparable across versions.

SOURCES Terminal-Bench 2026 Stanford AI Index 2026

SURVEYS AND PR DATA · STACK OVERFLOW · JETBRAINS · MSR 2026

Coding agents are everyday work, and Claude Code leads in use



Use at work

JetBrains (15,000+ developers, 5–7/2026): 90% use coding agents at work weekly, 68% daily. Claude Code 18% → 39% and Codex 3% → 16% in half a year; Cursor 18% → 12%.

Is the agent's PR accepted?

MSR 2026, 7,156 PRs (2025 data): Codex 77.9%, Cursor 74.5%, Claude Code 71.9%, Copilot 68.0%, Devin 61.6%. Human PRs in popular repos 76.8%.

Surveys measure use, not quality; PR acceptance mixes agent quality with how the agent is used.

SOURCES Stack Overflow 2026 · JetBrains 2026 · Pinna et al. 2026 · Li et al. 2025 (AIDev)

PART 0


Agentic Discovery & Engineering: the paper's theories, figures and results

Pitkäranta & Pitkäranta (Aalto, 2026). Two-phase SDLC, the Probe, 12 formal frames, 33 traditions and a 69-probe field corpus. Every other part maps onto this frame.

SOURCES Pitkäranta & Pitkäranta 2026 | Formal sketch (math.html) | Traditions gallery | Appendix A.1–A.12

CORE THESIS ABSTRACT AND §4

The SDLC collapses into two phases




	AGENTIC DISCOVERY	AGENTIC ENGINEERING
Optimises	learning velocity	production reliability
Output	throwaway-grade probe	production-grade code
Spec	extracted from the probe	an input
Cycle	minutes–hours	days–sprints

SOURCES Pitkäranta & Pitkäranta 2026 Pitkäranta 2026

Source: Agentic Discovery paper · talk-deck

PAPER FIG. 5 · 12 MODELS §2.4

Royce’s waterfall with an agentic overlay




NATO 1968 Naur & Randell 1969	**Waterfall 1970** Royce 1970
Spiral 1988 Boehm 1988	**V-Model 1991** Forsberg & Mooz 1991
Scrum 1995 Schwaber 1995	**XP 1999** Beck 1999
Agile 2001 Beck et al. 2001	**RUP** Kruchten 2003
Lean SD 2003 Poppendieck 2003	**Kanban 2010** Anderson 2010
CD/DevOps 2010 Humble & Farley 2010	**6 phases 2026** Pitkäranta 2026

Royce (1970): pure sequence “is risky and invites failure”.

SOURCES Royce 1970 · Pitkäranta 2026 · Traditions gallery

PAPER FIG. 2 · 8 TRADITIONS §2.1

The seam between problem and solution domain becomes permeable



Double Diamond
Design Council 2005

PMF Pyramid
Olsen 2015

Lean Canvas
Maurya 2012

Opportunity Solution Tree
Torres 2021

Problem Frames
Jackson 2001

Cynefin
Snowden & Boone 2007

Discovery vs. Delivery
Cagan 2017


Are Your Lights On?
Gause & Weinberg 1990

Hidden premise of all these visuals: the problem can be understood before any artefact exists.

SOURCES Design Council 2005 · Jackson 2001 · Pohl 2010 · Traditions gallery

PAPER FIG. 3 · 7 TRADITIONS §2.2

Decision-cost asymmetry across layers



- **Golden Circle** — Sinek 2009
- **Vision · Strategy · Roadmap · Backlog** — Pichler 2016
- **Escaping the Build Trap** — Perri 2018
- **Empowered** — Cagan & Jones 2020
- **OKR cascade** — Doerr 2018
- **Hoshin Kanri** — Akao 1991
- **Classical strategy hierarchy** — Mintzberg 1994


Vision: cheap to change, expensive to misalign (cascades). Feature: expensive to change, misalignment stays local. A probe tests every altitude.

SOURCES Pichler 2016 · Perri 2018 · Traditions gallery

WHY · HOW · WHAT

SINEK'S CIRCLE AND ITS RESEARCH COUNTERPARTS

Discovery finds the why, Engineering builds the what



Rasmussen 1985
Abstraction hierarchy: up = why, down = how

Vallacher & Wegner 1987
Action identification: high level = why, low = how

van Lamsweerde 2001
GORE: WHY abstracts to goals, HOW refines them

Gutman 1982
Means–end chain: attribute → consequence → value


Zachman 1987
IS architecture: What · How · … · Why

Sinek (2009) frames leadership inside-out: why → how → what. Agentic Discovery reverses the direction: a cheap probe is a concrete *what* used to learn the *why*. The academic counterparts share the same why–how axis. Placing the two phases on the circle is this deck's synthesis.

SOURCES Sinek 2009 · Rasmussen 1985 · Vallacher & Wegner 1987 · van Lamsweerde 2001 · Gutman 1982 · Zachman 1987 · Pitkäranta & Pitkäranta 2026

PAPER FIG. 4 · 6 TRADITIONS §2.3

The LLM agent as von Hippel's toolkit



Lead User Toolkits
von Hippel 2005

Co-Creation (DART)
Prahalad & Ramaswamy 2004

End-User Development
Lieberman et al. 2006

Open Innovation
Chesbrough 2003

Participatory Design
Schuler & Namioka 1993

Innovation Tournaments
Terwiesch & Ulrich 2009

$$\mathbb{E}\left[\max_{i \le n} X_i\right] \uparrow n$$

If per-candidate cost stays low and filters stay reasonable (Terwiesch & Ulrich).

SOURCES von Hippel 2005 · Terwiesch & Ulrich 2009 · Traditions gallery

SECTION


Agentic Probe

The instrument of Agentic Discovery: a runnable, throwaway probe into the problem space, built by an agent from the stakeholder's own words. What it is, why it must be run rather than read, and how it learns about the problem.

SOURCES Pitkäranta & Pitkäranta 2026

DEFINITION PAPER §3.1 · EDITION 2026-10-13

The Probe: a sounding into the problem space



> "A **Probe** is a stakeholder-runnable instance of a candidate solution to a stated pain. It is throwaway-grade by design -- its job is to validate or falsify the pain, not to be production-ready."

Forms

working software · process simulation · walkable future scenario · mixed renderable


Edition 2026-10

agentic, usable, disposable. A prototype reveals φ, a simulation s_0, κ and ρ, a possible future V.

SOURCES Pitkäranta & Pitkäranta 2026

PAPER FIG. 1 §3.2

Problem-validating and solution-proposing probes




$$(p^*, s^*) = \arg\max_{(p,s)\in\mathcal{P}\times\mathcal{S}} \varphi(p,s)\cdot\pi(p), \qquad \pi(p \mid o) \propto L(o \mid p)\,\pi(p), \qquad \widehat{\nabla_s \varphi} \text{ from probe use}$$

SOURCES Pitkäranta & Pitkäranta 2026 Formal sketch (math.html)

PAPER FIG. 6 §3.3 · §6.8

The probe maps constraints outside-in, inside-out or in between



Outside-in

Start with a new AI process in the outer ring. The probe shows which integrations and core parts are really needed.

Middle-out

Start from the integration layer (APIs, connectors). The probe tests what can change without touching the core.

Inside-out

Interview and reflect the current process as a simulation of the core, then propose paths outward; in regulated settings this eases adoption.

A constraint is a part that cannot or should not change: legacy IT, regulation, data. The probe reveals which constraints are real, i.e. which parts to keep and which to let go. A failed probe costs only in the outer ring.

SOURCES Pitkäranta & Pitkäranta 2026

LITERATURE REVIEW · OCTOBER 2026

Agentic Search & Agentic Information Retrieval


How the concept is defined in the academic literature: definitions, formal models and taxonomies from about 35 sources.

Zhang et al. 2024 · Huang et al. 2025 · Xi et al. 2025 · Lin et al. 2025 · Shi et al. 2025 · Search-R1 · ReAct · …

SOURCES Zhang et al. 2024 (Agentic IR) Huang et al. 2025 (Deep Research Agents)

TIMELINE


Half a century of search: from ranking to agents



SOURCES Robertson 1977 · Belkin et al. 1982 · Bates 1989 · Pirolli & Card 1999 · Marchionini 2006 · Radlinski & Craswell 2017 · Lewis et al. 2020 (RAG) · Yao et al. 2023 (ReAct) · White 2023 · Zhang et al. 2024 (Agentic IR) · X. Li et al. 2025 (Search-o1) · Jin et al. 2025 (Search-R1) · Ning et al. 2026

CONCEPT MAP THIS DECK'S SYNTHESIS

Agentic Study ⊃ Agentic Analysis ⊃ Agentic Search



Each outer layer calls the inner one as a subroutine and decides itself when to call it again. The layers match Marchionini's (2006) three search activities and the PRISMA 2020 review stages; the layering is our synthesis, not any single source's terminology.

SOURCES Marchionini 2006 · Page et al. 2021 (PRISMA 2020) · Shi et al. 2025 (Deep Research survey) · Xi et al. 2025 (search agents) · Zhang et al. 2024 (Agentic IR) · Huang et al. 2025 (Deep Research Agents)

DEFINITIONS THE LAYERS MAPPED TO THE LITERATURE

Three nested policies, each with its own output

$$E = \pi_S(q), \qquad F = \pi_A\big(q, E\big), \qquad R = \pi_{St}(Q, B) = \mathrm{synth}\Big(\{\pi_A(q_i, \pi_S(q_i))\}_{i=1}^{n}\Big)$$

LAYER	DEFINITION	OUTPUT	MARCHIONINI 2006	SHI ET AL. 2025	XI ET AL. 2025 LOOP	PRISMA 2020
Agentic Search	Decides over many steps when, what, where and how to search, and when to stop.	evidence E	Lookup	I · Agentic Search	Plan · Act · Reflect	identification
Agentic Analysis	Appraises, extracts, compares and combines search results; may search again if evidence is insufficient.	findings F + provenance	Learn	I "extracting" + II synthesis	Select · Generate	screening, appraisal
Agentic Study	Poses sub-questions q_i, runs many search and analysis rounds within budget B, synthesises and reports.	report R	Investigate	II Integrated Research · III AI Scientist	the whole loop, repeated	synthesis, reporting

Boundaries. Search ↔ Analysis: does a step change the evidence set E (search) or the interpretation F (analysis)? Analysis ↔ Study: is the question given (analysis) or does the agent pose its own sub-questions and report (study)? Shi et al. do not separate analysis as a phase; that is this synthesis's addition.

SOURCES Marchionini 2006 · Shi et al. 2025 (Deep Research survey) · Xi et al. 2025 (search agents) · Page et al. 2021 (PRISMA 2020) · Huang et al. 2025 (Deep Research Agents) · Y. Li et al. 2025 (RAG–Reasoning)

SECTION


Agentic Discovery: experiments

What we did and what we measured: the research design (DSRM), the session protocol, eight field engagements with two organisations (Experiment A, 69 probes) and process simulations in healthcare (Experiment B).

SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12

EXPERIMENT A · 8 ENGAGEMENTS IN CALENDAR ORDER · §6.1 · §7.4

69 probes and ~142,000 lines of code in four weeks




Bar = probes per engagement, solid line = cumulative probes, dashed line = cumulative generated code (kLOC). Circle = people invited (≈ 310 in total; invited is not attended: about 50 were in the room at T8). The two largest engagements produced 46 of the 69 probes.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12

EXPERIMENT A §6.1–6.4 · APPENDIX A.1–A.12

69 probes, 2 organisations, ~118,000 LOC




	ORG A	ORG B	TOTAL
Probes	49	20	69
LOC	~97 500	~20 900	~118 400
Spec lines	~1 430	~540	~1 970
Ratio	1:68	1:39	1:60
Span	~4 wk	1 day	

Categories: weather 10, wellness 8, office services 7, productivity 7, dev tools 7… Weather is 45% of Org B. LOC ~142,000 counted at site level vs ~118,400 at cohort level.

SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12

PAPER FIG. 9 §5

From pain to runnable probe in minutes




SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12

Brief ~34 words on average; ~1.7 min per probe in the burst

BOTTLENECK SHIFT C5 · §6.5 · §7.4

From production to orchestration to idea supply



Events 1–4
2–4 parallel requests, all built live: production capacity binds.

Event 5
7 requests: the Orchestrator becomes the bottleneck.


Largest
~100 invited; Org B 18/20 probes in 31 min: idea supply and validation bind.


Speed multiplier ~570× on work time (37–65× with a 10× quality discount); ~2,370 person-days traditional vs ~33 h of prompt writing.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Osmani 2026

PAPER FIG. 8 §3.4 · §5

Dreamer, Orchestrator, Agent and two safety gates







Dreamer: stakeholder, natural language or voice · **Orchestrator**: shapes the prompt, safety gate S, curates (skipping it is an anti-pattern) · **AI Agent**: self-check (gate AS, AGENT_SAFETY.md), build, deploy, report. 0 safety incidents in 69 generations.

SOURCES Pitkäranta & Pitkäranta 2026 Pitkäranta & Pitkäranta 2025

AMPLIFICATION §6.2 · N = 9

423 spec lines → 23,845 lines of code






Mean 1:56, median 1:39. A higher ratio reflects a shorter prompt, not more output (appendix A.6).

SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12

Figures: talk deck

The bottleneck moves, but the goal stays the same



About the book ↗

Five steps ↗

Goldratt & Cox, North River Press, 1st edition 1984. A business novel about plant manager Alex Rogo, who saves his plant one bottleneck at a time. Over 10 million copies sold, per the cover.

Agents do not remove the constraint; they move it. Goldratt's five focusing steps show why:

1 Identify
Before agents the constraint was production: writing code set the pace, and the whole SDLC was built around it.

2 Exploit
Agents make building cheap and fast ($c_{\mathcal{S}}/c_{\mathcal{P}} \to \mathcal{O}(1)$). Code is no longer what everyone waits for.

3 Subordinate
The rest of the process is paced by the new constraint: orchestration and human attention now set the tempo.

4 Elevate
The constraint is widened by automating orchestration and giving agents more autonomy within the gates.

5 Repeat
The bottleneck moves upstream: to finding the right problem and validating it. That is why the agentic SDLC leans on Discovery.

SOURCES Goldratt & Cox 1984 · Pitkäranta & Pitkäranta 2026

The reading of the steps is this deck's synthesis; the field study showed the same path: production → orchestration → ideas and validation (paper C5, §7.4).

SECTION

Summary

The deck in two slides: what we claim, on what evidence, and what it means for product development.

SUMMARY 1/2 SITUATION · CLAIM · INSTRUMENT · EVIDENCE · ENGINE

Building got cheap, so finding the right problem is the new bottleneck

1 Where we are

Capability keeps rising, and faster: METR's time horizon passed its 16-hour ceiling in spring 2026 and the yardsticks are running out. The environment and harness matter almost as much as the model, and coding agents are everyday tools.

2 Core claim

When building gets cheap ($c_{\mathcal{S}}/c_{\mathcal{P}} \to \mathcal{O}(1)$), the six-phase SDLC collapses into two: **Agentic Discovery** finds the right problem (learning velocity), **Agentic Engineering** builds it right (production reliability). The seam is the validated spec.

3 Instrument

The **agentic probe** is a runnable, throwaway instrument into the problem space: problem-validating or solution-proposing. It must be run, not read, and it also reveals the constraints.

4 Evidence

8 field engagements, 2 organisations, 69 probes and ~142,000 lines of code in four weeks. Intent-to-code 1 : 56 on average (up to 1 : 467). The bottleneck moved from production to orchestration, then to idea supply and validation.

5 Engine

Discovery is agentic search over $\mathcal{P} \times \mathcal{S}$. Agentic Search ⊂ Analysis ⊂ Study; the human acts as an ask-or-act gate, and autonomy is a design choice, not a capability.

SOURCES METR 2026b · Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Zhang et al. 2024 (Agentic IR)

SUMMARY 2/2 PRACTICES · IMPLICATIONS · LIMITS

Agents do the production; humans choose the problem and validate

Market & customer

LLMs can stand in for human groups and produce demand curves, but their biases are systematic. The best results come from humans and LLMs together.

Requirements & spec

Simulated users surface latent needs, but tacit knowledge mostly stays hidden from the agent. The human is formally necessary: they validate the requirements and the domain knowledge.

What an organisation should do

Once production is no longer the limit, invest in stakeholder time, orchestration and validation gates. Build probes to learn, not to ship, and hand the spec to Engineering only once validated.

Limits and open questions

Two voluntary organisations and one agent vendor. The problem-validating mode was tested only on a small scale (n = 3). A probe is not production code, and the speed multiplier does not carry straight over to delivery.

Condenses the slides before the appendix. Claims and numbers come from the preceding sections; the organisational advice is this deck's synthesis.

SOURCES Argyle et al. 2023 · Brand et al. 2023 · Pitkäranta & Pitkäranta 2026

SYNTHESIS THIS DECK'S CONCLUSIONS

What the AI status means for agentic product development

1 · Building is not the bottleneck

Long tasks (16 h+), expert-level work (GDPval above 80%) and everyday use (90% of developers) make a probe cheap. $c_{\mathcal{S}}/c_{\mathcal{P}} \to \mathcal{O}(1)$ is now measured reality.

2 · The system decides, not the model alone

The harness swings results by 18 points and open models are a few months behind. Advantage lies in the agent's environment, process and data.

3 · Verification is the new scarcity

The math flood release and METR's ceiling say the same: producing is cheap, verifying is expensive. Human validation gates are worth more than ever.

4 · Boundaries are architecture

The Hugging Face incident showed that a capable agent without limits is a risk. Outer-layer probes, sandboxes and human gates are the foundation of the design, not a brake.

SOURCES Pitkäranta & Pitkäranta 2026 · METR 2026b · Terminal-Bench 2026 · METR 2026f