TAPIO PITKÄRANTA & LEENA PITKÄRANTA · AALTO UNIVERSITY · 2026

Agentic Discovery & Agentic Engineering

How AI agents change the software development lifecycle: when building gets cheap, the traditional six-phase SDLC collapses into two phases.

Agentic Discovery

learning velocity · a runnable probe to find the right problem

- Vision & strategy
- Market & customer
- Discovery
- Design
- Requirements & spec

Agentic Engineering

production reliability · production-grade code from a validated spec

- Dev
- QA
- Release & Ops

SOURCES Pitkäranta & Pitkäranta 2026

Tapio Pitkäranta



longshoreforrest
.github.io/myself →

WHO

25 years	of AI and software agents, since agent research at VTT (2001)
Siili	Head of AI Development, Siili Solutions
4× CTO	retail, healthcare, tax and HR; part of RELEX's growth to a unicorn
D.Sc.	doctoral thesis on generative AI, Aalto University 2026
30+	international publications

HOW I USE AI

Agents every day. Building software, analyses and this very deck.

Consumer apps. Search, writing and summarising daily.

My own apps. I build my own AI applications with AI, often in hours.

The point: this is everyday reality, not the future.

CO-AUTHOR INTRODUCTION

Leena Pitkäranta



LinkedIn
leena-pitkaranta →

WHO

Aalto Department of Industrial Engineering and Management, Aalto University

Paper co-author of the Agentic Discovery & Engineering paper

Group Associate Professor Natalia Vuori's research group: strategy work and AI

JOINT PUBLICATIONS

2026 **Agentic Discovery & Engineering** ↗ · working paper

2025 **HADA** ↗ · AGENTICS / IJCCI 2025

2025 **AADAR** · Springer LNBIP 566

2025 **Towards Curated Learning** (NordDRG) · PCSI 2025

2024 **RAGADA** · ICEIS 2024

2024 **Software platform of strategic decision-making** · PROS 2024 and SMS 2024 · *Leena as lead author, with Natalia Vuori*

RESEARCH GROUP

Natalia Vuori ↗

Associate Professor, Industrial Engineering and Management, Aalto

Studies how leaders' and teams' cognitive biases and emotions shape strategic decisions and change such as AI adoption. Published in e.g. Strategic Management Journal and Academy of Management Annals; six international SMS and AoM awards.


Generative AI in Strategy Work and Firm Performance (AoM 2025, among the best papers) ↗

SOURCES Pitkäranta & Pitkäranta 2026 · Pitkäranta & Pitkäranta 2025 · Vuori 2025

SYNTHESIS

The AI agentic wave: from Dev, upstream and downstream

Read and comment




SOURCES Pitkäranta & Pitkäranta 2026

Figure: Pitkäranta & Pitkäranta 2026. Maturity levels are a qualitative estimate, not a measurement; the studies under the phases anchor it (tap a name).

AGENTIC DISCOVERY PAPER §2

Problem and solution as a joint search



Search both at once

The problem is not fixed before the solution. Discovery looks for the right problem and a fitting solution at the same time.

Learn from the probe


A stakeholder uses the probe, and their feedback shows what the problem really is.

Building is now cheap

With agents, building a probe costs about as much as describing the problem, so it pays to build in order to learn.

SOURCES Pitkäranta & Pitkäranta 2026 Formal sketch (math.html)

Twelve layers: agents discover, build and run




SOURCES Pitkäranta & Pitkäranta 2026

TIME ALLOCATION ILLUSTRATIVE, NOT MEASURED

Coding shrinks; the problem and validation grow


TRADITIONAL SDLC

Most of the time is spent writing code.



AGENTIC SDLC

Time shifts to finding the problem and validating.



Block size shows where human attention goes. When agents do design, code and tests in parallel, human work moves to the two ends: finding the right problem with probes (Agentic Discovery) and validating the result at gates (Agentic Engineering).

SOURCES Pitkäranta & Pitkäranta 2026

INTERLUDE · OCTOBER 2026


AI status: where we are now

Benchmarks, agents and observations from 2026: what the yardsticks say, where they run out, and what that means for agentic product development.

Figures checked against primary sources on 12 Oct 2026; vendor self-reports are marked.

Look at AI with an open mind, like a child

Children do not ask what AI cannot do. They make things with it.



2023
a 4-year-old makes bedtime stories with AI




2025
an 8-year-old builds a 3D game in hours



2026
an 11-year-old founds a game studio

METR THE SAME DATA ON A LINEAR SCALE

Software engineering: On a linear scale, almost all the growth is in the last year



The previous slide's log scale shows steady doubling as a straight line. On a linear scale the same exponential is a hockey stick: until 2024 every model stayed under an hour; in spring 2026 the frontier passed the 16-hour measurement ceiling. Vertical bars are METR's confidence intervals; an arrow up = the interval continues beyond the chart.

SOURCES METR 2026b METR 2026a Kwa et al. 2025 (METR)

AI OVERVIEW PACE OF PROGRESS

Is the AI shift mostly about programming?



Lana Del Rey - I Hate You (Official Lyrics Video)


Woman in Love | AI Lip Sync Cover – Dana Winner Version #danawinner #coversong #masonmusic

YouTube results: left, the artist's official video; right, an AI-made lip-sync cover (#aimusic).

No.

Try it tonight


Search YouTube for your favourite artist with the tag **#aimusic**. AI music is already everyday in the creative industries.

The same holds for knowledge work

Next slide: AI results on real expert tasks across 44 occupations.

OPENAI · GOOGLE DEEPMIND RESEARCH-LEVEL MATHEMATICS 7/2024 → 10/2026

Mathematics: genuine breakthroughs and retractions in the same year




What changed: 5/2026 AI for the first time solved a central open problem of a field, and it survived human verification. FrontierMath Tier 4: 31% → nearly 100% during 2026.

What did not change: the claimed frontier rises faster than the verified one. Verification is the bottleneck: "no human has read it, and no human is going to read it" (Bloom).

SOURCES Google DeepMind 2024 · Alon et al. 2026 · Quanta 2026 · DeepMind 2026 · Clay Institute 2026 · Retraction Watch 2026 · Epoch AI 2026d

OPENAI GDPVAL 9/2025 → 4/2026

Expert work: from 12% to over 80% in eighteen months



Claude Sonnet 4.5 was first above 50% (9/2025). **The metric froze in April 2026:** after GPT-5.5 no new model (GPT-5.6, GPT-6, Claude Opus 5.x) has reported the original win-or-tie figure. Caveats: tasks are precisely specified and one-shot; grader agreement about 71%; 2026 numbers are OpenAI's own; on the harder GDPval+ the top is about 22%.

Successor: GDPval-AA (9/2026)


An independent re-run of the same 220 tasks: agentic harness, LLM judge, Elo scores. Leader **Claude Opus 5.5: 1866 ±26 Elo**. Elo and percentage are different scales, and the scale has been re-anchored three times, so it cannot be drawn on the chart above.

SOURCES Patwardhan et al. 2025 (GDPval) · Epoch AI 2026c · OpenAI 2026 · Aggregaattorit 2026 · Artificial Analysis 2026b · Snorkel AI 2026

BENCHMARK SATURATION

TOP SCORES 10/2026 · TAP A TEST NAME

Even the hardest tests are nearing the ceiling



The “hardest” of 2025

ARC-AGI-2, FrontierMath and HLE were the toughest tests of 2025; two are now above 90%.

The harness again

ARC-AGI-3: the same model scores 62.7% with the standard harness and 99.9% with another. A model name alone does not tell the result.


Consequence

New yardsticks move to real work and long tasks (GDPval, Terminal-Bench, METR’s Expenditure Horizon).

SOURCES ARC Prize 2026 · Epoch AI 2026d · Scale / CAIS 2026

EPOCH AI EPOCH CAPABILITIES INDEX · BEST MODEL AT EACH DATE

Open-weight models follow a few months behind




The open frontier is Chinese (DeepSeek, Qwen, Kimi, GLM); the best Western open models (gpt-oss, Llama 4) are 17–24 points behind. On the Artificial Analysis index the gap shrank in a year from about 13 to 3–6 points, but on the hardest agentic evals it is still about 15.

SOURCES Epoch AI 2026b | Epoch AI 2026a | Artificial Analysis 2026

SURVEYS AND PR DATA STACK OVERFLOW · JETBRAINS · MSR 2026

Coding agents are everyday work, and Claude Code leads in use



Use at work

JetBrains (15,000+ developers, 5–7/2026): 90% use coding agents at work weekly, 68% daily. Claude Code 18% → 39% and Codex 3% → 16% in half a year; Cursor 18% → 12%.

Is the agent's PR accepted?

MSR 2026, 7,156 PRs (2025 data): Codex 77.9%, Cursor 74.5%, Claude Code 71.9%, Copilot 68.0%, Devin 61.6%. Human PRs in popular repos 76.8%.

Surveys measure use, not quality; PR acceptance mixes agent quality with how the agent is used.

SOURCES Stack Overflow 2026 · JetBrains 2026 · Pinna et al. 2026 · Li et al. 2025 (AIDev)

PART 0


Agentic Discovery & Engineering: the paper's theories, figures and results

Pitkäranta & Pitkäranta (Aalto, 2026). Two-phase SDLC, the Probe, 12 formal frames, 33 traditions and a 69-probe field corpus. Every other part maps onto this frame.

SOURCES Pitkäranta & Pitkäranta 2026 | Formal sketch (math.html) | Traditions gallery | Appendix A.1–A.12

PAPER FIG. 2 · 8 TRADITIONS §2.1

The seam between problem and solution domain becomes permeable



Double Diamond
Design Council 2005

PMF Pyramid
Olsen 2015

Lean Canvas
Maurya 2012

Opportunity Solution Tree
Torres 2021

Problem Frames
Jackson 2001

Cynefin
Snowden & Boone 2007

Discovery vs. Delivery
Cagan 2017


Are Your Lights On?
Gause & Weinberg 1990

Hidden premise of all these visuals: the problem can be understood before any artefact exists.

SOURCES Design Council 2005 · Jackson 2001 · Pohl 2010 · Traditions gallery

PAPER FIG. 3 · 7 TRADITIONS §2.2

Mistakes at the top cost the most: probe every layer



Golden Circle
Sinek 2009

Vision · Strategy · Roadmap · Backlog
Pichler 2016

Escaping the Build Trap
Perri 2018

Empowered
Cagan & Jones 2020

OKR cascade
Doerr 2018

Hoshin Kanri
Akao 1991


Classical strategy hierarchy
Mintzberg 1994

Vision: cheap to change, expensive to misalign (cascades). Feature: expensive to change, misalignment stays local. A probe tests every altitude.

SOURCES Pichler 2016 Perri 2018 Traditions gallery

PAPER FIG. 5 · 12 MODELS §2.4

Royce’s waterfall with an agentic overlay



NATO 1968
Naur & Randell 1969

Waterfall 1970
Royce 1970

Spiral 1988
Boehm 1988

V-Model 1991
Forsberg & Mooz 1991

Scrum 1995
Schwaber 1995

XP 1999
Beck 1999

Agile 2001
Beck et al. 2001

RUP
Kruchten 2003

Lean SD 2003
Poppendieck 2003

Kanban 2010
Anderson 2010


CD/DevOps 2010
Humble & Farley 2010

Royce (1970): pure sequence “is risky and invites failure”.

SOURCES Royce 1970 Traditions gallery

CORE THESIS ABSTRACT AND §4

The PDLC collapses into two phases



	AGENTIC DISCOVERY	AGENTIC ENGINEERING
Optimises	learning velocity	production reliability
Output	throwaway-grade probe	production-grade code
Spec	extracted from the probe	an input
Cycle	minutes–hours	days–sprints

SOURCES Pitkäranta & Pitkäranta 2026

Source: Agentic Discovery paper · talk-deck

SECTION


Agentic Probe

The instrument of Agentic Discovery: a runnable, throwaway probe into the problem space, built by an agent from the stakeholder's own words. What it is, why it must be run rather than read, and how it learns about the problem.

SOURCES Pitkäranta & Pitkäranta 2026

DEFINITION PAPER §3.1 · EDITION 2026-10-13

The Probe: a sounding into the problem space



> "A **Probe** is a stakeholder-runnable instance of a candidate solution to a stated pain. It is throwaway-grade by design -- its job is to validate or falsify the pain, not to be production-ready."


Forms

working software · process simulation · walkable future scenario · mixed renderable

SOURCES Pitkäranta & Pitkäranta 2026

PAPER FIG. 1 §3.2


Problem-validating and solution-proposing probes



SOURCES Pitkäranta & Pitkäranta 2026 Formal sketch (math.html)

PAPER FIG. 6 §3.3 · §6.8

The probe maps constraints outside-in, inside-out or in between



Outside-in

Start with a new AI process in the outer ring. The probe shows which integrations and core parts are really needed.

Middle-out

Start from the integration layer (APIs, connectors). The probe tests what can change without touching the core.

Inside-out

Interview and reflect the current process as a simulation of the core, then propose paths outward; in regulated settings this eases adoption.

A constraint is a part that cannot or should not change: legacy IT, regulation, data. The probe reveals which constraints are real, i.e. which parts to keep and which to let go. A failed probe costs only in the outer ring.

SOURCES Pitkäranta & Pitkäranta 2026

LITERATURE REVIEW · OCTOBER 2026

Agentic Search & Agentic Information Retrieval


How the concept is defined in the academic literature

Zhang et al. 2024 · Huang et al. 2025 · Xi et al. 2025 · Lin et al. 2025 · Shi et al. 2025 · Search-R1 · ReAct · …

SOURCES Zhang et al. 2024 (Agentic IR) Huang et al. 2025 (Deep Research Agents)

CONCEPT MAP THIS DECK'S SYNTHESIS

Agentic Study ⊃ Agentic Analysis ⊃ Agentic Search



Each outer layer calls the inner one as a subroutine and decides itself when to call it again. The layers match Marchionini's (2006) three search activities and the PRISMA 2020 review stages; the layering is our synthesis, not any single source's terminology.

SOURCES Marchionini 2006 · Page et al. 2021 (PRISMA 2020) · Shi et al. 2025 (Deep Research survey) · Xi et al. 2025 (search agents) · Zhang et al. 2024 (Agentic IR) · Huang et al. 2025 (Deep Research Agents)

DEFINITIONS THE LAYERS MAPPED TO THE LITERATURE

Three nested policies, each with its own output

$$E = \pi_S(q), \qquad F = \pi_A\big(q, E\big), \qquad R = \pi_{St}(Q, B) = \mathrm{synth}\Big(\{\pi_A(q_i, \pi_S(q_i))\}_{i=1}^{n}\Big)$$

LAYER	DEFINITION	OUTPUT	MARCHIONINI 2006	SHI ET AL. 2025	XI ET AL. 2025 LOOP	PRISMA 2020
Agentic Search	Decides over many steps when, what, where and how to search, and when to stop.	evidence E	Lookup	I · Agentic Search	Plan · Act · Reflect	identification
Agentic Analysis	Appraises, extracts, compares and combines search results; may search again if evidence is insufficient.	findings F + provenance	Learn	I "extracting" + II synthesis	Select · Generate	screening, appraisal
Agentic Study	Poses sub-questions q_i, runs many search and analysis rounds within budget B, synthesises and reports.	report R	Investigate	II Integrated Research · III AI Scientist	the whole loop, repeated	synthesis, reporting

Boundaries. Search ↔ Analysis: does a step change the evidence set E (search) or the interpretation F (analysis)? Analysis ↔ Study: is the question given (analysis) or does the agent pose its own sub-questions and report (study)? Shi et al. do not separate analysis as a phase; that is this synthesis's addition.

SOURCES Marchionini 2006 · Shi et al. 2025 (Deep Research survey) · Xi et al. 2025 (search agents) · Page et al. 2021 (PRISMA 2020) · Huang et al. 2025 (Deep Research Agents) · Y. Li et al. 2025 (RAG–Reasoning)

SECTION

Agentic Discovery: experiments

What we did and what we measured: the research design (DSRM), the session protocol, eight field engagements with two organisations (Experiment A, 69 probes) and process simulations in healthcare (Experiment B).

SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12

IN PRACTICE SESSION · EXPERIMENTS · MEASURES

A pain in, a runnable probe out, in minutes

ONE SESSION ROUND

1 DREAMER

State a pain or an idea

An employee says in their own words what hurts in their work or what they wish for. About 34 words on average.

2 ORCHESTRATOR

Shape and check

The researcher turns the wish into a prompt, checks it is safe and keeps the queue in order.

3 AGENT

Build and deploy

Claude Code builds a working probe and deploys it to its own URL. Minutes; about 1.7 min per probe in a burst.

4 DREAMER

Use it and react

The stakeholder opens the probe on their own device in the room. Feedback is operational ("save twice fails"), and the next round starts.

Experiment A · field

8 engagements in four weeks: a tour of Organisation A's seven offices (49 probes) and a one-day workshop at Organisation B (20 probes). 69 probes and ~142,000 lines of code in total.

What we measured


Time to first probe (minutes), deployability (69/69), spec to code (1 : 56), re-engagement (7/8 sites), safety (0 incidents) and where the bottleneck sits.

The research design is design science (DSRM): we built the way of working, tried it in real organisations and evaluated it against objectives set in advance. Details on the following slides.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Peffers et al. 2007

EXPERIMENT A · 8 ENGAGEMENTS IN CALENDAR ORDER · §6.1 · §7.4

69 probes and ~142,000 lines of code in four weeks




Bar = probes per engagement, solid line = cumulative probes, dashed line = cumulative generated code (kLOC). Circle = people invited (≈ 310 in total; invited is not attended: about 50 were in the room at T8). The two largest engagements produced 46 of the 69 probes.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12

BOTTLENECK SHIFT C5 · §6.5 · §7.4

Getting rid of the bottleneck with orchestrated agentic engineering



Events 1–4
2–4 parallel requests, all built live: production capacity binds.

Event 5
7 requests: the Orchestrator becomes the bottleneck.


Largest
~100 invited; Org B 18/20 probes in 31 min: idea supply and validation bind.


Speed multiplier ~570× on work time (37–65× with a 10× quality discount); ~2,370 person-days traditional vs ~33 h of prompt writing.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Osmani 2026

PAPER FIG. 8 §3.4 · §5

"Probe factory": Dreamer, Orchestrator, Agent and two safety gates






Dreamer: stakeholder, natural language or voice · **Orchestrator**: shapes the prompt, safety gate S, curates (skipping it is an anti-pattern) · **AI Agent**: self-check (gate AS, AGENT_SAFETY.md), build, deploy, report. 0 safety incidents in 69 generations.

SOURCES Pitkäranta & Pitkäranta 2026 Pitkäranta & Pitkäranta 2025

EXPERIMENT A §6.1–6.4 · APPENDIX A.1–A.12

69 probes, 2 organisations



	ORG A	ORG B	TOTAL
Probes	49	20	69
Spec lines	~1 430	~540	~1 970
Ratio	1:68	1:39	1:60
Span	~4 wk	1 day	

Categories: weather 10, wellness 8, office services 7, productivity 7, dev tools 7… Weather is 45% of Org B.

SOURCES Pitkäranta & Pitkäranta 2026 Appendix A.1–A.12


SECTION

Agentic Discovery in healthcare

We pointed the method at Finnish public healthcare. Agentic search and analysis built the input, and the input generated one probe per simulation: 173 simulations of today's process and its AI version.

METHOD SEARCH · ANALYSIS · PROBES

From agentic search to 173 probes in one night




The first complete version was ready in about two hours, the final one with its complement wave and verification in about seven (12–13 Oct 2026). The layers match the concept map in the Agentic Search part.

SOURCES Pitkäranta & Pitkäranta 2026

SIMULATION · TODAY S_0 RECURRING BRONCHITIS, ASTHMA · CORTICOSTEROID PRESCRIPTION RENEWAL

A familiar condition and a familiar drug, still four days and €250



1 Two waits
the appointment and the lab results, 1–2 days each; the patient is ill throughout.

2 The doctor starts from scratch
earlier bronchitis, the asthma diagnosis and the treatment response are already on record but are not used to prepare.


3 The price of a routine
€250 (doctor €160, lab €90) to the employer for a case whose treatment is the same each time.

≈ 4 days	250 €	5	0
total duration	cost	steps done by people	steps where the history prepares the case

SOURCES Pitkäranta & Pitkäranta 2026

SIMULATION · POSSIBLE FUTURE S* SAME PATIENT, CONSTRAINTS RELAXED

Fully agentic: 42 minutes and €40, two errands for the patient



WHAT WAS RELAXED (K → S*)

Regulation: a CE-marked software agent (a medical device) may renew a prescription for a known, diagnosed condition. **Data:** the Kanta history is available to the agent before the conversation. **Billing:** a Kela agent service and a public lab across the sector boundary. **Safety gate:** certified quality assurance audits every decision; an anomaly routes to a doctor.

≈ 4 days → 42 min
total duration

250 € → 40 €
cost

This is a possible future, not today's practice: in Finland a prescription is renewed by a doctor today, not by a software agent. That is exactly why it is a probe: the stakeholder sees which constraints κ are real and what relaxing them would be worth, $V(p; s_0)$.

SOURCES Pitkäranta & Pitkäranta 2026

METRICS WHAT THE AGENTS DID

Agentic search in numbers

129
sub-agents launched, up to 20 in parallel

~970
sources read; 924 ended up cited

6,589
verbatim quotes backing the numbers

~4,400
data points graded A–E

~710
corrections in three verification rounds

~7 h
start to finish; first version ~2 h

How strong is each data point?



D 200 · E 317 · V 24 (A = strongest, E = weakest, V = changed by a verifier)

Did the sources respond when checked?



972 URLs: 39 blocked bots, 4 did not respond

Where do today's step durations come from?



1,019 steps: source 23 · estimate 102 · judgement 894; step timings are not published

The biggest gap shows in the bottom bar: today's durations are mostly judgement. That is exactly what a problem-validating probe collects from people.

SOURCES Pitkäranta & Pitkäranta 2026

SECTION

Summary

The deck in two slides: what we claim, on what evidence, and what it means for product development.

SUMMARY 1/2 SITUATION · CLAIM · INSTRUMENT · EVIDENCE · ENGINE

Building got cheap, so finding the right problem is the new bottleneck

1 Where we are

The agentic wave ignited in writing code and spreads from there both ways. Downstream, **Agentic Engineering** is maturing fast: coding agents are everyday tools, and review, test and release are following. Upstream, **Agentic Discovery** is the least established and has the most to explore.

2 Core claim

When execution gets cheap, the SDLC collapses into two phases: **Agentic Discovery** finds the right problem (learning velocity) and **Agentic Engineering** builds it right (production reliability). The seam between them is the validated spec.

3 Instrument

The **agentic probe** is a runnable, throwaway instrument into the problem space: problem-validating or solution-proposing. It must be run, not read, and it also reveals the constraints.

4 Evidence


8 field engagements, 2 organisations, 69 probes and ~142,000 lines of code in four weeks. Intent-to-code 1 : 56 on average (up to 1 : 467). The bottleneck moved from production to orchestration, then to idea supply and validation.

5 Engine

Discovery is agentic search over $\mathcal{P} \times \mathcal{S}$. Agentic Search $\subset$ Analysis $\subset$ Study; the human acts as an ask-or-act gate, and autonomy is a design choice, not a capability.

SOURCES Pitkäranta & Pitkäranta 2026 · Appendix A.1–A.12 · Zhang et al. 2024 (Agentic IR)

The bottleneck moves, and we have only scratched the surface



Goldratt & Cox 1984: a constraint is not removed, it moves. **About the book ↗**

BEFORE

Writing code

Agents made building cheap, and this bottleneck opened up.

WHAT WE SAW

Two new bottlenecks

1 **The supply of ideas**
Agents built faster than ideas arrived: 18 of 20 probes in 31 minutes.

2 **The operator's context switching**
One person steering many agents at once, and their attention set the pace.

NEXT

The wave reaches Agentic Discovery

Upstream, many more bottlenecks wait to be found and solved. **We just scratched the surface.**

SOURCES Goldratt & Cox 1984 · Pitkäranta & Pitkäranta 2026

TAPIO PITKÄRANTA & LEENA PITKÄRANTA · AALTO UNIVERSITY · 2026

Thank you


Everything is openly online. Read and comment.

- The paper in a commentable reader
- This long slide deck and its PDFs

longshoreforrest.github.io/
publications/agentic-discovery/

EXECUTIVE SUMMARY THE WHOLE DECK ON ONE SLIDE

Building got cheap. The bottleneck is now the right problem.



16 h+
AI task horizon passed METR's measurement ceiling in spring 2026

>80 %
of expert tasks won or tied against professionals (GDPval)

90 %
of developers use coding agents weekly (JetBrains 2026)

69
probes and ~142,000 lines of code in 4 weeks, 2 organisations; intent to code 1 : 56

THE BOTTLENECK MOVES UPSTREAM



now: 18/20 probes in 31 min | event 5: 7 requests | before: writing code

1 Build probes to learn
A throwaway probe finds the right problem; the spec goes to Engineering only once validated.

2 Verification is the new scarcity
Producing is cheap, verifying is expensive: human validation gates are worth more than ever.

3 Invest in people and gates
Stakeholder time, orchestration and boundaries (sandboxes, gates) are architecture, not a brake.

SOURCES Pitkäranta & Pitkäranta 2026 | Appendix A.1–A.12 | METR 2026b | OpenAI 2026 | JetBrains 2026

Thank you