


Create Custom Pipes



Command:

>> ng g pipe truncate

CREATE src/app/truncate-pipe.spec.ts (203 bytes)

CREATE src/app/truncate-pipe.ts (233 bytes)

```
src > app > TS truncate-pipe.ts > TruncatePipe
1  import { Pipe, PipeTransform } from '@angular/core';
2
3  @Pipe({
4    name: 'truncate'
5  })
6  export class TruncatePipe implements PipeTransform {
7
8    transform(value: string, limit: number = 50): string
9    {
10     if (!value)
11       return '';
12
13     if (value.length <= limit)
14       return value;
15
16     return value.substring(0, limit) + '...';
17   }
18 }
```


Custom Truncate Pipe

Original text: Angular is a powerful framework for building modern web applications with TypeScript and component-based architecture that enables developers to create scalable and maintainable code

Truncated at 50: Angular is a powerful framework for building moder...

Truncated at 30: Angular is a powerful framewor...


Truncated at 80: Angular is a powerful framework for building modern web applications with TypeSc...



The screenshot shows the VS Code interface. On the left, the Explorer sidebar displays the project structure. The file `truncate-pipe.ts` is selected and highlighted with a red checkmark. The main editor shows the code for `TruncatePipe`, which implements the `PipeTransform` interface. The `transform` method truncates a string to a specified limit (default 50) and appends an ellipsis. The bottom panel shows the terminal output of the `ng serve` command.

```
src > app > TS truncate-pipe.ts > TruncatePipe
1  import { Pipe, PipeTransform } from '@angular/core';
2
3  @Pipe({
4    name: 'truncate'
5  })
6  export class TruncatePipe implements PipeTransform {
7
8    transform(value: string, limit: number = 50): string
9    {
10     if (!value)
11       return '';
12
13     if (value.length <= limit)
14       return value;
15
16     return value.substring(0, limit) + '...';
17   }
18 }
```

In the component that we want to use our custom pipes : we need to import it.



The screenshot shows the `pipes-demo-component.ts` file. The `import` statement for `TruncatePipe` is highlighted with a red '1'. The `@Component` decorator's `imports` array is highlighted with a red '2', showing that `TruncatePipe` is imported into the component.

```
src > app > pipes-demo-component > TS pipes-demo-component.ts > ...
1  import { CommonModule } from '@angular/common';
2  import { Component } from '@angular/core';
3  import { TruncatePipe } from '../truncate-pipe'; 1
4
5  @Component({
6    selector: 'app-pipes-demo-component',
7    imports: [CommonModule, TruncatePipe], 2
8    templateUrl: './pipes-demo-component.html',
9    styleUrls: ['./pipes-demo-component.css'],
10 })
11 export class PipesDemoComponent {
12
13   sampleDate: Date = new Date('2030-12-31T17:30:00+05:30');
14   message: string = 'angular pipes are POWERFUL features';
15   price: number = 1234.567;
16   completionRate: number = 0.856;
17   user: any = { name: 'John Doe', age: 30 };
18
19   description: string = 'Angular is a powerful framework for building modern web applications wit
20 }
21
```

```
<!-- Custom Truncate Pipe -->
<section>
  <h2>Custom Truncate Pipe</h2>
  <p>Original text: {{description}}</p>
  <p>Truncated at 50: {{description | truncate}}</p>
  <p>Truncated at 30: {{description | truncate:30}}</p>
  <p>Truncated at 80: {{description | truncate:80}}</p>
</section>
</div>
```

```
<!-- Custom Truncate Pipe -->
<section>
  <h2>Custom Truncate Pipe</h2>
  <p>Original text: {{description}}</p>
  <p>Truncated at 50: {{description | truncate}}</p>
  <p>Truncated at 30: {{description | truncate:30}}</p>
  <p>Truncated at 80: {{description | truncate:80}}</p>
</section>
```