

EPIC: User Registration & Authentication

A. REGISTRATION STORIES (5 Stories)

US-01: Register Phone Number

Title: Register user with phone number

Description:

As a user, I want to register using my phone number so that I can start the account creation process.

Acceptance Criteria:

- User selects country (with prefix)
- User inputs phone number (system normalizes if starts with 0)
- System validates phone format
- If user does not exist → create new user
- If user exists AND `registrationStatus != PIN_SET` → allow continue
- If user exists AND `registrationStatus == PIN_SET` → return error "User already registered"
- System sets:
 - `registrationStatus = PHONE_REGISTERED`
- System sends OTP to phone number

US-02: Verify OTP

Title: Verify OTP for phone registration

Description:

As a user, I want to verify OTP so that I can confirm my phone number.

Acceptance Criteria:

- User inputs 6-digit OTP
- System validates OTP:
 - Correct → success
 - Incorrect → error
 - Expired → error
- On success:
 - `registrationStatus = OTP_VERIFIED`
- System allows user to proceed to profile step

US-03: Complete Profile Information

Title: Submit user profile information

Description:

As a user, I want to fill my personal information so that my account is complete.

Acceptance Criteria:

- Required fields:
 - Last Name
 - First Name
 - Date of birth
 - Gender
- Optional fields:
 - Email
 - NID
 - Photo (photoObjectKey)
- System validates required fields
- On success:
 - Save profile data
 - `registrationStatus = PROFILE_COMPLETED`

US-04: Set PIN

Title: Create and confirm PIN

Description:

As a user, I want to set a PIN so that I can securely log in.

Acceptance Criteria:

- User inputs PIN and confirm PIN
- System validates:
 - PIN matches confirmation
 - PIN format (e.g., 4–6 digits)
- On success:
 - Store encrypted PIN
 - `registrationStatus = PIN_SET`
 - `accountStatus = ACTIVE`
- User is now fully registered

US-05: Resume Registration

Title: Resume incomplete registration

Description:

As a user, I want to continue registration if I previously stopped so that I don't need to restart.

Acceptance Criteria:

- User inputs phone number
- System checks user:
 - If not exist → allow new registration
 - If exist:

- PHONE_REGISTERED → go to OTP screen
- OTP_VERIFIED → go to profile screen
- PROFILE_COMPLETED → go to set PIN
- PIN_SET → redirect to login
- System returns `registrationStatus` to client

B. AUTHENTICATION STORIES (2 Stories)

US-06: Login with Phone and PIN

Title: Login using phone number and PIN

Description:

As a user, I want to log in using my phone number and PIN so that I can access my account.

Acceptance Criteria:

- User inputs:
 - Country
 - Phone number
 - PIN
- System validates:
 - User exists
 - `registrationStatus == PIN_SET`
 - `accountStatus == ACTIVE`
 - PIN is correct
- On success:
 - Return access token / session
- On failure:
 - Return appropriate error

US-07: Validate PIN

Title: Validate user PIN

Description:

As a system, I want to validate PIN securely so that authentication is safe.

Acceptance Criteria:

- PIN is compared using encrypted value
- System does NOT store plain PIN
- System may track:
 - Failed attempts
- Optional:
 - Lock account after X failed attempts

C. RECOVERY STORIES (2 Stories)

US-08: Request OTP for Forgot PIN

Title: Request OTP to reset PIN

Description:

As a user, I want to request an OTP so that I can reset my PIN if I forget it.

Acceptance Criteria:

- User inputs phone number
- System validates user exists
- System sends OTP
- OTP has expiration time

US-09: Reset PIN

Title: Reset PIN using OTP

Description:

As a user, I want to reset my PIN after OTP verification so that I can regain access.

Acceptance Criteria:

- User inputs:
 - OTP
 - New PIN
 - Confirm PIN
- System validates:
 - OTP is correct
 - OTP is not expired
 - PIN matches confirmation
- On success:
 - Update PIN
- `registrationStatus` remains `PIN_SET`