Create Connection from Resource Server to Keyloak



1- Connection to keyloak: In the application.yml:

```
spring:
  application:
    name: ResourceServer
  security:
    oauth2:
      resourceserver:
        jwt:
          jwk-set-uri: http://localhost:8080/realms/adminapps/protocol/openid-connect/certs
server:
  port: 8081
```

UsersController.java application.yaml

```yaml
spring:
  application:
    name: ResourceServer
  security:
    oauth2:
      resourceserver:
        jwt:
          jwk-set-uri: http://localhost:8080/realms/adminapps/protocol/openid-connect/certs
server:
  port: 8081
```

Need: Access token that come from keyloak

GET Request token | POST verifiy | GET Get data | No environment

OAuth-Udemy / **verifiy** | Save | Share

POST http://localhost:8080/realms/adminapps/protocol/openid-connect/token | Send

Params | Authorization | Headers (10) | Body | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL

	Key	Value	Description
☑	client_secret	ZpWZvWtmD0FtirqsHwxYhJ1KgVWiq0WD	
☑	code	c03be8cc-6eec-a0dd-fc75-f4321e8939bd.XYRrCWVEndG5ooSt...	
☑	redirect_uri	http://localhost:8083/callback	
☑	scope	openid profile	
	Key	Value	Description

Body | Cookies (1) | Headers (9) | Test Results (1/1) | 200 OK | 223 ms | 4.05 KB | Save Response

{} JSON | Preview | Visualize


```
1 {
2     "access_token": "eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJvVFRlNXZEWUhiZkxlckV2M1U0YjFfQ2RJQUxXb1VUR2hRYjZUU0ZCelkwIn0.
        eyJleHAiOjE3NzE3NDA0NjUsImlhdCI6MTc3MTc0MDE2NSwiYXV0aF90aW11IjoxNzcxNzQwMTI2LCJqdGkiOiJvZnJ0YWM6ZmM5NTA1ODUtOGMxZi01YzY2LTM4ODgtMTgzMWFjNmMyNzk1IiwiaXNzIjo
        iaHR0cDovL2xvY2FsaG9zdDo4MDgwL3JlYWxtcy9hZG1pbmFwcHMiLCJhdWQiOiJhY2NvdW50Iiwic3ViIjoiOGM5NjdiNmUtZmZjNS00ZDVjLWJiYmYtOWE2NGU4MWUyM2M3IiwidHlwIjoiQmVhcmVyIi
        wiYXpwIjoicGhvdG8tYXBwLWNvZGUtZmxvdy1jbGllbnQiLCJzaWQiOiJYWVJyQ1dWRW5kRzVvb1N0QTRsdnp1ZWYiLCJhY3IiOiIxIiwiYWxsb3dlZC1vcmlnaW5zIjpIiJdLCJyZWFsbV9hY2N1c3MiO
        nsicm9sZXMiOlsib2ZmbGluZV9hY2Nlc3MiLCJkZWZhdWx0LXJvbGVzLWFkbWluYXBwcyIsInVtYV9hdXRob3JpemF0aW9uIl19LCJyZXNvdXJjZV9hY2Nlc3MiOnsiYWNjb3VudCI6eyJyb2xlcyI6WyJt
        YW5hZ2UtYWNjb3VudCIsIm1hbmFnZS1hY2NvdW50LWxpbmtzIiwidmlldy1wcm9maWxlIl19fSwic2NvcGUiOiJvcGVuaWQgb3JnYW5pemF0aW9uIG1pY3JvcHJvZmlsZS1qd3QgcGhvbmUgZW1haWwgb2Z
        mbGluZV9hY2Nlc3MgYWRkcmVzcyBwcm9maWxlIiwidXBuIjoidmlib2xsb25nIiwiZW1haWxfdmVyaWZpZWQiOnRydWUsIm5hbWUiOiJsb25nIHZpYm9sIiwiZ3JvdXBzIjpbIm9mZmxpbmVfYWNjZXNzIi
        wiZGVmYXVsdC1yb2xlcy1hZG1pbmFwcHMiLCJ1bWFfYXV0aG9yaXphdGlvbiJdLCJwcmVmZXJyZWRfdXNlcm5hbWUiOiJ2aWJvbGxvbmciLCJnaXZlbl9uYW11IjoibG9uZyIsImZhbWlseV9uYW11Ijoid
        mlib2wiLCJlbWFpbCI6InZpYm9sbG9uZ0BnbWFpbC5jb20ifQ.
        h0Bxttk5fTObYZmT3ERgCe5qW3-On1r9ZrijkRFa3vKMbSE60abLfSklFYCTDvm6zTKI56dyIxePNqscOV3-z63KDpBQmgRTUYGUqoxZVgVxBz3PHfvNrx3AQotl8vgHKuCxaRoZlh1zC75JrtXbE167YZB
        7A3CF3XpYYAqNw1EQZUCNr5DErHV7i1gCmDvf0wOgaXv-DgN7eO68xiWHxpwYVAb4oFfYZruXecum19pc5iRhYzJ6QlphzlaAhAL-Fg93MBg5W1JBfz_HyZIWM12d6Pb5Ki4s08lGL5RyWgZWbExRKBeWgi
        dZHUuzvYY8_UABnfm4MV1IrZrupt8HVQ",
3     "expires_in": 300,
4     "refresh_expires_in": 0,
5     "refresh_token": "eyJhbGciOiJIUzUxMiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICI2YWU5MTEwMi1jMmU5LTRlZWYtYjQxZS1hYTFlMGU0ODAwNTUifQ.
        eyJpYXQiOjE3NzE3NDAxNjUsImp0aSI6ImNjMjI0YjJiLTE0OTktZDgzNi01OThiLTI5OTAyMDBjNjBiNSIsImlzcyI6Imh0dHA6Ly9sb2NhbGhvc3Q6ODA4MC9yZWFsbXMvYWRtaW5hcHBzIiwiYXVkIjo
        iaHR0cDovL2xvY2FsaG9zdDo4MDgwL3JlYWxtcy9hZG1pbmFwcHMiLCJzdWIiOiI4Yzk2N2I2ZS1mZmM1LTRkNWMtYmJiZi05YTY0ZTgxZTIzYzciLCJ0eXAiOiJPZmZsaW5lIiwiYXpwIjoicGhvdG8tYX
        BwLWNvZGUtZmxvdy1jbGllbnQiLCJzaWQiOiJYWVJyQ1dWRW5kRzVvb1N0QTRsdnp1ZWYiLCJzY29wZSI6Im9wZW5pZCB3ZWItb3JpZ2lucyBvcmdhbml6YXRpb24gbWljcm9wcm9maWxlLWp3dCBwaG9uZ
        SBhY3IgZW1haWwgcm9sZXMgb2ZmbGluZV9hY2Nlc3MgYWRkcmVzcyBwcm9maWxlIHNlcnZpY2VfYWNjb3VudCBiYXNpYyJ9.
```


ResourceServer / **Request token** | Save | Share

GET http://localhost:8081/users/status/check | Send

Params | Authorization | Headers (9) | Body | Scripts | Settings | Cookies

Headers | 8 hidden

	Key	Value	Description
☑	Authorization	Bearer eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJvVF...	
	Key	Value	Description

Bulk Edit | Presets

Body | Cookies (1) | Headers (5) | Test Results (1/1) | 200 OK | 674 ms | 174 B | Save Response

Raw | Preview | Visualize

```
1 Working...
```

- Controller

```java
UsersController.java  ×  application.yaml

import org.springframework.web.bind.annotation.RequestMapping;
import org.springframework.web.bind.annotation.RestController;

@RestController  new *
@RequestMapping("/users")
public class UsersController {

    @GetMapping("/status/check")  new *
    public String status() { return "Working..."; }
}
```

- Create Spring boot project



Importance: OAuth2 Resource Server