WebApp with MVC
យើងប្រើ Jave ដើម្បីធ្វើការបង្កើត Web Application by Themlif



- Client request to the resource server to get the albums :
  GET: /albums
- It need to have client to login to get the token then and Auth server give the credentials to the Clients then they can request to the resource server.

1- Spring initial



2- Create html template: in the spring tool suite add Web

Option 2: Install the missing Eclipse "Web" tools (WTP)

If you *really* want the "Web" category and HTML file wizard templates:

Install WTP

1. **Help → Eclipse Marketplace**
2. Search and install:
   - **Eclipse Web Developer Tools**
   - (or) **Eclipse Java EE Developer Tools**
   - (or) **Web Tools Platform (WTP)**

Restart STS.

After that, you should see things like:

- **File → New → Other → Web**
- HTML File wizard / Dynamic Web Project, etc.

> On some STS builds, the "Web" node only appears after WTP is installed.





3- Create Controller

```
1  package com.vibol.clients.PhotoAppWebClient.controller;
2
3  import org.springframework.stereotype.Controller;
6
7  @Controller
8  public class AlbumsController {
9
10     @GetMapping("/albums")
11     public String getAlbums(Model model) {
12         return "albums";
13     }
14
15 }
16
```

This return must be the same as template name (albums.hmtl).

4- Display list in the web

4-1. Create object AlbumRest:

```
private String userId;
private String albumId;
private String albumTitle;
private String albumDescription;
private String albumUrl;
```

4-2. Create AlbumsController

```
package com.vibol.clients.PhotoAppWebClient.controller;

import java.util.Arrays;

@Controller
public class AlbumsController {

    @GetMapping("/albums")
    public String getAlbums(Model model) {

        AlbumRest album = new AlbumRest();

        album.setAlbumId("albumOne");
        album.setAlbumTitle("Album one title");
        album.setAlbumUrl("http://localhost:8082/album/1");

        AlbumRest album2 = new AlbumRest();

        album2.setAlbumId("albumTwo");
        album2.setAlbumTitle("Album two title");
        album2.setAlbumUrl("http://localhost:8082/album/2");

        /*
        // create list with two object album1 and album2
        List returnValue = Arrays.asList(album, album2);
        //disply to the model
        model.addAttribute("albums",returnValue);
        */

        model.addAttribute("albums", Arrays.asList(album, album2));
        return "albums";
    }

}
```


```
@Controller
public class AlbumsController {

        @GetMapping("/albums")
        public String getAlbums(Model model) {

                AlbumRest album = new AlbumRest();

                album.setAlbumId("albumOne");
                album.setAlbumTitle("Album one title");
                album.setAlbumUrl("http://localhost:8082/album/1");

                AlbumRest album2 = new AlbumRest();

                album2.setAlbumId("albumTwo");
                album2.setAlbumTitle("Album two title");
                album2.setAlbumUrl("http://localhost:8082/album/2");

                /*
                // create list with two object album1 and album2
                List returnValue = Arrays.asList(album, album2);
                //disply to the model
                model.addAttribute("albums",returnValue);
                */

                model.addAttribute("albums", Arrays.asList(album, album2));
                return "albums";
        }

}
```



Albums page

Album one title

Album two title