How to start the instance in random port

```yaml
spring:
  application:
    name: ResourceServer
  security:
    oauth2:
      resourceserver:
        jwt:
          jwk-set-uri: http://localhost:8080/realms/adminapps/protocol/openid-connect/certs
server:
  port: 8081
eureka:
  client:
    service-url:
      defaultZone: http://localhost:8010/eureka
  instance:
    leaseRenewalIntervalInSeconds: 30 # Adjust this interval
    leaseExpirationDurationInSeconds: 90 # Adjust expiration time
```

We change this port to: 0

```
2026-03-03T16:49:17.242+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] o.apache.catalina.core.StandardService   : Starting service [Tomcat]
2026-03-03T16:49:17.242+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] o.apache.catalina.core.StandardEngine    : Starting Servlet engine:
[Apache Tomcat/11.0.18]
2026-03-03T16:49:17.288+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext:
initialization completed in 1349 ms
2026-03-03T16:49:18.269+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] DiscoveryClientOptionalArgsConfiguration : Eureka HTTP Client uses
RestClient.
2026-03-03T16:49:18.307+07:00  WARN 25380 --- [ResourceServer] [  restartedMain] iguration$LoadBalancerCaffeineWarnLogger : Spring Cloud LoadBalancer is
currently working with the default cache. While this cache implementation is useful for development and tests, it's recommended to use Caffeine cache in
production.You can switch to using Caffeine cache, by adding it and org.springframework.cache.caffeine.CaffeineCacheManager to the classpath.
2026-03-03T16:49:18.343+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] o.s.boot.tomcat.TomcatWebServer          : Tomcat started on port 14512
(http) with context path '/'
2026-03-03T16:49:18.344+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] .s.c.n.e.s.EurekaAutoServiceRegistration : Updating port to 14512
2026-03-03T16:49:18.349+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] o.s.c.n.eureka.InstanceInfoFactory       : Setting initial instance status
as: STARTING
2026-03-03T16:49:18.374+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] com.netflix.discovery.DiscoveryClient    : Initializing Eureka in region
us-east-1
2026-03-03T16:49:18.377+07:00  INFO 25380 --- [ResourceServer] [  restartedMain] c.n.d.s.r.aws.ConfigClusterResolver      : Resolving eureka endpoints via
configuration
```

1-Configure instance

ពេលដែលយើង start new instance the Eureka Discovery វាចាប់យកតែមួយទេហើយអាមួយ Run ចុងក្រោយគេ ចឹងដើម្បីធ្វើអោយ Eureka អាចកំណត់ new instance បានយើងត្រូវ configure new instance in the Service របស់យើង

System Status

Environment	test	Current time	2026-03-04T08:09:48 +0700
Data center	default	Uptime	00:00
		Lease expiration enabled	false
		Renews threshold	3
		Renews (last min)	0

DS Replicas

localhost

nstances currently registered with Eureka

Application	AMIs	Availability Zones	Status
RESOURCESERVER	n/a (1)	(1)	UP (1) - 10.172.8.187:ResourceServer:0

យើងមើល port វាបានដោយចុតទៅកាន់ Link instance នឹងបាន




```
2026-03-04T08:09:15.957+07:00  WARN 2444 --- [ResourceServer] [  restartedMain] iguration$LoadBalancerCaffeineWarnLogger :
Spring Cloud LoadBalancer is currently working with the default cache. While this cache implementation is useful for
development and tests, it's recommended to use Caffeine cache in production.You can switch to using Caffeine cache, by
adding it and org.springframework.cache.caffeine.CaffeineCacheManager to the classpath.
2026-03-04T08:09:15.967+07:00  INFO 2444 --- [ResourceServer] [  restartedMain] o.s.boot.tomcat.TomcatWebServer          :
Tomcat started on port 1316 (http) with context path '/'
2026-03-04T08:09:15.967+07:00  INFO 2444 --- [ResourceServer] [  restartedMain] .s.c.n.e.s.EurekaAutoServiceRegistration :
Updating port to 1316
2026-03-04T08:09:15.969+07:00  INFO 2444 --- [ResourceServer] [  restartedMain] o.s.c.n.eureka.InstanceInfoFactory       :
Setting initial instance status as: STARTING
2026-03-04T08:09:15.972+07:00  INFO 2444 --- [ResourceServer] [  restartedMain] com.netflix.discovery.DiscoveryClient    :
Initializing Eureka in region us-east-1
```

Solution:

```yaml
spring:
  application:
    name: ResourceServer
  security:
    oauth2:
      resourceserver:
        jwt:
          jwk-set-uri: http://localhost:8080/realms/adminapps/protocol/openid-connect/certs

server:
  port: 0  # Ensure this is intentional for random port allocation

# Eureka Connection
eureka:
  client:
    service-url:
      defaultZone: http://localhost:8010/eureka
  instance:
    leaseRenewalIntervalInSeconds: 30  # Adjust this interval
    leaseExpirationDurationInSeconds: 90  # Adjust expiration time
    instance-id: ${spring.application.name}:${instanceId:${random.value}}  # Ensure this is correctly formatted
```

eureka:
  client:
    service-url:
      defaultZone: http://localhost:8010/eureka
  instance:
    leaseRenewalIntervalInSeconds: 30 # Adjust this interval
    leaseExpirationDurationInSeconds: 90 # Adjust expiration time
    instance-id: ${spring.application.name}:${instanceId:${random.value}} # Ensure this is correctly formatted

ដោយអោយវាចាប់ Random port number(difference id)

Issue we have random id on the Eureka and difficult to identify:

DS Replicas

localhost

Instances currently registered with Eureka

Application	AMIs	Availability Zones	Status
RESOURCESERVER	n/a (2)	(2)	UP (2) - ResourceServer:5ffeb8deddbc5ab551cbb6456aead5b0 , ResourceServer:507cfd2e8c66bd5c9f312f7588289b6c

General Info

- Two: Instance of the resource Server