

Customer Directive


1-Create directive cli

>> ng g d directives/myIf



```
my-if.directive.ts X
src > app > directives > my-if.directive.ts > ...
1  import { Directive, TemplateRef, ViewContainerRef } from '@angular/core';
2
3  @Directive({
4    selector: '[myIf]'
5  })
6  export class MyIfDirective {
7
8    constructor(private templateRef:TemplateRef<any>, private container:ViewContainerRef) { }
9
10 }
```

2-Create logit



```
my-if.directive.ts X app.module.ts
src > app > directives > my-if.directive.ts > ...
1  import { Directive, Input, TemplateRef, ViewContainerRef } from '@angular/core';
2
3  @Directive({
4    selector: '[myIf]'
5  })
6  export class MyIfDirective {
7
8    constructor(private templateRef:TemplateRef<any>, private container:ViewContainerRef) { }
9
10   @Input("myIf") set myCustomeIf(condition:boolean){
11     if(condition){
12       this.container.createEmbeddedView(this.templateRef);
13     }else{
14       this.container.clear();
15     }
16   }
17
18 }
19
```

- @Input("myIf") set myCustomeIf កន្លែង ធ្វើការ Mapping to the function

- បើយើងចង់ធ្វើការ Custom directive របស់ហើយ យើងធ្វើការ ដាក់ចូលក្នុង

@Input('myIf') set myIf(condition:boolean){}

3- Create custom style with directive

```
my-style.directive.ts X
src > app > directives > my-style.directive.ts > MyStyleDirective > onMouseEnter
1  import { Directive, ElementRef, HostListener, Input } from '@angular/core';
2
3  @Directive({
4    selector: '[myStyles]'
5  })
6  export class MyStyleDirective {
7
8    @Input() fontSize!:string;
9
10   constructor(private elRef:ElementRef) {
11     elRef.nativeElement.style.color = "red";
12     elRef.nativeElement.style.fontSize = "20px";
13     elRef.nativeElement.style.backgroundColor = "yellow";
14   }
15
16   ngAfterViewInit(){
17     this.elRef.nativeElement.style.fontSize = this.fontSize;
18   }
19
20   @HostListener('mouseenter') onMouseEnter(){
21     this.elRef.nativeElement.style.color = "blue";
22   }
23
24   @HostListener('mouseleave') onMouseLeave(){
25     this.elRef.nativeElement.style.color = "red";
26   }
27 }
28
```

4-Create Looping

```
my-loop.directive.ts X
src > app > directives > my-loop.directive.ts > MyLoopDirective
1  import { Directive, Input, TemplateRef, ViewContainerRef } from '@angular/core';
2
3
4  @Directive({
5    selector: '[myLoop]'
6  })
7  export class MyLoopDirective {
8
9    constructor(private templateRef:TemplateRef<any>, private container:ViewContainerRef) { }
10
11    @Input("myLoop") set myCustomLoop(num:number){
12      for(var i=0; i<num; i++){
13        this.container.createEmbeddedView(this.templateRef);
14      }
15    }
16  }
```

Result:

