


CheckIn Front End




Flight CheckIn

Start

Enter the reservation id

2

Next



Review Details

Flight Details:

Airlines: Cambodia Airline
Flight No: MS-260
Departure City: KTI
Arrival City: VN
Date Of Departure: 2026-06-12
Estimated Departure Time: 2026-06-05T03:14:07

Passenger Details:

First Name: Steven
Last Name: Long
Email: steven@gmail.com
Phone: er

Enter the number of bags to check in: CheckIn



Flight CheckIn

Start

CheckIn Complete!!

- After complete : it will turn to True
- And NumBag: 18

All code in FE

```
index.html X
src > index.html > ...
1  <!doctype html>
2  <html lang="en">
3  <head>
4  |   <meta charset="utf-8">
5  |   <title>FlightCheckIn</title>
6  |   <base href="/">
7  |   <meta name="viewport" content="width=device-width, initial-scale=1">
8  |   <link rel="icon" type="image/x-icon" href="favicon.ico">
9  </head>
10 <body>
11 |   <app-root></app-root>
12 </body>
13 </html>
14
```

```
app.module.ts X
c > app > app.module.ts > ...
1  import { NgModule } from '@angular/core';
2  import { BrowserModule } from '@angular/platform-browser';
3
4  import { AppRoutingModule } from './app-routing.module';
5  import { AppComponent } from './app.component';
6  import { StartcheckinComponent } from './components/startcheckin/startcheckin.component';
7  import { CheckinComponent } from './components/checkin/checkin.component';
8  import { ConfirmcheckinComponent } from './components/confirmcheckin/confirmcheckin.component';
9  import { FormsModule } from '@angular/forms';
10 import { CheckinServiceService } from './service/checkinService.service';
11 import { HttpClientModule } from '@angular/common/http';
12
13 @NgModule({
14   declarations: [
15     AppComponent,
16     StartcheckinComponent,
17     CheckinComponent,
18     ConfirmcheckinComponent
19   ],
20   imports: [
21     BrowserModule,
22     AppRoutingModule,
23     FormsModule,
24     HttpClientModule
25   ],
26   providers: [CheckinServiceService],
27   bootstrap: [AppComponent]
28 })
29 export class AppModule { }
```

```

app-routing.module.ts X
src > app > app-routing.module.ts > ...
1 import { NgModule } from '@angular/core';
2 import { RouterModule, Routes } from '@angular/router';
3 import { StartcheckinComponent } from '../components/startcheckin/startcheckin.component';
4 import { CheckinComponent } from '../components/checkin/checkin.component';
5 import { ConfirmcheckinComponent } from '../components/confirmcheckin/confirmcheckin.component';
6
7 const routes: Routes = [
8   {path:'', redirectTo:'',pathMatch:'full'},
9   {path:'startCheckIn', component: StartcheckinComponent},
10  {path:'checkIn', component: CheckinComponent},
11  {path:'confirm', component: ConfirmcheckinComponent}
12 ];
13
14 @NgModule({
15   imports: [RouterModule.forRoot(routes)],
16   exports: [RouterModule]
17 })
18 export class AppRoutingModule { }
19

```

```

checkinservice.service.ts X
src > app > service > checkinservice.service.ts > CheckinServiceService
1 import { Injectable } from '@angular/core';
2 import { HttpClient } from '@angular/common/http';
3 import { Observable } from 'rxjs';
4 import { CheckinRequest } from '../model/checkinRequest';
5
6 @Injectable({
7   providedIn: 'root'
8 })
9 export class CheckinServiceService {
10
11   // Clean base URL without a trailing slash
12   reservationUrl = "http://localhost:8080/api/reservations";
13   reservationData: any;
14
15   constructor(private _httpClient: HttpClient) { }
16
17   public getReservation(id: number): Observable<any> {
18     return this._httpClient.get(`${this.reservationUrl}/${id}`);
19   }
20
21   // Expect both the reservation ID and the check-in request body
22   public checkIn(id: number, checkinRequest: CheckinRequest): Observable<any> {
23     return this._httpClient.put(`${this.reservationUrl}/${id}`, checkinRequest);
24   }
25 }

```

- សម្រាប់ Method PUT បើវាមិនមាន ID វាចេញ CROS ដែលចឹងយើងប្រាក់ថាវាមានដាក់ id មកដែល

- Component All
- + Startcheckin :

```
startcheckin.component.ts X
src > app > components > startcheckin > startcheckin.component.ts > StartcheckinComponent
1  import { Component, OnInit } from '@angular/core';
2  import { Router } from '@angular/router';
3  import { CheckinServiceService } from 'src/app/service/checkinService.service';
4
5  @Component({
6    selector: 'app-startcheckin',
7    templateUrl: './startcheckin.component.html',
8    styleUrls: ['./startcheckin.component.css']
9  })
10 export class StartcheckinComponent implements OnInit {
11
12     reservationId!:number;
13
14     constructor(private service:CheckinServiceService, private router:Router) { }
15
16     ngOnInit(): void {
17     }
18
19     public onClick(){
20
21         this.service.getReservation(this.reservationId).subscribe((res: any) => {
22             this.service.reservationData = res; // Saves data globally in service
23             this.router.navigate(['checkIn']); // Navigates to the next page
24         }, (error) => {
25             console.error("Error fetching reservation:", error);
26         });
27     }
28
29 }
```

```
startcheckin.component.html X
src > app > components > startcheckin > startcheckin.component.html > button
1  <h1>Enter the reservation id</h1>
2  <input type="number" [(ngModel)]="reservationId"/><br/>
3  <button (click)="onClick()">Next</button>
```

+ Checkin

```
checkin.component.ts X
src > app > components > checkin > checkin.component.ts > CheckinComponent > noOfbags
1 import { Component, OnInit } from '@angular/core';
2 import { Router } from '@angular/router';
3 import { CheckinRequest } from 'src/app/model/checkinRequest';
4 import { CheckinService } from 'src/app/service/checkinService.service';
5
6 @Component({
7   selector: 'app-checkin',
8   templateUrl: './checkin.component.html',
9   styleUrls: ['./checkin.component.css']
10 })
11 export class CheckinComponent implements OnInit {
12
13   data:any;
14   noOfbags!:number;
15
16   // with interface we Just assign the properties directly!
17   checkinRequest: CheckinRequest = {
18     checkIn: false,
19     numberOfBags: 0
20   };
21
22   constructor(private service:CheckinService,private router:Router) { }
23
24   ngOnInit(): void {
25     this.data = this.service.reservationData;
26   }
27
28   public checkIn(){
29     this.checkinRequest.checkIn = true;
30     this.checkinRequest.numberOfBags = this.noOfbags;
31
32     this.service.checkIn(this.data.id, this.checkinRequest).subscribe((res:any)=>{
33       this.router.navigate(['confirm']);
34       console.log(res);
35     })
36   }
37
38 }
39
40
41
```

```
checkin.component.html X
src > app > components > checkin > checkin.component.html > button
1 <h1>Review Details</h1>
2 <h2>Flight Details:</h2>
3 Airlines: {{data?.flight?.operatingAirlines}}<br/>
4 Flight No: {{data?.flight?.flightNumber}}<br/>
5 Departure City: {{data?.flight?.departureCity}}<br/>
6 Arrival City: {{data?.flight?.arrivalCity}}<br/>
7 Date Of Departure: {{data?.flight?.dateOfDeparture}}<br/>
8 Estimated Departure Time: {{data?.flight?.estimatedDepartureTime}}<br/>
9 <h2>Passenger Details:</h2>
10
11 First Name: {{data?.passenger?.firstName}}<br/>
12 Last Name: {{data?.passenger?.lastName}}<br/>
13 Email : {{data?.passenger?.email}}<br/>
14 Phone: {{data?.passenger?.phone}}<br/>
15 Enter the number of bags to check in:<input type="number" [(ngModel)]="noOfbags" />
16 <button (click)="checkIn()">CheckIn</button>
```

+ Confrim

```
confirmcheckin.component.html X
src > app > components > confirmcheckin > confirmcheckin.component.html > ..
1  <p>
2    |   CheckIn Complete!!
3    </p>
4
```

យើងមិនចាំបាច់ បង្កើត object checkin ក៏បានដែរ យើងបង្កើតក្នុង component ក៏បានដែរ

```
constructor(private service:CheckinserviceService,private router:Router) { }

ngOnInit(): void {
  this.data = this.service.reservationData;
}

public checkIn(){
  // this.checkinRequest.checkIn = true;
  // this.checkinRequest.numberOfBags = this.noOfbags;

  let request ={
    "id" : this.data.id,
    "checkIn":true,
    "numberOfBags" : this.noOfbags
  }

  this.service.checkIn(this.data.id, request).subscribe((res:any)=>{
    this.router.navigate(['confirm']);
    console.log(res);
  })
}
```