

Crate one Jar file with two Angular

1. Create Angular run file

Step 1: Fix Angular Base Hrefs (Crucial)

Before running `ng build`, each Angular app needs to know its sub-folder context path. If you didn't do this during `ng build`, you need to re-build them or manually edit the `href` in their respective `index.html` files.


- For `flightCheckIn`: ````bash`
`ng build --configuration production --base-href /flightCheckIn/`
- For `flightReservation`: ````bash`
`ng build --configuration production --base-href /flightReservation/`

(Note: `--prod` is deprecated in newer Angular versions; use `--configuration production` or just `ng build` which defaults to production).

```
>>ng build --configuration production --base-href /flightCheckIn/  
>> ng build --configuration production --base-href /flightReservation/
```

This is like the end point url that we can access to this two Angular

2. Copy the run file from Angular to the static in the Spring Boot project



3- Add controller in the spring boot

```
package com.vibol.flightservices.integration;

import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.GetMapping;

@Controller
public class AngularRoutingController {

    @GetMapping(value = {
        "/flightCheckIn",
        "/flightCheckIn/",
        "/flightCheckIn/{path:[^\\.]*}"
    })
    public String forwardCheckIn() {
        return "forward:/flightCheckIn/index.html";
    }

    @GetMapping(value = {
        "/flightReservation",
        "/flightReservation/",
        "/flightReservation/{path:[^\\.]*}"
    })
    public String forwardReservation() {
        return "forward:/flightReservation/index.html";
    }
}
```



```
AngularRoutingController.java X
flightservice > src/main/java > com.vibol.flightservices.integration > AngularRoutingController
1 package com.vibol.flightservices.integration;
2
3 import org.springframework.stereotype.Controller;
4
5
6 @Controller
7 public class AngularRoutingController {
8
9     @GetMapping(value = {
10         "/flightCheckIn",
11         "/flightCheckIn/",
12         "/flightCheckIn/{path:[^\\.]*}"
13     })
14     public String forwardCheckIn() {
15         return "forward:/flightCheckIn/index.html";
16     }
17
18     @GetMapping(value = {
19         "/flightReservation",
20         "/flightReservation/",
21         "/flightReservation/{path:[^\\.]*}"
22     })
23     public String forwardReservation() {
24         return "forward:/flightReservation/index.html";
25     }
26 }
```

Create Jar file:

>> mvn clean package


Step 4: Access Your Apps

Once the application starts up (assuming it runs on Spring's default port 8080), you can access your two applications simultaneously at:

- **Flight Check-In:** `http://localhost:8080/flightCheckIn/`
- **Flight Reservation:** `http://localhost:8080/flightReservation/`

Note Error:

Because the spring boot does not scanner the controller from the app stat we need to verify again!



Note:

If we have only one Angular one, we do not need to create controller. Just copy the run file from angular to static.