

Create Routing in Angular

ROUTING

- 1 Create routing.module.ts
- 2 Create <router-outlet> in HTML
- 3 Import routing.module.ts in to AppModule

1- Create routing with new project

>> ng new project **-routing**

2- Create Manue

```
routing.module.ts X
src > app > routing.module.ts > ...
1  import {NgModule} from '@angular/core';
2  import {RouterModule, Routes} from '@angular/router';
3
4  const routes: Routes = [
5  ];
6
7  @NgModule({
8    imports: [RouterModule.forRoot(routes)],
9    exports: [RouterModule]
10 })
11 export class AppRoutingModule { }
12
```

Think of this code as setting up the GPS or navigation system for a website.

- NgModule: This is Angular's way of saying, "Hey, I'm creating a modular brick of code here."
- RouterModule and Routes: These are the specific tools Angular provides to handle website navigation (routing).
- This empty array [] is your map. Right now, it's empty.
- imports: [RouterModule.forRoot(routes)]: This tells Angular, "Take that map we defined above (routes) and initialize the main navigation system for the entire app with it."

4. The Package Box

TypeScript

```
export class AppRoutingModule { }
```

- o This just creates a clean, named box (AppRoutingModule) to hold all of this setup so you can easily plug it into the main part of your application.

3- Create route url and component

```
src > app > routing.module.ts > AppRoutingModuleModule
1  import { NgModule } from '@angular/core';
2  import { RouterModule, Routes } from '@angular/router';
3  import { DeleteComponent } from '../components/delete/delete.component';
4  import { FetchComponent } from '../components/fetch/fetch.component';
5  import { UpdateComponent } from '../components/update/update.component';
6  import { CreateComponent } from '../components/create/create.component';
7
8
9  const routes: Routes = [
10   {path: 'create', component: CreateComponent},
11   {path: 'update', component: UpdateComponent},
12   {path: 'fetch', component: FetchComponent},
13   {path: 'delete', component: DeleteComponent}
14 ];
15
16 @NgModule({
17   imports: [RouterModule.forRoot(routes)],
18   exports: [RouterModule]
19 })
20 export class AppRoutingModuleModule { }
21
```

```
const routes: Routes = [
  {path: '', redirectTo: 'fetch', pathMatch: 'full'},
  {path: 'create', component: CreateComponent},
  {path: 'update', component: UpdateComponent},
  {path: 'fetch', component: FetchComponent},
  {path: 'delete', component: DeleteComponent}
];
```


- {path: "", redirectTo: 'fetch', pathMatch: 'full'}, បើអត់ត្រូវ Path ណាវានឹងទៅ page fetch, ហើយមួយទៀត វាត្រូវការ អោយដូចទៅនឹង path បានដាក់។

Ex: <http://localhost:4200/fetch>


4- Add to app.moudle.ts

```
EXPLORER
OPEN EDITORS
  routing.module.ts src/app
  app.module.ts src/app
PRODUCTCLIENT
  > e2e
  > node_modules
  > src
    > app
      > components
        > create
          create.component.css
          create.component.html
          create.component.spec.ts
          create.component.ts
        > delete
        > fetch
        > update
      > services
        product-data.service.spec.ts
        product-data.service.ts
        app.component.css
        app.component.html
        app.component.spec.ts
        app.component.ts
        app.module.ts
        routing.module.ts
    > assets
src > app > app.module.ts > AppModule
9  import { UpdateComponent } from '../components/update/update.component';
10 import { FetchComponent } from '../components/fetch/fetch.component';
11 import { DeleteComponent } from '../components/delete/delete.component';
12 import { AppRoutingModuleModule } from '../routing.module';
13
14 @NgModule({
15   declarations: [
16     AppComponent,
17     CreateComponent,
18     UpdateComponent,
19     FetchComponent,
20     DeleteComponent
21   ],
22   imports: [
23     BrowserModule,
24     HttpClientModule,
25     FormsModule,
26     AppRoutingModuleModule
27   ],
28   providers: [ProductDataService],
29   bootstrap: [AppComponent]
30 })
31 export class AppModule { }
```

5- How to use it in HTML



Product Catalog



Router Link

[Create Product](#)
[Update Product](#)
[Fetch Product](#)
[Delete Product](#)

Fetch Product

Id:

```
{ "id": 1, "name": "sumsung Update", "description": "Hello Update", "price": 500, "stockQuantity": 50, "category": "Electronics", "imageUrl": "https://placeholder.co/600x400", "active": false }
```

<h3>Router Link</h3>

<a [routerLink]="/create"> Create Product

<a [routerLink]="/update"> Update Product

<a [routerLink]="/fetch"> Fetch Product

<a [routerLink]="/delete"> Delete Product

<router-outlet></router-outlet> សម្រាប់ display the route

- [routerLink] : this is the directive from Angular
- <router-outlet></router-outlet> : this the element from Angular