

File Base Configuration

1-Config Server

server:

port: 8888

spring:

application:

name: configserver

profiles:

active: native

cloud:

config:

server:


native:

search-locations: classpath:/config

- យើងដាក់វាជា **active: native** វិញ
- search-locations: classpath:/config ទីតាំងរបស់ File config

```
1 server:
2   port: 8888
3
4 spring:
5   application:
6     name: configserver
7   profiles:
8     active: native
9   cloud:
10    config:
11      server:
12        native:
13          search-locations: classpath:/config
14
```

- location : src/main/resources/config



2-Client Side

spring:

application:

name: configdemo

profiles:

active: dev

config:

import: optional:configserver:http://localhost:8888


build:

id: \${ID}

version: \${VERSION}

name: \${NAME}

- import: optional:configserver:http://localhost:8888 កន្លែងដែលយើងធ្វើការភ្ជាប់ទៅ configserver



Build ID: 101, Version: 1.2.3, Name: Native Dev-Build

> Udemty-Course [udemy-microservice Section12_SetupDB]

> config-client [boot] [devtools] [udemy-microservice Sec

src/main/java

com.info.config

BuildInfo.java

BuildInfoController.java

ConfigApplication.java

src/main/resources

static

templates

application.yml

src/test/java

JRE System Library [jdk-25]

Maven Dependencies

target/generated-test-sources/test-annotations

target/generated-sources/annotations

src

target

HELP.md

mvnw

mvnw.cmd

pom.xml

> configserver [boot] [devtools] [udemy-microservice Sect

src/main/java

com.demo.configserver

ConfigserverApplication.java

src/main/resources

config

configdemo.yml

configdemo-dev.yml

config-client > src/main/java > com.info.config > BuildInfoController

```
1 package com.info.config;
2
3 import org.springframework.beans.factory.annotation.Value;
4
5
6
7
8 @RestController
9 // @AllArgsConstructor
10 @RefreshScope
11 public class BuildInfoController {
12
13     @Value("${build.id:default}")
14     private String buildId;
15
16     @Value("${build.version:default}")
17     private String buildVersion;
18
19     @Value("${build.name:default}")
20     private String buildName;
21
22     @GetMapping("/build-info")
23     public String getBuildInfo() {
24         return "Build ID: " + buildId + ", Version: " + buildVersion + ", Name: " + buildName;
25     }
26 }
```