


MarkingForge

QuickStart - from your first gesture to your own dials

3DS MAX 2027 · VERSION 1.0.6 · ABOUT 30 MINUTES



REAL MARKING MENUS - A QUICK GESTURE NEEDS NO DIAL

MarkingForge works the way marking menus are meant to: the command is chosen by the **direction** of the movement, not by clicking an item. Press the key and flick the mouse towards the command in one quick movement - the command runs and **the dial is not even drawn**. The dial appears only when you hold the key and wait, to remind you where things are. After a few days your hand knows the directions and you stop looking.

Seventeen short tutorials. Part 1 teaches your hand the dials that come with MarkingForge. Part 2 teaches the menu editor: putting your own commands on a dial, context variants, submenus, scripts, colours and shortcuts. Every picture is the real program. The **Installation Guide** covers installing; the **Reference** explains every option in detail.


Contents

1. Before you begin
2. Six ideas in one minute
3. Using the dials
 1. Your first gesture
 2. The dial follows you
 3. Flick - the fast way
 4. More than eight - the list and the settings rim
 5. Undo by name, repeat, and the hotbox
 6. Selection and hiding on sub-objects
4. Five tricks worth knowing
5. The key map
6. Making it yours
 7. A tour of the editor
 8. Put a command on a direction
 9. A shorter label
 10. Rows under the dial
 11. Change a dial's key, or open it with the mouse
 12. A context variant
 13. A submenu
 14. Your own script on a direction
 15. A gesture slider
 16. Colours
 17. Print, share, reset - and add commands to a quad menu
7. Learning plan and good habits
8. If something does not work
9. Support, bug reports and feature requests

Before you begin

Check two things - it takes ten seconds:

- 1 There is a **MarkingForge** menu in the 3ds Max menu bar. If not, see the Installation Guide.
- 2 The dials have keys: open **MarkingForge** > **Set up standard shortcuts...** - it either lists the keys it will give, or says every dial already has one.



The MarkingForge menu. Everything in this guide starts here or on a key.

Your 30 minutes

Minutes	What you do
0 - 10	Tutorials 1-6: the gestures and the built-in dials.
10 - 15	Tutorial 7: the editor's layout. Tutorial 8: your first own command on a dial.
15 - 30	Tutorials 9-17: labels, lists, shortcuts, context variants, submenus, scripts, colours, sharing.

Six ideas in one minute

1. A dial is a round menu under a key

Hold Alt+1 and eight commands appear around the cursor. 24 dials sit on Alt, Ctrl+Alt and Shift+Alt with the digits 1-8.

2. You aim, you do not read

Move towards a command and let go of the key. The direction is what your hand remembers - after a week you will not look.

3. Hold, flick or tap

Hold to see the dial. Flick - press and move at once - to run a command without the dial ever appearing. Release in the centre to cancel.

4. The dial follows your work

The same key shows vertex tools at vertex level, edge tools at edge level, spline tools on a shape - and material tools over the Slate editor.

5. Everything can be changed

The menu editor puts any of 3ds Max's 4000+ commands, a script, a submenu or a slider on any direction. Nothing needs a restart.

6. It is safe to try

Cancel is always one move away, every command undoes with Ctrl+Z, and the editor changes nothing until you press Save.

PART 1

Using the dials


Six tutorials that teach your hand the dials MarkingForge comes with. Have an empty scene open.

1


Your first gesture

2 min · You will learn: to hold, aim and release

- 1 Move the mouse over a viewport.
- 2 Hold **Alt+3**. The **Create** dial appears around the cursor.
- 3 Move the mouse up - towards **Box**. The wedge lights up.
- 4 Release the keys. 3ds Max is now in Box creation: drag a box in the viewport as usual.
- 5 With the box selected, hold **Alt+1** (Modelling), move up to -> **Editable Poly** and release.



Alt+3 - Create: solids at the top, shapes at the bottom.



Alt+1 aimed north: the box becomes an Editable Poly.

RESULT

The box is an Editable Poly - look at the modifier stack. Two gestures, no menu, no command panel.


Changed your mind? Move back to the centre and release, or press Esc. Nothing runs.

2


The dial follows you

4 min · You will learn: how one key changes with the sub-object level

- 1 Keep the Editable Poly selected and press **1** (vertex level).
- 2 Hold **Alt+1**: the same key now shows vertex tools - Chamfer, Weld, Connect, Break...
- 3 Aim at **Chamfer** (north) and release, then drag in the viewport.
- 4 Press **2** (edge level), select an edge and hold **Alt+1**: Connect, Chamfer, Loop, Ring...
- 5 Press **4** (polygon level), select a polygon, hold **Alt+1**, aim east - **Inset**.
- 6 Aim **north-west** at any level - **Object level** takes you back up.



Vertex level, aimed at Chamfer.



Polygon level, aimed at Inset.

One layout for both kinds of poly. Chamfer, Extrude, Weld... sit in the same direction on an Editable Poly and under an Edit Poly modifier. Learn it once.

RESULT

You modelled at three sub-object levels with one key.

3

Flick - the fast way

3 min · You will learn: to run commands without waiting for the dial

A marking menu is fastest when you do not wait for it. Press the key and move in the same instant, then release: the command runs, the dial is never drawn.

TRY IT

Repeat each gesture five times, slowly at first, then without looking at the dial:

Gesture	Does
Alt+4, up	Zoom extents all
Alt+4, down	Isolate the selection (again = end isolate)
Alt+5, up / down	Select all / select none
Ctrl+Alt+1, up / right	Move / scale tool
Alt+7, up	Undo one step

RESULT


After a day these five need no looking. That is the whole idea - the rest of the dials follow the same way.

4

More than eight - the list and the settings rim

3 min · You will learn: the rows under a dial and opening a command's settings


Some dials show **rows under the ring**: commands you use, but not often enough to spend a direction on. Keep holding the key, move down to a row and click it.




Alt+1 on an ordinary object: eight directions plus six rows (Chamfer, FFD, Bend, Noise, UVW Map, Unwrap UVW).

Commands with a settings window (Chamfer, Extrude, Inset...) carry ... on their tile. An ordinary release **opens that window**, like the settings icon in a quad menu. Move **far past the ring** before releasing and the command runs **without** it - with the last values.

Where "far" begins is drawn on the dial: the **dotted circle outside the ring** is the settings rim. Cross it and the circle **brightens**, and the dots on the tile dim - that is the dial telling you the window will be skipped. Come back inside the circle before releasing and the window opens after all.



Inside the dotted circle: Inset will open its settings.



Past it: the circle lights up - Inset runs without the window.

TRY IT

On a polygon, hold **Alt+1**, aim east (Inset) and release: the Inset settings open. Do it again, but move far out before releasing: Inset runs straight away with the same amount.


Prefer the opposite for a command you repeat a lot? Select its direction in the editor and press **Settings...** (tutorial 7 shows where).

5


Undo by name, repeat, and the hotbox

3 min · You will learn: three dials that fill themselves

- 1 **Alt+7** - the undo dial shows your last eight operations by name. North undoes one, north-east two, and so on: undo three steps in one move.
- 2 **Alt+8** - recent commands: what you ran from the dials, newest first. Repeat the last one with a flick up.
- 3 **Alt+2** - the hotbox: every menu of 3ds Max as tiles, including menus other plugins add. Point at a title, then at an entry, and release - or click the entry with the left mouse button.



Alt+7 - undo by name.




Alt+2 - the hotbox.

The **modifier stack** dial (Alt+6) works the same way: the top eight modifiers of the selected object - aim at one to make it the current one in the Modify panel.

6 Selection and hiding on sub-objects

2 min · You will learn: context on other dials

- 1 At polygon level hold **Alt+5** (Selection): Grow and Shrink face each other, Loop and Ring face each other; on an Editable Poly three corners convert the selection to vertices, edges or faces (under an Edit Poly modifier they are Select all, Select invert and Select none).
- 2 Hold **Ctrl+Alt+3** (Show and hide) at the same level: hide or unhide polygons, not whole objects.
- 3 Return to object level (Alt+1, north-west) and hold the same keys again - they work on whole objects.




Alt+5 at a sub-object level.

Five tricks worth knowing

Tricks 1-4 work from the first start; the fifth has to be switched on. Each feature behind them has its tick in **MarkingForge > Experimental features**, so any of them can be turned off.

1. Several commands in one gesture

- 1 Hold the key and move out **past the ring** towards a command.
- 2 **Come back to the centre** without releasing: the command is queued. A **dashed circle** round the centre marks where "back" is, and the queue appears as a numbered row above the dial (*1 Inset > 2 Extrude*).
- 3 Queue more the same way, then release: the whole queue runs in order, as **one undo step**.
- 4 Changed your mind? Release over an empty direction - the queue is discarded.



Inset is queued (the row above the dial); the hand is out at Extrude. The dashed circle round the centre is where "back" is.


Example: at polygon level, Alt+1 - out to **Inset** and back, then out to **Extrude** and release. One Ctrl+Z takes both back. A chain you repeat can become one direction: **MarkingForge > Save last chain as an item...**

2. The dial of the object under the cursor

The dial looks at the object **under the cursor** first, and at the selection only when the cursor is over empty space. Point at a spline and open Alt+1: you get spline tools even while a box is selected - and the command runs on that spline, which MarkingForge selects in the same undo step. Pointing at one of several selected objects keeps the whole selection. The modifier stack dial (Alt+6) shows the stack of the object you point at the same way. A flick reads the object where you **PRESSED** the key, so it works the same even when the movement ends over empty space. The hotbox and type-to-search run 3ds Max commands and never change the selection.

3. The suggested next command

MarkingForge notices pairs - Inset followed by Extrude, say. Once a pair has repeated twice, the command you usually run next is the dial's **outlined tile** when it opens, and a **tap** of the key - press and release without moving - runs it. That works when the command sits on that dial and the dial has no tap item of its own (an explicit tap item always wins). It is only a suggestion: aiming anywhere else works as always, and nothing on the dial moves. The memory lasts for the session.




After Inset, Extrude is the outlined tile - a tap runs it.

4. Hints you can see

On the dial	Means
Dotted circle outside the ring	The settings rim (tutorial 4) - brighter once you are past it.
Dashed circle round the centre	A queue is waiting: come back inside it to add the command (trick 1).
Dashed outline of a direction	That direction is empty - releasing there cancels.
Outlined tile	What a tap runs - the suggested next command (trick 3); Enter too when the dial is pinned (trick 5).

5. Search by typing (switch it on first)

- 1 Switch on **MarkingForge > Experimental features > Type-to-search**.
- 2 Hold a dial key and **type letters** - for example `smooth` . The dial turns into a search over every 3ds Max command and **pins itself**, so you can let go of the key.
- 3 Aim at a result, or just press **Enter** for the best match. **Backspace** removes a letter, **Esc** closes the search.



Alt+1, then `smooth`: commands with that name, the best match outlined.

Typing works with the dials on **Alt** and **Shift+Alt**. With **Ctrl** held, letters go to 3ds Max as shortcuts (Ctrl+S, Ctrl+Z...) on purpose - so there is no search on the Ctrl+Alt dials.

The key map

Digits 1-8 with **Alt**, **Ctrl+Alt** and **Shift+Alt**. The digit is the place, the modifier the bank - count from a key you know.

Key	Dial	Key	Dial	Key	Dial
Alt+1	Modelling	Ctrl+Alt+1	Transform	Shift+Alt+1	Materials
Alt+2	Hotbox - Max's menu	Ctrl+Alt+2	Modifiers	Shift+Alt+2	Animation
Alt+3	Create	Ctrl+Alt+3	Show and hide	Shift+Alt+3	Scene
Alt+4	View	Ctrl+Alt+4	Viewports	Shift+Alt+4	File
Alt+5	Selection	Ctrl+Alt+5	Viewport display	Shift+Alt+5	Selection sets
Alt+6	Modifier stack	Ctrl+Alt+6	Snap and grid	Shift+Alt+6	UV mapping
Alt+7	Undo	Ctrl+Alt+7	Align and pivot	Shift+Alt+7	Tools and setup
Alt+8	Recent commands	Ctrl+Alt+8	Render	Shift+Alt+8	Lights and cameras

Print the cheat sheet and keep it beside the keyboard for the first week: **MarkingForge > Dial cheat sheet (HTML + PDF)...** - your saved dials as 3x3 squares with their keys and mouse buttons, sorted by key.

MarkingForge - dial cheat sheet

2026-10-01 01:46 - 24 dials - sorted by shortcut, because that is what the hand presses

Alt+1 Modelling

slot 1

1. when window under the cursor matches slate

⌘ NI Pick from selected	↑ N New material	↩ NE Edit selected's material
⇧ W Get from object	Materials (Slate)	→ E Assign to selection
⌘ SW Material Explorer	↓ S Material/Map Browser	↘ SE Show in viewport

2. when window under the cursor matches trackView

⌘ NI Curve mode	↑ N Tangents: auto	↩ NE Tangents: smooth
⇧ W Isolate curve	Track View	→ E Tangents: linear
⌘ SW Frame all	↓ S Flatten	↘ SE Tangents: stepped

3. when window under the cursor matches particleView

⌘ NI Rename	↑ N Move up	↩ NE Copy
⇧ W Move left	Particle View	→ E Move right
⌘ SW Cut	↓ S Move down	↘ SE Paste

4. when window under the cursor matches sceneExplorer

⌘ NI Zoom to selected	↑ N Select all	↩ NE Select children
⇧ W Unhide all	Scene Explorer	→ E Hide
⌘ SW Unfreeze all	↓ S Isolate	↘ SE Freeze

List below the dial

1. Expand all
2. Collapse all
3. Find selected
4. Rename

5. when window under the cursor matches commandPanel

Modifier stack. Eight modifiers FROM THE TOP of the selected object's stack. Requires EXACTLY ONE selected object - otherwise the dial opens empty and says so in its footer.

6. when modifier = Unwrap_UVVW

⌘ NI Stitch	↑ N Quick relax	↩ NE Pack
⇧ W Weld selected	UV (Unwrap)	→ E Edge loop
⌘ SW Break	↓ S Straighten	↘ SE Edge ring

List below the dial

1. Open UV Editor

7. when modifier = Edit_Poly and subobject: 1 - usually vertex

⌘ NI Object level	↑ N Chamfer	↩ NE Weld
⇧ W Target Weld	Edit Poly: vertex	→ E Connect
⌘ SW Remove	↓ S Extrude	↘ SE Break

List below the dial

1. Grow
2. Shrink
3. Remove isolated

8. when modifier = Edit_Poly and subobject: 2 - usually edge

⌘ NI Object level	↑ N Connect	↩ NE Chamfer
⇧ W Remove	Edit Poly: edge	→ E Loop
⌘ SW Weld	↓ S Extrude	↘ SE Ring

List below the dial

1. Split
2. Turn
3. Grow
4. Shrink

9. when modifier = Edit_Poly and subobject: 3 - usually border / spline

⌘ NI Object level	↑ N Cap	↩ NE Chamfer
⇧ W Grow	Edit Poly: border	→ E Extrude
⌘ SW Shrink	↓ S Create shape	↘ SE Connect

List below the dial

1. Bridge

The printable cheat sheet.

PART 2

Making it yours


Eleven tutorials in the menu editor. Nothing you do here reaches the dials until you press **Save** - experiment freely, and use **Reload from file** to throw changes away. If the file changed on disk while the editor was open, Save offers a separate copy instead of overwriting it.

7

A tour of the editor

2 min · You will learn: where everything is

Open **MarkingForge > Menu editor...**



The menu editor.

- Dials** - the 24 slots and their keys. Pick the dial to edit.
- Dial settings** - name, key, mouse button, hotbox, where its contents come from.
- Variant** - the dial's context versions and their conditions.
- Directions** - N ... NW: label, what runs, how often you used it.
- Direction tools** - submenu, script, value, label, settings, colour, empty.
- List under the dial** - extra rows.
- Search** - find any 3ds Max command by name.
- Catalogue** - all 4000+ actions and macroscripts, by category.

9. **Save** - writes your dials; the plugin reloads in a fraction of a second.

Closing the editor never loses work silently. With unsaved changes, Esc or the window's X asks: **Save**, **Discard** or **Cancel**.



8

Put a command on a direction

3 min · You will learn: the one skill everything else builds on

Example: on the **File** dial (Shift+Alt+4) replace *Save copy as* (south-east) with **Export Selected**.

- 1
- In the dial list pick **Menu 20 - File**.
- 2
- Type `Export Selected` into the search field.
- 3
- Click **Export Selected...** in the catalogue.
- 4
- Click the **SE** row in the directions table.
- 5
- Press **Assign to selected direction** - or double-click the command, or drag it onto the row.
- 6
- Press **Save**.



Step 5: the button under the catalogue.

Steps 2 and 3: type, then click the command.

Direction	Label	What it runs	Usage
N	Save	action: Main UI	-
NE	Save as...	action: Main UI	-
	Save incremental	action: Main UI	-
SE	Save copy as...	action: Main UI	-
S	Open...	action: Main UI	-
SW	Import...	action: Main UI	-
W	Merge...	action: Main UI	-
NW	Hold	action: Main UI	-

Step 4: the SE row selected - it still holds Save copy as.

Direction	Label	What it runs	Usage
N	Save	action: Main UI	-
NE	Save as...	action: Main UI	-
E	Save incremental	action: Main UI	-
SE	Export Selected...	action: Main UI (name from Max)	-
S	Open...	action: Main UI	-
SW	Import...	action: Main UI	-
W	Merge...	action: Main UI	-
NW	Hold	action: Main UI	-

After step 5: SE runs Export Selected. *(name from Max)* means the caption is 3ds Max's own - tutorial 9 shortens it.

TRY IT

Hold Shift+Alt+4 in the viewport - south-east is Export Selected.


The same command appears in several categories (Select All exists in seven). The *Category / table* column tells them apart - for the scene commands pick *Main UI*.

9

A shorter label

1 min · You will learn: to keep captions readable

- 1 Select the direction.
- 2 Press **Change label...**
- 3 Type the caption and press OK. Empty = 3ds Max's own name.
- 4 Save.




Two words beat a cut-off name on the dial.

10

Rows under the dial

2 min · You will learn: to keep more than eight commands on one key

- 1 Pick the dial.
- 2 Find the command in the catalogue.
- 3 Press **Add to the list** (or drag the command into the list).
- 4 Reorder with ▲ ▼, remove with **Remove row**. Up to twelve rows.
- 5 To edit a row, select it: **Change label...**, **Edit script...**, **Settings...** and **Colour...** sit in the list's own bar.
- 6 Save.



The list pane: Archive... added as the last row.

Put here what you use but have not learned. Promote a row to a direction once your hand wants it.


11

Change a dial's key, or open it with the mouse

2 min · You will learn: shortcuts and mouse buttons

- 1 Pick the dial.
- 2 Click **Set shortcut....** A small window opens: press the new keys there (Shift combinations work too) and click **Set**. While it is open the dials do not open, so a key that already opens a dial can be recorded - it moves from that dial to this one. **Clear** (or Backspace) removes the key.

- 3 Press **Apply shortcuts** - the keys go into 3ds Max; your other shortcuts are kept and backed up.
- 4 Optional: choose a **Mouse button** and tick at least one of Ctrl / Alt / Shift - for example Ctrl+Shift + middle button opens the hotbox.
- 5 Save.



The dial settings: Set shortcut (1), Apply (2), mouse button (3).

The keys are also in 3ds Max's **Customize > Hotkey Editor** as *MarkingForge: Menu 1 ... 24*.


12

A context variant

4 min - You will learn: to make one key do different things in different situations

Example: give a dial its own contents when you are on the edges of an Editable Poly.

- 1 Pick the dial and press **Add a variant...** - it starts as a copy of what you see.
- 2 In the condition window select an Editable Poly in 3ds Max, go to edge level and press **Take from selection:** class and sub-object level fill in.
- 3 OK. The **Variant** list now shows your variant - fill its directions like any dial.
- 4 Order matters: the first matching variant wins. Use ▲ ▼ to keep specific ones above general ones.
- 5 Save.



The Modelling dial's built-in edge variant: the variant list (1), Add a variant (2), Condition (3) and the variant's own directions (4).

The variant appears when ALL the filled-in fields match at once.
A field left empty means 'any' - it is not tested.

Object class:

Object kind:

Modifier in the panel:

Has modifier:

Sub-object level:

Cursor over the window:

Selection:

Condition: when class = Editable Poly and subobject: 1 - usually vertex

With the current selection: does not match (selected: 1 | class: 'Cylinder' | superclass: 'geometry' | subobject: 0 | modifier: '-')

The condition window (here: Editable Poly, vertex level). Empty fields are not tested.

Conditions can also ask about the **window under the cursor** (Slate, Track View, Scene Explorer...), the modifier open in the panel, the number of selected objects, an object name pattern or a layer.

13

A submenu

3 min · You will learn: to put a whole dial behind one direction

- 1 Select a direction and press **Make a submenu...**
- 2 Type its caption - it stands on the dial.
- 3 You are now inside the submenu (the path says *Dial > submenu NW*). Fill its directions.
- 4 Press **Go up one level** to return. Save.

The caption that will stand on the dial in direction NW:

Step 2: the caption for the submenu.

1
2
3

Editing: Dial > submenu NW
Go up one level

Direction	Label	What it runs	Usage
N	Recent 1	action: Main UI	-
NE		(empty - releasing cancels the gesture)	-
E	Recent 2	action: Main UI	-
SE		(empty - releasing cancels the gesture)	-
S	Recent 3	action: Main UI	-
SW		(empty - releasing cancels the gesture)	-
W	Recent 4	action: Main UI	-
NW		(empty - releasing cancels the gesture)	-

Step 3: inside the submenu - the path (1), its own directions (2), and the way back (3).

TRY IT


On the dial, move through the submenu's direction without releasing - the submenu opens where you are; keep moving to pick.

14

Your own script on a direction

3 min · You will learn: to run any MAXScript from a gesture

- 1 Select a direction and press **Custom script...**
- 2 Paste or type the code and press OK.
- 3 Give it a label with **Change label...**
- 4 Save.



A script that adds a Bend to every selected object.


Snapshot the selection first (`local picked = selection as array`) when the code changes objects - the built-in dials do this. Scripts run with full rights: only use code you understand.

15

A gesture slider

3 min · You will learn: to set a number by how far you move

- 1 Switch on **Experimental features...** > **Direction that sets a value.**
- 2 Select a direction and press **Value...**
- 3 Pick an example from the list, or fill in *Read the value*, *Write the value* (with `%v%`), the range and the sensitivity.
- 4 Save.



The value window with the viewport field-of-view example.

TRY IT


Hold the key, move into the value direction and keep going: the number changes with the distance; release to set it.

16

Colours


3 min · You will learn: to recognise a dial before reading it

- 1 Press **Colours...** at the bottom of the editor.
- 2 Choose **This dial** or **All dials**.
- 3 Click a group swatch (dial, tiles, zones...) or a single piece; the preview shows the dial at rest, aimed and cancelling.
- 4 OK, then Save.



The colour editor.

For one command only - a red caption on a destructive one, say - select its direction and press **Colour...**:



One item's caption and tile colour.

17


Print, share, reset - and add commands to a quad menu

3 min · You will learn: the bottom row and 3ds Max's own menus



Cheat sheet (1), Load default dials (2), Save preset (3), Load preset (4), Save (5).

- 1 **Cheat sheet...** - a printable PDF of your saved dials, with keys and mouse buttons. Save first: unsaved edits are left out.
- 2 **Save preset...** - your layout in one file to share. **Load preset...** shows what a file holds before loading and removes scripts from other people's presets by default.
- 3 **Load default dials...** - the built-in layout back; by default only dials without their own menu.
- 4 Any MarkingForge command can go into a right-click quad menu: **Customize > Menu Editor > Quads**, search **MarkingForge**, drag an action into a quad, **Done**.



Menu Editor, Quads tab, filtered to MarkingForge.

Learning plan and good habits

When	Do this
Day 1	Use Alt+1, Alt+4, Alt+5 and Alt+7 with the dial visible. Print the cheat sheet.
Days 2-5	Start flicking the five gestures of tutorial 3. Add Ctrl+Alt+1 (Transform) and Ctrl+Alt+3 (Show and hide).
Week 2	Replace directions you never use with commands you reach for in menus. Add one context variant for your most common task.
Week 3	Colour your most used dials. Put the rest of your frequent commands in lists; promote the ones your hand wants.

Rules for your own dials

Opposites opposite

Grow / Shrink, Hide / Unhide, Open / Save across the dial - one movement and its reverse.

Keep places stable

Do not move a command once your hand knows it. Add, do not reshuffle.

One question per dial

"What do I create", "what do I hide" - a dial of unrelated commands is hard to learn.

Specific variants first

Edit Poly at vertex level above Edit Poly, above Editable Poly.

Short labels

One or two words. The hand needs the direction, the eye only a hint.

Test with a flick

If a gesture only works while looking, the direction is in the wrong place.

If something does not work

What you see	What to do
Holding the key does nothing	MarkingForge > Set up standard shortcuts... , or check the key in Customize > Hotkey Editor .
A different menu than expected	A context variant matched - the object under the cursor, the sub-object level or the window decides. Move the cursor to empty space and try again.
A red caption	That command does not exist in this 3ds Max (a missing plugin). Replace it in the editor.
An empty dial	A live dial with nothing to show - select one object for the modifier stack, create named selection sets for Selection sets.
My change is not on the dial	Press Save in the editor.
I want the original dials back	Editor > Load default dials...
Letters typed over a dial vanish	That is Type-to-search (trick 5). Esc closes the search; switch it off in Experimental features if you do not use it.
Where are the other guides?	MarkingForge > Documentation opens the folder with all of them.

Everything else - every option, every command, the configuration file and more problems with their fixes - is in the **MarkingForge Reference**.

Still stuck? Open an issue at github.com/looki666/MarkingForge/issues or write to forgeplugins@gmail.com.
MarkingForge > Report a bug... puts your 3ds Max and MarkingForge details on the clipboard, ready to paste.

Support, bug reports and feature requests

ISSUES	github.com/looki666/MarkingForge/issues
E-MAIL	forgeplugins@gmail.com
WEB	https://forgeplugins.tech (forgeplugins.tech - more plugins by the author)

Bug reports and feature requests are best opened as issues on GitHub - the forms there ask for exactly what is needed, and you can follow the fix. Questions, and anything you would rather not post publicly (licence, purchase), go to the e-mail address. Every message is read.

Reporting a bug

- 1 In 3ds Max choose **MarkingForge > Report a bug...** - it copies your 3ds Max version, MarkingForge version, configuration summary and start-up log to the clipboard. It works even when the plugin did not load.
- 2 Open github.com/looki666/MarkingForge/issues and pick **Bug report** - or answer **Yes** in the dialog to write an e-mail to forgeplugins@gmail.com instead.
- 3 Say what you did, what you expected and what happened instead, then paste the details with **Ctrl+V**.
- 4 Add a screenshot if you can. When the problem is in one dial, attach a preset of it (editor > **Save preset...**).

Suggesting a feature

Open an issue with the **Feature request** form, choose **MarkingForge > Suggest a feature...**, or simply write. Describe what you would like to do and how you do it today - a concrete example from your work says more than a list of wishes. Ideas for new built-in dials, commands and options are all welcome.

Nothing is sent by the plugin itself: the details go to the clipboard and your own e-mail program, so you see everything that leaves your computer. MarkingForge has no network access.