海战cps公会数据/绑定需求

0206验收情况：

序号	描述	级别	截图
1	角色列表：金额对不上，看看是否取了current_amount；注意币种问题；建议可以采用标价	高	
2	订单列表:部分充值渠道显示为未知	高	
3	归因绑定：用户绑定时需要有绑定判断；暂时缺少这块逻辑	高	
4	绑定归因时：平台对应应该是CPS组名；这里只需要2个级别即可；组名和组员的名字；	高	参考这个：

5	绑定归因时：截图上传是必选项	中	
6	绑定归因时：项目目前只有“海战”就可以了	中	
7	同步到这个后台的数据，只需要是被归因的角色；	高	

1、角色绑定判断

判断cps是否与买量冲突（若根据角色ID查询，tf_medium返回有值，则可以绑定，否则提示“该角色为买量用户，不可绑定”。同时，也需要记录用户绑定失败log）

代码块

```
SELECT "#account_id", "tf_medium" from ta.v_user_22
where (tf_medium ='Organic' or tf_medium like '%自然量%' or tf_medium like'WA_CPS_link%')
```

2、CPS用户充值日志回传

获取用户充值明细SQL；注意替换的内容是:"$part_date"和"#event_time"；这两个用参数替换即可

代码块

```
SELECT "#account_id","#event_time","pay_amount_usd","#country","server_id","role_name","server_name","publisher_order_id","recharge_type","#account_id@cps_group"
```

```
FROM
(SELECT "#account_id","#event_time","pay_amount_usd","#country","server_id","role_name","server_name","publisher_order_id","recharge_type" FROM v_event_22 WHERE "$part_event"='recharge_complete'  AND "recharge_type"= '现金' AND "is_sandbox" = '0' AND "$part_date"='2026-02-03' AND ("#event_time" BETWEEN cast('2026-02-03 00:00:00.000' as timestamp ) AND cast('2026-02-03 01:00:00.000' as timestamp ))
) as role_recharge
left JOIN
(
SELECT "#account_id@account_id","#account_id@cps_group" FROM ta_dim.dim_22_0_518509
) as role_cps
ON role_recharge."#account_id"=role_cps."#account_id@account_id"
 where role_cps."#account_id@account_id" is not null
```

3、CPS用户登录/登出日志：（create_time如果能够保存，其实后续不用再次查询；）

代码块

```
SELECT role_recharge."#account_id","#event_time" as "last_login_time", "#active_time" as "create_time"
,"#country","server_id","role_name","server_name","#account_id@cps_group"
FROM
(SELECT "#account_id",max("#event_time") as "#event_time","#country","server_id","role_name","server_name" FROM v_event_22 WHERE "$part_event"='role_login'    AND "$part_date"='2026-02-03' AND ("#event_time" BETWEEN cast('2026-02-03 00:00:00.000' as timestamp ) AND cast('2026-02-03 23:00:00.000' as timestamp ))  group by "#account_id","#country","server_id","role_name","server_name"
) as role_recharge
left JOIN
(
SELECT "#account_id", "#active_time" FROM v_user_22
) as role_act
ON role_recharge."#account_id" = role_act."#account_id"

left JOIN
(
SELECT "#account_id@account_id","#account_id@cps_group" FROM ta_dim.dim_22_0_518509
) as role_cps
ON role_recharge."#account_id"=role_cps."#account_id@account_id"
 where role_cps."#account_id@account_id" is not null
```

opc-admin

组长1
组长2
组长3

组1.1
组1.2
组1.3

工作人员

WA

role_id

玩家

2月份

用户归因 (log)

role_id (分组 权限)

"#account_id"

tf_medium

facebook
google
organic
①流量
WA_CPS_link?

role_id

数据API → 数据表(更新)

备注信息
role_id role_name

创角时间

最后登录的

支付明细

概览
今日
月份
历史

create

频率

30分钟

1. 用户归因(CPS绑定)
① 流量判断
② 历史归因(CPS)
③ 截图上传

实时

2. 绑后 → 更新 API 数据

3. 支付

4. 权限.

前端

后端

数据库 ⇄ 数据表

权限

role_id
name

表1