

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65000/3
Product name: DEMIPERMANENT 2,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65000/3 - DEMIPERMANENT 2,0

SECTION 2. Hazards identification ... / >>

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:	2-AMINOETHANOL
	2-METHYL-p-PHENYLENEDIAMINE SULFATE
	Maleic acid
	2-(2,4-diaminophenoxy)ethanol dihydrochloride
	2-METHYLRESORCINOL
	3-AMINOPHENOL
	Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65000/3 - DEMIPERMANENT 2,0

SECTION 3. Composition/information on ingredients ... / >>

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 2.2

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

dodecan-1-ol

INDEX 2.19

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.75

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

3-AMINOPHENOL

INDEX 612-127-00-4 0.38

EC 209-711-2

CAS 591-27-5

REACH Reg. 01-2119930678-27

2-METHYLRESORCINOL

INDEX 0.3

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

2-(2,4-diaminophenoxy)ethanol dihydrochloride

INDEX 0.15

EC 266-357-1

CAS 66422-95-5

REACH Reg. 01-2120011817-60

Maleic acid

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

Eye Irrit. 2 H319

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411
LD50 Oral: 1550 mg/kg

Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
LD50 Oral: 693 mg/kg, STA Inhalation mists/powders: 1.5 mg/l

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1
LD50 Oral: 200 mg/kg

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411
LD50 Oral: 1000 mg/kg

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317
LD50 Oral: 1030 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

65000/3 - DEMIPERMANENT 2,0**SECTION 4. First aid measures ... / >>****4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 8. Exposure controls/personal protection ... / >>

dodecan-1-ol			
Predicted no-effect concentration - PNEC			
Normal value in fresh water		0.0028	mg/l
Normal value in marine water		0.00028	mg/kg
Normal value for fresh water sediment		1.1	mg/kg
Normal value for marine water sediment		0.11	mg/kg
Normal value of STP microorganisms		0.0207	mg/l
Normal value for the terrestrial compartment		0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol			
Predicted no-effect concentration - PNEC			
Normal value in fresh water		0.00032	mg/l
Normal value in marine water		0.00003	mg/l
		2	
Normal value of STP microorganisms		0.0019	mg/l
Normal value for the terrestrial compartment		1	mg/kg

Legend:
(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.
When choosing personal protective equipment, ask your chemical substance supplier for advice.
Personal protective equipment must be CE marked, showing that it complies with applicable standards.
Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

Davines S.p.A. 65000/3 - DEMIPERMANENT 2,0		Revision nr.2 Dated 04/01/2024 Printed on 04/01/2024 Page n. 7 / 16 Replaced revision:1 (Dated 12/10/2023) EN
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
Information not available		
9.2.2. Other safety characteristics		
VOC (Directive 2010/75/EU)	11.50 %	
VOC (volatile carbon)	5.00 %	
SECTION 10. Stability and reactivity		
10.1. Reactivity		
There are no particular risks of reaction with other substances in normal conditions of use.		
10.2. Chemical stability		
The product is stable in normal conditions of use and storage.		
10.3. Possibility of hazardous reactions		
No hazardous reactions are foreseeable in normal conditions of use and storage.		
2-AMINOETHANOL		
May react dangerously with: acrylonitrile,chloroepoxypropane,chlorosulphuric acid,hydrogen chloride,iron-sulphur compounds,acetic acid,acetic anhydride,mesityl oxide,nitric acid,sulphuric acid,strong acids,vinyl acetate,cellulose nitrate.		
10.4. Conditions to avoid		
None in particular. However the usual precautions used for chemical products should be respected.		
2-AMINOETHANOL		
Avoid exposure to: air,sources of heat.		
10.5. Incompatible materials		
2-AMINOETHANOL		
Incompatible with: iron,strong acids,strong oxidants.		
10.6. Hazardous decomposition products		

65000/3 - DEMIPERMANENT 2,0**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65000/3 - DEMIPERMANENT 2,0**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: > 5 mg/l
ATE (Inhalation - vapours) of the mixture: > 20 mg/l
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): 102 mg/kg
LC50 (Inhalation mists/powders): 1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal): 1000 mg/kg Rat
LD50 (Oral): 693 mg/kg Rat
LC50 (Inhalation mists/powders): 1162 mg/m3 Rat

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): > 1089 mg/kg rat
LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

2-(2,4-diaminophenoxy)ethanol dihydrochloride

LD50 (Dermal): 45450 mg/kg
LD50 (Oral): 1000 mg/kg rat

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

2-METHYLRESORCINOL
non irritante

65000/3 - DEMIPERMANENT 2,0**SECTION 11. Toxicological information ... / >>****2-AMINOETHANOL**

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

tetradecanol

non irritante

2-(2,4-diaminophenoxy)ethanol dihydrochloride

non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE

irritante

2-METHYLRESORCINOL

irritante per gli occhi

2-AMINOETHANOL

effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

irritante per gli occhi

tetradecanol

irritante

2-(2,4-diaminophenoxy)ethanol dihydrochloride

provoca grave irritazione oculare

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

sensitising

2-METHYLRESORCINOL

sensitising

2-AMINOETHANOL

non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non sensibilizzante

dodecan-1-ol

non sensibilizzante

tetradecanol

non sensibilizzante

2-(2,4-diaminophenoxy)ethanol dihydrochloride

sensitising

GERM CELL MUTAGENICITY

65000/3 - DEMIPERMANENT 2,0**SECTION 11. Toxicological information** ... / >>

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

2-(2,4-diaminophenoxy)ethanol dihydrochloride
negativa

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

65000/3 - DEMIPERMANENT 2,0

SECTION 12. Ecological information ... / >>

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

2-(2,4-diaminophenoxy)ethanol dihydrochloride

LC50 - for Fish	400 mg/l/96h
EC50 - for Crustacea	7.4 mg/l/48h
EC50 - for Algae / Aquatic Plants	10.2 mg/l/72h
Chronic NOEC for Crustacea	2.5 mg/l

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

3-AMINOPHENOL

Solubility in water	29900 mg/l 35°C
Rapidly degradable	

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

2-(2,4-diaminophenoxy)ethanol dihydrochloride

Solubility in water	432000 mg/l a 25°C
---------------------	--------------------

12.3. Bioaccumulative potential

2-METHYLRESORCINOL

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

65000/3 - DEMIPERMANENT 2,0**SECTION 12. Ecological information** ... / >>**2-AMINOETHANOL**

Partition coefficient: n-octanol/water -2.3

dodecan-1-ol

Partition coefficient: n-octanol/water 5.36 log Pow

2-(2,4-diaminophenoxy)ethanol dihydrochloride

Partition coefficient: n-octanol/water 0.51

12.4. Mobility in soil**2-AMINOETHANOL**

Partition coefficient: soil/water -0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL; 2-METHYL-p-PHENYLENEDIAMINE SULFATE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

65000/3 - DEMIPERMANENT 2,0**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8



IMDG: Class: 8 Label: 8



IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: II

14.5. Environmental hazards

ADR / RID: Environmentally Hazardous



IMDG: Marine Pollutant



IATA: NO

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: 274	Limited Quantities: 1 L	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 1 L	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 30 L Maximum quantity: 1 L A3, A803	Packaging instructions: 855 Packaging instructions: 851

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

65000/3 - DEMIPERMANENT 2,0

SECTION 15. Regulatory information ... / >>

Substances subject to the Rotterdam Convention:
None

Substances subject to the Stockholm Convention:
None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration

65000/3 - DEMIPERMANENT 2,0**SECTION 16. Other information ... / >>**

- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

14.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65001/3
Product name: DEMIPERMANENT 3,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65001/3 - DEMIPERMANENT 3,0**SECTION 2. Hazards identification ... / >>**

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:	2-AMINOETHANOL 2-METHYL-p-PHENYLENEDIAMINE SULFATE Maleic acid 3-AMINOPHENOL 2-METHYLRESORCINOL Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
------------------	---

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65001/3 - DEMIPERMANENT 3,0**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.555

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 2.2

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.945

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.709

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

2-METHYLRESORCINOL

INDEX 0.47

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

3-AMINOPHENOL

INDEX 612-127-00-4 0.28

EC 209-711-2

CAS 591-27-5

REACH Reg. 01-2119930678-27

Maleic acid

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1
LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

Eye Irrit. 2 H319

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411
LD50 Oral: 1550 mg/kgAcute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1
LD50 Oral: 200 mg/kgAcute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
LD50 Oral: 693 mg/kg, STA Inhalation mists/powders: 1.5 mg/lAcute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317
LD50 Oral: 1030 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic	Chronic	Effects on workers			
	Acute	Acute			Acute	Chronic	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic	Chronic	Effects on workers			
	Acute	Acute			Acute	Chronic	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

65001/3 - DEMIPERMANENT 3,0**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.50 %
VOC (volatile carbon)	5.00 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65001/3 - DEMIPERMANENT 3,0**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65001/3 - DEMIPERMANENT 3,0**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: > 5 mg/l
 ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal): 1000 mg/kg Rat
 LD50 (Oral): 693 mg/kg Rat
 LC50 (Inhalation mists/powders): 1162 mg/m3 Rat

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

2-METHYLRESORCINOL
 non irritante

2-AMINOETHANOL
 corrosivo

65001/3 - DEMIPERMANENT 3,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

SECTION 11. Toxicological information ... / >>

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

65001/3 - DEMIPERMANENT 3,0**SECTION 12. Ecological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

3-AMINOPHENOL

Solubility in water	29900 mg/l 35°C
Rapidly degradable	

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

2-AMINOETHANOL

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

12.4. Mobility in soil

2-AMINOETHANOL

Partition coefficient: soil/water	-0.5646
-----------------------------------	---------

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL; dodecan-1-ol)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: Environmentally Hazardous

IMDG: Marine Pollutant

IATA: NO



For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 80
Special provision: -

IMDG: EMS: F-A, S-B

IATA: Cargo:

Passengers:

Special provision:

Limited Quantities: 5 L

Limited Quantities: 5 L

Maximum quantity: 60 L

Maximum quantity: 5 L

A3, A803

Tunnel restriction code: (E)

Packaging instructions: 856

Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.

65001/3 - DEMIPERMANENT 3,0**SECTION 16. Other information ... / >>**

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website

65001/3 - DEMIPERMANENT 3,0**SECTION 16. Other information ... / >>**

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65002/3
Product name: DEMIPERMANENT 4,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.

65002/3 - DEMIPERMANENT 4,0**SECTION 2. Hazards identification ... / >>**

Hazardous to the aquatic environment, chronic toxicity, category 2

H411

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H318 Causes serious eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P280 Wear protective gloves / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P273 Avoid release to the environment.
P391 Collect spillage.
P261 Avoid breathing dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

Contains:

2-AMINOETHANOL
2-METHYL-p-PHENYLENEDIAMINE SULFATE
Maleic acid
3-AMINOPHENOL
Hydroxyethyl-3,4-methylenedioxylaniline hydrochloride
2-METHYLRESORCINOL

2.3. Other hazardsOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.**SECTION 3. Composition/information on ingredients****3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	4.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65002/3 - DEMIPERMANENT 4,0**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.555

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 1.4

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 0.945

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYLRESORCINOL

INDEX 0.47

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.31

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

LD50 Oral: 1550 mg/kg

CAS 94158-14-2

REACH Reg. 01-2120758799-28

3-AMINOPHENOL

INDEX 612-127-00-4 0.13

Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 209-711-2

LD50 Oral: 693 mg/kg, STA Inhalation mists/powders: 1.5 mg/l

CAS 591-27-5

REACH Reg. 01-2119930678-27

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65002/3 - DEMIPERMANENT 4,0

Revision nr.1

Dated 12/10/2023

First compilation

Printed on 12/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	10.50 %
VOC (volatile carbon)	4.61 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65002/3 - DEMIPERMANENT 4,0**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65002/3 - DEMIPERMANENT 4,0**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: > 5 mg/l
 ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal): 1000 mg/kg Rat
 LD50 (Oral): 693 mg/kg Rat
 LC50 (Inhalation mists/powders): 1162 mg/m3 Rat

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Causes skin irritation

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

2-METHYLRESORCINOL
 non irritante

2-AMINOETHANOL
 corrosivo

65002/3 - DEMIPERMANENT 4,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

SECTION 11. Toxicological information ... / >>

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

65002/3 - DEMIPERMANENT 4,0**SECTION 12. Ecological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

3-AMINOPHENOL

Solubility in water	29900 mg/l 35°C
Rapidly degradable	

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

2-AMINOETHANOL

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

12.4. Mobility in soil

2-AMINOETHANOL

Partition coefficient: soil/water	-0.5646
-----------------------------------	---------

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3082

ADR / RID: In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity $\leq$ 5Kg or 5L, is not submitted to ADR provisions.

IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity $\leq$ 5Kg or 5L, is not submitted to IMDG Code provisions.

IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity $\leq$ 5Kg or 5L, is not submitted to IATA dangerous goods regulations.

14.2. UN proper shipping name

ADR / RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecan-1-ol; 2-METHYL-p-PHENYLENEDIAMINE SULFATE)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecan-1-ol; 2-METHYL-p-PHENYLENEDIAMINE SULFATE)

IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecan-1-ol; 2-METHYL-p-PHENYLENEDIAMINE SULFATE)

14.3. Transport hazard class(es)

ADR / RID: Class: 9 Label: 9

IMDG: Class: 9 Label: 9

IATA: Class: 9 Label: 9

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

65002/3 - DEMIPERMANENT 4,0**SECTION 14. Transport information ... / >>****14.5. Environmental hazards**

ADR / RID: Environmentally Hazardous

IMDG: Marine Pollutant

IATA: Environmentally Hazardous

**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: 90 Special provision: -	Limited Quantities: 5 L	Tunnel restriction code: (-)
IMDG:	EMS: F-A, S-F	Limited Quantities: 5 L	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 450 L Maximum quantity: 450 L A97, A158, A197, A215	Packaging instructions: 964 Packaging instructions: 964

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

65002/3 - DEMIPERMANENT 4,0**SECTION 16. Other information ... / >>**

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65003/3
Product name: DEMIPERMANENT 5,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.

65003/3 - DEMIPERMANENT 5,0**SECTION 2. Hazards identification ... / >>**

Hazardous to the aquatic environment, chronic toxicity, category 3

H412

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H318

Causes serious eye damage.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements:

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P280

Wear protective gloves / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P261

Avoid breathing dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P264

Wash hands thoroughly after handling.

P362+P364

Take off contaminated clothing and wash it before reuse.

Contains:

2-AMINOETHANOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Maleic acid

Hydroxyethyl-3,4-methylenedioxylaniline hydrochloride

4-tert-butylcyclohexyl acetate

2-METHYLRESORCINOL

2.3. Other hazardsOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.**SECTION 3. Composition/information on ingredients****3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	4	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65003/3 - DEMIPERMANENT 5,0**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.555

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 1

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 0.945

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYLRESORCINOL

INDEX 0.33

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.22

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

LD50 Oral: 1550 mg/kg

CAS 94158-14-2

REACH Reg. 01-2120758799-28

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65003/3 - DEMIPERMANENT 5,0

Revision nr.1

Dated 12/10/2023

First compilation

Printed on 12/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

65003/3 - DEMIPERMANENT 5,0**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 10.07 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65003/3 - DEMIPERMANENT 5,0**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: > 5 mg/l
ATE (Inhalation - vapours) of the mixture: > 20 mg/l
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): 102 mg/kg
LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): > 1089 mg/kg rat
LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Causes skin irritation

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

65003/3 - DEMIPERMANENT 5,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

65003/3 - DEMIPERMANENT 5,0**SECTION 11. Toxicological information ... / >>**

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

SECTION 12. Ecological information ... / >>**2-AMINOETHANOL**

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability**2-METHYLRESORCINOL**

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential**2-METHYLRESORCINOL**

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

2-AMINOETHANOL

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

12.4. Mobility in soil**2-AMINOETHANOL**

Partition coefficient: soil/water	-0.5646
-----------------------------------	---------

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

EPY 11.5.1 - SDS 1004.14

65003/3 - DEMIPERMANENT 5,0**SECTION 15. Regulatory information ... / >>**

Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)
On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:
None

Substances subject to the Rotterdam Convention:
None

Substances subject to the Stockholm Convention:
None

Healthcare controls
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)

SECTION 16. Other information ... / >>

- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

65003/3 - DEMIPERMANENT 5,0**CALCULATION METHODS FOR CLASSIFICATION**

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65004/3
Product name: DEMIPERMANENT 6,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65004/3 - DEMIPERMANENT 6,0**SECTION 2. Hazards identification ... / >>**

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains: ETHANOLAMINE
2-METHYL-p-PHENYLENEDIAMINE SULFATE
Maleic acid
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
4-tert-butylcyclohexyl acetate
2-METHYLRESORCINOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65004/3 - DEMIPERMANENT 6,0

SECTION 3. Composition/information on ingredients ... / >>

dodecan-1-ol

INDEX 2.555

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

Eye Irrit. 2 H319

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 1.03

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

tetradecanol

INDEX 0.945

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

2-METHYLRESORCINOL

INDEX 0.41

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

ATE Oral: 100 mg/kg

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Skin Sens. 1B H317

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.14

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

LD50 Oral: 1550 mg/kg

Maleic acid

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal

65004/3 - DEMIPERMANENT 6,0**SECTION 4. First aid measures ... / >>**

protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.

65004/3 - DEMIPERMANENT 6,0

Revision nr.1

Dated 21/10/2024

First compilation

Printed on 21/10/2024

Page n. 5 / 16

EN

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Effects on consumers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

65004/3 - DEMIPERMANENT 6,0**SECTION 8. Exposure controls/personal protection ... / >>****ETHANOLAMINE****Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Davines S.p.A. 65004/3 - DEMIPERMANENT 6,0		Revision nr.1 Dated 21/10/2024 First compilation Printed on 21/10/2024 Page n. 7 / 16 EN
SECTION 8. Exposure controls/personal protection ... / >>		
Protect hands with category III work gloves. The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing. EYE PROTECTION Wear airtight protective goggles (see standard EN ISO 16321). RESPIRATORY PROTECTION Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.		
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties Appearance Colour Odour Melting point / freezing point Initial boiling point Flammability Lower explosive limit Upper explosive limit Flash point Auto-ignition temperature Decomposition temperature pH Kinematic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Value CREAM white to beige / yellow STD. REF. not available not available not available not available not available > 60 °C not available not available 9,50 - 10,50 100.000,0000 - 300.000,0000 not available not available not available not available not available not applicable	Information
9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
Information not available		
9.2.2. Other safety characteristics		
VOC (Directive 2010/75/EU)	11.08 %	
EPY 11.7.2 - SDS 1004.14		

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65004/3 - DEMIPERMANENT 6,0**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:

> 5 mg/l

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65004/3 - DEMIPERMANENT 6,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LD50 (Oral):	1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
irritante per gli occhi4-tert-butylcyclohexyl acetate
non irritante

65004/3 - DEMIPERMANENT 6,0**SECTION 11. Toxicological information ... / >>**

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Davines S.p.A.		Revision nr.1 Dated 21/10/2024 First compilation Printed on 21/10/2024 Page n. 12 / 16	EN
65004/3 - DEMIPERMANENT 6,0			
SECTION 11. Toxicological information ... / >>			
Does not meet the classification criteria for this hazard class			
ASPIRATION HAZARD			
Does not meet the classification criteria for this hazard class			
11.2. Information on other hazards			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.			
SECTION 12. Ecological information			
This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.			
12.1. Toxicity			
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
LC50 - for Fish	< 1 mg/l/96h		
EC50 - for Crustacea	1.19 mg/l/48h		
Chronic NOEC for Crustacea	0.63 mg/l		
2-METHYLRESORCINOL			
LC50 - for Fish	58.1 mg/l/96h		
EC50 - for Crustacea	0.605 mg/l/48h		
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l		
Maleic acid			
LC50 - for Fish	75 mg/l/96h		
EC50 - for Crustacea	42.81 mg/l/48h		
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h		
Chronic NOEC for Crustacea	10 mg/l		
ETHANOLAMINE			
Chronic NOEC for Fish	1.2 mg/l Oryzias latipes		
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna		
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
LC50 - for Fish	39 mg/l/96h		
EC50 - for Crustacea	120.9 mg/l/48h		
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h		
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna		
Chronic NOEC for Crustacea	1.25 mg/l		
dodecan-1-ol			
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas		
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna		
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)		
4-tert-butylcyclohexyl acetate			
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio		
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna		
EC50 - for Algae / Aquatic Plants	22 mg/l/72h		
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h		
tetradecanol			
LC50 - for Fish	> 1 mg/l/96h		
EC50 - for Crustacea	3.2 mg/l/48h		
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h		
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride			
LC50 - for Fish	106 mg/l/96h		
EC50 - for Crustacea	2.67 mg/l/48h		
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h		
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l		
12.2. Persistence and degradability			

 EPY 11.7.2 - SDS 1004.14

65004/3 - DEMIPERMANENT 6,0**SECTION 12. Ecological information** ... / >>

2-METHYLRESORCINOL
Solubility in water 263000 mg/l 25°C
Rapidly degradable

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

12.3. Bioaccumulative potential

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

65004/3 - DEMIPERMANENT 6,0**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazardsADR / RID: NO
IMDG: not marine pollutant
IATA: NO**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 lt	Tunnel restriction code: (E)
	Special provision: 274		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

65004/3 - DEMIPERMANENT 6,0**SECTION 15. Regulatory information ... / >>**

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

65004/3 - DEMIPERMANENT 6,0**SECTION 16. Other information ... / >>**

- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
 24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65005/3
Product name: DEMIPERMANENT 7,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person
responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06
6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65005/3 - DEMIPERMANENT 7,0**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65005/3 - DEMIPERMANENT 7,0**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.555

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.945

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.79

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.32

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.117

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

LD50 Oral: 1550 mg/kg

CAS 94158-14-2

REACH Reg. 01-2120758799-28

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Chronic	Chronic	
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Chronic	Chronic	
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

SECTION 8. Exposure controls/personal protection ... / >>

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75	VND	75				
		mg/kg/d		mg/kg/d				
Inhalation	VND	65	VND	65	VND	220	VND	220
		mg/m3		mg/m3		mg/m3		mg/m3
Skin			VND	75	VND	125	VND	125
				mg/kg/d		mg/kg/d		mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65005/3 - DEMIPERMANENT 7,0**SECTION 10. Stability and reactivity** ... / >>**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65005/3 - DEMIPERMANENT 7,0**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

65005/3 - DEMIPERMANENT 7,0**SECTION 11. Toxicological information ... / >>**

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

65005/3 - DEMIPERMANENT 7,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna

65005/3 - DEMIPERMANENT 7,0**SECTION 12. Ecological information** ... / >>

Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	
2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow
2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING

65005/3 - DEMIPERMANENT 7,0

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: -	Limited Quantities: 5 L	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

65005/3 - DEMIPERMANENT 7,0**SECTION 15. Regulatory information ... / >>**

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

65005/3 - DEMIPERMANENT 7,0**SECTION 16. Other information ... / >>**

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise

65005/3 - DEMIPERMANENT 7,0

in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65006/3
Product name: DEMIPERMANENT 8,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65006/3 - DEMIPERMANENT 8,0**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
2-METHYLRESORCINOL
4-tert-butylcyclohexyl acetate
2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65006/3 - DEMIPERMANENT 8,0

SECTION 3. Composition/information on ingredients ... / >>

dodecan-1-ol

INDEX 2.555

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

Eye Irrit. 2 H319

tetradecanol

INDEX 0.945

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.4

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

4-tert-butylcyclohexyl acetate

INDEX 2.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Skin Sens. 1B H317

2-METHYLRESORCINOL

INDEX 0.17

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

ATE Oral: 100 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

ATE Oral: 500 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-AMINOPHENOL

INDEX 612-128-00-X 0.014

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

EC 204-616-2

ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

CAS 123-30-8

REACH Reg. 01-2119535388-31

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal

65006/3 - DEMIPERMANENT 8,0**SECTION 4. First aid measures ... / >>**

protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.

65006/3 - DEMIPERMANENT 8,0

Revision nr.1

Dated 21/10/2024

First compilation

Printed on 21/10/2024

Page n. 5 / 17

EN

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65006/3 - DEMIPERMANENT 8,0**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**Maleic acid**

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65006/3 - DEMIPERMANENT 8,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

65006/3 - DEMIPERMANENT 8,0**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYLRESORCINOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

Davines S.p.A.		Revision nr.1 Dated 21/10/2024 First compilation Printed on 21/10/2024 Page n. 12 / 17	EN
65006/3 - DEMIPERMANENT 8,0			
SECTION 11. Toxicological information ... / >>			
4-tert-butylcyclohexyl acetate negative			
tetradecanol negative			
4-AMINOPHENOL mutagena			
CARCINOGENICITY			
Does not meet the classification criteria for this hazard class			
REPRODUCTIVE TOXICITY			
Does not meet the classification criteria for this hazard class			
STOT - SINGLE EXPOSURE			
May cause respiratory irritation			
STOT - REPEATED EXPOSURE			
Does not meet the classification criteria for this hazard class			
ASPIRATION HAZARD			
Does not meet the classification criteria for this hazard class			
11.2. Information on other hazards			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.			
SECTION 12. Ecological information			
This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.			
12.1. Toxicity			
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
LC50 - for Fish		< 1 mg/l/96h	
EC50 - for Crustacea		1.19 mg/l/48h	
Chronic NOEC for Crustacea		0.63 mg/l	
2-METHYLRESORCINOL			
LC50 - for Fish		58.1 mg/l/96h	
EC50 - for Crustacea		0.605 mg/l/48h	
Chronic NOEC for Algae / Aquatic Plants		2.49 mg/l	
Maleic acid			
LC50 - for Fish		75 mg/l/96h	
EC50 - for Crustacea		42.81 mg/l/48h	
EC50 - for Algae / Aquatic Plants		74.35 mg/l/72h	
Chronic NOEC for Crustacea		10 mg/l	
ETHANOLAMINE			
Chronic NOEC for Fish		1.2 mg/l Oryzias latipes	
Chronic NOEC for Crustacea		0.85 mg/l Daphnia magna	
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
LC50 - for Fish		39 mg/l/96h	
EC50 - for Crustacea		120.9 mg/l/48h	
EC50 - for Algae / Aquatic Plants		118.434 mg/l/72h	
EC10 for Crustacea		< 1 mg/l/48h Daphnia magna	
Chronic NOEC for Crustacea		1.25 mg/l	

EPY 11.7.2 - SDS 1004.14

65006/3 - DEMIPERMANENT 8,0**SECTION 12. Ecological information** ... / >>

dodecan-1-ol
LC50 - for Fish 1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea 0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants 0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate
LC50 - for Fish 8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea 5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants 22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants 6.8 mg/l 72 h

tetradecanol
LC50 - for Fish > 1 mg/l/96h
EC50 - for Crustacea 3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants > 10 mg/l/72h

4-AMINOPHENOL
LC50 - for Fish 0.82 mg/l/96h
EC50 - for Crustacea 0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants 0.253 mg/l/72h
EC10 for Algae / Aquatic Plants 0.083 mg/l/72h
Chronic NOEC for Fish 0.049 mg/l
Chronic NOEC for Crustacea 0.206 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL
Solubility in water 263000 mg/l 25°C
Rapidly degradable

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

4-AMINOPHENOL
Solubility in water > 1000 mg/l
NOT rapidly degradable

12.3. Bioaccumulative potential

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

4-AMINOPHENOL
Partition coefficient: n-octanol/water -0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

65006/3 - DEMIPERMANENT 8,0**SECTION 12. Ecological information** ... / >>**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 80
Special provision: 274

IMDG: EMS: F-A, S-B

IATA: Cargo:

Passengers:

Special provision:

Limited Quantities: 5 lt

Limited Quantities: 5 lt

Maximum quantity: 60 L

Maximum quantity: 5 L

A3, A803

Tunnel restriction code: (E)

Packaging instructions: 856

Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

65006/3 - DEMIPERMANENT 8,0**SECTION 16. Other information ... / >>**

H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

65006/3 - DEMIPERMANENT 8,0**SECTION 16. Other information ... / >>**

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65007/3
Product name: DEMIPERMANENT 9,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65007/3 - DEMIPERMANENT 9,0**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: 2-METHYLRESORCINOL

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65007/3 - DEMIPERMANENT 9,0

SECTION 3. Composition/information on ingredients ... / >>

dodecan-1-ol

INDEX 2.373

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.878

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.15

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.1

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

ATE Oral: 100 mg/kg

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

ATE Oral: 500 mg/kg

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-AMINOPHENOL

INDEX 612-128-00-X 0.04

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

EC 204-616-2

CAS 123-30-8

REACH Reg. 01-2119535388-31

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal

65007/3 - DEMIPERMANENT 9,0**SECTION 4. First aid measures ... / >>**

protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.

65007/3 - DEMIPERMANENT 9,0

Revision nr.1

Dated 21/10/2024

First compilation

Printed on 21/10/2024

Page n. 5 / 17

EN

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Davines S.p.A. 65007/3 - DEMIPERMANENT 9,0		Revision nr.1 Dated 21/10/2024 First compilation Printed on 21/10/2024 Page n. 7 / 17 EN
SECTION 8. Exposure controls/personal protection ... / >>		
Protect hands with category III work gloves. The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing. EYE PROTECTION Wear airtight protective goggles (see standard EN ISO 16321). RESPIRATORY PROTECTION Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.		
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties Appearance Colour Odour Melting point / freezing point Initial boiling point Flammability Lower explosive limit Upper explosive limit Flash point Auto-ignition temperature Decomposition temperature pH Kinematic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Value CREAM white to beige / yellow STD. REF. not available not available not available not available not available > 60 °C not available not available 9,50 - 10,50 100.000,0000 - 300.000,0000 not available not available not available not available not available not applicable	Information
9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
Information not available		
9.2.2. Other safety characteristics		
VOC (Directive 2010/75/EU)	11.08 %	
EPY 11.7.2 - SDS 1004.14		

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65007/3 - DEMIPERMANENT 9,0**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**Maleic acid**

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65007/3 - DEMIPERMANENT 9,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritante**SERIOUS EYE DAMAGE / IRRITATION**

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

65007/3 - DEMIPERMANENT 9,0**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

2-METHYLRESORCINOL

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

Davines S.p.A. 65007/3 - DEMIPERMANENT 9,0		Revision nr.1 Dated 21/10/2024 First compilation Printed on 21/10/2024 Page n. 12 / 17 EN
SECTION 11. Toxicological information ... / >>		
4-tert-butylcyclohexyl acetate negative		
tetradecanol negative		
4-AMINOPHENOL mutagena		
CARCINOGENICITY Does not meet the classification criteria for this hazard class		
REPRODUCTIVE TOXICITY Does not meet the classification criteria for this hazard class		
STOT - SINGLE EXPOSURE May cause respiratory irritation		
STOT - REPEATED EXPOSURE Does not meet the classification criteria for this hazard class		
ASPIRATION HAZARD Does not meet the classification criteria for this hazard class		
11.2. Information on other hazards Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.		
SECTION 12. Ecological information		
This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.		
12.1. Toxicity 2-METHYL-p-PHENYLENEDIAMINE SULFATE LC50 - for Fish EC50 - for Crustacea Chronic NOEC for Crustacea < 1 mg/l/96h 1.19 mg/l/48h 0.63 mg/l 2-METHYLRESORCINOL LC50 - for Fish EC50 - for Crustacea Chronic NOEC for Algae / Aquatic Plants 58.1 mg/l/96h 0.605 mg/l/48h 2.49 mg/l Maleic acid LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Crustacea 75 mg/l/96h 42.81 mg/l/48h 74.35 mg/l/72h 10 mg/l ETHANOLAMINE Chronic NOEC for Fish Chronic NOEC for Crustacea 1.2 mg/l Oryzias latipes 0.85 mg/l Daphnia magna sodium hydrogen N-(1-oxododecyl)-L-glutamate LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants EC10 for Crustacea Chronic NOEC for Crustacea 39 mg/l/96h 120.9 mg/l/48h 118.434 mg/l/72h < 1 mg/l/48h Daphnia magna 1.25 mg/l		
EPY 11.7.2 - SDS 1004.14		

65007/3 - DEMIPERMANENT 9,0**SECTION 12. Ecological information** ... / >>

dodecan-1-ol
LC50 - for Fish 1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea 0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants 0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate
LC50 - for Fish 8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea 5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants 22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants 6.8 mg/l 72 h

tetradecanol
LC50 - for Fish > 1 mg/l/96h
EC50 - for Crustacea 3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants > 10 mg/l/72h

4-AMINOPHENOL
LC50 - for Fish 0.82 mg/l/96h
EC50 - for Crustacea 0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants 0.253 mg/l/72h
EC10 for Algae / Aquatic Plants 0.083 mg/l/72h
Chronic NOEC for Fish 0.049 mg/l
Chronic NOEC for Crustacea 0.206 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL
Solubility in water 263000 mg/l 25°C
Rapidly degradable

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

4-AMINOPHENOL
Solubility in water > 1000 mg/l
NOT rapidly degradable

12.3. Bioaccumulative potential

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

4-AMINOPHENOL
Partition coefficient: n-octanol/water -0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

65007/3 - DEMIPERMANENT 9,0**SECTION 12. Ecological information** ... / >>**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 80
Special provision: 274

Limited Quantities: 5 lt

Tunnel restriction code: (E)

IMDG: EMS: F-A, S-B

Limited Quantities: 5 lt

IATA: Cargo:

Maximum quantity: 60 L

Passengers:

Maximum quantity: 5 L

Special provision:

A3, A803

Packaging instructions: 856

Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

SECTION 16. Other information ... / >>

H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

65007/3 - DEMIPERMANENT 9,0**SECTION 16. Other information ... / >>**

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65008/3
Product name: DEMIPERMANENT 10,0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Hazardous to the aquatic environment, chronic		

65008/3 - DEMIPERMANENT 10,0

SECTION 2. Hazards identification ... / >>

toxicity, category 3

H412

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H318

Causes serious eye damage.

H315

Causes skin irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P280

Wear protective gloves / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

P273

Avoid release to the environment.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	4.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		
dodecan-1-ol		
INDEX 203-982-0	2.373	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC 112-53-8		
CAS 112-53-8		
REACH Reg. 01-2119485976-15		

65008/3 - DEMIPERMANENT 10,0**SECTION 3. Composition/information on ingredients ... / >>****sodium hydrogen N-(1-oxododecyl)-L-glutamate**

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.878

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 0.11

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-amino-m-cresol

INDEX 0.029

Acute Tox. 4 H302, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10

EC 220-621-2

CAS 2835-99-6

REACH Reg. 01-2120762079-48

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

ATE Oral: 500 mg/kg

EC 220-621-2

CAS 2835-99-6

REACH Reg. 01-2120762079-48

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice.

Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

SECTION 4. First aid measures ... / >>**4.3. Indication of any immediate medical attention and special treatment needed**

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 7. Handling and storage ... / >>

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2023
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC								
Normal value in fresh water					0.0126	mg/l		
Normal value in marine water					0.00126	mg/l		
Normal value for fresh water sediment					0.0112	mg/kg		
Normal value for marine water sediment					0.00112	mg/kg		
Normal value for water, intermittent release					0.7	mg/l		
Normal value of STP microorganisms					0.177	mg/l		
Normal value for the terrestrial compartment					0.00259	mg/kg		
Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

ETHANOLAMINE

Threshold Limit Value							
Type	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
VLA	ESP	2.5	1	7.5	3	SKIN	
VLEP	ITA	2.5	1	7.6	3	SKIN	
WEL	GBR	2.5	1	7.6	3	SKIN	
OEL	EU	2.5	1	7.6	3	SKIN	
TLV-ACGIH		7.5	3	15	6		
Predicted no-effect concentration - PNEC							
Normal value in fresh water						0.085	mg/l
Normal value in marine water						0.0085	mg/l
Normal value for fresh water sediment						0.425	mg/kg
Normal value for marine water sediment						0.0425	mg/kg
Normal value for water, intermittent release						0.025	mg/l
Normal value of STP microorganisms						100	mg/l
Normal value for the terrestrial compartment						0.035	mg/kg
Health - Derived no-effect level - DNEL / DMEL							
	Effects on consumers				Effects on workers		
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic
	local	systemic	local	systemic	local	systemic	systemic
Oral			VND	3,75 mg/kg/d			
Inhalation			VND	2 mg/m3			VND 3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND 1 mg/kg/d

65008/3 - DEMIPERMANENT 10,0**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

65008/3 - DEMIPERMANENT 10,0**SECTION 9. Physical and chemical properties ... / >>****SECTION 9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 10.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

65008/3 - DEMIPERMANENT 10,0**SECTION 10. Stability and reactivity** ... / >>**10.6. Hazardous decomposition products**

ETHANOLAMINE

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

65008/3 - DEMIPERMANENT 10,0**SECTION 11. Toxicological information ... / >>**Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
102 mg/kg
LD50 (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
ATE (Oral): (figure used for calculation of the acute toxicity estimate of the mixture)
100 mg/kg
LC50 (Inhalation mists/powders): 1.77 mg/l/4h

4-amino-m-cresol

LD50 (Dermal): 2409 mg/kg
LD50 (Oral): 870 mg/kg Rat
LC50 (Inhalation vapours): 12.24 mg/l/4h

Maleic acid

LD50 (Dermal): 2620 mg/kg
LD50 (Oral): 1030 mg/kg

ETHANOLAMINE

LD50 (Dermal): 2504 mg/kg
ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
1089 mg/kg Rat
LD50 (Oral): > 1.3 mg/l/6h Rat
LC50 (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
ATE (Inhalation vapours): (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

SKIN CORROSION / IRRITATION

Causes skin irritation

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

4-amino-m-cresol
non irritante

ETHANOLAMINE
corrosivo

65008/3 - DEMIPERMANENT 10,0**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

4-amino-m-cresol
non irritante

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

4-amino-m-cresol
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

65008/3 - DEMIPERMANENT 10,0**SECTION 11. Toxicological information** ... / >>

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

4-amino-m-cresol
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

4-amino-m-cresol

LC50 - for Fish	0.42 mg/l/96h Brachydanio rerio
EC50 - for Crustacea	0.2 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.035 mg/l/72h
EC10 for Algae / Aquatic Plants	0.0098 mg/l/72h

65008/3 - DEMIPERMANENT 10,0**SECTION 12. Ecological information** ... / >>

Maleic acid	
LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l
ETHANOLAMINE	
Chronic NOEC for Fish	1.2 mg/l <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l <i>Daphnia magna</i>
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)
4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h <i>Cyprinus carpio</i>
EC50 - for Crustacea	5.3 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability

4-amino-m-cresol	
NOT rapidly degradable	
ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-tert-butylcyclohexyl acetate	
Rapidly degradable	
tetradecanol	
Rapidly degradable	

12.3. Bioaccumulative potential

4-amino-m-cresol	
Partition coefficient: n-octanol/water	0.51 20°C
ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessmentOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

Davines S.p.A. 65008/3 - DEMIPERMANENT 10,0		Revision nr.1 Dated 21/10/2024 First compilation Printed on 21/10/2024 Page n. 13 / 16 EN
SECTION 12. Ecological information ... / >>		
12.6. Endocrine disrupting properties Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation. 12.7. Other adverse effects Information not available		
SECTION 13. Disposal considerations		
13.1. Waste treatment methods Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.		
SECTION 14. Transport information		
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations. 14.1. UN number or ID number not applicable 14.2. UN proper shipping name not applicable 14.3. Transport hazard class(es) not applicable 14.4. Packing group not applicable 14.5. Environmental hazards not applicable 14.6. Special precautions for user not applicable 14.7. Maritime transport in bulk according to IMO instruments Information not relevant		
SECTION 15. Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Seveso Category - Directive 2012/18/EU:None Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Product Point3 - 40		
EPY 11.7.2 - SDS 1004.14		

65008/3 - DEMIPERMANENT 10,0**SECTION 15. Regulatory information ... / >>**

Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)
On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:
None

Substances subject to the Rotterdam Convention:
None

Substances subject to the Stockholm Convention:
None

Healthcare controls
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)

SECTION 16. Other information ... / >>

- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
 24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the

65008/3 - DEMIPERMANENT 10,0

suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65016/3
Product name: DEMIPERMANENT 6,1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65016/3 - DEMIPERMANENT 6,1**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
2-METHYLRESORCINOL
2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65016/3 - DEMIPERMANENT 6,1**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 0.75

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.25

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.15

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

LD50 Oral: 1550 mg/kg

CAS 94158-14-2

REACH Reg. 01-2120758799-28

Maleic acid

INDEX 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65016/3 - DEMIPERMANENT 6,1

Revision nr.1

Dated 12/10/2023

First compilation

Printed on 12/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

VLEP

WEL

OEL

TLV-ACGIH

ESP

ITA

GBR

EU

2.5

2.5

2.5

2.5

7.5

1

1

1

1

3

7.5

7.6

7.6

7.6

15

3

3

3

3

6

SKIN

SKIN

SKIN

SKIN

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

Inhalation

Skin

VND

VND

VND

3,75

2

0,24

mg/kg/d

mg/m3

mg/kg/d

VND

VND

VND

1

3,3

1

mg/kg/d

mg/m3

mg/kg/d

EPY 11.5.1 - SDS 1004.14

65016/3 - DEMIPERMANENT 6,1**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65016/3 - DEMIPERMANENT 6,1**SECTION 10. Stability and reactivity** ... / >>**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: NDMetabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65016/3 - DEMIPERMANENT 6,1**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

65016/3 - DEMIPERMANENT 6,1**SECTION 11. Toxicological information ... / >>**

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

65016/3 - DEMIPERMANENT 6,1**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna

65016/3 - DEMIPERMANENT 6,1**SECTION 12. Ecological information ... / >>**

Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	
2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow
2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING

65016/3 - DEMIPERMANENT 6,1

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: -	Limited Quantities: 5 L	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

65016/3 - DEMIPERMANENT 6,1**SECTION 15. Regulatory information ... / >>**

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

65016/3 - DEMIPERMANENT 6,1**SECTION 16. Other information ... / >>**

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise

65016/3 - DEMIPERMANENT 6,1

in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65017/3
Product name: DEMIPERMANENT 6,21

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR) Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65017/3 - DEMIPERMANENT 6,21**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH208

Contains: Maleic acid
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
2-METHYLRESORCINOL
2-METHYL-p-PHENYLENEDIAMINE SULFATE
May produce an allergic reaction.

Precautionary statements:

P260 Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P264 Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65017/3 - DEMIPERMANENT 6,21**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 0.77

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.27

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.143

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

LD50 Oral: 1550 mg/kg

CAS 94158-14-2

REACH Reg. 01-2120758799-28

Maleic acid

INDEX 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65017/3 - DEMIPERMANENT 6,21

Revision nr.1

Dated 04/10/2023

First compilation

Printed on 04/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65017/3 - DEMIPERMANENT 6,21**SECTION 10. Stability and reactivity** ... / >>**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: NDMetabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65017/3 - DEMIPERMANENT 6,21**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

2-METHYLRESORCINOL
 non irritante

2-AMINOETHANOL
 corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
 non irritante

dodecan-1-ol
 non irritante

65017/3 - DEMIPERMANENT 6,21**SECTION 11. Toxicological information ... / >>**

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

65017/3 - DEMIPERMANENT 6,21**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna

65017/3 - DEMIPERMANENT 6,21**SECTION 12. Ecological information ... / >>**

Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	
2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow
2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: -	Limited Quantities: 5 L	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

65017/3 - DEMIPERMANENT 6,21**SECTION 15. Regulatory information ... / >>**

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

65017/3 - DEMIPERMANENT 6,21**SECTION 16. Other information ... / >>**

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise

65017/3 - DEMIPERMANENT 6,21

in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65038/3
Product name: DEMIPERMANENT 7,18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65038/3 - DEMIPERMANENT 7,18**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

4-CHLORORESORCINOL

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l

REACH Reg. 01-2119486455-28

65038/3 - DEMIPERMANENT 7,18**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.36

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

ATE Oral: 500 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-CHLORORESORCINOL

INDEX 0.1

Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 202-462-0

ATE Oral: 500 mg/kg

CAS 95-88-5

REACH Reg. 01-2120751205-62

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.1

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411
LD50 Oral: 1550 mg/kg

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

65038/3 - DEMIPERMANENT 7,18**SECTION 4. First aid measures ... / >>****4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the

Davines S.p.A.

65038/3 - DEMIPERMANENT 7,18

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 16

EN

SECTION 7. Handling and storage ... / >>

environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2023
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.50 %
VOC (volatile carbon)	5.00 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

Davines S.p.A. 65038/3 - DEMIPERMANENT 7,18		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 9 / 16 EN
SECTION 11. Toxicological information ... / >>		
f) cancerogenicità; Valutazione di cancerogenicità: La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451		
g) tossicità per la riproduzione; Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.		
h) tossicità specifica per organi bersaglio (STOT) — esposizione singola; Valutazione STOT singola: ND		
i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta; Valutazione della tossicità in seguito a somministrazione ripetuta: ND.		
j) pericolo in caso di aspirazione: ND		
4-CHLORORESORCINOL 4-CHLORORESORCINOL: Irritante per gli occhi e la pelle - pericolo di gravi lesioni oculari. Sensibilizzante per la pelle. STOT - Esposizione ripetuta: NOAEL 70 mg/kg/d		
Metabolism, toxicokinetics, mechanism of action and other information		
Information not available		
Information on likely routes of exposure		
Information not available		
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Information not available		
Interactive effects		
Information not available		
ACUTE TOXICITY		
ATE (Inhalation - vapours) of the mixture: > 20 mg/l ATE (Oral) of the mixture: >2000 mg/kg ATE (Dermal) of the mixture: >2000 mg/kg		
2-METHYL-p-PHENYLENEDIAMINE SULFATE LD50 (Dermal): > 2000 mg/kg ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) LD50 (Oral): 102 mg/kg ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) LC50 (Inhalation mists/powders): 1.77 mg/l/4h		
Maleic acid LD50 (Dermal): 2620 mg/kg LD50 (Oral): 1030 mg/kg		
4-CHLORORESORCINOL LD50 (Oral): 370 mg/kg rat		
ETHANOLAMINE LD50 (Dermal): 2504 mg/kg ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) LD50 (Oral): 1089 mg/kg Rat LC50 (Inhalation vapours): > 1.3 mg/l/6h Rat ATE (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP		
EPY 11.7.2 - SDS 1004.14		

65038/3 - DEMIPERMANENT 7,18**SECTION 11. Toxicological information ... / >>**

(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate
LD50 (Dermal): > 5000 mg/kg
LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol
LD50 (Dermal): > 8000 mg/kg
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol
LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

ETHANOLAMINE
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

4-CHLORORESORCINOL

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

65038/3 - DEMIPERMANENT 7,18**SECTION 11. Toxicological information ... / >>**

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

65038/3 - DEMIPERMANENT 7,18**SECTION 12. Ecological information** ... / >>**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

4-CHLORORESORCINOL

EC50 - for Crustacea	1.28 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	3 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l <i>Daphnia magna</i>

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability**4-CHLORORESORCINOL**

Solubility in water	> 100000 mg/l
NOT rapidly degradable	

ETHANOLAMINE

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

tetradecanol

Rapidly degradable

12.3. Bioaccumulative potential**ETHANOLAMINE**

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

12.4. Mobility in soil

Information not available

EPY 11.7.2 - SDS 1004.14

65038/3 - DEMIPERMANENT 7,18**SECTION 14. Transport information ... / >>****14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

SECTION 16. Other information ... / >>

H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

65038/3 - DEMIPERMANENT 7,18**SECTION 16. Other information ... / >>**

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65021/3
Product name: DEMIPERMANENT 7,12

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65021/3 - DEMIPERMANENT 7,12**SECTION 2. Hazards identification** ... / >>

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65021/3 - DEMIPERMANENT 7,12

SECTION 3. Composition/information on ingredients ... / >>

dodecan-1-ol

INDEX 2.373

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.878

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.43

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

4-tert-butylcyclohexyl acetate

INDEX 250-954-9 0.299

Skin Sens. 1B H317

EC 32210-23-4

CAS 32210-23-4

REACH Reg. 01-2119976286-24

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

INDEX 259-134-5 0.151

Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 259-134-5

ATE Oral: 100 mg/kg, ATE Dermal: 300 mg/kg, LC50 Inhalation mists/powders: 0.9 mg/l/4h

CAS 54381-16-7

REACH Reg. 01-2120762993-40

2-METHYLRESORCINOL

INDEX 210-155-8 0.12

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

ATE Oral: 100 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 303-085-5 0.11

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

LD50 Oral: 1550 mg/kg

CAS 94158-14-2

REACH Reg. 01-2120758799-28

REACH Reg. 01-2120758799-28

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

ATE Oral: 500 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

REACH Reg. 01-2119488705-25

REACH Reg. 01-2119488705-25

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

65021/3 - DEMIPERMANENT 7,12**SECTION 4. First aid measures ... / >>**

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Davines S.p.A.

65021/3 - DEMIPERMANENT 7,12

Revision nr.1
Dated 22/10/2024
First compilation
Printed on 22/10/2024
Page n. 5 / 17

EN

SECTION 6. Accidental release measures ... / >>

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Effects on consumers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.08 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

Davines S.p.A. 65021/3 - DEMIPERMANENT 7,12		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 9 / 17 EN
SECTION 11. Toxicological information ... / >>		
f) cancerogenicità; Valutazione di cancerogenicità: La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451 g) tossicità per la riproduzione; Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni. h) tossicità specifica per organi bersaglio (STOT) — esposizione singola; Valutazione STOT singola: ND i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta; Valutazione della tossicità in seguito a somministrazione ripetuta: ND. j) pericolo in caso di aspirazione: ND		
Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects Information not available		
ACUTE TOXICITY ATE (Inhalation - mists / powders) of the mixture: ATE (Inhalation - vapours) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture: 428 mg/l > 20 mg/l >2000 mg/kg >2000 mg/kg (p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate LD50 (Dermal): ATE (Dermal): LD50 (Oral): ATE (Oral): LC50 (Inhalation mists/powders): 428 mg/kg 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) > 107 mg/kg ratto 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) 0.9 mg/l/4h 2-METHYL-p-PHENYLENEDIAMINE SULFATE LD50 (Dermal): ATE (Dermal): LD50 (Oral): ATE (Oral): LC50 (Inhalation mists/powders): > 2000 mg/kg 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) 102 mg/kg 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) 1.77 mg/l/4h 2-METHYLRESORCINOL LD50 (Oral): ATE (Oral): 200 mg/kg 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) Maleic acid LD50 (Dermal): LD50 (Oral): 2620 mg/kg 1030 mg/kg		
EPY 11.7.2 - SDS 1004.14		

65021/3 - DEMIPERMANENT 7,12**SECTION 11. Toxicological information ... / >>****ETHANOLAMINE**

LD50 (Dermal):	2504 mg/kg
ATE (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	1089 mg/kg Rat
LC50 (Inhalation vapours):	> 1.3 mg/l/6h Rat
ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat

tetradecanol

LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral):	1550 mg/kg rat
--------------	----------------

SKIN CORROSION / IRRITATION

Corrosive for the skin

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

2-METHYLRESORCINOL
non irritante

ETHANOLAMINE
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
effetti irreversibili sugli occhi

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

65021/3 - DEMIPERMANENT 7,12**SECTION 11. Toxicological information ... / >>****2-METHYLRESORCINOL**

irritante per gli occhi

ETHANOLAMINE

effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

irritante per gli occhi

4-tert-butylcyclohexyl acetate

non irritante

tetradecanol

irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE**Skin sensitization**(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
sensitising**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

sensitising

2-METHYLRESORCINOL

sensitising

ETHANOLAMINE

non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non sensibilizzante

dodecan-1-ol

non sensibilizzante

4-tert-butylcyclohexyl acetate

sensitising

tetradecanol

non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
negative**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

positivo

2-METHYLRESORCINOL

negative

65021/3 - DEMIPERMANENT 7,12**SECTION 11. Toxicological information** ... / >>

ETHANOLAMINE

negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate

negative

dodecan-1-ol

negative

4-tert-butylcyclohexyl acetate

negative

tetradecanol

negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

LC50 - for Fish > 235 mg/l/96h

EC50 - for Crustacea 0.381 mg/l/48h

EC50 - for Algae / Aquatic Plants 0.338 mg/l/72h

Chronic NOEC for Crustacea 0.674 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish < 1 mg/l/96h

EC50 - for Crustacea 1.19 mg/l/48h

Chronic NOEC for Crustacea 0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish 58.1 mg/l/96h

EC50 - for Crustacea 0.605 mg/l/48h

Chronic NOEC for Algae / Aquatic Plants 2.49 mg/l

Maleic acid

LC50 - for Fish 75 mg/l/96h

EC50 - for Crustacea 42.81 mg/l/48h

EC50 - for Algae / Aquatic Plants 74.35 mg/l/72h

Chronic NOEC for Crustacea 10 mg/l

65021/3 - DEMIPERMANENT 7,12**SECTION 12. Ecological information ... / >>****ETHANOLAMINE**

Chronic NOEC for Fish 1.2 mg/l *Oryzias latipes*
Chronic NOEC for Crustacea 0.85 mg/l *Daphnia magna*

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish 39 mg/l/96h
EC50 - for Crustacea 120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants 118.434 mg/l/72h
EC10 for Crustacea < 1 mg/l/48h *Daphnia magna*
Chronic NOEC for Crustacea 1.25 mg/l

dodecan-1-ol

LC50 - for Fish 1.01 mg/l/96h *Pimephales promelas*
EC50 - for Crustacea 0.765 mg/l/48h *Daphnia magna*
EC50 - for Algae / Aquatic Plants 0.66 mg/l/72h *Desmodesmus subspicatus* (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish 8.6 mg/l/96h *Cyprinus carpio*
EC50 - for Crustacea 5.3 mg/l/48h *Daphnia magna*
EC50 - for Algae / Aquatic Plants 22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants 6.8 mg/l 72 h

tetradecanol

LC50 - for Fish > 1 mg/l/96h
EC50 - for Crustacea 3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants > 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish 106 mg/l/96h
EC50 - for Crustacea 2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants 17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants 12.5 mg/l

12.2. Persistence and degradability**(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate**

Solubility in water 296 mg/l a 20°C
NOT rapidly degradable

2-METHYLRESORCINOL

Solubility in water 263000 mg/l 25°C
Rapidly degradable

ETHANOLAMINE

Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate

Rapidly degradable

tetradecanol

Rapidly degradable

12.3. Bioaccumulative potential**2-METHYLRESORCINOL**

Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE

Partition coefficient: n-octanol/water -2.3

dodecan-1-ol

Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil

Information not available

Davines S.p.A. 65021/3 - DEMIPERMANENT 7,12			Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 14 / 17 EN
SECTION 12. Ecological information ... / >>			
12.5. Results of PBT and vPvB assessment On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.			
12.6. Endocrine disrupting properties Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.			
12.7. Other adverse effects Information not available			
SECTION 13. Disposal considerations			
13.1. Waste treatment methods Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.			
SECTION 14. Transport information			
14.1. UN number or ID number ADR / RID, IMDG, IATA: UN 3267			
14.2. UN proper shipping name ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE) IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE) IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)			
14.3. Transport hazard class(es) ADR / RID: Class: 8 Label: 8 IMDG: Class: 8 Label: 8 IATA: Class: 8 Label: 8   			
14.4. Packing group ADR / RID, IMDG, IATA: III			
14.5. Environmental hazards ADR / RID: NO IMDG: not marine pollutant IATA: NO			
14.6. Special precautions for user ADR / RID: HIN - Kemler: 80 IMDG: EMS: F-A, S-B IATA: Cargo: Special provision: 274 Passengers: Special provision: Limited Quantities: 5 lt Limited Quantities: 5 lt Maximum quantity: 60 L Maximum quantity: 5 L A3, A803 Tunnel restriction code: (E) Packaging instructions: 856 Packaging instructions: 852			
EPY 11.7.2 - SDS 1004.14			

65021/3 - DEMIPERMANENT 7,12**SECTION 14. Transport information ... / >>****14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.

SECTION 16. Other information ... / >>

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707

65021/3 - DEMIPERMANENT 7,12**SECTION 16. Other information ... / >>**

24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)

24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65022/3
Product name: DEMIPERMANENT 8,1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65022/3 - DEMIPERMANENT 8,1

SECTION 2. Hazards identification ... / >>

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: 2-METHYLRESORCINOL

Maleic acid

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65022/3 - DEMIPERMANENT 8,1**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.373

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.878

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.332

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYLRESORCINOL

INDEX 0.1

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

ATE Oral: 100 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

ATE Oral: 500 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

65022/3 - DEMIPERMANENT 8,1**SECTION 4. First aid measures ... / >>**

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

Davines S.p.A.

65022/3 - DEMIPERMANENT 8,1

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 16

EN

SECTION 7. Handling and storage ... / >>

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Acute

Acute

Chronic

Chronic

Effects on consumers

local

systemic

local

systemic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Davines S.p.A. 65022/3 - DEMIPERMANENT 8,1		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 7 / 16 EN
SECTION 8. Exposure controls/personal protection ... / >>		
Protect hands with category III work gloves. The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing. EYE PROTECTION Wear airtight protective goggles (see standard EN ISO 16321). RESPIRATORY PROTECTION Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.		
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties Appearance Colour Odour Melting point / freezing point Initial boiling point Flammability Lower explosive limit Upper explosive limit Flash point Auto-ignition temperature Decomposition temperature pH Kinematic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Value CREAM white to beige / yellow STD. REF. not available not available not available not available not available > 60 °C not available not available 9,50 - 11,00 80.000,0000 - 250.000,0000 not available not available not available not available not available not applicable	Information
9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
Information not available		
9.2.2. Other safety characteristics		
VOC (Directive 2010/75/EU)	11.58 %	
EPY 11.7.2 - SDS 1004.14		

65022/3 - DEMIPERMANENT 8,1**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65022/3 - DEMIPERMANENT 8,1**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**Maleic acid**

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65022/3 - DEMIPERMANENT 8,1**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
irritante per gli occhi4-tert-butylcyclohexyl acetate
non irritantetetradecanol
irritanteRESPIRATORY OR SKIN SENSITISATION

65022/3 - DEMIPERMANENT 8,1**SECTION 11. Toxicological information ... / >>**

May produce an allergic reaction.

Contains:

2-METHYLRESORCINOL

Maleic acid

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Davines S.p.A.		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 12 / 16	EN
65022/3 - DEMIPERMANENT 8,1			
SECTION 11. Toxicological information ... / >>			
Does not meet the classification criteria for this hazard class			
ASPIRATION HAZARD			
Does not meet the classification criteria for this hazard class			
11.2. Information on other hazards			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.			
SECTION 12. Ecological information			
This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.			
12.1. Toxicity			
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
LC50 - for Fish	< 1 mg/l/96h		
EC50 - for Crustacea	1.19 mg/l/48h		
Chronic NOEC for Crustacea	0.63 mg/l		
2-METHYLRESORCINOL			
LC50 - for Fish	58.1 mg/l/96h		
EC50 - for Crustacea	0.605 mg/l/48h		
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l		
Maleic acid			
LC50 - for Fish	75 mg/l/96h		
EC50 - for Crustacea	42.81 mg/l/48h		
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h		
Chronic NOEC for Crustacea	10 mg/l		
ETHANOLAMINE			
Chronic NOEC for Fish	1.2 mg/l Oryzias latipes		
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna		
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
LC50 - for Fish	39 mg/l/96h		
EC50 - for Crustacea	120.9 mg/l/48h		
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h		
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna		
Chronic NOEC for Crustacea	1.25 mg/l		
dodecan-1-ol			
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas		
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna		
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)		
4-tert-butylcyclohexyl acetate			
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio		
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna		
EC50 - for Algae / Aquatic Plants	22 mg/l/72h		
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h		
tetradecanol			
LC50 - for Fish	> 1 mg/l/96h		
EC50 - for Crustacea	3.2 mg/l/48h		
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h		
12.2. Persistence and degradability			
2-METHYLRESORCINOL			
Solubility in water	263000 mg/l 25°C		
Rapidly degradable			
EPY 11.7.2 - SDS 1004.14			

65022/3 - DEMIPERMANENT 8,1**SECTION 12. Ecological information** ... / >>

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

12.3. Bioaccumulative potential

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

65022/3 - DEMIPERMANENT 8,1**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazardsADR / RID: NO
IMDG: not marine pollutant
IATA: NO**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 lt	Tunnel restriction code: (E)
	Special provision: 274		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

SECTION 15. Regulatory information ... / >>

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.

65022/3 - DEMIPERMANENT 8,1**SECTION 16. Other information ... / >>**

- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65024/3
Product name: DEMIPERMANENT 9,1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65024/3 - DEMIPERMANENT 9,1**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65024/3 - DEMIPERMANENT 9,1

SECTION 3. Composition/information on ingredients ... / >>

dodecan-1-ol

INDEX 2.373

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.878

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.2

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373,
Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic
Chronic 1 H410 M=1

EC 210-431-8

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation
mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin
Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

SECTION 4. First aid measures ... / >>**4.3. Indication of any immediate medical attention and special treatment needed**

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 7. Handling and storage ... / >>

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2023
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

65024/3 - DEMIPERMANENT 9,1**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

65024/3 - DEMIPERMANENT 9,1**SECTION 9. Physical and chemical properties** ... / >>**SECTION 9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

65024/3 - DEMIPERMANENT 9,1**SECTION 10. Stability and reactivity** ... / >>**10.6. Hazardous decomposition products**

ETHANOLAMINE

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

65024/3 - DEMIPERMANENT 9,1**SECTION 11. Toxicological information ... / >>**Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): 102 mg/kg
ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LC50 (Inhalation mists/powders): 1.77 mg/l/4h

Maleic acid

LD50 (Dermal): 2620 mg/kg
LD50 (Oral): 1030 mg/kg

ETHANOLAMINE

LD50 (Dermal): 2504 mg/kg
ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): 1089 mg/kg Rat
LC50 (Inhalation vapours): > 1.3 mg/l/6h Rat
ATE (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

ETHANOLAMINE
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

65024/3 - DEMIPERMANENT 9,1**SECTION 11. Toxicological information ... / >>**

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

ETHANOLAMINE
negative

65024/3 - DEMIPERMANENT 9,1**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

65024/3 - DEMIPERMANENT 9,1**SECTION 12. Ecological information** ... / >>

dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability

ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate	
Rapidly degradable	

tetradecanol	
Rapidly degradable	

12.3. Bioaccumulative potential

ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

65024/3 - DEMIPERMANENT 9,1**SECTION 14. Transport information****14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: not marine pollutant
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: 274	Limited Quantities: 5 lt	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

65024/3 - DEMIPERMANENT 9,1**SECTION 15. Regulatory information ... / >>**

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization

65024/3 - DEMIPERMANENT 9,1**SECTION 16. Other information ... / >>**

- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

65024/3 - DEMIPERMANENT 9,1

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65025/3
Product name: DEMIPERMANENT 9,11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person
responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06
6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65025/3 - DEMIPERMANENT 9,11**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

SECTION 3. Composition/information on ingredients ... / >>

dodecan-1-ol

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.19

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

LD50 Oral: 1030 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

SECTION 5. Firefighting measures ... / >>

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

65025/3 - DEMIPERMANENT 9,11**SECTION 8. Exposure controls/personal protection ... / >>**

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL**Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

SECTION 8. Exposure controls/personal protection ... / >>

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	not available	
Colour	not available	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	

65025/3 - DEMIPERMANENT 9,11**SECTION 9. Physical and chemical properties ... / >>**

Density and/or relative density	not available
Relative vapour density	not available
Particle characteristics	not applicable

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.57 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

65025/3 - DEMIPERMANENT 9,11**SECTION 11. Toxicological information ... / >>**

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):	> 2000 mg/kg
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	102 mg/kg
LC50 (Inhalation mists/powders):	1.77 mg/l/4h

Maleic acid

LD50 (Dermal):	2620 mg/kg
LD50 (Oral):	1030 mg/kg

65025/3 - DEMIPERMANENT 9,11**SECTION 11. Toxicological information ... / >>****2-AMINOETHANOL**

LD50 (Dermal):

> 2504 mg/kg rabbit

STA (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

> 1089 mg/kg rat

LC50 (Inhalation vapours):

> 1.48 mg/l/4h rat

STA (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**sodium hydrogen N-(1-oxododecyl)-L-glutamate**

LD50 (Dermal):

> 5000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal):

> 8000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

LC50 (Inhalation mists/powders):

> 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal):

> 4680 mg/kg rabbit

LD50 (Oral):

3370 mg/kg rat

tetradecanol

LD50 (Dermal):

8000 mg/kg

LD50 (Oral):

> 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

4-tert-butylcyclohexyl acetate

non irritante

tetradecanol

non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE

irritante

2-AMINOETHANOL

effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

irritante per gli occhi

4-tert-butylcyclohexyl acetate

non irritante

65025/3 - DEMIPERMANENT 9,11**SECTION 11. Toxicological information ... / >>**

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

65025/3 - DEMIPERMANENT 9,11**SECTION 11. Toxicological information ... / >>**ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability**2-AMINOETHANOL**

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

65025/3 - DEMIPERMANENT 9,11**SECTION 12. Ecological information** ... / >>**2-AMINOETHANOL**

Partition coefficient: n-octanol/water -2.3

dodecan-1-ol

Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil**2-AMINOETHANOL**

Partition coefficient: soil/water -0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

65025/3 - DEMIPERMANENT 9,11**SECTION 14. Transport information ... / >>****14.5. Environmental hazards**

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2

65025/3 - DEMIPERMANENT 9,11**SECTION 16. Other information ... / >>**

STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)

SECTION 16. Other information ... / >>

13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65026/3
Product name: DEMIPERMANENT 9,21

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Universita di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65026/3 - DEMIPERMANENT 9,21**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
4-tert-butylcyclohexyl acetate
May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65026/3 - DEMIPERMANENT 9,21**SECTION 3. Composition/information on ingredients ... / >>****sodium hydrogen N-(1-oxododecyl)-L-glutamate**

INDEX 2.1 Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

dodecan-1-ol

INDEX 1.825 Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

tetradecanol

INDEX 0.675 Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299 Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.2 Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8 LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 607-095-00-3 0.1 Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

LD50 Oral: 1030 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

SECTION 5. Firefighting measures ... / >>

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

65026/3 - DEMIPERMANENT 9,21**SECTION 8. Exposure controls/personal protection ... / >>**

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL**Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

SECTION 8. Exposure controls/personal protection ... / >>

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	

65026/3 - DEMIPERMANENT 9,21**SECTION 9. Physical and chemical properties** ... / >>

Density and/or relative density	not available
Relative vapour density	not available
Particle characteristics	not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.07 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials

2-AMINOETHANOL

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

65026/3 - DEMIPERMANENT 9,21

SECTION 11. Toxicological information ... / >>

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):	> 2000 mg/kg
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	102 mg/kg
LC50 (Inhalation mists/powders):	1.77 mg/l/4h

Maleic acid

LD50 (Dermal):	2620 mg/kg
LD50 (Oral):	1030 mg/kg

65026/3 - DEMIPERMANENT 9,21**SECTION 11. Toxicological information ... / >>****2-AMINOETHANOL**

LD50 (Dermal):

> 2504 mg/kg rabbit

STA (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

> 1089 mg/kg rat

LC50 (Inhalation vapours):

> 1.48 mg/l/4h rat

STA (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**sodium hydrogen N-(1-oxododecyl)-L-glutamate**

LD50 (Dermal):

> 5000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal):

> 8000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

LC50 (Inhalation mists/powders):

> 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal):

> 4680 mg/kg rabbit

LD50 (Oral):

3370 mg/kg rat

tetradecanol

LD50 (Dermal):

8000 mg/kg

LD50 (Oral):

> 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

4-tert-butylcyclohexyl acetate

non irritante

tetradecanol

non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE

irritante

2-AMINOETHANOL

effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

irritante per gli occhi

4-tert-butylcyclohexyl acetate

non irritante

65026/3 - DEMIPERMANENT 9,21**SECTION 11. Toxicological information ... / >>**

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

65026/3 - DEMIPERMANENT 9,21**SECTION 11. Toxicological information ... / >>**ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability**2-AMINOETHANOL**

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

65026/3 - DEMIPERMANENT 9,21**SECTION 12. Ecological information** ... / >>**2-AMINOETHANOL**

Partition coefficient: n-octanol/water -2.3

dodecan-1-ol

Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil**2-AMINOETHANOL**

Partition coefficient: soil/water -0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

65026/3 - DEMIPERMANENT 9,21**SECTION 14. Transport information ... / >>****14.5. Environmental hazards**

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2

65026/3 - DEMIPERMANENT 9,21**SECTION 16. Other information ... / >>**

STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)

65026/3 - DEMIPERMANENT 9,21**SECTION 16. Other information ... / >>**

13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65027/3
Product name: DEMIPERMANENT 10,01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65027/3 - DEMIPERMANENT 10,01**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65027/3 - DEMIPERMANENT 10,01**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.11

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373,
Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic
Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation
mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin
Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-amino-m-cresol

INDEX 0.029

Acute Tox. 4 H302, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic
Chronic 1 H410 M=10

EC 220-621-2

CAS 2835-99-6

REACH Reg. 01-2120762079-48

LD50 Oral: 870 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65027/3 - DEMIPERMANENT 10,01

Revision nr.1

Dated 16/10/2023

First compilation

Printed on 16/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

65027/3 - DEMIPERMANENT 10,01**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	not available	
Colour	not available	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.07 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**2-AMINOETHANOL**

65027/3 - DEMIPERMANENT 10,01

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65027/3 - DEMIPERMANENT 10,01**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

4-amino-m-cresol

LD50 (Dermal): 2409 mg/kg
 LD50 (Oral): 870 mg/kg Rat
 LC50 (Inhalation vapours): 12.24 mg/l/4h

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
 LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

4-amino-m-cresol
 non irritante

2-AMINOETHANOL
 corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
 non irritante

65027/3 - DEMIPERMANENT 10,01**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

4-amino-m-cresol
non irritante

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

4-amino-m-cresol
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

SECTION 11. Toxicological information ... / >>

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

4-amino-m-cresol
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

4-amino-m-cresol

LC50 - for Fish	0.42 mg/l/96h Brachydanio rerio
EC50 - for Crustacea	0.2 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.035 mg/l/72h
EC10 for Algae / Aquatic Plants	0.0098 mg/l/72h

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

SECTION 12. Ecological information ... / >>**2-AMINOETHANOL**

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability**4-amino-m-cresol**

NOT rapidly degradable

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential**4-amino-m-cresol**

Partition coefficient: n-octanol/water	0.51 20°C
--	-----------

2-AMINOETHANOL

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

12.4. Mobility in soil**2-AMINOETHANOL**

Partition coefficient: soil/water	-0.5646
-----------------------------------	---------

12.5. Results of PBT and vPvB assessmentOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

65027/3 - DEMIPERMANENT 10,01**SECTION 12. Ecological information ... / >>****12.7. Other adverse effects**

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: NO

IATA: NO

14.6. Special precautions for userADR / RID: HIN - Kemler: 80
Special provision: -

IMDG: EMS: F-A, S-B

IATA: Cargo:

Passengers:

Special provision:

Limited Quantities: 5 L

Limited Quantities: 5 L

Maximum quantity: 60 L

Maximum quantity: 5 L

A3, A803

Tunnel restriction code: (E)

Packaging instructions: 856

Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

ProductPoint 3 - 40Contained substancePoint 75Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicableSubstances in Candidate List (Art. 59 REACH)On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.

SECTION 16. Other information ... / >>

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website

65027/3 - DEMIPERMANENT 10,01**SECTION 16. Other information ... / >>**

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65028/3
Product name: DEMIPERMANENT 10,12

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR) Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65028/3 - DEMIPERMANENT 10,12**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains: Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
May produce an allergic reaction.

Precautionary statements:

P260 Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P264 Wash hands thoroughly after handling.

Contains: 2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		
sodium hydrogen N-(1-oxododecyl)-L-glutamate		
INDEX 2.1		Eye Irrit. 2 H319
EC 249-958-3		
CAS 29923-31-7		
REACH Reg. 01-2119982964-18		

65028/3 - DEMIPERMANENT 10,12**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 1.825

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

tetradecanol

INDEX 0.675

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 0.12

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-amino-m-cresol

INDEX 0.03

Acute Tox. 4 H302, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10

EC 220-621-2

LD50 Oral: 870 mg/kg

CAS 2835-99-6

REACH Reg. 01-2120762079-48

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

65028/3 - DEMIPERMANENT 10,12**SECTION 5. Firefighting measures ... / >>****5.3. Advice for firefighters****GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection**8.1. Control parameters****Regulatory References:**

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

SECTION 8. Exposure controls/personal protection ... / >>

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

SECTION 8. Exposure controls/personal protection ... / >>

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	

65028/3 - DEMIPERMANENT 10,12**SECTION 9. Physical and chemical properties** ... / >>

Density and/or relative density	not available
Relative vapour density	not available
Particle characteristics	not applicable

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

65028/3 - DEMIPERMANENT 10,12**SECTION 11. Toxicological information ... / >>**

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

STA (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

4-amino-m-cresol

LD50 (Dermal):

2409 mg/kg

LD50 (Oral):

870 mg/kg Rat

LC50 (Inhalation vapours):

12.24 mg/l/4h

65028/3 - DEMIPERMANENT 10,12**SECTION 11. Toxicological information ... / >>**

Maleic acid	
LD50 (Dermal):	2620 mg/kg
LD50 (Oral):	1030 mg/kg
2-AMINOETHANOL	
LD50 (Dermal):	> 2504 mg/kg rabbit
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	> 1089 mg/kg rat
LC50 (Inhalation vapours):	> 1.48 mg/l/4h rat
STA (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante4-amino-m-cresol
non irritante2-AMINOETHANOL
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritantetetradecanol
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante4-amino-m-cresol
non irritante2-AMINOETHANOL
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
irritante per gli occhi

65028/3 - DEMIPERMANENT 10,12**SECTION 11. Toxicological information ... / >>**

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

4-amino-m-cresol
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

4-amino-m-cresol
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

65028/3 - DEMIPERMANENT 10,12**SECTION 11. Toxicological information ... / >>**

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

4-amino-m-cresol

LC50 - for Fish	0.42 mg/l/96h Brachydanio rerio
EC50 - for Crustacea	0.2 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.035 mg/l/72h
EC10 for Algae / Aquatic Plants	0.0098 mg/l/72h

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability**4-amino-m-cresol**

NOT rapidly degradable

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

65028/3 - DEMIPERMANENT 10,12**SECTION 12. Ecological information ... / >>**

4-amino-m-cresol	
Partition coefficient: n-octanol/water	0.51 20°C
2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

65028/3 - DEMIPERMANENT 10,12**SECTION 14. Transport information ... / >>****14.5. Environmental hazards**

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2

SECTION 16. Other information ... / >>

STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)

65028/3 - DEMIPERMANENT 10,12**SECTION 16. Other information ... / >>**

13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65020/3
Product name: DEMIPERMANENT 6,3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65020/3 - DEMIPERMANENT 6,3**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains:

Maleic acid
4-AMINOPHENOL
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
2-METHYLRESORCINOL
2-METHYL-p-PHENYLENEDIAMINE SULFATE
May produce an allergic reaction.

Precautionary statements:

P260 Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P264 Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65020/3 - DEMIPERMANENT 6,3**SECTION 3. Composition/information on ingredients ... / >>****sodium hydrogen N-(1-oxododecyl)-L-glutamate**

INDEX 2.1 Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

dodecan-1-ol

INDEX 1.825 Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.8 Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8 LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 0.675 Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYLRESORCINOL

INDEX 0.5 Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8 LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.126 Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

Maleic acid

INDEX 607-095-00-3 0.1 Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5 LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-AMINOPHENOL

INDEX 612-128-00-X 0.1 Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

EC 204-616-2 LD50 Oral: 671 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

CAS 123-30-8

REACH Reg. 01-2119535388-31

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65020/3 - DEMIPERMANENT 6,3

Revision nr.1

Dated 12/10/2023

First compilation

Printed on 12/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

65020/3 - DEMIPERMANENT 6,3**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65020/3 - DEMIPERMANENT 6,3**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65020/3 - DEMIPERMANENT 6,3**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

4-AMINOPHENOL

LD50 (Dermal): > 5000 mg/kg rat
 LD50 (Oral): 671 mg/kg rat
 LC50 (Inhalation mists/powders): > 3.4 mg/l rat

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

65020/3 - DEMIPERMANENT 6,3**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

tetradecanol
non irritante

4-AMINOPHENOL
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

4-AMINOPHENOL

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

65020/3 - DEMIPERMANENT 6,3**SECTION 11. Toxicological information ... / >>**

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

65020/3 - DEMIPERMANENT 6,3**SECTION 12. Ecological information ... / >>**

Maleic acid	
LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l
2-AMINOETHANOL	
LC50 - for Fish	> 394 mg/l/96h <i>Cyprinus carpio</i>
EC50 - for Crustacea	> 65 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h <i>Pseudokirchnerella subcapitata</i>
Chronic NOEC for Fish	3.6 mg/l 30 d - <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l 21 d - <i>Daphnia magna</i>
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - <i>Pseudokirchnerella subcapitata</i> - growth rate
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
4-AMINOPHENOL	
LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	
2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-AMINOPHENOL	
Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow

65020/3 - DEMIPERMANENT 6,3**SECTION 12. Ecological information ... / >>**

2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow
4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

65020/3 - DEMIPERMANENT 6,3**SECTION 14. Transport information ... / >>****14.5. Environmental hazards**

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2

65020/3 - DEMIPERMANENT 6,3**SECTION 16. Other information ... / >>**

Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

65020/3 - DEMIPERMANENT 6,3**SECTION 16. Other information ... / >>**

11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65039/3
Product name: DEMIPERMANENT 6,31

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person
responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06
6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65039/3 - DEMIPERMANENT 6,31**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
2-METHYLRESORCINOL
2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65039/3 - DEMIPERMANENT 6,31**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.85

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 204-000-3 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 112-72-1

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYLRESORCINOL

INDEX 210-155-8 0.5

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 608-25-3

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 303-085-5 0.12

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 94158-14-2

LD50 Oral: 1550 mg/kg

CAS 94158-14-2

REACH Reg. 01-2120758799-28

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-AMINOPHENOL

INDEX 612-128-00-X 0.08

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

EC 204-616-2

LD50 Oral: 671 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

CAS 123-30-8

REACH Reg. 01-2119535388-31

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65039/3 - DEMIPERMANENT 6,31

Revision nr.1

Dated 12/10/2023

First compilation

Printed on 12/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

65039/3 - DEMIPERMANENT 6,31**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65039/3 - DEMIPERMANENT 6,31**SECTION 10. Stability and reactivity** ... / >>**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: NDMetabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65039/3 - DEMIPERMANENT 6,31**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

4-AMINOPHENOL

LD50 (Dermal): > 5000 mg/kg rat
 LD50 (Oral): 671 mg/kg rat
 LC50 (Inhalation mists/powders): > 3.4 mg/l rat

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

65039/3 - DEMIPERMANENT 6,31**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

tetradecanol
non irritante

4-AMINOPHENOL
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

65039/3 - DEMIPERMANENT 6,31**SECTION 11. Toxicological information ... / >>**

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

2-METHYL-p-PHENYLENEDIAMINE SULFATE
LC50 - for Fish
EC50 - for Crustacea
Chronic NOEC for Crustacea

< 1 mg/l/96h
1.19 mg/l/48h
0.63 mg/l

2-METHYLRESORCINOL
LC50 - for Fish
EC50 - for Crustacea
Chronic NOEC for Algae / Aquatic Plants

58.1 mg/l/96h
0.605 mg/l/48h
2.49 mg/l

SECTION 12. Ecological information ... / >>

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h <i>Cyprinus carpio</i>
EC50 - for Crustacea	> 65 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h <i>Pseudokirchnerella subcapitata</i>
Chronic NOEC for Fish	3.6 mg/l 30 d - <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l 21 d - <i>Daphnia magna</i>
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - <i>Pseudokirchnerella subcapitata</i> - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL

LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-AMINOPHENOL

Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

65039/3 - DEMIPERMANENT 6,31**SECTION 12. Ecological information** ... / >>

2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow
4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

65039/3 - DEMIPERMANENT 6,31**SECTION 14. Transport information ... / >>****14.5. Environmental hazards**

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2

SECTION 16. Other information ... / >>

Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

65039/3 - DEMIPERMANENT 6,31**SECTION 16. Other information ... / >>**

11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65040/3
Product name: DEMIPERMANENT 6,34

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65040/3 - DEMIPERMANENT 6,34**SECTION 2. Hazards identification** ... / >>

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 2

H335
H411

May cause respiratory irritation.
Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H411

Toxic to aquatic life with long lasting effects.

EUH208

Contains:

5-AMINO-O-CRESOL

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-Amino-6-chloro-4-nitrophenol

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Bis(4-hydroxy-N-methylanilinium) sulphate

2-METHYLRESORCINOL

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:

65040/3 - DEMIPERMANENT 6,34**SECTION 3. Composition/information on ingredients ... / >>**

		11 mg/l	
REACH Reg.	01-2119486455-28		
dodecan-1-ol			
INDEX		2.373	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC	203-982-0		
CAS	112-53-8		
REACH Reg.	01-2119485976-15		
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
INDEX		1.96	Eye Irrit. 2 H319
EC	249-958-3		
CAS	29923-31-7		
REACH Reg.	01-2119982964-18		
tetradecanol			
INDEX		0.878	Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1
EC	204-000-3		
CAS	112-72-1		
REACH Reg.	01-2119485910-33		
2-METHYLRESORCINOL			
INDEX		0.75	Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1 ATE Oral: 100 mg/kg
EC	210-155-8		
CAS	608-25-3		
REACH Reg.	01-2120030526-64		
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
INDEX	612-030-00-7	0.7	Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h
EC	210-431-8		
CAS	615-50-9		
REACH Reg.	01-2119962199-25		
Bis(4-hydroxy-N-methylanilinium) sulphate			
INDEX	650-031-00-4	0.7	Acute Tox. 4 H302, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 ATE Oral: 500 mg/kg
EC	200-237-1		
CAS	55-55-0		
4-tert-butylcyclohexyl acetate			
INDEX		0.299	Skin Sens. 1B H317
EC	250-954-9		
CAS	32210-23-4		
REACH Reg.	01-2119976286-24		
2-Amino-6-chloro-4-nitrophenol			
INDEX		0.21	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	228-762-1		
CAS	6358-09-4		
REACH Reg.	01-2120758798-30		
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride			
INDEX		0.13	Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411 LD50 Oral: 1550 mg/kg
EC	303-085-5		
CAS	94158-14-2		
REACH Reg.	01-2120758799-28		
5-AMINO-O-CRESOL			
INDEX		0.1	Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	220-618-6		
CAS	2835-95-2		
REACH Reg.	01-2120766272-54		
Maleic acid			
INDEX	607-095-00-3	0.1	Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317 ATE Oral: 500 mg/kg
EC	203-742-5		
CAS	110-16-7		
REACH Reg.	01-2119488705-25		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Any information on personal protection and disposal is given in sections 8 and 13.

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials. see section 10 for details.

7.3. Specific end use(s)

Information not available

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2023
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2023

65040/3 - DEMIPERMANENT 6,34

Revision nr.1
Dated 22/10/2024
First compilation
Printed on 22/10/2024
Page n. 6 / 18

SECTION 8. Exposure controls/personal protection ... / >>

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

65040/3 - DEMIPERMANENT 6,34**SECTION 8. Exposure controls/personal protection ... / >>****tetradecanol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

65040/3 - DEMIPERMANENT 6,34**SECTION 9. Physical and chemical properties ... / >>****9.2. Other information****9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da

65040/3 - DEMIPERMANENT 6,34**SECTION 11. Toxicological information ... / >>**

contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-Amino-6-chloro-4-nitrophenol

LD50 (Oral):

> 2000 mg/kg

5-AMINO-O-CRESOL

LD50 (Dermal):

5688 mg/kg

LD50 (Oral):

3600 mg/kg rat

LC50 (Inhalation mists/powders):

42.57 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

65040/3 - DEMIPERMANENT 6,34**SECTION 11. Toxicological information ... / >>****2-METHYLRESORCINOL**

LD50 (Oral): 200 mg/kg
ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal): 2620 mg/kg
LD50 (Oral): 1030 mg/kg

Bis(4-hydroxy-N-methylanilinium) sulphate

LD50 (Dermal): > 1000 mg/kg
LD50 (Oral): 565 mg/kg Rat

ETHANOLAMINE

LD50 (Dermal): 2504 mg/kg
ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): 1089 mg/kg Rat
LC50 (Inhalation vapours): > 1.3 mg/l/6h Rat
ATE (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-Amino-6-chloro-4-nitrophenol
irritante

5-AMINO-O-CRESOL
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

2-METHYLRESORCINOL
non irritante

Bis(4-hydroxy-N-methylanilinium) sulphate
non irritante

ETHANOLAMINE
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

65040/3 - DEMIPERMANENT 6,34**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-Amino-6-chloro-4-nitrophenol
irritante

5-AMINO-O-CRESOL
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

Bis(4-hydroxy-N-methylanilinium) sulphate
non irritante

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

5-AMINO-O-CRESOL

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-Amino-6-chloro-4-nitrophenol

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Bis(4-hydroxy-N-methylanilinium) sulphate

2-METHYLRESORCINOL

Skin sensitization

2-Amino-6-chloro-4-nitrophenol
sensitising

5-AMINO-O-CRESOL
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

65040/3 - DEMIPERMANENT 6,34**SECTION 11. Toxicological information ... / >>**

2-METHYLRESORCINOL

sensitising

Bis(4-hydroxy-N-methylanilinium) sulphate

sensitising

ETHANOLAMINE

non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non sensibilizzante

dodecan-1-ol

non sensibilizzante

4-tert-butylcyclohexyl acetate

sensitising

tetradecanol

non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-Amino-6-chloro-4-nitrophenol

negative

5-AMINO-O-CRESOL

in vivo negativo, in vitro positivo

2-METHYL-p-PHENYLENEDIAMINE SULFATE

positivo

2-METHYLRESORCINOL

negative

Bis(4-hydroxy-N-methylanilinium) sulphate

negative

ETHANOLAMINE

negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate

negative

dodecan-1-ol

negative

4-tert-butylcyclohexyl acetate

negative

tetradecanol

negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

65040/3 - DEMIPERMANENT 6,34**SECTION 11. Toxicological information ... / >>**

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**2-Amino-6-chloro-4-nitrophenol**

LC50 - for Fish	> 100 mg/l/96h
EC50 - for Crustacea	281.5 mg/l/48h
EC50 - for Algae / Aquatic Plants	82.4 mg/l/72h

5-AMINO-O-CRESOL

LC50 - for Fish	25 mg/l/96h
EC50 - for Crustacea	2.3 mg/l/48h
EC50 - for Algae / Aquatic Plants	41 mg/l/72h
Chronic NOEC for Crustacea	0.24 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

Bis(4-hydroxy-N-methylanilinium) sulphate

LC50 - for Fish	0.925 mg/l/96h
EC50 - for Algae / Aquatic Plants	0.506 mg/l/72h
Chronic NOEC for Crustacea	0.1 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l <i>Daphnia magna</i>

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)

65040/3 - DEMIPERMANENT 6,34**SECTION 12. Ecological information ... / >>**

4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-Amino-6-chloro-4-nitrophenol	
Solubility in water	450 mg/l a 25°C
NOT rapidly degradable	

5-AMINO-O-CRESOL	
Solubility in water	0.004112 mg/l a 20°C
NOT rapidly degradable	

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	

Bis(4-hydroxy-N-methylanilinium) sulphate	
NOT rapidly degradable	

ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate	
Rapidly degradable	

tetradecanol	
Rapidly degradable	

12.3. Bioaccumulative potential

2-Amino-6-chloro-4-nitrophenol	
Partition coefficient: n-octanol/water	1.8 a 20°C

5-AMINO-O-CRESOL	
Partition coefficient: n-octanol/water	-0.53 Log Kow

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow

ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3

dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

Information not available

Davines S.p.A. 65040/3 - DEMIPERMANENT 6,34		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 15 / 18 EN
SECTION 12. Ecological information ... / >>		
12.5. Results of PBT and vPvB assessment On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.		
12.6. Endocrine disrupting properties Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.		
12.7. Other adverse effects Information not available		
SECTION 13. Disposal considerations		
13.1. Waste treatment methods Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.		
SECTION 14. Transport information		
14.1. UN number or ID number ADR / RID, IMDG, IATA: UN 3267		
14.2. UN proper shipping name ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE) IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE; dodecan-1-ol) IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)		
14.3. Transport hazard class(es) ADR / RID: Class: 8 Label: 8 IMDG: Class: 8 Label: 8 IATA: Class: 8 Label: 8   		
14.4. Packing group ADR / RID, IMDG, IATA: III		

65040/3 - DEMIPERMANENT 6,34**SECTION 14. Transport information** ... / >>**14.5. Environmental hazards**

ADR / RID: Environmentally Hazardous



IMDG: Marine Pollutant



IATA: NO

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: 274	Limited Quantities: 5 lt	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

65040/3 - DEMIPERMANENT 6,34**SECTION 16. Other information ... / >>****GENERAL BIBLIOGRAPHY**

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65018/3
Product name: DEMIPERMANENT 6,72

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65018/3 - DEMIPERMANENT 6,72**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

4-AMINOPHENOL

2-METHYLRESORCINOL

3-AMINOPHENOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

Davines S.p.A.		Revision nr.1 Dated 12/11/2024 First compilation Printed on 12/11/2024 Page n. 3 / 17	EN
65018/3 - DEMIPERMANENT 6,72			
SECTION 3. Composition/information on ingredients ... / >>			
dodecan-1-ol			
INDEX	2.34	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411	
EC	203-982-0		
CAS	112-53-8		
REACH Reg.	01-2119485976-15		
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
INDEX	1.96	Eye Irrit. 2 H319	
EC	249-958-3		
CAS	29923-31-7		
REACH Reg.	01-2119982964-18		
tetradecanol			
INDEX	0.91	Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1	
EC	204-000-3		
CAS	112-72-1		
REACH Reg.	01-2119485910-33		
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
INDEX	612-030-00-7 0.65	Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1	
EC	210-431-8	ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h	
CAS	615-50-9		
REACH Reg.	01-2119962199-25		
4-tert-butylcyclohexyl acetate			
INDEX	0.299	Skin Sens. 1B H317	
EC	250-954-9		
CAS	32210-23-4		
REACH Reg.	01-2119976286-24		
3-AMINOPHENOL			
INDEX	612-127-00-4 0.29	Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411	
EC	209-711-2	ATE Oral: 500 mg/kg, ATE Inhalation mists/powders: 1.5 mg/l	
CAS	591-27-5		
REACH Reg.	01-2119930678-27		
2-METHYLRESORCINOL			
INDEX	0.2	Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1	
EC	210-155-8	ATE Oral: 100 mg/kg	
CAS	608-25-3		
REACH Reg.	01-2120030526-64		
4-AMINOPHENOL			
INDEX	612-128-00-X 0.15	Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1	
EC	204-616-2	ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l	
CAS	123-30-8		
REACH Reg.	01-2119535388-31		
Maleic acid			
INDEX	607-095-00-3 0.1	Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317	
EC	203-742-5	ATE Oral: 500 mg/kg	
CAS	110-16-7		
REACH Reg.	01-2119488705-25		
The full wording of hazard (H) phrases is given in section 16 of the sheet.			

SECTION 4. First aid measures	
4.1. Description of first aid measures	
In case of doubt or in the presence of symptoms contact a doctor and show him this document.	
In case of more severe symptoms, ask for immediate medical aid.	
EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.	
SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.	
INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.	
INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing,	
EPY 11.7.2 - SDS 1004.14	

SECTION 4. First aid measures ... / >>

breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Davines S.p.A.

65018/3 - DEMIPERMANENT 6,72

Revision nr.1

Dated 12/11/2024

First compilation

Printed on 12/11/2024

Page n. 5 / 17

EN

SECTION 6. Accidental release measures ... / >>

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Effects on consumers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

VND

0,49

mg/m3

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.
EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).
RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.
ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
Information not available
9.2.2. Other safety characteristics
VOC (Directive 2010/75/EU) 11.08 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65018/3 - DEMIPERMANENT 6,72**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal):

1000 mg/kg Rat

LD50 (Oral):

693 mg/kg Rat

LC50 (Inhalation mists/powders):

1162 mg/m³ Rat**2-METHYLRESORCINOL**

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

65018/3 - DEMIPERMANENT 6,72**SECTION 11. Toxicological information ... / >>**

LC50 (Inhalation vapours):	> 1.3 mg/l/6h Rat
ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritante**SERIOUS EYE DAMAGE / IRRITATION**

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhi

65018/3 - DEMIPERMANENT 6,72**SECTION 11. Toxicological information** ... / >>

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

4-AMINOPHENOL

2-METHYLRESORCINOL

3-AMINOPHENOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

65018/3 - DEMIPERMANENT 6,72**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

65018/3 - DEMIPERMANENT 6,72**SECTION 12. Ecological information** ... / >>

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL

LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

12.2. Persistence and degradability

3-AMINOPHENOL

Solubility in water	29900 mg/l 35°C
Rapidly degradable	

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

ETHANOLAMINE

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate

Rapidly degradable

tetradecanol

Rapidly degradable

4-AMINOPHENOL

Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

ETHANOLAMINE

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

4-AMINOPHENOL

SECTION 12. Ecological information ... / >>

Partition coefficient: n-octanol/water

-0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessmentOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

Davines S.p.A. 65018/3 - DEMIPERMANENT 6,72		Revision nr.1 Dated 12/11/2024 First compilation Printed on 12/11/2024 Page n. 15 / 17	EN
SECTION 14. Transport information ... / >>			
14.6. Special precautions for user			
ADR / RID:		HIN - Kemler: 80	Limited Quantities: 5 lt
		Special provision: 274	
IMDG:		EMS: F-A, S-B	Limited Quantities: 5 lt
IATA:		Cargo:	Maximum quantity: 60 L
		Passengers:	Maximum quantity: 5 L
		Special provision:	A3, A803
			Tunnel restriction code: (E)
			Packaging instructions: 856
			Packaging instructions: 852
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU:		None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006			
Product			
Point		3 - 40	
Contained substance			
Point		75	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors			
not applicable			
Substances in Candidate List (Art. 59 REACH)			
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.			
Substances subject to authorisation (Annex XIV REACH)			
None			
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:			
None			
Substances subject to the Rotterdam Convention:			
None			
Substances subject to the Stockholm Convention:			
None			
Healthcare controls			
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.			
15.2. Chemical safety assessment			
A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.			
SECTION 16. Other information			
Text of hazard (H) indications mentioned in section 2-3 of the sheet:			
Muta. 2		Germ cell mutagenicity, category 2	
Acute Tox. 3		Acute toxicity, category 3	
Acute Tox. 4		Acute toxicity, category 4	
STOT RE 2		Specific target organ toxicity - repeated exposure, category 2	
Skin Corr. 1B		Skin corrosion, category 1B	
Eye Dam. 1		Serious eye damage, category 1	
Eye Irrit. 2		Eye irritation, category 2	
Skin Irrit. 2		Skin irritation, category 2	
STOT SE 3		Specific target organ toxicity - single exposure, category 3	
Skin Sens. 1		Skin sensitization, category 1	
Skin Sens. 1B		Skin sensitization, category 1B	
Aquatic Acute 1		Hazardous to the aquatic environment, acute toxicity, category 1	
Aquatic Chronic 1		Hazardous to the aquatic environment, chronic toxicity, category 1	

EPY 11.7.2 - SDS 1004.14

SECTION 16. Other information ... / >>

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)

65018/3 - DEMIPERMANENT 6,72**SECTION 16. Other information ... / >>**

15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65035/3
Product name: DEMIPERMANENT 6,73

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Universita di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65035/3 - DEMIPERMANENT 6,73**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

4-AMINOPHENOL

4-tert-butylcyclohexyl acetate

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

Davines S.p.A. 65035/3 - DEMIPERMANENT 6,73		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 3 / 17 EN
SECTION 3. Composition/information on ingredients ... / >>		
dodecan-1-ol INDEX 2.373 EC 203-982-0 CAS 112-53-8 REACH Reg. 01-2119485976-15		Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
sodium hydrogen N-(1-oxododecyl)-L-glutamate INDEX 1.96 EC 249-958-3 CAS 29923-31-7 REACH Reg. 01-2119982964-18		Eye Irrit. 2 H319
tetradecanol INDEX 0.878 EC 204-000-3 CAS 112-72-1 REACH Reg. 01-2119485910-33		Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1
2-METHYL-p-PHENYLENEDIAMINE SULFATE INDEX 612-030-00-7 0.7 EC 210-431-8 CAS 615-50-9 REACH Reg. 01-2119962199-25		Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h
2-METHYLRESORCINOL INDEX 0.404 EC 210-155-8 CAS 608-25-3 REACH Reg. 01-2120030526-64		Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1 ATE Oral: 100 mg/kg
4-tert-butylcyclohexyl acetate INDEX 0.299 EC 250-954-9 CAS 32210-23-4 REACH Reg. 01-2119976286-24		Skin Sens. 1B H317
4-AMINOPHENOL INDEX 612-128-00-X 0.15 EC 204-616-2 CAS 123-30-8 REACH Reg. 01-2119535388-31		Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1 ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride INDEX 0.14 EC 303-085-5 CAS 94158-14-2 REACH Reg. 01-2120758799-28		Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411 LD50 Oral: 1550 mg/kg
Maleic acid INDEX 607-095-00-3 0.1 EC 203-742-5 CAS 110-16-7 REACH Reg. 01-2119488705-25		Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317 ATE Oral: 500 mg/kg
The full wording of hazard (H) phrases is given in section 16 of the sheet.		
SECTION 4. First aid measures		
4.1. Description of first aid measures		
In case of doubt or in the presence of symptoms contact a doctor and show him this document. In case of more severe symptoms, ask for immediate medical aid. EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention. SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing. INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention. INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing,		
EPY 11.7.2 - SDS 1004.14		

SECTION 4. First aid measures ... / >>

breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Davines S.p.A.

65035/3 - DEMIPERMANENT 6,73

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 17

EN

SECTION 6. Accidental release measures ... / >>

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2023

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Effects on consumers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.
EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).
RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.
ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
Information not available
9.2.2. Other safety characteristics
VOC (Directive 2010/75/EU) 11.58 %

65035/3 - DEMIPERMANENT 6,73**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65035/3 - DEMIPERMANENT 6,73**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**Maleic acid**

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65035/3 - DEMIPERMANENT 6,73**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LD50 (Oral):	1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhi

65035/3 - DEMIPERMANENT 6,73**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

4-AMINOPHENOL

4-tert-butylcyclohexyl acetate

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

65035/3 - DEMIPERMANENT 6,73**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna

65035/3 - DEMIPERMANENT 6,73**SECTION 12. Ecological information** ... / >>

Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)
4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
4-AMINOPHENOL	
LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	
ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-tert-butylcyclohexyl acetate	
Rapidly degradable	
tetradecanol	
Rapidly degradable	
4-AMINOPHENOL	
Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow
ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow
4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

SECTION 12. Ecological information ... / >>**12.4. Mobility in soil**

Information not available

12.5. Results of PBT and vPvB assessmentOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

Davines S.p.A. 65035/3 - DEMIPERMANENT 6,73		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 15 / 17	EN
SECTION 14. Transport information ... / >>			
14.6. Special precautions for user			
ADR / RID:		HIN - Kemler: 80	Limited Quantities: 5 lt
		Special provision: 274	
IMDG:		EMS: F-A, S-B	Limited Quantities: 5 lt
IATA:		Cargo:	Maximum quantity: 60 L
		Passengers:	Maximum quantity: 5 L
		Special provision:	A3, A803
			Tunnel restriction code: (E)
			Packaging instructions: 856
			Packaging instructions: 852
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU:		None	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006			
Product			
Point		3 - 40	
Contained substance			
Point		75	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors			
not applicable			
Substances in Candidate List (Art. 59 REACH)			
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.			
Substances subject to authorisation (Annex XIV REACH)			
None			
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:			
None			
Substances subject to the Rotterdam Convention:			
None			
Substances subject to the Stockholm Convention:			
None			
Healthcare controls			
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.			
15.2. Chemical safety assessment			
A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.			
SECTION 16. Other information			
Text of hazard (H) indications mentioned in section 2-3 of the sheet:			
Muta. 2		Germ cell mutagenicity, category 2	
Acute Tox. 3		Acute toxicity, category 3	
Acute Tox. 4		Acute toxicity, category 4	
STOT RE 2		Specific target organ toxicity - repeated exposure, category 2	
Skin Corr. 1B		Skin corrosion, category 1B	
Eye Dam. 1		Serious eye damage, category 1	
Eye Irrit. 2		Eye irritation, category 2	
Skin Irrit. 2		Skin irritation, category 2	
STOT SE 3		Specific target organ toxicity - single exposure, category 3	
Skin Sens. 1		Skin sensitization, category 1	
Skin Sens. 1B		Skin sensitization, category 1B	
Aquatic Acute 1		Hazardous to the aquatic environment, acute toxicity, category 1	
Aquatic Chronic 1		Hazardous to the aquatic environment, chronic toxicity, category 1	

SECTION 16. Other information ... / >>

Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)

65035/3 - DEMIPERMANENT 6,73**SECTION 16. Other information ... / >>**

15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65041/3
Product name: DEMIPERMANENT 7,4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65041/3 - DEMIPERMANENT 7,4**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains: 2-METHYLRESORCINOL
Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
May produce an allergic reaction.

Precautionary statements:

P260 Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P264 Wash hands thoroughly after handling.

Contains: 2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65041/3 - DEMIPERMANENT 7,4**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.332

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.1

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

SECTION 5. Firefighting measures ... / >>**5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive

65041/3 - DEMIPERMANENT 7,4**SECTION 8. Exposure controls/personal protection ... / >>**

91/322/EEC.
ACGIH 2022

TLV-ACGIH

2-METHYL-p-PHENYLENEDIAMINE SULFATE**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL**Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

65041/3 - DEMIPERMANENT 7,4**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	not available	
Colour	not available	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.50 %
VOC (volatile carbon)	5.00 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65041/3 - DEMIPERMANENT 7,4**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65041/3 - DEMIPERMANENT 7,4**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

tetradecanol

non irritante

SERIOUS EYE DAMAGE / IRRITATION

65041/3 - DEMIPERMANENT 7,4**SECTION 11. Toxicological information** ... / >>

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

2-METHYLRESORCINOL

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

65041/3 - DEMIPERMANENT 7,4**SECTION 11. Toxicological information ... / >>**CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

65041/3 - DEMIPERMANENT 7,4**SECTION 12. Ecological information ... / >>**

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow

2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3

dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

65041/3 - DEMIPERMANENT 7,4**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: NO

IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

SECTION 15. Regulatory information ... / >>

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit

65041/3 - DEMIPERMANENT 7,4**SECTION 16. Other information ... / >>**

- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65023/3
Product name: DEMIPERMANENT 8,72

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65023/3 - DEMIPERMANENT 8,72**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

4-AMINOPHENOL

2-METHYLRESORCINOL

3-AMINOPHENOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

2-AMINOETHANOL

INDEX

603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC

205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS

141-43-5

LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65023/3 - DEMIPERMANENT 8,72**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.39

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

4-tert-butylcyclohexyl acetate

INDEX 2.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

3-AMINOPHENOL

INDEX 612-127-00-4 0.173

Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 209-711-2

CAS 591-27-5

REACH Reg. 01-2119930678-27

2-METHYLRESORCINOL

INDEX 0.12

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

4-AMINOPHENOL

INDEX 612-128-00-X 0.11

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

EC 204-616-2

LD50 Oral: 671 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

CAS 123-30-8

REACH Reg. 01-2119535388-31

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

SECTION 4. First aid measures ... / >>**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 7. Handling and storage ... / >>

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC								
Normal value in fresh water					0.0126	mg/l		
Normal value in marine water					0.00126	mg/l		
Normal value for fresh water sediment					0.0112	mg/kg		
Normal value for marine water sediment					0.00112	mg/kg		
Normal value for water, intermittent release					0.7	mg/l		
Normal value of STP microorganisms					0.177	mg/l		
Normal value for the terrestrial compartment					0.00259	mg/kg		
Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL

Threshold Limit Value							
Type	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
VLA	ESP	2.5	1	7.5	3	SKIN	
VLEP	ITA	2.5	1	7.6	3	SKIN	
WEL	GBR	2.5	1	7.6	3	SKIN	
OEL	EU	2.5	1	7.6	3	SKIN	
TLV-ACGIH		7.5	3	15	6		
Predicted no-effect concentration - PNEC							
Normal value in fresh water						0.085	mg/l
Normal value in marine water						0.0085	mg/l
Normal value for fresh water sediment						0.425	mg/kg
Normal value for marine water sediment						0.0425	mg/kg
Normal value for water, intermittent release						0.025	mg/l
Normal value of STP microorganisms						100	mg/l
Normal value for the terrestrial compartment						0.035	mg/kg
Health - Derived no-effect level - DNEL / DMEL							
Route of exposure	Effects on consumers			Chronic local	Chronic systemic	Effects on workers	
	Acute local	Acute systemic	Acute local			Acute systemic	Chronic local
Oral				VND	3,75 mg/kg/d		
Inhalation				VND	2 mg/m3	VND	3,3 mg/m3
Skin				VND	0,24 mg/kg/d	VND	1 mg/kg/d

SECTION 8. Exposure controls/personal protection ... / >>

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	not available	
Colour	not available	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.57 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials

2-AMINOETHANOL

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

2-AMINOETHANOL

65023/3 - DEMIPERMANENT 8,72

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65023/3 - DEMIPERMANENT 8,72**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal): 1000 mg/kg Rat
 LD50 (Oral): 693 mg/kg Rat
 LC50 (Inhalation mists/powders): 1162 mg/m3 Rat

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
 LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

4-AMINOPHENOL

LD50 (Dermal): > 5000 mg/kg rat
 LD50 (Oral): 671 mg/kg rat
 LC50 (Inhalation mists/powders): > 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

65023/3 - DEMIPERMANENT 8,72**SECTION 11. Toxicological information ... / >>**

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

4-tert-butylcyclohexyl acetate

non irritante

tetradecanol

non irritante

4-AMINOPHENOL

non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE

irritante

2-METHYLRESORCINOL

irritante per gli occhi

2-AMINOETHANOL

effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

irritante per gli occhi

4-tert-butylcyclohexyl acetate

non irritante

tetradecanol

irritante

4-AMINOPHENOL

non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

4-AMINOPHENOL

2-METHYLRESORCINOL

3-AMINOPHENOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE

sensitising

2-METHYLRESORCINOL

sensitising

65023/3 - DEMIPERMANENT 8,72**SECTION 11. Toxicological information ... / >>****2-AMINOETHANOL**

non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non sensibilizzante

dodecan-1-ol

non sensibilizzante

4-tert-butylcyclohexyl acetate

sensitising

tetradecanol

non sensibilizzante

4-AMINOPHENOL

sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE

positivo

2-METHYLRESORCINOL

negative

2-AMINOETHANOL

negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate

negative

dodecan-1-ol

negative

4-tert-butylcyclohexyl acetate

negative

tetradecanol

negative

4-AMINOPHENOL

mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine

disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL

LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

65023/3 - DEMIPERMANENT 8,72**SECTION 12. Ecological information** ... / >>**12.2. Persistence and degradability**

3-AMINOPHENOL	
Solubility in water	29900 mg/l 35°C
Rapidly degradable	
2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	
2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-AMINOPHENOL	
Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow
2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow
4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

65023/3 - DEMIPERMANENT 8,72**SECTION 15. Regulatory information ... / >>**

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%

65023/3 - DEMIPERMANENT 8,72**SECTION 16. Other information ... / >>**

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise

65023/3 - DEMIPERMANENT 8,72

in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65042/3
Product name: DEMIPERMANENT 8,3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65042/3 - DEMIPERMANENT 8,3**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
2-METHYLRESORCINOL
2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65042/3 - DEMIPERMANENT 8,3**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.3

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.24

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-AMINOPHENOL

INDEX 612-128-00-X 0.08

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

EC 204-616-2

LD50 Oral: 671 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

CAS 123-30-8

REACH Reg. 01-2119535388-31

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Chronic	Chronic	
	local	systemic	local	systemic	local	systemic	local	systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Chronic	Chronic	
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

65042/3 - DEMIPERMANENT 8,3**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65042/3 - DEMIPERMANENT 8,3**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65042/3 - DEMIPERMANENT 8,3**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
ATE (Oral) of the mixture: >2000 mg/kg
ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): 102 mg/kg
LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral): > 1089 mg/kg rat
LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
LD50 (Oral): > 2000 mg/kg rat
LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

4-AMINOPHENOL

LD50 (Dermal): > 5000 mg/kg rat
LD50 (Oral): 671 mg/kg rat
LC50 (Inhalation mists/powders): > 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

2-METHYLRESORCINOL
non irritante

2-AMINOETHANOL
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

65042/3 - DEMIPERMANENT 8,3**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
non irritante

tetradecanol
non irritante

4-AMINOPHENOL
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

65042/3 - DEMIPERMANENT 8,3**SECTION 11. Toxicological information** ... / >>

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

SECTION 12. Ecological information ... / >>

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL

LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-AMINOPHENOL

Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

2-AMINOETHANOL

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

4-AMINOPHENOL

Partition coefficient: n-octanol/water	-0.09 Log Kow
--	---------------

12.4. Mobility in soil

2-AMINOETHANOL

Partition coefficient: soil/water	-0.5646
-----------------------------------	---------

65042/3 - DEMIPERMANENT 8,3**SECTION 12. Ecological information ... / >>****12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: -	Limited Quantities: 5 L	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

65042/3 - DEMIPERMANENT 8,3**SECTION 14. Transport information ... / >>****14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.

SECTION 16. Other information ... / >>

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety

65042/3 - DEMIPERMANENT 8,3**SECTION 16. Other information ... / >>**

- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65043/3
Product name: DEMIPERMANENT 8,31

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65043/3 - DEMIPERMANENT 8,31**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
2-METHYLRESORCINOL
4-tert-butylcyclohexyl acetate
2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65043/3 - DEMIPERMANENT 8,31

SECTION 3. Composition/information on ingredients ... / >>

dodecan-1-ol

INDEX 2.555

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.945

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.301

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYLRESORCINOL

INDEX 0.241

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

Maleic acid

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-AMINOPHENOL

INDEX 612-128-00-X 0.08

EC 204-616-2

CAS 123-30-8

REACH Reg. 01-2119535388-31

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

Eye Irrit. 2 H319

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373,
Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic
Chronic 1 H410 M=1ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation
mists/powders: 1.77 mg/l/4h

Skin Sens. 1B H317

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1
H400 M=1

ATE Oral: 100 mg/kg

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin
Sens. 1B H317

ATE Oral: 500 mg/kg

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin
Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal

SECTION 4. First aid measures ... / >>

protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.

65043/3 - DEMIPERMANENT 8,31

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 17

EN

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
Information not available

9.2.2. Other safety characteristics
VOC (Directive 2010/75/EU) 11.08 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65043/3 - DEMIPERMANENT 8,31**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**Maleic acid**

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65043/3 - DEMIPERMANENT 8,31**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritante**SERIOUS EYE DAMAGE / IRRITATION**

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

65043/3 - DEMIPERMANENT 8,31**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYLRESORCINOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

Davines S.p.A.

65043/3 - DEMIPERMANENT 8,31

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 12 / 17

EN

SECTION 11. Toxicological information ... / >>

4-tert-butylcyclohexyl acetate

negative

tetradecanol

negative

4-AMINOPHENOL

mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish

EC50 - for Crustacea

Chronic NOEC for Crustacea

< 1 mg/l/96h

1.19 mg/l/48h

0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish

EC50 - for Crustacea

Chronic NOEC for Algae / Aquatic Plants

58.1 mg/l/96h

0.605 mg/l/48h

2.49 mg/l

Maleic acid

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

Chronic NOEC for Crustacea

75 mg/l/96h

42.81 mg/l/48h

74.35 mg/l/72h

10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish

Chronic NOEC for Crustacea

1.2 mg/l Oryzias latipes

0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

EC10 for Crustacea

Chronic NOEC for Crustacea

39 mg/l/96h

120.9 mg/l/48h

118.434 mg/l/72h

< 1 mg/l/48h Daphnia magna

1.25 mg/l

EPY 11.7.2 - SDS 1004.14

65043/3 - DEMIPERMANENT 8,31**SECTION 12. Ecological information ... / >>**

dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL	
LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	

ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate	
Rapidly degradable	

tetradecanol	
Rapidly degradable	

4-AMINOPHENOL	
Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow

ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3

dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

Davines S.p.A.		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 14 / 17		EN
65043/3 - DEMIPERMANENT 8,31				
SECTION 12. Ecological information ... / >>				
12.6. Endocrine disrupting properties				
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.				
12.7. Other adverse effects				
Information not available				
SECTION 13. Disposal considerations				
13.1. Waste treatment methods				
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.				
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.				
Waste transportation may be subject to ADR restrictions.				
CONTAMINATED PACKAGING				
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.				
SECTION 14. Transport information				
14.1. UN number or ID number				
ADR / RID, IMDG, IATA: UN 3267				
14.2. UN proper shipping name				
ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)				
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)				
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)				
14.3. Transport hazard class(es)				
ADR / RID: Class: 8 Label: 8				
IMDG: Class: 8 Label: 8				
IATA: Class: 8 Label: 8				
14.4. Packing group				
ADR / RID, IMDG, IATA: III				
14.5. Environmental hazards				
ADR / RID: NO				
IMDG: not marine pollutant				
IATA: NO				
14.6. Special precautions for user				
ADR / RID:		HIN - Kemler: 80	Limited Quantities: 5 lt	Tunnel restriction code: (E)
		Special provision: 274		
IMDG:		EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:		Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
		Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
		Special provision:	A3, A803	
14.7. Maritime transport in bulk according to IMO instruments				
Information not relevant				

EPY 11.7.2 - SDS 1004.14

Davines S.p.A. 65043/3 - DEMIPERMANENT 8,31		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 15 / 17 EN
SECTION 15. Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
Seveso Category - Directive 2012/18/EU: None		
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006		
Product		
Point 3 - 40		
Contained substance		
Point 75		
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors		
not applicable		
Substances in Candidate List (Art. 59 REACH)		
On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.		
Substances subject to authorisation (Annex XIV REACH)		
None		
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:		
None		
Substances subject to the Rotterdam Convention:		
None		
Substances subject to the Stockholm Convention:		
None		
Healthcare controls		
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.		
15.2. Chemical safety assessment		
A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.		
SECTION 16. Other information		
Text of hazard (H) indications mentioned in section 2-3 of the sheet:		
Muta. 2 Germ cell mutagenicity, category 2 Acute Tox. 3 Acute toxicity, category 3 Acute Tox. 4 Acute toxicity, category 4 STOT RE 2 Specific target organ toxicity - repeated exposure, category 2 Skin Corr. 1B Skin corrosion, category 1B Eye Dam. 1 Serious eye damage, category 1 Eye Irrit. 2 Eye irritation, category 2 Skin Irrit. 2 Skin irritation, category 2 STOT SE 3 Specific target organ toxicity - single exposure, category 3 Skin Sens. 1 Skin sensitization, category 1 Skin Sens. 1B Skin sensitization, category 1B Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2 Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3 H341 Suspected of causing genetic defects. H301 Toxic if swallowed. H302 Harmful if swallowed. H312 Harmful in contact with skin. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H315 Causes skin irritation.		
EPY 11.7.2 - SDS 1004.14		

SECTION 16. Other information ... / >>

H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

65043/3 - DEMIPERMANENT 8,31**SECTION 16. Other information ... / >>**

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65044/3
Product name: DEMIPERMANENT 8,34

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65044/3 - DEMIPERMANENT 8,34**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

4-AMINOPHENOL

2-Amino-6-chloro-4-nitrophenol

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65044/3 - DEMIPERMANENT 8,34**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.373

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

Eye Irrit. 2 H319

tetradecanol

INDEX 0.878

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Skin Sens. 1B H317

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.28

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.24

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

ATE Oral: 100 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

2-Amino-6-chloro-4-nitrophenol

INDEX 0.2

Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 228-762-1

CAS 6358-09-4

REACH Reg. 01-2120758798-30

4-AMINOPHENOL

INDEX 612-128-00-X 0.172

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1
ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

EC 204-616-2

CAS 123-30-8

REACH Reg. 01-2119535388-31

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

ATE Oral: 500 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing,

SECTION 4. First aid measures ... / >>

breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Davines S.p.A.

65044/3 - DEMIPERMANENT 8,34

Revision nr.1
Dated 22/10/2024
First compilation
Printed on 22/10/2024
Page n. 5 / 17

EN

SECTION 6. Accidental release measures ... / >>

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Effects on consumers

Acute

Acute

Chronic

Chronic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

65044/3 - DEMIPERMANENT 8,34**SECTION 8. Exposure controls/personal protection ... / >>****ETHANOLAMINE****Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

65044/3 - DEMIPERMANENT 8,34**SECTION 8. Exposure controls/personal protection ... / >>**

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.08 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65044/3 - DEMIPERMANENT 8,34**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-Amino-6-chloro-4-nitrophenol

LD50 (Oral):

> 2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP

65044/3 - DEMIPERMANENT 8,34**SECTION 11. Toxicological information ... / >>**

(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-Amino-6-chloro-4-nitrophenol	
irritante	
2-METHYL-p-PHENYLENEDIAMINE SULFATE	
non irritante	
2-METHYLRESORCINOL	
non irritante	
ETHANOLAMINE	
corrosivo	
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
non irritante	
dodecan-1-ol	
non irritante	
4-tert-butylcyclohexyl acetate	
non irritante	
tetradecanol	
non irritante	
4-AMINOPHENOL	
non irritante	

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-Amino-6-chloro-4-nitrophenol	
irritante	
2-METHYL-p-PHENYLENEDIAMINE SULFATE	
irritante	
2-METHYLRESORCINOL	
irritante per gli occhi	

65044/3 - DEMIPERMANENT 8,34**SECTION 11. Toxicological information ... / >>**

ETHANOLAMINE

effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
irritante per gli occhi4-tert-butylcyclohexyl acetate
non irritantetetradecanol
irritante4-AMINOPHENOL
non irritanteRESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

4-AMINOPHENOL

2-Amino-6-chloro-4-nitrophenol

2-METHYLRESORCINOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

Skin sensitization2-Amino-6-chloro-4-nitrophenol
sensitising2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising2-METHYLRESORCINOL
sensitisingETHANOLAMINE
non sensibilizzantesodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzantedodecan-1-ol
non sensibilizzante4-tert-butylcyclohexyl acetate
sensitisingtetradecanol
non sensibilizzante4-AMINOPHENOL
sensitisingGERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-Amino-6-chloro-4-nitrophenol
negative2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

65044/3 - DEMIPERMANENT 8,34**SECTION 11. Toxicological information** ... / >>

2-METHYLRESORCINOL

negative

ETHANOLAMINE

negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate

negative

dodecan-1-ol

negative

4-tert-butylcyclohexyl acetate

negative

tetradecanol

negative

4-AMINOPHENOL

mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

2-Amino-6-chloro-4-nitrophenol

LC50 - for Fish

> 100 mg/l/96h

EC50 - for Crustacea

281.5 mg/l/48h

EC50 - for Algae / Aquatic Plants

82.4 mg/l/72h

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish

< 1 mg/l/96h

EC50 - for Crustacea

1.19 mg/l/48h

Chronic NOEC for Crustacea

0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish

58.1 mg/l/96h

EC50 - for Crustacea

0.605 mg/l/48h

Chronic NOEC for Algae / Aquatic Plants

2.49 mg/l

SECTION 12. Ecological information ... / >>

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l <i>Daphnia magna</i>

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h <i>Cyprinus carpio</i>
EC50 - for Crustacea	5.3 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL

LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

12.2. Persistence and degradability

2-Amino-6-chloro-4-nitrophenol

Solubility in water	450 mg/l a 25°C
NOT rapidly degradable	

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

ETHANOLAMINE

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate

Rapidly degradable

tetradecanol

Rapidly degradable

4-AMINOPHENOL

Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

65044/3 - DEMIPERMANENT 8,34**SECTION 12. Ecological information** ... / >>

2-Amino-6-chloro-4-nitrophenol	
Partition coefficient: n-octanol/water	1.8 a 20°C
2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow
ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow
4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

65044/3 - DEMIPERMANENT 8,34**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazardsADR / RID: NO
IMDG: not marine pollutant
IATA: NO**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 lt	Tunnel restriction code: (E)
	Special provision: 274		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

65044/3 - DEMIPERMANENT 8,34**SECTION 15. Regulatory information ... / >>**

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

65044/3 - DEMIPERMANENT 8,34**SECTION 16. Other information ... / >>**

- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65046/3
Product name: DEMIPERMANENT 10,33

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65046/3 - DEMIPERMANENT 10,33**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

2-METHYLRESORCINOL

4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:
11 mg/l

REACH Reg. 01-2119486455-28

65046/3 - DEMIPERMANENT 10,33**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.373

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

Eye Irrit. 2 H319

tetradecanol

INDEX 0.878

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Skin Sens. 1B H317

2-METHYLRESORCINOL

INDEX 0.12

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

ATE Oral: 100 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 0.105

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

ATE Oral: 500 mg/kg

4-AMINOPHENOL

INDEX 0.07

EC 204-616-2

CAS 123-30-8

REACH Reg. 01-2119535388-31

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal

65046/3 - DEMIPERMANENT 10,33**SECTION 4. First aid measures ... / >>**

protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.					Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 5 / 17				EN	
65046/3 - DEMIPERMANENT 10,33										
SECTION 7. Handling and storage										
7.1. Precautions for safe handling										
Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.										
7.2. Conditions for safe storage, including any incompatibilities										
Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.										
7.3. Specific end use(s)										
Information not available										
SECTION 8. Exposure controls/personal protection										
8.1. Control parameters										
Regulatory references:										
ESP	España	Límites de exposición profesional para agentes químicos en España 2023								
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81								
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)								
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.								
	TLV-ACGIH	ACGIH 2023								
2-METHYL-p-PHENYLENEDIAMINE SULFATE										
Predicted no-effect concentration - PNEC										
Normal value in fresh water					0.0126	mg/l				
Normal value in marine water					0.00126	mg/l				
Normal value for fresh water sediment					0.0112	mg/kg				
Normal value for marine water sediment					0.00112	mg/kg				
Normal value for water, intermittent release					0.7	mg/l				
Normal value of STP microorganisms					0.177	mg/l				
Normal value for the terrestrial compartment					0.00259	mg/kg				
Health - Derived no-effect level - DNEL / DMEL										
Route of exposure	Effects on consumers				Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	systemic	local	systemic	local	systemic	local	systemic		
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3		
Skin							VND	0,1 mg/kg/d		

EPY 11.7.2 - SDS 1004.14

65046/3 - DEMIPERMANENT 10,33**SECTION 8. Exposure controls/personal protection ... / >>****ETHANOLAMINE****Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

65046/3 - DEMIPERMANENT 10,33**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65046/3 - DEMIPERMANENT 10,33**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)**Maleic acid**

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65046/3 - DEMIPERMANENT 10,33**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

65046/3 - DEMIPERMANENT 10,33**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

2-METHYLRESORCINOL

4-tert-butylcyclohexyl acetate

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

Davines S.p.A.		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 12 / 17	EN
65046/3 - DEMIPERMANENT 10,33			
SECTION 11. Toxicological information ... / >>			
4-tert-butylcyclohexyl acetate negative			
tetradecanol negative			
4-AMINOPHENOL mutagena			
CARCINOGENICITY			
Does not meet the classification criteria for this hazard class			
REPRODUCTIVE TOXICITY			
Does not meet the classification criteria for this hazard class			
STOT - SINGLE EXPOSURE			
May cause respiratory irritation			
STOT - REPEATED EXPOSURE			
Does not meet the classification criteria for this hazard class			
ASPIRATION HAZARD			
Does not meet the classification criteria for this hazard class			
11.2. Information on other hazards			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.			
SECTION 12. Ecological information			
This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.			
12.1. Toxicity			
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
LC50 - for Fish		< 1 mg/l/96h	
EC50 - for Crustacea		1.19 mg/l/48h	
Chronic NOEC for Crustacea		0.63 mg/l	
2-METHYLRESORCINOL			
LC50 - for Fish		58.1 mg/l/96h	
EC50 - for Crustacea		0.605 mg/l/48h	
Chronic NOEC for Algae / Aquatic Plants		2.49 mg/l	
Maleic acid			
LC50 - for Fish		75 mg/l/96h	
EC50 - for Crustacea		42.81 mg/l/48h	
EC50 - for Algae / Aquatic Plants		74.35 mg/l/72h	
Chronic NOEC for Crustacea		10 mg/l	
ETHANOLAMINE			
Chronic NOEC for Fish		1.2 mg/l Oryzias latipes	
Chronic NOEC for Crustacea		0.85 mg/l Daphnia magna	
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
LC50 - for Fish		39 mg/l/96h	
EC50 - for Crustacea		120.9 mg/l/48h	
EC50 - for Algae / Aquatic Plants		118.434 mg/l/72h	
EC10 for Crustacea		< 1 mg/l/48h Daphnia magna	
Chronic NOEC for Crustacea		1.25 mg/l	

EPY 11.7.2 - SDS 1004.14

65046/3 - DEMIPERMANENT 10,33**SECTION 12. Ecological information** ... / >>

dodecan-1-ol
LC50 - for Fish 1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea 0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants 0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate
LC50 - for Fish 8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea 5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants 22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants 6.8 mg/l 72 h

tetradecanol
LC50 - for Fish > 1 mg/l/96h
EC50 - for Crustacea 3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants > 10 mg/l/72h

4-AMINOPHENOL
LC50 - for Fish 0.82 mg/l/96h
EC50 - for Crustacea 0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants 0.253 mg/l/72h
EC10 for Algae / Aquatic Plants 0.083 mg/l/72h
Chronic NOEC for Fish 0.049 mg/l
Chronic NOEC for Crustacea 0.206 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL
Solubility in water 263000 mg/l 25°C
Rapidly degradable

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

4-AMINOPHENOL
Solubility in water > 1000 mg/l
NOT rapidly degradable

12.3. Bioaccumulative potential

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

4-AMINOPHENOL
Partition coefficient: n-octanol/water -0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

65046/3 - DEMIPERMANENT 10,33**SECTION 12. Ecological information** ... / >>**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 80
Special provision: 274

IMDG: EMS: F-A, S-B

IATA: Cargo:

Passengers:

Special provision:

Limited Quantities: 5 lt

Limited Quantities: 5 lt

Maximum quantity: 60 L

Maximum quantity: 5 L

A3, A803

Tunnel restriction code: (E)

Packaging instructions: 856

Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

65046/3 - DEMIPERMANENT 10,33**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

65046/3 - DEMIPERMANENT 10,33**SECTION 16. Other information ... / >>**

H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

65046/3 - DEMIPERMANENT 10,33**SECTION 16. Other information ... / >>**

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65029/3
Product name: DEMIPERMANENT 5,22

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65029/3 - DEMIPERMANENT 5,22**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

2-(2,4-diaminophenoxy)ethanol dihydrochloride

2-METHYL-p-PHENYLENEDIAMINE SULFATE

1-naphtol

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

2-AMINOETHANOL

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l

REACH Reg. 01-2119486455-28

65029/3 - DEMIPERMANENT 5,22**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

INDEX 613-249-00-0 0.653

Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 429-300-3

CAS 155601-30-2

REACH Reg. 01-0000017559-58

1-naphthol

INDEX 604-029-00-5 0.562

Acute Tox. 3 H311, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1 H317, STOT SE 2 H371, Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412

LD50 Oral: >1000 mg/kg, LD50 Dermal: >880 mg/kg

EC 201-969-4

CAS 90-15-3

REACH Reg. 01-2120756853-44

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.317

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-(2,4-diaminophenoxy)ethanol dihydrochloride

INDEX 0.161

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

LD50 Oral: 1000 mg/kg

EC 266-357-1

CAS 66422-95-5

REACH Reg. 01-2120011817-60

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

LD50 Oral: 1030 mg/kg

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65029/3 - DEMIPERMANENT 5,22

Revision nr.1

Dated 12/10/2023

First compilation

Printed on 12/10/2023

Page n. 5 / 16

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

65029/3 - DEMIPERMANENT 5,22**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.50 %
VOC (volatile carbon)	5.00 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65029/3 - DEMIPERMANENT 5,22**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

SECTION 11. Toxicological information ... / >>

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

1-naphtol

LD50 (Dermal): > 880 mg/kg
 LD50 (Oral): > 1000 mg/kg Rat

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LD50 (Oral): > 2000 mg/kg Rat

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

2-(2,4-diaminophenoxy)ethanol dihydrochloride

LD50 (Dermal): 45450 mg/kg
 LD50 (Oral): 1000 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

1-naphtol

irritante per la pelle

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

non irritante

65029/3 - DEMIPERMANENT 5,22**SECTION 11. Toxicological information ... / >>****2-AMINOETHANOL**

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritantetetradecanol
non irritante2-(2,4-diaminophenoxy)ethanol dihydrochloride
non irritante**SERIOUS EYE DAMAGE / IRRITATION**

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante1-naphtol
irritante per gli occhi, danni irreversibili1-Hydroxyethyl-4,5-diaminopyrazole sulfate
irritante per gli occhi**2-AMINOETHANOL**
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
irritante per gli occhitetradecanol
irritante2-(2,4-diaminophenoxy)ethanol dihydrochloride
provoca grave irritazione oculare**RESPIRATORY OR SKIN SENSITISATION**

May produce an allergic reaction.

Contains:

Maleic acid

2-(2,4-diaminophenoxy)ethanol dihydrochloride

2-METHYL-p-PHENYLENEDIAMINE SULFATE

1-naphtol

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

Skin sensitization**2-METHYL-p-PHENYLENEDIAMINE SULFATE**
sensitising1-naphtol
sensitising1-Hydroxyethyl-4,5-diaminopyrazole sulfate
sensitising**2-AMINOETHANOL**
non sensibilizzante

65029/3 - DEMIPERMANENT 5,22**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

2-(2,4-diaminophenoxy)ethanol dihydrochloride
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

1-naphtol
negative

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

2-(2,4-diaminophenoxy)ethanol dihydrochloride
negativa

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

65029/3 - DEMIPERMANENT 5,22**SECTION 12. Ecological information ... / >>****SECTION 12. Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

1-naphtol

LC50 - for Fish	0.33 mg/l/96h
EC50 - for Crustacea	2.51 mg/l/48h
EC50 - for Algae / Aquatic Plants	2.18 mg/l/72h
Chronic NOEC for Crustacea	0.25 mg/l

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LC50 - for Fish	> 86.23 mg/l/96h Danio rerio (mortality)
EC50 - for Crustacea	11.12 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	5.33 mg/l/72h Pseudokirchnerella subcapitata (growth rate)
Chronic NOEC for Fish	10 mg/l Danio rerio
Chronic NOEC for Crustacea	< 6.14 mg/l 48h
Chronic NOEC for Algae / Aquatic Plants	1.8 mg/l Pseudokirchnerella subcapitata (growth rate)

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

2-(2,4-diaminophenoxy)ethanol dihydrochloride

LC50 - for Fish	400 mg/l/96h
EC50 - for Crustacea	7.4 mg/l/48h
EC50 - for Algae / Aquatic Plants	10.2 mg/l/72h
Chronic NOEC for Crustacea	2.5 mg/l

12.2. Persistence and degradability

65029/3 - DEMIPERMANENT 5,22

1-naphtol
Solubility in water 250 mg/l 20°C
Rapidly degradable

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
NOT rapidly degradable

2-AMINOETHANOL
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

2-(2,4-diaminophenoxy)ethanol dihydrochloride
Solubility in water 432000 mg/l a 25°C

12.3. Bioaccumulative potential

2-AMINOETHANOL
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

2-(2,4-diaminophenoxy)ethanol dihydrochloride
Partition coefficient: n-octanol/water 0.51

12.4. Mobility in soil

2-AMINOETHANOL
Partition coefficient: soil/water -0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

65029/3 - DEMIPERMANENT 5,22**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: NO

IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

SECTION 15. Regulatory information ... / >>

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
STOT SE 2	Specific target organ toxicity - single exposure, category 2
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

SECTION 16. Other information ... / >>

- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65030/3
Product name: DEMIPERMANENT 5,55

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person
responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06
6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65030/3 - DEMIPERMANENT 5,55**SECTION 2. Hazards identification ... / >>**

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:	2-AMINOETHANOL 2-METHYL-p-PHENYLENEDIAMINE SULFATE Maleic acid 1-naphtol Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride 5-AMINO-O-CRESOL 4-tert-butylcyclohexyl acetate 3-AMINOPHENOL 1-Hydroxyethyl-4,5-diaminopyrazole sulfate
------------------	--

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	6	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l

65030/3 - DEMIPERMANENT 5,55**SECTION 3. Composition/information on ingredients ... / >>**

REACH Reg. 01-2119486455-28

dodecan-1-ol

INDEX 2.19

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 1

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

Eye Irrit. 2 H319

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

INDEX 613-249-00-0 0.98

EC 429-300-3

CAS 155601-30-2

REACH Reg. 01-0000017559-58

tetradecanol

INDEX 0.81

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

3-AMINOPHENOL

INDEX 612-127-00-4 0.52

EC 209-711-2

CAS 591-27-5

REACH Reg. 01-2119930678-27

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

5-AMINO-O-CRESOL

INDEX 0.26

EC 220-618-6

CAS 2835-95-2

REACH Reg. 01-2120766272-54

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.2

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

LD50 Oral: 693 mg/kg, STA Inhalation mists/powders: 1.5 mg/l

Skin Sens. 1B H317

Skin Sens. 1 H317, Aquatic Chronic 2 H411

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

LD50 Oral: 1550 mg/kg

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

1-naphthol

INDEX 604-029-00-5 0.12

EC 201-969-4

CAS 90-15-3

REACH Reg. 01-2120756853-44

Maleic acid

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Acute Tox. 3 H311, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1 H317, STOT SE 2 H371, Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412

LD50 Oral: >1000 mg/kg, LD50 Dermal: >880 mg/kg

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

LD50 Oral: 1030 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.

65030/3 - DEMIPERMANENT 5,55

Revision nr.1

Dated 16/10/2023

First compilation

Printed on 16/10/2023

Page n. 5 / 17

EN

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

EPY 11.5.1 - SDS 1004.14

65030/3 - DEMIPERMANENT 5,55**SECTION 8. Exposure controls/personal protection ... / >>****2-AMINOETHANOL****Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

65030/3 - DEMIPERMANENT 5,55**SECTION 8. Exposure controls/personal protection ... / >>**

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	not available	
Colour	not available	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 12.07 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65030/3 - DEMIPERMANENT 5,55**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:

> 5 mg/l

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

5-AMINO-O-CRESOL

LD50 (Dermal):

5688 mg/kg

LD50 (Oral):

3600 mg/kg rat

LC50 (Inhalation mists/powders):

42.57 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

STA (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal):

1000 mg/kg Rat

LD50 (Oral):

693 mg/kg Rat

LC50 (Inhalation mists/powders):

1162 mg/m3 Rat

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

1-naphtol

LD50 (Dermal):

> 880 mg/kg

LD50 (Oral):

> 1000 mg/kg Rat

65030/3 - DEMIPERMANENT 5,55**SECTION 11. Toxicological information ... / >>**

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LD50 (Oral): > 2000 mg/kg Rat

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit

STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): > 1089 mg/kg rat

LC50 (Inhalation vapours): > 1.48 mg/l/4h rat

STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP

(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg

LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg

LD50 (Oral): > 2000 mg/kg rat

LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit

LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg

LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

5-AMINO-O-CRESOL

non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

1-naphtol

irritante per la pelle

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

4-tert-butylcyclohexyl acetate

non irritante

tetradecanol

non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

65030/3 - DEMIPERMANENT 5,55**SECTION 11. Toxicological information ... / >>**

5-AMINO-O-CRESOL
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

1-naphtol
irritante per gli occhi, danni irreversibili

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

5-AMINO-O-CRESOL
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

1-naphtol
sensitising

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

5-AMINO-O-CRESOL
in vivo negativo, in vitro positivo

65030/3 - DEMIPERMANENT 5,55**SECTION 11. Toxicological information** ... / >>

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

1-naphtol
negative

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

5-AMINO-O-CRESOL	
LC50 - for Fish	25 mg/l/96h
EC50 - for Crustacea	2.3 mg/l/48h
EC50 - for Algae / Aquatic Plants	41 mg/l/72h
Chronic NOEC for Crustacea	0.24 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE	
LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

SECTION 12. Ecological information ... / >>

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

1-naphthol

LC50 - for Fish	0.33 mg/l/96h
EC50 - for Crustacea	2.51 mg/l/48h
EC50 - for Algae / Aquatic Plants	2.18 mg/l/72h
Chronic NOEC for Crustacea	0.25 mg/l

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LC50 - for Fish	> 86.23 mg/l/96h Danio rerio (mortality)
EC50 - for Crustacea	11.12 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	5.33 mg/l/72h Pseudokirchnerella subcapitata (growth rate)
Chronic NOEC for Fish	10 mg/l Danio rerio
Chronic NOEC for Crustacea	< 6.14 mg/l 48h
Chronic NOEC for Algae / Aquatic Plants	1.8 mg/l Pseudokirchnerella subcapitata (growth rate)

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

5-AMINO-O-CRESOL

Solubility in water	0.004112 mg/l a 20°C
NOT rapidly degradable	

65030/3 - DEMIPERMANENT 5,55**SECTION 12. Ecological information** ... / >>

3-AMINOPHENOL	
Solubility in water	29900 mg/l 35°C
Rapidly degradable	
1-naphthol	
Solubility in water	250 mg/l 20°C
Rapidly degradable	
1-Hydroxyethyl-4,5-diaminopyrazole sulfate	
NOT rapidly degradable	
2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

5-AMINO-O-CRESOL	
Partition coefficient: n-octanol/water	-0.53 Log Kow
2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

65030/3 - DEMIPERMANENT 5,55**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: NO

IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

SECTION 15. Regulatory information ... / >>

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
STOT SE 2	Specific target organ toxicity - single exposure, category 2
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

SECTION 16. Other information ... / >>

- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65033/3
Product name: DEMIPERMANENT 8,22

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65033/3 - DEMIPERMANENT 8,22**SECTION 2. Hazards identification** ... / >>

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: Maleic acid
1-Hydroxyethyl-4,5-diaminopyrazole sulfate
4-tert-butylcyclohexyl acetate

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65033/3 - DEMIPERMANENT 8,22**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.373

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.878

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

INDEX 0.261

Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 429-300-3

CAS 155601-30-2

REACH Reg. 01-0000017559-58

1-naphthol

INDEX 0.202

Acute Tox. 3 H311, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

EC 201-969-4

CAS 90-15-3

ATE Oral: 500 mg/kg, ATE Dermal: 300 mg/kg

Maleic acid

INDEX 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

SECTION 4. First aid measures ... / >>**4.3. Indication of any immediate medical attention and special treatment needed**

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

SECTION 7. Handling and storage ... / >>

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP	España	Límites de exposición profesional para agentes químicos en España 2023
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2023

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

Davines S.p.A.

65033/3 - DEMIPERMANENT 8,22

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 6 / 15

EN

SECTION 8. Exposure controls/personal protection ... / >>

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

EPY 11.7.2 - SDS 1004.14

65033/3 - DEMIPERMANENT 8,22**SECTION 9. Physical and chemical properties ... / >>****9.2. Other information****9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da

65033/3 - DEMIPERMANENT 8,22**SECTION 11. Toxicological information ... / >>**

contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

1-naphtol

LD50 (Dermal):

880 mg/kg

ATE (Dermal):

300 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1870 mg/kg Rat

ATE (Oral):

500 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

> 97 mg/l/4h

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LD50 (Oral):

> 2000 mg/kg Rat

65033/3 - DEMIPERMANENT 8,22**SECTION 11. Toxicological information ... / >>**

ETHANOLAMINE

LD50 (Dermal):	2504 mg/kg
ATE (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	1089 mg/kg Rat
LC50 (Inhalation vapours):	> 1.3 mg/l/6h Rat
ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat

tetradecanol

LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

1-naphtol
irritante per la pelle1-Hydroxyethyl-4,5-diaminopyrazole sulfate
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

1-naphtol
irritante per gli occhi, danni irreversibili1-Hydroxyethyl-4,5-diaminopyrazole sulfate
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

65033/3 - DEMIPERMANENT 8,22**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

4-tert-butylcyclohexyl acetate

Skin sensitization

1-naphtol
sensitising

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

1-naphtol
negative

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

65033/3 - DEMIPERMANENT 8,22**SECTION 11. Toxicological information ... / >>**REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

1-naphthol

LC50 - for Fish	43 mg/l/96h
-----------------	-------------

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LC50 - for Fish	> 86.23 mg/l/96h Danio rerio (mortality)
EC50 - for Crustacea	11.12 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	5.33 mg/l/72h Pseudokirchnerella subcapitata (growth rate)
Chronic NOEC for Fish	10 mg/l Danio rerio
Chronic NOEC for Crustacea	< 6.14 mg/l 48h
Chronic NOEC for Algae / Aquatic Plants	1.8 mg/l Pseudokirchnerella subcapitata (growth rate)

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

65033/3 - DEMIPERMANENT 8,22**SECTION 12. Ecological information** ... / >>

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability

1-naphtol	
Solubility in water	250 mg/l 20°C

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
NOT rapidly degradable

ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

12.3. Bioaccumulative potential

ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3

dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

SECTION 14. Transport information ... / >>

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: not marine pollutant
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: 274	Limited Quantities: 5 lt	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

65033/3 - DEMIPERMANENT 8,22**SECTION 15. Regulatory information ... / >>**

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration

SECTION 16. Other information ... / >>

- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65034/3
Product name: DEMIPERMANENT 10,22

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65034/3 - DEMIPERMANENT 10,22**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains: Maleic acid
May produce an allergic reaction.

Precautionary statements:

P260 Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P264 Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		
dodecan-1-ol		
INDEX 203-982-0	2.19	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC 112-53-8		
CAS 112-53-8		
REACH Reg. 01-2119485976-15		

65034/3 - DEMIPERMANENT 10,22**SECTION 3. Composition/information on ingredients ... / >>****sodium hydrogen N-(1-oxododecyl)-L-glutamate**

INDEX 2.1 Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81 Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Maleic acid

INDEX 607-095-00-3 0.1 Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

4-amino-m-cresol

INDEX 0.01 Acute Tox. 4 H302, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10

EC 220-621-2

CAS 2835-99-6

REACH Reg. 01-2120762079-48

LD50 Oral: 1030 mg/kg

LD50 Oral: 870 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2022

65034/3 - DEMIPERMANENT 10,22**SECTION 8. Exposure controls/personal protection ... / >>****2-AMINOETHANOL****Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

65034/3 - DEMIPERMANENT 10,22**SECTION 8. Exposure controls/personal protection ... / >>**

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.00 %
VOC (volatile carbon)	4.80 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**2-AMINOETHANOL**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65034/3 - DEMIPERMANENT 10,22**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

4-amino-m-cresol

LD50 (Dermal):

2409 mg/kg

LD50 (Oral):

870 mg/kg Rat

LC50 (Inhalation vapours):

12.24 mg/l/4h

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal):

> 2504 mg/kg rabbit

STA (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

> 1089 mg/kg rat

LC50 (Inhalation vapours):

> 1.48 mg/l/4h rat

STA (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal):

> 5000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal):

> 8000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

LC50 (Inhalation mists/powders):

> 71 mg/l/1h rat

65034/3 - DEMIPERMANENT 10,22**SECTION 11. Toxicological information ... / >>**

tetradecanol
LD50 (Dermal): 8000 mg/kg
LD50 (Oral): > 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

4-amino-m-cresol
non irritante

2-AMINOETHANOL
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

4-amino-m-cresol
non irritante

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

Skin sensitization

4-amino-m-cresol
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

65034/3 - DEMIPERMANENT 10,22**SECTION 11. Toxicological information ... / >>**

4-amino-m-cresol
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity

4-amino-m-cresol	
LC50 - for Fish	0.42 mg/l/96h Brachydanio rerio
EC50 - for Crustacea	0.2 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.035 mg/l/72h
EC10 for Algae / Aquatic Plants	0.0098 mg/l/72h

Maleic acid	
LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL	
LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

65034/3 - DEMIPERMANENT 10,22**SECTION 12. Ecological information** ... / >>

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability

4-amino-m-cresol

NOT rapidly degradable

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

4-amino-m-cresol

Partition coefficient: n-octanol/water	0.51 20°C
--	-----------

2-AMINOETHANOL

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

12.4. Mobility in soil

2-AMINOETHANOL

Partition coefficient: soil/water	-0.5646
-----------------------------------	---------

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

65034/3 - DEMIPERMANENT 10,22**SECTION 14. Transport information****14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: NO
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

SECTION 15. Regulatory information ... / >>

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level

SECTION 16. Other information ... / >>

- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65047/3
Product name: DEMIPERMANENT 5,46

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65047/3 - DEMIPERMANENT 5,46**SECTION 2. Hazards identification ... / >>**

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:	ETHANOLAMINE 5-AMINO-O-CRESOL 1-Hydroxyethyl-4,5-diaminopyrazole sulfate Maleic acid 2-Amino-6-chloro-4-nitrophenol 4-tert-butylcyclohexyl acetate 2-METHYL-p-PHENYLENEDIAMINE SULFATE 4-AMINOPHENOL
------------------	---

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l

SECTION 3. Composition/information on ingredients ... / >>

REACH Reg.	01-2119486455-28		
dodecan-1-ol			
INDEX		2.373	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC	203-982-0		
CAS	112-53-8		
REACH Reg.	01-2119485976-15		
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
INDEX		1.96	Eye Irrit. 2 H319
EC	249-958-3		
CAS	29923-31-7		
REACH Reg.	01-2119982964-18		
5-AMINO-O-CRESOL			
INDEX		1.16	Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	220-618-6		
CAS	2835-95-2		
REACH Reg.	01-2120766272-54		
1-Hydroxyethyl-4,5-diaminopyrazole sulfate			
INDEX	613-249-00-0	1	Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	429-300-3		
CAS	155601-30-2		
REACH Reg.	01-0000017559-58		
tetradecanol			
INDEX		0.878	Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1
EC	204-000-3		
CAS	112-72-1		
REACH Reg.	01-2119485910-33		
4-AMINOPHENOL			
INDEX	612-128-00-X	0.872	Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1 ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l
EC	204-616-2		
CAS	123-30-8		
REACH Reg.	01-2119535388-31		
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
INDEX	612-030-00-7	0.33	Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h
EC	210-431-8		
CAS	615-50-9		
REACH Reg.	01-2119962199-25		
4-tert-butylcyclohexyl acetate			
INDEX		0.299	Skin Sens. 1B H317
EC	250-954-9		
CAS	32210-23-4		
REACH Reg.	01-2119976286-24		
2-Amino-6-chloro-4-nitrophenol			
INDEX		0.15	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	228-762-1		
CAS	6358-09-4		
REACH Reg.	01-2120758798-30		
Maleic acid			
INDEX	607-095-00-3	0.1	Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317 ATE Oral: 500 mg/kg
EC	203-742-5		
CAS	110-16-7		
REACH Reg.	01-2119488705-25		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.
In case of more severe symptoms, ask for immediate medical aid.
EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

65047/3 - DEMIPERMANENT 5,46**SECTION 4. First aid measures ... / >>**

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Davines S.p.A.					Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 5 / 18				EN	
65047/3 - DEMIPERMANENT 5,46										
SECTION 6. Accidental release measures ... / >>										
Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.										
6.4. Reference to other sections										
Any information on personal protection and disposal is given in sections 8 and 13.										
SECTION 7. Handling and storage										
7.1. Precautions for safe handling										
Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.										
7.2. Conditions for safe storage, including any incompatibilities										
Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.										
7.3. Specific end use(s)										
Information not available										
SECTION 8. Exposure controls/personal protection										
8.1. Control parameters										
Regulatory references:										
ESP	España	Límites de exposición profesional para agentes químicos en España 2023								
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81								
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)								
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.								
	TLV-ACGIH	ACGIH 2023								
2-METHYL-p-PHENYLENEDIAMINE SULFATE										
Predicted no-effect concentration - PNEC										
Normal value in fresh water					0.0126	mg/l				
Normal value in marine water					0.00126	mg/l				
Normal value for fresh water sediment					0.0112	mg/kg				
Normal value for marine water sediment					0.00112	mg/kg				
Normal value for water, intermittent release					0.7	mg/l				
Normal value of STP microorganisms					0.177	mg/l				
Normal value for the terrestrial compartment					0.00259	mg/kg				
Health - Derived no-effect level - DNEL / DMEL										
Route of exposure	Effects on consumers				Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	systemic	local	systemic	local	systemic	local	systemic		
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3		
Skin							VND	0,1 mg/kg/d		

 EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

65047/3 - DEMIPERMANENT 5,46**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65047/3 - DEMIPERMANENT 5,46**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-Amino-6-chloro-4-nitrophenol

LD50 (Oral):

> 2000 mg/kg

5-AMINO-O-CRESOL

LD50 (Dermal):

5688 mg/kg

LD50 (Oral):

3600 mg/kg rat

LC50 (Inhalation mists/powders):

42.57 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LD50 (Oral):

> 2000 mg/kg Rat

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65047/3 - DEMIPERMANENT 5,46**SECTION 11. Toxicological information ... / >>**

LD50 (Oral):	1089 mg/kg Rat
LC50 (Inhalation vapours):	> 1.3 mg/l/6h Rat
ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-Amino-6-chloro-4-nitrophenol
irritante5-AMINO-O-CRESOL
non irritante2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante1-Hydroxyethyl-4,5-diaminopyrazole sulfate
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-Amino-6-chloro-4-nitrophenol
irritante

65047/3 - DEMIPERMANENT 5,46**SECTION 11. Toxicological information ... / >>**

5-AMINO-O-CRESOL
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
irritante per gli occhi

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-Amino-6-chloro-4-nitrophenol
sensitising

5-AMINO-O-CRESOL
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

65047/3 - DEMIPERMANENT 5,46**SECTION 11. Toxicological information ... / >>**

2-Amino-6-chloro-4-nitrophenol
negative

5-AMINO-O-CRESOL
in vivo negativo, in vitro positivo

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

2-Amino-6-chloro-4-nitrophenol	
LC50 - for Fish	> 100 mg/l/96h
EC50 - for Crustacea	281.5 mg/l/48h
EC50 - for Algae / Aquatic Plants	82.4 mg/l/72h

65047/3 - DEMIPERMANENT 5,46**SECTION 12. Ecological information ... / >>****5-AMINO-O-CRESOL**

LC50 - for Fish	25 mg/l/96h
EC50 - for Crustacea	2.3 mg/l/48h
EC50 - for Algae / Aquatic Plants	41 mg/l/72h
Chronic NOEC for Crustacea	0.24 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LC50 - for Fish	> 86.23 mg/l/96h Danio rerio (mortality)
EC50 - for Crustacea	11.12 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	5.33 mg/l/72h Pseudokirchnerella subcapitata (growth rate)
Chronic NOEC for Fish	10 mg/l Danio rerio
Chronic NOEC for Crustacea	< 6.14 mg/l 48h
Chronic NOEC for Algae / Aquatic Plants	1.8 mg/l Pseudokirchnerella subcapitata (growth rate)

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL

LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

12.2. Persistence and degradability**2-Amino-6-chloro-4-nitrophenol**

Solubility in water	450 mg/l a 25°C
NOT rapidly degradable	

65047/3 - DEMIPERMANENT 5,46**SECTION 12. Ecological information** ... / >>

5-AMINO-O-CRESOL
Solubility in water 0.004112 mg/l a 20°C
NOT rapidly degradable

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
NOT rapidly degradable

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

4-AMINOPHENOL
Solubility in water > 1000 mg/l
NOT rapidly degradable

12.3. Bioaccumulative potential

2-Amino-6-chloro-4-nitrophenol
Partition coefficient: n-octanol/water 1.8 a 20°C

5-AMINO-O-CRESOL
Partition coefficient: n-octanol/water -0.53 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

4-AMINOPHENOL
Partition coefficient: n-octanol/water -0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Davines S.p.A.		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 15 / 18		EN
65047/3 - DEMIPERMANENT 5,46				
SECTION 14. Transport information				
14.1. UN number or ID number				
ADR / RID, IMDG, IATA:		UN 3267		
14.2. UN proper shipping name				
ADR / RID:		CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)		
IMDG:		CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE; dodecan-1-ol)		
IATA:		CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)		
14.3. Transport hazard class(es)				
ADR / RID:		Class: 8	Label: 8	
IMDG:		Class: 8	Label: 8	
IATA:		Class: 8	Label: 8	
14.4. Packing group				
ADR / RID, IMDG, IATA:		III		
14.5. Environmental hazards				
ADR / RID:		Environmentally Hazardous		
IMDG:		Marine Pollutant		
IATA:		NO		
For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.				
14.6. Special precautions for user				
ADR / RID:		HIN - Kemler: 80 Special provision: 274	Limited Quantities: 5 lt	Tunnel restriction code: (E)
IMDG:		EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:		Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852
14.7. Maritime transport in bulk according to IMO instruments				
Information not relevant				
SECTION 15. Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
Seveso Category - Directive 2012/18/EU:		E2		
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006				
Product				
Point		3 - 40		

65047/3 - DEMIPERMANENT 5,46**SECTION 15. Regulatory information ... / >>**

Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)
On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:
None

Substances subject to the Rotterdam Convention:
None

Substances subject to the Stockholm Convention:
None

Healthcare controls
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate

65047/3 - DEMIPERMANENT 5,46**SECTION 16. Other information ... / >>**

- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
 24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

65047/3 - DEMIPERMANENT 5,46**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65048/3
Product name: DEMIPERMANENT 6,61

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65048/3 - DEMIPERMANENT 6,61

SECTION 2. Hazards identification ... / >>

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:	ETHANOLAMINE 1-Hydroxyethyl-4,5-diaminopyrazole sulfate Maleic acid 2-METHYL-p-PHENYLENEDIAMINE SULFATE 4-tert-butylcyclohexyl acetate 5-AMINO-O-CRESOL
------------------	--

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	6.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65048/3 - DEMIPERMANENT 6,61**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.373

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

INDEX 613-249-00-0 1.3

Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 429-300-3

CAS 155601-30-2

REACH Reg. 01-0000017559-58

tetradecanol

INDEX 0.878

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

1-naphthol

INDEX 604-029-00-5 0.6

Acute Tox. 3 H311, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335

EC 201-969-4

CAS 90-15-3

ATE Oral: 500 mg/kg, ATE Dermal: 300 mg/kg

5-AMINO-O-CRESOL

INDEX 0.3

Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 220-618-6

CAS 2835-95-2

REACH Reg. 01-2120766272-54

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.2

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

SECTION 4. First aid measures ... / >>Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.

65048/3 - DEMIPERMANENT 6,61

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 17

EN

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Effects on consumers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

0,49

mg/m3

VND

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.
EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).
RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.
ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
Information not available

9.2.2. Other safety characteristics
VOC (Directive 2010/75/EU) 12.58 %

65048/3 - DEMIPERMANENT 6,61**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65048/3 - DEMIPERMANENT 6,61**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

5-AMINO-O-CRESOL

LD50 (Dermal):

5688 mg/kg

LD50 (Oral):

3600 mg/kg rat

LC50 (Inhalation mists/powders):

42.57 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

1-naphtol

LD50 (Dermal):

880 mg/kg

ATE (Dermal):

300 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1870 mg/kg Rat

ATE (Oral):

500 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

> 97 mg/l/4h

65048/3 - DEMIPERMANENT 6,61**SECTION 11. Toxicological information ... / >>**

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
LD50 (Oral):

> 2000 mg/kg Rat

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal):

> 5000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal):

> 8000 mg/kg

LD50 (Oral):

> 2000 mg/kg rat

LC50 (Inhalation mists/powders):

> 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal):

> 4680 mg/kg rabbit

LD50 (Oral):

3370 mg/kg rat

tetradecanol

LD50 (Dermal):

8000 mg/kg

LD50 (Oral):

> 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

5-AMINO-O-CRESOL

non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

1-naphtol

irritante per la pelle

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

non irritante

ETHANOLAMINE

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

4-tert-butylcyclohexyl acetate

non irritante

tetradecanol

non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

5-AMINO-O-CRESOL

non irritante

65048/3 - DEMIPERMANENT 6,61**SECTION 11. Toxicological information ... / >>**

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

1-naphtol
irritante per gli occhi, danni irreversibili

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
irritante per gli occhi

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

5-AMINO-O-CRESOL
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

1-naphtol
sensitising

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

5-AMINO-O-CRESOL
in vivo negativo, in vitro positivo

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

65048/3 - DEMIPERMANENT 6,61**SECTION 11. Toxicological information ... / >>**

1-naphtol
negative

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**5-AMINO-O-CRESOL**

LC50 - for Fish	25 mg/l/96h
EC50 - for Crustacea	2.3 mg/l/48h
EC50 - for Algae / Aquatic Plants	41 mg/l/72h
Chronic NOEC for Crustacea	0.24 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

65048/3 - DEMIPERMANENT 6,61**SECTION 12. Ecological information ... / >>**

1-naphtol	
LC50 - for Fish	43 mg/l/96h
1-Hydroxyethyl-4,5-diaminopyrazole sulfate	
LC50 - for Fish	> 86.23 mg/l/96h Danio rerio (mortality)
EC50 - for Crustacea	11.12 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	5.33 mg/l/72h Pseudokirchnerella subcapitata (growth rate)
Chronic NOEC for Fish	10 mg/l Danio rerio
Chronic NOEC for Crustacea	< 6.14 mg/l 48h
Chronic NOEC for Algae / Aquatic Plants	1.8 mg/l Pseudokirchnerella subcapitata (growth rate)
ETHANOLAMINE	
Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)
4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability

5-AMINO-O-CRESOL	
Solubility in water	0.004112 mg/l a 20°C
NOT rapidly degradable	
1-naphtol	
Solubility in water	250 mg/l 20°C
1-Hydroxyethyl-4,5-diaminopyrazole sulfate	
NOT rapidly degradable	
ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-tert-butylcyclohexyl acetate	
Rapidly degradable	
tetradecanol	
Rapidly degradable	

12.3. Bioaccumulative potential

5-AMINO-O-CRESOL	
Partition coefficient: n-octanol/water	-0.53 Log Kow

65048/3 - DEMIPERMANENT 6,61**SECTION 12. Ecological information** ... / >>

ETHANOLAMINE

Partition coefficient: n-octanol/water -2.3

dodecan-1-ol

Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessmentOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

Davines S.p.A. 65048/3 - DEMIPERMANENT 6,61		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 15 / 17	EN
SECTION 14. Transport information ... / >>			
14.5. Environmental hazards			
ADR / RID: NO IMDG: not marine pollutant IATA: NO			
14.6. Special precautions for user			
ADR / RID: HIN - Kemler: 80 Limited Quantities: 5 lt Tunnel restriction code: (E) Special provision: 274 IMDG: EMS: F-A, S-B Limited Quantities: 5 lt IATA: Cargo: Maximum quantity: 60 L Passengers: Maximum quantity: 5 L Special provision: A3, A803 Packaging instructions: 856 Packaging instructions: 852			
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU: None Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Product Point3 - 40 Contained substance Point75 Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%. Substances subject to authorisation (Annex XIV REACH) None Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None Substances subject to the Rotterdam Convention: None Substances subject to the Stockholm Convention: None Healthcare controls Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.			
15.2. Chemical safety assessment			
A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.			
SECTION 16. Other information			
Text of hazard (H) indications mentioned in section 2-3 of the sheet:			
Acute Tox. 3Acute toxicity, category 3 Acute Tox. 4Acute toxicity, category 4 STOT RE 2Specific target organ toxicity - repeated exposure, category 2 Skin Corr. 1BSkin corrosion, category 1B Eye Dam. 1Serious eye damage, category 1 Eye Irrit. 2Eye irritation, category 2 Skin Irrit. 2Skin irritation, category 2			
EPY 11.7.2 - SDS 1004.14			

65048/3 - DEMIPERMANENT 6,61**SECTION 16. Other information ... / >>**

STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

65048/3 - DEMIPERMANENT 6,61**SECTION 16. Other information ... / >>**

10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65050/3
Product name: DEMIPERMANENT 6,66

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR) Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65050/3 - DEMIPERMANENT 6,66**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: 2-METHYLRESORCINOL
Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

2-AMINOETHANOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65050/3 - DEMIPERMANENT 6,66**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 0.332

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

2-METHYLRESORCINOL

INDEX 0.1

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

SECTION 5. Firefighting measures ... / >>**5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage**7.1. Precautions for safe handling**

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection**8.1. Control parameters**

Regulatory References:

ESP	España	Límites de exposición profesional para agentes químicos en España 2021
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive

65050/3 - DEMIPERMANENT 6,66**SECTION 8. Exposure controls/personal protection ... / >>**

TLV-ACGIH 91/322/EEC.
ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

2-AMINOETHANOL**Threshold Limit Value**

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

SECTION 8. Exposure controls/personal protection ... / >>

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	not available	
Colour	not available	
Odour	not available	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	not available	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	11.50 %
VOC (volatile carbon)	5.00 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65050/3 - DEMIPERMANENT 6,66**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65050/3 - DEMIPERMANENT 6,66**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-METHYL-p-PHENYLENEDIAMINE SULFATE

non irritante

2-METHYLRESORCINOL

non irritante

2-AMINOETHANOL

corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate

non irritante

dodecan-1-ol

non irritante

tetradecanol

non irritante

SERIOUS EYE DAMAGE / IRRITATION

65050/3 - DEMIPERMANENT 6,66**SECTION 11. Toxicological information ... / >>**

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

2-METHYLRESORCINOL

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

65050/3 - DEMIPERMANENT 6,66**SECTION 11. Toxicological information ... / >>**CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

65050/3 - DEMIPERMANENT 6,66**SECTION 12. Ecological information ... / >>**

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow

2-AMINOETHANOL	
Partition coefficient: n-octanol/water	-2.3

dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

12.4. Mobility in soil

2-AMINOETHANOL	
Partition coefficient: soil/water	-0.5646

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (2-AMINOETHANOL)

65050/3 - DEMIPERMANENT 6,66**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: NO

IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 L	Tunnel restriction code: (E)
	Special provision: -		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 L	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

SECTION 15. Regulatory information ... / >>

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit

SECTION 16. Other information ... / >>

- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65052/3
Product name: DEMIPERMANENT 7,46

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65052/3 - DEMIPERMANENT 7,46**SECTION 2. Hazards identification** ... / >>

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains: 2-Amino-6-chloro-4-nitrophenol
Maleic acid
2-METHYL-p-PHENYLENEDIAMINE SULFATE
4-tert-butylcyclohexyl acetate
4-AMINOPHENOL
1-Hydroxyethyl-4,5-diaminopyrazole sulfate
5-AMINO-O-CRESOL

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5.5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l

SECTION 3. Composition/information on ingredients ... / >>

REACH Reg.	01-2119486455-28		
dodecan-1-ol			
INDEX		2.373	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC	203-982-0		
CAS	112-53-8		
REACH Reg.	01-2119485976-15		
sodium hydrogen N-(1-oxododecyl)-L-glutamate			
INDEX		1.96	Eye Irrit. 2 H319
EC	249-958-3		
CAS	29923-31-7		
REACH Reg.	01-2119982964-18		
tetradecanol			
INDEX		0.878	Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1
EC	204-000-3		
CAS	112-72-1		
REACH Reg.	01-2119485910-33		
5-AMINO-O-CRESOL			
INDEX		0.8	Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	220-618-6		
CAS	2835-95-2		
REACH Reg.	01-2120766272-54		
1-Hydroxyethyl-4,5-diaminopyrazole sulfate			
INDEX	613-249-00-0	0.72	Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	429-300-3		
CAS	155601-30-2		
REACH Reg.	01-0000017559-58		
4-AMINOPHENOL			
INDEX	612-128-00-X	0.6	Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1 ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l
EC	204-616-2		
CAS	123-30-8		
REACH Reg.	01-2119535388-31		
4-tert-butylcyclohexyl acetate			
INDEX		0.299	Skin Sens. 1B H317
EC	250-954-9		
CAS	32210-23-4		
REACH Reg.	01-2119976286-24		
2-METHYL-p-PHENYLENEDIAMINE SULFATE			
INDEX	612-030-00-7	0.23	Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h
EC	210-431-8		
CAS	615-50-9		
REACH Reg.	01-2119962199-25		
Maleic acid			
INDEX	607-095-00-3	0.1	Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317 ATE Oral: 500 mg/kg
EC	203-742-5		
CAS	110-16-7		
REACH Reg.	01-2119488705-25		
2-Amino-6-chloro-4-nitrophenol			
INDEX		0.1	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	228-762-1		
CAS	6358-09-4		
REACH Reg.	01-2120758798-30		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.
In case of more severe symptoms, ask for immediate medical aid.
EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

65052/3 - DEMIPERMANENT 7,46**SECTION 4. First aid measures ... / >>**

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Davines S.p.A.					Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 5 / 18				EN	
65052/3 - DEMIPERMANENT 7,46										
SECTION 6. Accidental release measures ... / >>										
Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.										
6.4. Reference to other sections										
Any information on personal protection and disposal is given in sections 8 and 13.										
SECTION 7. Handling and storage										
7.1. Precautions for safe handling										
Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.										
7.2. Conditions for safe storage, including any incompatibilities										
Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.										
7.3. Specific end use(s)										
Information not available										
SECTION 8. Exposure controls/personal protection										
8.1. Control parameters										
Regulatory references:										
ESP	España	Límites de exposición profesional para agentes químicos en España 2023								
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81								
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)								
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.								
	TLV-ACGIH	ACGIH 2023								
2-METHYL-p-PHENYLENEDIAMINE SULFATE										
Predicted no-effect concentration - PNEC										
Normal value in fresh water					0.0126	mg/l				
Normal value in marine water					0.00126	mg/l				
Normal value for fresh water sediment					0.0112	mg/kg				
Normal value for marine water sediment					0.00112	mg/kg				
Normal value for water, intermittent release					0.7	mg/l				
Normal value of STP microorganisms					0.177	mg/l				
Normal value for the terrestrial compartment					0.00259	mg/kg				
Health - Derived no-effect level - DNEL / DMEL										
Route of exposure	Effects on consumers				Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	systemic	local	systemic	local	systemic	local	systemic		
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3		
Skin							VND	0,1 mg/kg/d		

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65052/3 - DEMIPERMANENT 7,46**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-Amino-6-chloro-4-nitrophenol

LD50 (Oral):

> 2000 mg/kg

5-AMINO-O-CRESOL

LD50 (Dermal):

5688 mg/kg

LD50 (Oral):

3600 mg/kg rat

LC50 (Inhalation mists/powders):

42.57 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

LD50 (Oral):

> 2000 mg/kg Rat

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65052/3 - DEMIPERMANENT 7,46**SECTION 11. Toxicological information ... / >>**

LD50 (Oral):	1089 mg/kg Rat
LC50 (Inhalation vapours):	> 1.3 mg/l/6h Rat
ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-Amino-6-chloro-4-nitrophenol
irritante5-AMINO-O-CRESOL
non irritante2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante1-Hydroxyethyl-4,5-diaminopyrazole sulfate
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-Amino-6-chloro-4-nitrophenol
irritante

65052/3 - DEMIPERMANENT 7,46**SECTION 11. Toxicological information** ... / >>

5-AMINO-O-CRESOL
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
irritante per gli occhi

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

2-Amino-6-chloro-4-nitrophenol

Maleic acid

2-METHYL-p-PHENYLENEDIAMINE SULFATE

4-tert-butylcyclohexyl acetate

4-AMINOPHENOL

1-Hydroxyethyl-4,5-diaminopyrazole sulfate

5-AMINO-O-CRESOL

Skin sensitization

2-Amino-6-chloro-4-nitrophenol
sensitising

5-AMINO-O-CRESOL
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

65052/3 - DEMIPERMANENT 7,46**SECTION 11. Toxicological information** ... / >>

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-Amino-6-chloro-4-nitrophenol
negative

5-AMINO-O-CRESOL
in vivo negativo, in vitro positivo

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

1-Hydroxyethyl-4,5-diaminopyrazole sulfate
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

65052/3 - DEMIPERMANENT 7,46**SECTION 12. Ecological information ... / >>**

2-Amino-6-chloro-4-nitrophenol	
LC50 - for Fish	> 100 mg/l/96h
EC50 - for Crustacea	281.5 mg/l/48h
EC50 - for Algae / Aquatic Plants	82.4 mg/l/72h
5-AMINO-O-CRESOL	
LC50 - for Fish	25 mg/l/96h
EC50 - for Crustacea	2.3 mg/l/48h
EC50 - for Algae / Aquatic Plants	41 mg/l/72h
Chronic NOEC for Crustacea	0.24 mg/l
2-METHYL-p-PHENYLENEDIAMINE SULFATE	
LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l
Maleic acid	
LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l
1-Hydroxyethyl-4,5-diaminopyrazole sulfate	
LC50 - for Fish	> 86.23 mg/l/96h Danio rerio (mortality)
EC50 - for Crustacea	11.12 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	5.33 mg/l/72h Pseudokirchnerella subcapitata (growth rate)
Chronic NOEC for Fish	10 mg/l Danio rerio
Chronic NOEC for Crustacea	< 6.14 mg/l 48h
Chronic NOEC for Algae / Aquatic Plants	1.8 mg/l Pseudokirchnerella subcapitata (growth rate)
ETHANOLAMINE	
Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)
4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
4-AMINOPHENOL	
LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

12.2. Persistence and degradability

65052/3 - DEMIPERMANENT 7,46**SECTION 12. Ecological information** ... / >>

2-Amino-6-chloro-4-nitrophenol	
Solubility in water	450 mg/l a 25°C
NOT rapidly degradable	
5-AMINO-O-CRESOL	
Solubility in water	0.004112 mg/l a 20°C
NOT rapidly degradable	
1-Hydroxyethyl-4,5-diaminopyrazole sulfate	
NOT rapidly degradable	
ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-tert-butylcyclohexyl acetate	
Rapidly degradable	
tetradecanol	
Rapidly degradable	
4-AMINOPHENOL	
Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-Amino-6-chloro-4-nitrophenol	
Partition coefficient: n-octanol/water	1.8 a 20°C
5-AMINO-O-CRESOL	
Partition coefficient: n-octanol/water	-0.53 Log Kow
ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow
4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.

65052/3 - DEMIPERMANENT 7,46**CONTAMINATED PACKAGING**

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO
IMDG: not marine pollutant
IATA: NO

14.6. Special precautions for user

ADR / RID:	HIN - Kemler: 80 Special provision: 274	Limited Quantities: 5 lt	Tunnel restriction code: (E)
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 60 L Maximum quantity: 5 L A3, A803	Packaging instructions: 856 Packaging instructions: 852

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

SECTION 15. Regulatory information ... / >>

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule

65052/3 - DEMIPERMANENT 7,46**SECTION 16. Other information ... / >>**

- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

65052/3 - DEMIPERMANENT 7,46

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65009/3
Product name: DEMIPERMANENT 2,18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65009/3 - DEMIPERMANENT 2,18

SECTION 2. Hazards identification ... / >>

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:	ETHANOLAMINE 2-METHYL-p-PHENYLENEDIAMINE SULFATE Maleic acid 2-(2,4-diaminophenoxy)ethanol dihydrochloride 3-AMINOPHENOL 4-tert-butylcyclohexyl acetate Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride 4-CHLORORESORCINOL
------------------	--

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l

65009/3 - DEMIPERMANENT 2,18**SECTION 3. Composition/information on ingredients ... / >>**

REACH Reg. 01-2119486455-28

dodecan-1-ol

INDEX 2.52

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 1.9

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 0.98

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-CHLORORESORCINOL

INDEX 0.64

EC 202-462-0

CAS 95-88-5

REACH Reg. 01-2120751205-62

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.492

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

3-AMINOPHENOL

INDEX 0.21

EC 209-711-2

CAS 591-27-5

REACH Reg. 01-2119930678-27

2-(2,4-diaminophenoxy)ethanol dihydrochloride

INDEX 0.194

EC 266-357-1

CAS 66422-95-5

REACH Reg. 01-2120011817-60

Maleic acid

INDEX 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

Eye Irrit. 2 H319

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373,
Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic
Chronic 1 H410 M=1
ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation
mists/powders: 1.77 mg/l/4h

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317,
Aquatic Chronic 2 H411
ATE Oral: 500 mg/kgAcute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317,
Aquatic Chronic 2 H411
LD50 Oral: 1550 mg/kg

Skin Sens. 1B H317

Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1
H400 M=1, Aquatic Chronic 2 H411
ATE Oral: 500 mg/kg, ATE Inhalation mists/powders: 1.5 mg/lAcute Tox. 4 H302, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2
H411
ATE Oral: 500 mg/kgAcute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin
Sens. 1B H317
ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

65009/3 - DEMIPERMANENT 2,18**SECTION 4. First aid measures ... / >>**

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

Davines S.p.A.

65009/3 - DEMIPERMANENT 2,18

Revision nr.1

Dated 07/11/2024

First compilation

Printed on 07/11/2024

Page n. 5 / 17

EN

SECTION 6. Accidental release measures ... / >>

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Acute local

Acute systemic

Chronic local

Chronic systemic

Effects on workers

Acute local

Acute systemic

Chronic local

Chronic systemic

Inhalation

Skin

VND

2,75 mg/m3

VND

0,49 mg/m3

VND

0,1 mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Davines S.p.A. 65009/3 - DEMIPERMANENT 2,18		Revision nr.1 Dated 07/11/2024 First compilation Printed on 07/11/2024 Page n. 7 / 17 EN
SECTION 8. Exposure controls/personal protection ... / >>		
Protect hands with category III work gloves. The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing. EYE PROTECTION Wear airtight protective goggles (see standard EN ISO 16321). RESPIRATORY PROTECTION Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.		
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties Appearance Colour Odour Melting point / freezing point Initial boiling point Flammability Lower explosive limit Upper explosive limit Flash point Auto-ignition temperature Decomposition temperature pH Kinematic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Value CREAM white to beige / yellow STD. REF. not available not available not available not available not available > 60 °C not available not available 9,50 - 11,00 80.000,0000 - 250.000,0000 not available not available not available not available not available not applicable	Information
9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
Information not available		
9.2.2. Other safety characteristics		
VOC (Directive 2010/75/EU)	11.58 %	
EPY 11.7.2 - SDS 1004.14		

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65009/3 - DEMIPERMANENT 2,18**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

4-CHLORORESORCINOL

4-CHLORORESORCINOL: Irritante per gli occhi e la pelle - pericolo di gravi lesioni oculari.

Sensibilizzante per la pelle.

STOT - Esposizione ripetuta: NOAEL 70 mg/kg/d

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:

> 5 mg/l

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal):

1000 mg/kg Rat

LD50 (Oral):

693 mg/kg Rat

LC50 (Inhalation mists/powders):

1162 mg/m3 Rat

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

4-CHLORORESORCINOL

LD50 (Oral):

370 mg/kg rat

65009/3 - DEMIPERMANENT 2,18**SECTION 11. Toxicological information ... / >>****ETHANOLAMINE**

LD50 (Dermal):	2504 mg/kg
ATE (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	1089 mg/kg Rat
LC50 (Inhalation vapours):	> 1.3 mg/l/6h Rat
ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat

tetradecanol

LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg

2-(2,4-diaminophenoxy)ethanol dihydrochloride

LD50 (Dermal):	45450 mg/kg
LD50 (Oral):	1000 mg/kg rat

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral):	1550 mg/kg rat
--------------	----------------

SKIN CORROSION / IRRITATION**Corrosive for the skin**

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

ETHANOLAMINE
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

2-(2,4-diaminophenoxy)ethanol dihydrochloride
non irritante

SERIOUS EYE DAMAGE / IRRITATION**Causes serious eye damage**

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

ETHANOLAMINE
effetti irreversibili agli occhi

65009/3 - DEMIPERMANENT 2,18**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

2-(2,4-diaminophenoxy)ethanol dihydrochloride
provoca grave irritazione oculare

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

2-(2,4-diaminophenoxy)ethanol dihydrochloride
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

2-(2,4-diaminophenoxy)ethanol dihydrochloride
negativa

CARCINOGENICITY

SECTION 11. Toxicological information ... / >>

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

4-CHLORORESORCINOL

EC50 - for Crustacea	1.28 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	3 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

SECTION 12. Ecological information ... / >>

4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

2-(2,4-diaminophenoxy)ethanol dihydrochloride	
LC50 - for Fish	400 mg/l/96h
EC50 - for Crustacea	7.4 mg/l/48h
EC50 - for Algae / Aquatic Plants	10.2 mg/l/72h
Chronic NOEC for Crustacea	2.5 mg/l

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

3-AMINOPHENOL	
Solubility in water	29900 mg/l 35°C
Rapidly degradable	

4-CHLORORESORCINOL	
Solubility in water	> 100000 mg/l
NOT rapidly degradable	

ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate	
Rapidly degradable	

tetradecanol	
Rapidly degradable	

2-(2,4-diaminophenoxy)ethanol dihydrochloride	
Solubility in water	432000 mg/l a 25°C

12.3. Bioaccumulative potential

ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3

dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

2-(2,4-diaminophenoxy)ethanol dihydrochloride	
Partition coefficient: n-octanol/water	0.51

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

Davines S.p.A. 65009/3 - DEMIPERMANENT 2,18		Revision nr.1 Dated 07/11/2024 First compilation Printed on 07/11/2024 Page n. 14 / 17	EN
SECTION 12. Ecological information ... / >>			
12.6. Endocrine disrupting properties			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.			
12.7. Other adverse effects			
Information not available			
SECTION 13. Disposal considerations			
13.1. Waste treatment methods			
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.			
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.			
Waste transportation may be subject to ADR restrictions.			
CONTAMINATED PACKAGING			
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.			
SECTION 14. Transport information			
14.1. UN number or ID number			
ADR / RID, IMDG, IATA: UN 3267			
14.2. UN proper shipping name			
ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)			
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE; dodecan-1-ol)			
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)			
14.3. Transport hazard class(es)			
ADR / RID:	Class: 8	Label: 8	
IMDG:	Class: 8	Label: 8	
IATA:	Class: 8	Label: 8	
14.4. Packing group			
ADR / RID, IMDG, IATA: III			
14.5. Environmental hazards			
ADR / RID:	Environmentally Hazardous		
IMDG:	Marine Pollutant		
IATA:	NO		
For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.			
EPY 11.7.2 - SDS 1004.14			

Davines S.p.A. 65009/3 - DEMIPERMANENT 2,18		Revision nr.1 Dated 07/11/2024 First compilation Printed on 07/11/2024 Page n. 15 / 17	EN
SECTION 14. Transport information ... / >>			
14.6. Special precautions for user			
ADR / RID:		HIN - Kemler: 80	Limited Quantities: 5 lt
		Special provision: 274	
IMDG:		EMS: F-A, S-B	Limited Quantities: 5 lt
IATA:		Cargo:	Maximum quantity: 60 L
		Passengers:	Maximum quantity: 5 L
		Special provision:	A3, A803
			Tunnel restriction code: (E)
			Packaging instructions: 856
			Packaging instructions: 852
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU:		E2	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006			
Product			
Point		3 - 40	
Contained substance			
Point		75	
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors			
not applicable			
Substances in Candidate List (Art. 59 REACH)			
On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.			
Substances subject to authorisation (Annex XIV REACH)			
None			
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:			
None			
Substances subject to the Rotterdam Convention:			
None			
Substances subject to the Stockholm Convention:			
None			
Healthcare controls			
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.			
15.2. Chemical safety assessment			
A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.			
SECTION 16. Other information			
Text of hazard (H) indications mentioned in section 2-3 of the sheet:			
Acute Tox. 3		Acute toxicity, category 3	
Acute Tox. 4		Acute toxicity, category 4	
STOT RE 2		Specific target organ toxicity - repeated exposure, category 2	
Skin Corr. 1B		Skin corrosion, category 1B	
Eye Dam. 1		Serious eye damage, category 1	
Eye Irrit. 2		Eye irritation, category 2	
Skin Irrit. 2		Skin irritation, category 2	
STOT SE 3		Specific target organ toxicity - single exposure, category 3	
Skin Sens. 1		Skin sensitization, category 1	
Skin Sens. 1B		Skin sensitization, category 1B	
Aquatic Acute 1		Hazardous to the aquatic environment, acute toxicity, category 1	
Aquatic Chronic 1		Hazardous to the aquatic environment, chronic toxicity, category 1	
Aquatic Chronic 2		Hazardous to the aquatic environment, chronic toxicity, category 2	

EPY 11.7.2 - SDS 1004.14

SECTION 16. Other information ... / >>

Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)

65009/3 - DEMIPERMANENT 2,18**SECTION 16. Other information ... / >>**

- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65010/3
Product name: DEMIPERMANENT 4,1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet

sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.

65010/3 - DEMIPERMANENT 4,1**SECTION 2. Hazards identification ... / >>**

Hazardous to the aquatic environment, chronic toxicity, category 3

H412

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H318

Causes serious eye damage.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements:

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P280

Wear protective gloves / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P261

Avoid breathing dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P264

Wash hands thoroughly after handling.

P362+P364

Take off contaminated clothing and wash it before reuse.

Contains:

2-AMINOETHANOL

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Maleic acid

3-AMINOPHENOL

2-METHYLRESORCINOL

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2.3. Other hazardsOn the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.**SECTION 3. Composition/information on ingredients****3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
2-AMINOETHANOL		
INDEX 603-030-00-8	4	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: >1089 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65010/3 - DEMIPERMANENT 4,1**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 2.1

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 1.2

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 210-431-8

LD50 Oral: 102 mg/kg, STA Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.4

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

2-METHYLRESORCINOL

INDEX 0.25

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

EC 210-155-8

LD50 Oral: 200 mg/kg

CAS 608-25-3

REACH Reg. 01-2120030526-64

3-AMINOPHENOL

INDEX 612-127-00-4 0.15

Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 209-711-2

LD50 Oral: 693 mg/kg, STA Inhalation mists/powders: 1.5 mg/l

CAS 591-27-5

REACH Reg. 01-2119930678-27

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

LD50 Oral: 1030 mg/kg

CAS 110-16-7

REACH Reg. 01-2119488705-25

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65010/3 - DEMIPERMANENT 4,1

Revision nr.1

Dated 12/10/2023

First compilation

Printed on 12/10/2023

Page n. 5 / 15

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

ACGIH 2022

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Inhalation

VND

2,75

mg/m3

VND

0,49

mg/m3

Skin

VND

0,1

mg/kg/d

2-AMINOETHANOL

Threshold Limit Value

Type

Country

TWA/8h

STEL/15min

Remarks / Observations

mg/m3

ppm

mg/m3

ppm

VLA

ESP

2.5

1

7.5

3

SKIN

VLEP

ITA

2.5

1

7.6

3

SKIN

WEL

GBR

2.5

1

7.6

3

SKIN

OEL

EU

2.5

1

7.6

3

SKIN

TLV-ACGIH

7.5

3

15

6

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.085

0.0085

0.425

0.0425

0.025

100

0.035

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Effects on consumers

Effects on workers

Route of exposure

Acute

Acute

Chronic

Chronic

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

local

systemic

local

systemic

Oral

VND

3,75

mg/kg/d

VND

3,3

mg/m3

Inhalation

VND

2

mg/m3

VND

1

mg/kg/d

Skin

VND

0,24

mg/kg/d

VND

1

mg/kg/d

EPY 11.5.1 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Effects on workers					
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)	10.00 %
VOC (volatile carbon)	4.41 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-AMINOETHANOL

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-AMINOETHANOL

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**2-AMINOETHANOL**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

65010/3 - DEMIPERMANENT 4,1**SECTION 10. Stability and reactivity** ... / >>

2-AMINOETHANOL

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

65010/3 - DEMIPERMANENT 4,1**SECTION 11. Toxicological information ... / >>**

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: > 5 mg/l
 ATE (Inhalation - vapours) of the mixture: > 20 mg/l
 ATE (Oral) of the mixture: >2000 mg/kg
 ATE (Dermal) of the mixture: >2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 102 mg/kg
 LC50 (Inhalation mists/powders): 1.77 mg/l/4h

3-AMINOPHENOL

LD50 (Dermal): 1000 mg/kg Rat
 LD50 (Oral): 693 mg/kg Rat
 LC50 (Inhalation mists/powders): 1162 mg/m3 Rat

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

2-AMINOETHANOL

LD50 (Dermal): > 2504 mg/kg rabbit
 STA (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): > 1089 mg/kg rat
 LC50 (Inhalation vapours): > 1.48 mg/l/4h rat
 STA (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Causes skin irritation

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

2-METHYLRESORCINOL
 non irritante

2-AMINOETHANOL
 corrosivo

65010/3 - DEMIPERMANENT 4,1**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

2-AMINOETHANOL
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

2-AMINOETHANOL
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

2-AMINOETHANOL
negative

65010/3 - DEMIPERMANENT 4,1**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

2-AMINOETHANOL

LC50 - for Fish	> 394 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	> 65 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	2.5 mg/l/72h Pseudokirchnerella subcapitata
Chronic NOEC for Fish	3.6 mg/l 30 d - Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l 21 d - Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	> 1 mg/l 72 h - Pseudokirchnerella subcapitata - growth rate

65010/3 - DEMIPERMANENT 4,1**SECTION 12. Ecological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

3-AMINOPHENOL

Solubility in water	29900 mg/l 35°C
Rapidly degradable	

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

2-AMINOETHANOL

Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL

Partition coefficient: n-octanol/water	1.7 Log Kow
--	-------------

2-AMINOETHANOL

Partition coefficient: n-octanol/water	-2.3
--	------

dodecan-1-ol

Partition coefficient: n-octanol/water	5.36 log Pow
--	--------------

12.4. Mobility in soil

2-AMINOETHANOL

Partition coefficient: soil/water	-0.5646
-----------------------------------	---------

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: _____ None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product
Point 3

Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

65010/3 - DEMIPERMANENT 4,1**SECTION 15. Regulatory information ... / >>**

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization

SECTION 16. Other information ... / >>

- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65013/3
Product name: DEMIPERMANENT 5,11

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65013/3 - DEMIPERMANENT 5,11**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

3-AMINOPHENOL

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-(2,4-diaminophenoxy)ethanol dihydrochloride

2-METHYLRESORCINOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B
H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours:

65013/3 - DEMIPERMANENT 5,11

SECTION 3. Composition/information on ingredients ... / >>

			11 mg/l	
REACH Reg.	01-2119486455-28			
dodecan-1-ol				
INDEX		2.555		Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC	203-982-0			
CAS	112-53-8			
REACH Reg.	01-2119485976-15			
sodium hydrogen N-(1-oxododecyl)-L-glutamate				
INDEX		1.96		Eye Irrit. 2 H319
EC	249-958-3			
CAS	29923-31-7			
REACH Reg.	01-2119982964-18			
2-METHYL-p-PHENYLENEDIAMINE SULFATE				
INDEX	612-030-00-7	0.95		Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1 ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h
EC	210-431-8			
CAS	615-50-9			
REACH Reg.	01-2119962199-25			
tetradecanol				
INDEX		0.945		Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1
EC	204-000-3			
CAS	112-72-1			
REACH Reg.	01-2119485910-33			
4-tert-butylcyclohexyl acetate				
INDEX		0.299		Skin Sens. 1B H317
EC	250-954-9			
CAS	32210-23-4			
REACH Reg.	01-2119976286-24			
2-METHYLRESORCINOL				
INDEX		0.25		Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1 ATE Oral: 100 mg/kg
EC	210-155-8			
CAS	608-25-3			
REACH Reg.	01-2120030526-64			
2-(2,4-diaminophenoxy)ethanol dihydrochloride				
INDEX		0.2		Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411 ATE Oral: 500 mg/kg
EC	266-357-1			
CAS	66422-95-5			
REACH Reg.	01-2120011817-60			
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride				
INDEX		0.16		Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411 LD50 Oral: 1550 mg/kg
EC	303-085-5			
CAS	94158-14-2			
REACH Reg.	01-2120758799-28			
3-AMINOPHENOL				
INDEX	612-127-00-4	0.144		Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411 ATE Oral: 500 mg/kg, ATE Inhalation mists/powders: 1.5 mg/l
EC	209-711-2			
CAS	591-27-5			
REACH Reg.	01-2119930678-27			
(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate				
INDEX		0.112		Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411 ATE Oral: 100 mg/kg, ATE Dermal: 300 mg/kg, LC50 Inhalation mists/powders: 0.9 mg/l/4h
EC	259-134-5			
CAS	54381-16-7			
REACH Reg.	01-2120762993-40			

65013/3 - DEMIPERMANENT 5,11**SECTION 3. Composition/information on ingredients ... / >>****Maleic acid**

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317**ATE Oral: 500 mg/kg**

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

EPY 11.7.2 - SDS 1004.14

65013/3 - DEMIPERMANENT 5,11**SECTION 8. Exposure controls/personal protection ... / >>****2-METHYL-p-PHENYLENEDIAMINE SULFATE****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

ETHANOLAMINE**Threshold Limit Value**

Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

Davines S.p.A. 65013/3 - DEMIPERMANENT 5,11		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 7 / 18 EN
SECTION 8. Exposure controls/personal protection ... / >>		
tetradecanol		
Predicted no-effect concentration - PNEC		
Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg
Legend: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.		
8.2. Exposure controls		
As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards. Provide an emergency shower with face and eye wash station. HAND PROTECTION Protect hands with category III work gloves. The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing. EYE PROTECTION Wear airtight protective goggles (see standard EN ISO 16321). RESPIRATORY PROTECTION Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.		
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	
EPY 11.7.2 - SDS 1004.14		

65013/3 - DEMIPERMANENT 5,11**SECTION 9. Physical and chemical properties** ... / >>**9.2. Other information**

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.08 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials

ETHANOLAMINE

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products

ETHANOLAMINE

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da

65013/3 - DEMIPERMANENT 5,11**SECTION 11. Toxicological information ... / >>**

contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:	> 5 mg/l
ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

LD50 (Dermal): 428 mg/kg

ATE (Dermal): 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): > 107 mg/kg ratto

ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders): 0.9 mg/l/4h

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg

ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): 102 mg/kg

ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders): 1.77 mg/l/4h

65013/3 - DEMIPERMANENT 5,11**SECTION 11. Toxicological information ... / >>****3-AMINOPHENOL**

LD50 (Dermal): 1000 mg/kg Rat
 LD50 (Oral): 693 mg/kg Rat
 LC50 (Inhalation mists/powders): 1162 mg/m3 Rat

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg
 ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

ETHANOLAMINE

LD50 (Dermal): 2504 mg/kg
 ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 1089 mg/kg Rat
 LC50 (Inhalation vapours): > 1.3 mg/l/6h Rat
 ATE (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
 LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

2-(2,4-diaminophenoxy)ethanol dihydrochloride

LD50 (Dermal): 45450 mg/kg
 LD50 (Oral): 1000 mg/kg rat

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION**Corrosive for the skin**

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
 non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

2-METHYLRESORCINOL
 non irritante

ETHANOLAMINE
 corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
 non irritante

65013/3 - DEMIPERMANENT 5,11**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

2-(2,4-diaminophenoxy)ethanol dihydrochloride
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
effetti irreversibili sugli occhi

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

2-(2,4-diaminophenoxy)ethanol dihydrochloride
provoca grave irritazione oculare

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

3-AMINOPHENOL

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-(2,4-diaminophenoxy)ethanol dihydrochloride

2-METHYLRESORCINOL

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

65013/3 - DEMIPERMANENT 5,11**SECTION 11. Toxicological information ... / >>**

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

2-(2,4-diaminophenoxy)ethanol dihydrochloride
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
negative

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

2-(2,4-diaminophenoxy)ethanol dihydrochloride
negativa

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

65013/3 - DEMIPERMANENT 5,11**SECTION 11. Toxicological information ... / >>****11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

LC50 - for Fish	> 235 mg/l/96h
EC50 - for Crustacea	0.381 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.338 mg/l/72h
Chronic NOEC for Crustacea	0.674 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

65013/3 - DEMIPERMANENT 5,11**SECTION 12. Ecological information** ... / >>

2-(2,4-diaminophenoxy)ethanol dihydrochloride
LC50 - for Fish 400 mg/l/96h
EC50 - for Crustacea 7.4 mg/l/48h
EC50 - for Algae / Aquatic Plants 10.2 mg/l/72h
Chronic NOEC for Crustacea 2.5 mg/l

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
LC50 - for Fish 106 mg/l/96h
EC50 - for Crustacea 2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants 17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants 12.5 mg/l

12.2. Persistence and degradability

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
Solubility in water 296 mg/l a 20°C
NOT rapidly degradable

3-AMINOPHENOL
Solubility in water 29900 mg/l 35°C
Rapidly degradable

2-METHYLRESORCINOL
Solubility in water 263000 mg/l 25°C
Rapidly degradable

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

2-(2,4-diaminophenoxy)ethanol dihydrochloride
Solubility in water 432000 mg/l a 25°C

12.3. Bioaccumulative potential

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

2-(2,4-diaminophenoxy)ethanol dihydrochloride
Partition coefficient: n-octanol/water 0.51

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

65013/3 - DEMIPERMANENT 5,11**SECTION 12. Ecological information** ... / >>**12.7. Other adverse effects**

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO

IMDG: not marine pollutant

IATA: NO

14.6. Special precautions for userADR / RID: HIN - Kemler: 80
Special provision: 274

Limited Quantities: 5 lt

Tunnel restriction code: (E)

IMDG: EMS: F-A, S-B

Limited Quantities: 5 lt

IATA: Cargo:

Maximum quantity: 60 L

Packaging instructions: 856

Passengers:

Maximum quantity: 5 L

Packaging instructions: 852

Special provision:

A3, A803

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.

65013/3 - DEMIPERMANENT 5,11**SECTION 16. Other information ... / >>**

H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

65013/3 - DEMIPERMANENT 5,11**SECTION 16. Other information ... / >>**

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65014/3
Product name: DEMIPERMANENT 5,12

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65014/3 - DEMIPERMANENT 5,12

SECTION 2. Hazards identification ... / >>

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H412

Harmful to aquatic life with long lasting effects.

EUH208

Contains:

Maleic acid

3-AMINOPHENOL

Hydroxyethyl-3,4-methylenedioxylaniline hydrochloride

2-METHYLRESORCINOL

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

May produce an allergic reaction.

Precautionary statements:

P260

Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280

Wear protective gloves/ protective clothing / eye protection / face protection.

P310

Immediately call a POISON CENTER / doctor.

P264

Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification

Conc. %

Classification (EC) 1272/2008 (CLP)

ETHANOLAMINE

INDEX 603-030-00-8

5

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412

EC 205-483-3

STOT SE 3 H335: $\geq$ 5%

CAS 141-43-5

LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l

65014/3 - DEMIPERMANENT 5,12**SECTION 3. Composition/information on ingredients ... / >>**

REACH Reg. 01-2119486455-28

dodecan-1-ol

INDEX 2.373

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.878

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 0.86

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

INDEX 0.272

Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

ATE Oral: 100 mg/kg, ATE Dermal: 300 mg/kg, LC50 Inhalation mists/powders: 0.9 mg/l/4h

EC 259-134-5

CAS 54381-16-7

REACH Reg. 01-2120762993-40

2-METHYLRESORCINOL

INDEX 0.25

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.221

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

LD50 Oral: 1550 mg/kg

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

3-AMINOPHENOL

INDEX 0.141

EC 209-711-2

CAS 591-27-5

REACH Reg. 01-2119930678-27

Maleic acid

INDEX 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures ... / >>**SECTION 4. First aid measures****4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

65014/3 - DEMIPERMANENT 5,12

SECTION 8. Exposure controls/personal protection ... / >>

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0126	mg/l
Normal value in marine water	0.00126	mg/l
Normal value for fresh water sediment	0.0112	mg/kg
Normal value for marine water sediment	0.00112	mg/kg
Normal value for water, intermittent release	0.7	mg/l
Normal value of STP microorganisms	0.177	mg/l
Normal value for the terrestrial compartment	0.00259	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation					VND	2,75 mg/m3	VND	0,49 mg/m3
Skin							VND	0,1 mg/kg/d

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic local	Chronic systemic	Effects on workers			
	Acute local	Acute systemic			Acute local	Acute systemic	Chronic local	Chronic systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

Davines S.p.A. 65014/3 - DEMIPERMANENT 5,12		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 7 / 17 EN
SECTION 8. Exposure controls/personal protection ... / >>		
tetradecanol		
Predicted no-effect concentration - PNEC		
Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg
Legend: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.		
8.2. Exposure controls		
As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards. Provide an emergency shower with face and eye wash station. HAND PROTECTION Protect hands with category III work gloves. The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing. EYE PROTECTION Wear airtight protective goggles (see standard EN ISO 16321). RESPIRATORY PROTECTION Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.		
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	
EPY 11.7.2 - SDS 1004.14		

65014/3 - DEMIPERMANENT 5,12**SECTION 9. Physical and chemical properties ... / >>****9.2. Other information****9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.08 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da

65014/3 - DEMIPERMANENT 5,12**SECTION 11. Toxicological information ... / >>**

contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:	> 5 mg/l
ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

LD50 (Dermal): 428 mg/kg

ATE (Dermal): 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): > 107 mg/kg ratto

ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders): 0.9 mg/l/4h

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal): > 2000 mg/kg

ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): 102 mg/kg

ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders): 1.77 mg/l/4h

65014/3 - DEMIPERMANENT 5,12**SECTION 11. Toxicological information ... / >>****3-AMINOPHENOL**

LD50 (Dermal): 1000 mg/kg Rat
 LD50 (Oral): 693 mg/kg Rat
 LC50 (Inhalation mists/powders): 1162 mg/m3 Rat

2-METHYLRESORCINOL

LD50 (Oral): 200 mg/kg
 ATE (Oral): 100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal): 2620 mg/kg
 LD50 (Oral): 1030 mg/kg

ETHANOLAMINE

LD50 (Dermal): 2504 mg/kg
 ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)
 LD50 (Oral): 1089 mg/kg Rat
 LC50 (Inhalation vapours): > 1.3 mg/l/6h Rat
 ATE (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
 (figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat

dodecan-1-ol

LD50 (Dermal): > 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg rat
 LC50 (Inhalation mists/powders): > 71 mg/l/1h rat

4-tert-butylcyclohexyl acetate

LD50 (Dermal): > 4680 mg/kg rabbit
 LD50 (Oral): 3370 mg/kg rat

tetradecanol

LD50 (Dermal): 8000 mg/kg
 LD50 (Oral): > 2000 mg/kg

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
 non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
 non irritante

2-METHYLRESORCINOL
 non irritante

ETHANOLAMINE
 corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
 non irritante

dodecan-1-ol
 non irritante

4-tert-butylcyclohexyl acetate
 non irritante

65014/3 - DEMIPERMANENT 5,12**SECTION 11. Toxicological information ... / >>**

tetradecanol
non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
effetti irreversibili sugli occhi

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

3-AMINOPHENOL

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

2-METHYLRESORCINOL

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate

4-tert-butylcyclohexyl acetate

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Skin sensitization

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

65014/3 - DEMIPERMANENT 5,12**SECTION 11. Toxicological information ... / >>**

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate
negative

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate	
LC50 - for Fish	> 235 mg/l/96h
EC50 - for Crustacea	0.381 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.338 mg/l/72h
Chronic NOEC for Crustacea	0.674 mg/l

65014/3 - DEMIPERMANENT 5,12**SECTION 12. Ecological information ... / >>****2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

3-AMINOPHENOL

LC50 - for Fish	313.687 mg/l/96h
EC50 - for Crustacea	0.267 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	62 mg/l/72h <i>Pseudokirchnerella subcapitata</i>

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l <i>Daphnia magna</i>

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish	8.6 mg/l/96h <i>Cyprinus carpio</i>
EC50 - for Crustacea	5.3 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol

LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability**(p-ammoniophenyl)bis(2-hydroxyethyl)ammonium sulphate**

Solubility in water	296 mg/l a 20°C
NOT rapidly degradable	

3-AMINOPHENOL

Solubility in water	29900 mg/l 35°C
Rapidly degradable	

2-METHYLRESORCINOL

Solubility in water	263000 mg/l 25°C
Rapidly degradable	

65014/3 - DEMIPERMANENT 5,12**SECTION 12. Ecological information** ... / >>

ETHANOLAMINE
Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate
Rapidly degradable

tetradecanol
Rapidly degradable

12.3. Bioaccumulative potential

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)
IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

65014/3 - DEMIPERMANENT 5,12**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazardsADR / RID: NO
IMDG: not marine pollutant
IATA: NO**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 lt	Tunnel restriction code: (E)
	Special provision: 274		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

65014/3 - DEMIPERMANENT 5,12**SECTION 15. Regulatory information ... / >>**

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

65014/3 - DEMIPERMANENT 5,12**SECTION 16. Other information ... / >>**

- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65015/3
Product name: DEMIPERMANENT 5,14

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65015/3 - DEMIPERMANENT 5,14**SECTION 2. Hazards identification ... / >>**

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 2	H411	Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE
2-METHYL-p-PHENYLENEDIAMINE SULFATE
5-AMINO-O-CRESOL
Maleic acid
2-Amino-6-chloro-4-nitrophenol
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
4-AMINOPHENOL
3-AMINOPHENOL
4-tert-butylcyclohexyl acetate
2-METHYLRESORCINOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

Davines S.p.A.			Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 3 / 19	EN
65015/3 - DEMIPERMANENT 5,14				
SECTION 3. Composition/information on ingredients ... / >>				
3.2. Mixtures				
Contains:				
Identification		Conc. %	Classification (EC) 1272/2008 (CLP)	
ETHANOLAMINE				
INDEX	603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412	
EC	205-483-3		STOT SE 3 H335: ≥ 5%	
CAS	141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l	
REACH Reg. 01-2119486455-28				
dodecan-1-ol				
INDEX		2.373	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411	
EC	203-982-0			
CAS	112-53-8			
REACH Reg. 01-2119485976-15				
sodium hydrogen N-(1-oxododecyl)-L-glutamate				
INDEX		1.96	Eye Irrit. 2 H319	
EC	249-958-3			
CAS	29923-31-7			
REACH Reg. 01-2119982964-18				
2-METHYL-p-PHENYLENEDIAMINE SULFATE				
INDEX	612-030-00-7	1.3	Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1	
EC	210-431-8		ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h	
CAS	615-50-9			
REACH Reg. 01-2119962199-25				
tetradecanol				
INDEX		0.878	Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1	
EC	204-000-3			
CAS	112-72-1			
REACH Reg. 01-2119485910-33				
2-METHYLRESORCINOL				
INDEX		0.45	Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1	
EC	210-155-8		ATE Oral: 100 mg/kg	
CAS	608-25-3			
REACH Reg. 01-2120030526-64				
4-tert-butylcyclohexyl acetate				
INDEX		0.299	Skin Sens. 1B H317	
EC	250-954-9			
CAS	32210-23-4			
REACH Reg. 01-2119976286-24				
3-AMINOPHENOL				
INDEX	612-127-00-4	0.227	Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411	
EC	209-711-2		ATE Oral: 500 mg/kg, ATE Inhalation mists/powders: 1.5 mg/l	
CAS	591-27-5			
REACH Reg. 01-2119930678-27				
4-AMINOPHENOL				
INDEX	612-128-00-X	0.184	Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1	
EC	204-616-2		ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l	
CAS	123-30-8			
REACH Reg. 01-2119535388-31				
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride				
INDEX		0.17	Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411	
EC	303-085-5		LD50 Oral: 1550 mg/kg	
CAS	94158-14-2			
REACH Reg. 01-2120758799-28				

EPY 11.7.2 - SDS 1004.14

65015/3 - DEMIPERMANENT 5,14**SECTION 3. Composition/information on ingredients ... / >>****2-Amino-6-chloro-4-nitrophenol**

INDEX 0.15

Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 228-762-1

CAS 6358-09-4

REACH Reg. 01-2120758798-30

5-AMINO-O-CRESOL

INDEX 0.1

Skin Sens. 1 H317, Aquatic Chronic 2 H411

EC 220-618-6

CAS 2835-95-2

REACH Reg. 01-2120766272-54

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

Davines S.p.A.		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 5 / 19	EN
65015/3 - DEMIPERMANENT 5,14			
SECTION 5. Firefighting measures ... / >>			
5.2. Special hazards arising from the substance or mixture			
HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.			
5.3. Advice for firefighters			
GENERAL INFORMATION Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).			
SECTION 6. Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.			
6.2. Environmental precautions			
The product must not penetrate into the sewer system or come into contact with surface water or ground water.			
6.3. Methods and material for containment and cleaning up			
Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.			
6.4. Reference to other sections			
Any information on personal protection and disposal is given in sections 8 and 13.			
SECTION 7. Handling and storage			
7.1. Precautions for safe handling			
Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.			
7.2. Conditions for safe storage, including any incompatibilities			
Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.			
7.3. Specific end use(s)			
Information not available			
SECTION 8. Exposure controls/personal protection			
8.1. Control parameters			
Regulatory references:			
ESP	España	Límites de exposición profesional para agentes químicos en España 2023	
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81	
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)	
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive	
EPY 11.7.2 - SDS 1004.14			

65015/3 - DEMIPERMANENT 5,14**SECTION 8. Exposure controls/personal protection ... / >>****dodecan-1-ol****Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75	VND	75				
		mg/kg/d		mg/kg/d				
Inhalation	VND	65	VND	65	VND	220	VND	220
		mg/m3		mg/m3		mg/m3		mg/m3
Skin			VND	75	VND	125	VND	125
				mg/kg/d		mg/kg/d		mg/kg/d

tetradecanol**Predicted no-effect concentration - PNEC**

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

65015/3 - DEMIPERMANENT 5,14**SECTION 9. Physical and chemical properties ... / >>****SECTION 9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

65015/3 - DEMIPERMANENT 5,14**SECTION 10. Stability and reactivity ... / >>****10.6. Hazardous decomposition products**

ETHANOLAMINE

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Maleic acid

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

65015/3 - DEMIPERMANENT 5,14**SECTION 11. Toxicological information ... / >>**Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:	> 5 mg/l
ATE (Inhalation - vapours) of the mixture:	> 20 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg
2-Amino-6-chloro-4-nitrophenol	
LD50 (Oral):	> 2000 mg/kg
5-AMINO-O-CRESOL	
LD50 (Dermal):	5688 mg/kg
LD50 (Oral):	3600 mg/kg rat
LC50 (Inhalation mists/powders):	42.57 mg/l
2-METHYL-p-PHENYLENEDIAMINE SULFATE	
LD50 (Dermal):	> 2000 mg/kg
ATE (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	102 mg/kg
ATE (Oral):	100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LC50 (Inhalation mists/powders):	1.77 mg/l/4h
3-AMINOPHENOL	
LD50 (Dermal):	1000 mg/kg Rat
LD50 (Oral):	693 mg/kg Rat
LC50 (Inhalation mists/powders):	1162 mg/m3 Rat
2-METHYLRESORCINOL	
LD50 (Oral):	200 mg/kg
ATE (Oral):	100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
Maleic acid	
LD50 (Dermal):	2620 mg/kg
LD50 (Oral):	1030 mg/kg
ETHANOLAMINE	
LD50 (Dermal):	2504 mg/kg
ATE (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	1089 mg/kg Rat
LC50 (Inhalation vapours):	> 1.3 mg/l/6h Rat
ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg

65015/3 - DEMIPERMANENT 5,14**SECTION 11. Toxicological information ... / >>****4-AMINOPHENOL**

LD50 (Dermal): > 5000 mg/kg rat
LD50 (Oral): 671 mg/kg rat
LC50 (Inhalation mists/powders): > 3.4 mg/l rat

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

LD50 (Oral): 1550 mg/kg rat

SKIN CORROSION / IRRITATION**Corrosive for the skin**

2-Amino-6-chloro-4-nitrophenol
irritante

5-AMINO-O-CRESOL
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante

2-METHYLRESORCINOL
non irritante

ETHANOLAMINE
corrosivo

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
non irritante

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
non irritante

4-AMINOPHENOL
non irritante

SERIOUS EYE DAMAGE / IRRITATION**Causes serious eye damage**

2-Amino-6-chloro-4-nitrophenol
irritante

5-AMINO-O-CRESOL
non irritante

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

65015/3 - DEMIPERMANENT 5,14**SECTION 11. Toxicological information ... / >>**

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-Amino-6-chloro-4-nitrophenol
sensitising

5-AMINO-O-CRESOL
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-Amino-6-chloro-4-nitrophenol
negative

5-AMINO-O-CRESOL
in vivo negativo, in vitro positivo

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

65015/3 - DEMIPERMANENT 5,14**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

2-Amino-6-chloro-4-nitrophenol
LC50 - for Fish
EC50 - for Crustacea
EC50 - for Algae / Aquatic Plants

> 100 mg/l/96h
281.5 mg/l/48h
82.4 mg/l/72h

5-AMINO-O-CRESOL
LC50 - for Fish
EC50 - for Crustacea
EC50 - for Algae / Aquatic Plants
Chronic NOEC for Crustacea

25 mg/l/96h
2.3 mg/l/48h
41 mg/l/72h
0.24 mg/l

2-METHYL-p-PHENYLENEDIAMINE SULFATE
LC50 - for Fish
EC50 - for Crustacea
Chronic NOEC for Crustacea

< 1 mg/l/96h
1.19 mg/l/48h
0.63 mg/l

3-AMINOPHENOL
LC50 - for Fish
EC50 - for Crustacea
EC50 - for Algae / Aquatic Plants

313.687 mg/l/96h
0.267 mg/l/48h Daphnia magna
62 mg/l/72h Pseudokirchnerella subcapitata

2-METHYLRESORCINOL
LC50 - for Fish
EC50 - for Crustacea
Chronic NOEC for Algae / Aquatic Plants

58.1 mg/l/96h
0.605 mg/l/48h
2.49 mg/l

65015/3 - DEMIPERMANENT 5,14**SECTION 12. Ecological information ... / >>**

Maleic acid	
LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l
ETHANOLAMINE	
Chronic NOEC for Fish	1.2 mg/l <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l <i>Daphnia magna</i>
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)
4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h <i>Cyprinus carpio</i>
EC50 - for Crustacea	5.3 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
4-AMINOPHENOL	
LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-Amino-6-chloro-4-nitrophenol	
Solubility in water	450 mg/l a 25°C
NOT rapidly degradable	
5-AMINO-O-CRESOL	
Solubility in water	0.004112 mg/l a 20°C
NOT rapidly degradable	
3-AMINOPHENOL	
Solubility in water	29900 mg/l 35°C
Rapidly degradable	
2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	

65015/3 - DEMIPERMANENT 5,14**SECTION 12. Ecological information** ... / >>

ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-tert-butylcyclohexyl acetate	
Rapidly degradable	
tetradecanol	
Rapidly degradable	
4-AMINOPHENOL	
Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-Amino-6-chloro-4-nitrophenol	
Partition coefficient: n-octanol/water	1.8 a 20°C
5-AMINO-O-CRESOL	
Partition coefficient: n-octanol/water	-0.53 Log Kow
2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow
ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3
dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow
4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Davines S.p.A. 65015/3 - DEMIPERMANENT 5,14		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 16 / 19	EN
SECTION 14. Transport information			
14.1. UN number or ID number ADR / RID, IMDG, IATA:UN 3267			
14.2. UN proper shipping name ADR / RID:CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE) IMDG:CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE; dodecan-1-ol) IATA:CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)			
14.3. Transport hazard class(es) ADR / RID:Class: 8Label: 8 IMDG:Class: 8Label: 8 IATA:Class: 8Label: 8 			
14.4. Packing group ADR / RID, IMDG, IATA:III			
14.5. Environmental hazards ADR / RID:Environmentally Hazardous IMDG:Marine Pollutant IATA:NO For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082. 			
14.6. Special precautions for user ADR / RID:HIN - Kemler: 80Special provision: 274 IMDG:EMS: F-A, S-B IATA:Cargo:Passengers:Special provision: Limited Quantities: 5 lt Limited Quantities: 5 lt Maximum quantity: 60 L Maximum quantity: 5 L A3, A803 Tunnel restriction code: (E) Packaging instructions: 856 Packaging instructions: 852			
14.7. Maritime transport in bulk according to IMO instruments Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Seveso Category - Directive 2012/18/EU:E2 Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 ProductPoint3 - 40			
EPY 11.7.2 - SDS 1004.14			

65015/3 - DEMIPERMANENT 5,14**SECTION 15. Regulatory information ... / >>**

Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)
On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:
None

Substances subject to the Rotterdam Convention:
None

Substances subject to the Stockholm Convention:
None

Healthcare controls
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate

65015/3 - DEMIPERMANENT 5,14**SECTION 16. Other information ... / >>**

- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
 23. Delegated Regulation (UE) 2023/707
 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
 24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

65015/3 - DEMIPERMANENT 5,14**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65019/3
Product name: DEMIPERMANENT 4,3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1	H318	Causes serious eye damage.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.

65019/3 - DEMIPERMANENT 4,3

SECTION 2. Hazards identification ... / >>

Hazardous to the aquatic environment, chronic toxicity, category 2

H411

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H318 Causes serious eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P280 Wear protective gloves / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P273 Avoid release to the environment.
P391 Collect spillage.
P261 Avoid breathing dust and / or fume and / or gas and / or mist and / or vapours and / or spray.

Contains:

ETHANOLAMINE
2-METHYL-p-PHENYLENEDIAMINE SULFATE
Maleic acid
4-AMINOPHENOL
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride
4-tert-butylcyclohexyl acetate
2-METHYLRESORCINOL

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	4.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65019/3 - DEMIPERMANENT 4,3**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.373

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 1.5

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 0.878

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYLRESORCINOL

INDEX 0.811

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.172

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

4-AMINOPHENOL

INDEX 612-128-00-X 0.131

EC 204-616-2

CAS 123-30-8

REACH Reg. 01-2119535388-31

Maleic acid

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

Eye Irrit. 2 H319

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

ATE Oral: 100 mg/kg

Skin Sens. 1B H317

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

LD50 Oral: 1550 mg/kg

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing,

65019/3 - DEMIPERMANENT 4,3**SECTION 4. First aid measures ... / >>**

breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Davines S.p.A.

65019/3 - DEMIPERMANENT 4,3

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 17

EN

SECTION 6. Accidental release measures ... / >>

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Effects on consumers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Effects on workers

Acute

Acute

Chronic

Chronic

local

systemic

local

systemic

Inhalation

Skin

VND

2,75

mg/m3

VND

VND

0,49

mg/m3

0,1

mg/kg/d

EPY 11.7.2 - SDS 1004.14

65019/3 - DEMIPERMANENT 4,3

Revision nr.1
Dated 22/10/2024
First compilation
Printed on 22/10/2024
Page n. 6 / 17

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 10.58 %

65019/3 - DEMIPERMANENT 4,3**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid**

a) tossicità acuta;

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65019/3 - DEMIPERMANENT 4,3**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:

> 5 mg/l

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

ATE (Inhalation vapours):

11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

65019/3 - DEMIPERMANENT 4,3**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LD50 (Oral):	1550 mg/kg rat

SKIN CORROSION / IRRITATION

Causes skin irritation

2-METHYL-p-PHENYLENEDIAMINE SULFATE
non irritante2-METHYLRESORCINOL
non irritanteETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritante4-AMINOPHENOL
non irritante**SERIOUS EYE DAMAGE / IRRITATION**

Causes serious eye damage

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante2-METHYLRESORCINOL
irritante per gli occhiETHANOLAMINE
effetti irreversibili agli occhi

65019/3 - DEMIPERMANENT 4,3**SECTION 11. Toxicological information ... / >>**

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

2-METHYLRESORCINOL
negative

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

65019/3 - DEMIPERMANENT 4,3**SECTION 11. Toxicological information ... / >>**

tetradecanol
negative

4-AMINOPHENOL
mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity**2-METHYL-p-PHENYLENEDIAMINE SULFATE**

LC50 - for Fish	< 1 mg/l/96h
EC50 - for Crustacea	1.19 mg/l/48h
Chronic NOEC for Crustacea	0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish	58.1 mg/l/96h
EC50 - for Crustacea	0.605 mg/l/48h
Chronic NOEC for Algae / Aquatic Plants	2.49 mg/l

Maleic acid

LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

ETHANOLAMINE

Chronic NOEC for Fish	1.2 mg/l Oryzias latipes
Chronic NOEC for Crustacea	0.85 mg/l Daphnia magna

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h Daphnia magna
Chronic NOEC for Crustacea	1.25 mg/l

dodecan-1-ol

LC50 - for Fish	1.01 mg/l/96h Pimephales promelas
EC50 - for Crustacea	0.765 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h Desmodesmus subspicatus (growth rate)

65019/3 - DEMIPERMANENT 4,3**SECTION 12. Ecological information** ... / >>

4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h Cyprinus carpio
EC50 - for Crustacea	5.3 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h

tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h

4-AMINOPHENOL	
LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	

ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	

4-tert-butylcyclohexyl acetate	
Rapidly degradable	

tetradecanol	
Rapidly degradable	

4-AMINOPHENOL	
Solubility in water	> 1000 mg/l
NOT rapidly degradable	

12.3. Bioaccumulative potential

2-METHYLRESORCINOL	
Partition coefficient: n-octanol/water	1.7 Log Kow

ETHANOLAMINE	
Partition coefficient: n-octanol/water	-2.3

dodecan-1-ol	
Partition coefficient: n-octanol/water	5.36 log Pow

4-AMINOPHENOL	
Partition coefficient: n-octanol/water	-0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

Davines S.p.A. 65019/3 - DEMIPERMANENT 4,3		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 14 / 17	EN
SECTION 12. Ecological information ... / >>			
12.6. Endocrine disrupting properties			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.			
12.7. Other adverse effects			
Information not available			
SECTION 13. Disposal considerations			
13.1. Waste treatment methods			
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.			
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.			
Waste transportation may be subject to ADR restrictions.			
CONTAMINATED PACKAGING			
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.			
SECTION 14. Transport information			
14.1. UN number or ID number			
ADR / RID, IMDG, IATA: UN 3082			
ADR / RID: In accordance with Special Provision 375, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to ADR provisions.			
IMDG: In accordance with Section 2.10.2.7 of IMDG Code, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IMDG Code provisions.			
IATA: In accordance with SP A197, this product, when is packed in receptacles of a capacity ≤ 5Kg or 5L, is not submitted to IATA dangerous goods regulations.			
14.2. UN proper shipping name			
ADR / RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecan-1-ol; 2-METHYL-p-PHENYLENEDIAMINE SULFATE)			
IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecan-1-ol; 2-METHYL-p-PHENYLENEDIAMINE SULFATE)			
IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (dodecan-1-ol; 2-METHYL-p-PHENYLENEDIAMINE SULFATE)			
14.3. Transport hazard class(es)			
ADR / RID:		Class: 9	Label: 9
IMDG:		Class: 9	Label: 9
IATA:		Class: 9	Label: 9
14.4. Packing group			
ADR / RID, IMDG, IATA: III			
EPY 11.7.2 - SDS 1004.14			

65019/3 - DEMIPERMANENT 4,3**SECTION 14. Transport information ... / >>****14.5. Environmental hazards**

ADR / RID: Environmentally Hazardous

IMDG: Marine Pollutant

IATA: Environmentally Hazardous

**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: 90 Special provision: 274, 335, 375, 601	Limited Quantities: 5 lt	Tunnel restriction code: (-)
IMDG:	EMS: F-A, S-F	Limited Quantities: 5 lt	
IATA:	Cargo: Passengers: Special provision:	Maximum quantity: 450 L Maximum quantity: 450 L A97, A158, A197, A215	Packaging instructions: 964 Packaging instructions: 964

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicableSubstances in Candidate List (Art. 59 REACH)
On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.Substances subject to authorisation (Annex XIV REACH)
NoneSubstances subject to exportation reporting pursuant to Regulation (EU) 649/2012:
NoneSubstances subject to the Rotterdam Convention:
NoneSubstances subject to the Stockholm Convention:
NoneHealthcare controls
Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.**15.2. Chemical safety assessment**

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative

65019/3 - DEMIPERMANENT 4,3**SECTION 16. Other information ... / >>**

- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65037/3
Product name: DEMIPERMANENT 5,33

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65037/3 - DEMIPERMANENT 5,33**SECTION 2. Hazards identification ... / >>**

category 3	H335	May cause respiratory irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic environment, chronic toxicity, category 3	H412	Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260	Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280	Wear protective gloves/ protective clothing / eye protection / face protection.
P310	Immediately call a POISON CENTER / doctor.
P264	Wash hands thoroughly after handling.

Contains:	ETHANOLAMINE 2-METHYL-p-PHENYLENEDIAMINE SULFATE Maleic acid 2-Amino-6-chloro-4-nitrophenol 4-AMINOPHENOL Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride 4-tert-butylcyclohexyl acetate 2-METHYLRESORCINOL
------------------	---

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l

65037/3 - DEMIPERMANENT 5,33**SECTION 3. Composition/information on ingredients ... / >>**

REACH Reg. 01-2119486455-28

dodecan-1-ol

INDEX 2.555

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

2-METHYL-p-PHENYLENEDIAMINE SULFATE

INDEX 612-030-00-7 1

EC 210-431-8

CAS 615-50-9

REACH Reg. 01-2119962199-25

tetradecanol

INDEX 0.945

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

2-METHYLRESORCINOL

INDEX 0.6

EC 210-155-8

CAS 608-25-3

REACH Reg. 01-2120030526-64

4-tert-butylcyclohexyl acetate

INDEX 0.299

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride

INDEX 0.18

EC 303-085-5

CAS 94158-14-2

REACH Reg. 01-2120758799-28

2-Amino-6-chloro-4-nitrophenol

INDEX 0.15

EC 228-762-1

CAS 6358-09-4

REACH Reg. 01-2120758798-30

4-AMINOPHENOL

INDEX 612-128-00-X 0.15

EC 204-616-2

CAS 123-30-8

REACH Reg. 01-2119535388-31

Maleic acid

INDEX 607-095-00-3 0.1

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

Eye Irrit. 2 H319

Acute Tox. 3 H301, Acute Tox. 4 H312, Acute Tox. 4 H332, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

ATE Oral: 100 mg/kg, ATE Dermal: 1100 mg/kg, LC50 Inhalation mists/powders: 1.77 mg/l/4h

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

Acute Tox. 3 H301, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1

ATE Oral: 100 mg/kg

Skin Sens. 1B H317

Acute Tox. 4 H302, STOT RE 2 H373, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Chronic 2 H411

LD50 Oral: 1550 mg/kg

Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Chronic 2 H411

Muta. 2 H341, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=1

ATE Oral: 500 mg/kg, LC50 Inhalation mists/powders: >3.4 mg/l

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

SECTION 4. First aid measures ... / >>

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures**5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture**HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

5.3. Advice for firefighters**GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

Davines S.p.A.

65037/3 - DEMIPERMANENT 5,33

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 17

EN

SECTION 6. Accidental release measures ... / >>

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH

ACGIH 2023

2-METHYL-p-PHENYLENEDIAMINE SULFATE

Predicted no-effect concentration - PNEC

Normal value in fresh water

Normal value in marine water

Normal value for fresh water sediment

Normal value for marine water sediment

Normal value for water, intermittent release

Normal value of STP microorganisms

Normal value for the terrestrial compartment

0.0126

0.00126

0.0112

0.00112

0.7

0.177

0.00259

mg/l

mg/l

mg/kg

mg/kg

mg/l

mg/l

mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure

Acute local

Acute systemic

Chronic local

Chronic systemic

Effects on workers

Acute local

Acute systemic

Chronic local

Chronic systemic

Inhalation

Skin

VND

2,75 mg/m3

VND

0,49 mg/m3

VND

0,1 mg/kg/d

EPY 11.7.2 - SDS 1004.14

SECTION 8. Exposure controls/personal protection ... / >>

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers			Effects on workers				
	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

tetradecanol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.
EYE PROTECTION
Wear airtight protective goggles (see standard EN ISO 16321).
RESPIRATORY PROTECTION
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.
ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.
Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	CREAM	
Colour	orange	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 11,00	
Kinematic viscosity	80.000,0000 - 250.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes
Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

65037/3 - DEMIPERMANENT 5,33**SECTION 11. Toxicological information ... / >>**

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:

> 5 mg/l

ATE (Inhalation - vapours) of the mixture:

> 20 mg/l

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

>2000 mg/kg

2-Amino-6-chloro-4-nitrophenol

LD50 (Oral):

> 2000 mg/kg

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LD50 (Dermal):

> 2000 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

102 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LC50 (Inhalation mists/powders):

1.77 mg/l/4h

2-METHYLRESORCINOL

LD50 (Oral):

200 mg/kg

ATE (Oral):

100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

Maleic acid

LD50 (Dermal):

2620 mg/kg

LD50 (Oral):

1030 mg/kg

ETHANOLAMINE

LD50 (Dermal):

2504 mg/kg

ATE (Dermal):

1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral):

1089 mg/kg Rat

LC50 (Inhalation vapours):

> 1.3 mg/l/6h Rat

65037/3 - DEMIPERMANENT 5,33**SECTION 11. Toxicological information ... / >>**

ATE (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LD50 (Dermal):	> 5000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg
4-AMINOPHENOL	
LD50 (Dermal):	> 5000 mg/kg rat
LD50 (Oral):	671 mg/kg rat
LC50 (Inhalation mists/powders):	> 3.4 mg/l rat
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LD50 (Oral):	1550 mg/kg rat

SKIN CORROSION / IRRITATION

Corrosive for the skin

2-Amino-6-chloro-4-nitrophenol irritante
2-METHYL-p-PHENYLENEDIAMINE SULFATE non irritante
2-METHYLRESORCINOL non irritante
ETHANOLAMINE corrosivo
sodium hydrogen N-(1-oxododecyl)-L-glutamate non irritante
dodecan-1-ol non irritante
4-tert-butylcyclohexyl acetate non irritante
tetradecanol non irritante
4-AMINOPHENOL non irritante

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

2-Amino-6-chloro-4-nitrophenol irritante

65037/3 - DEMIPERMANENT 5,33**SECTION 11. Toxicological information ... / >>**

2-METHYL-p-PHENYLENEDIAMINE SULFATE
irritante

2-METHYLRESORCINOL
irritante per gli occhi

ETHANOLAMINE
effetti irreversibili agli occhi

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritante

dodecan-1-ol
irritante per gli occhi

4-tert-butylcyclohexyl acetate
non irritante

tetradecanol
irritante

4-AMINOPHENOL
non irritante

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

Skin sensitization

2-Amino-6-chloro-4-nitrophenol
sensitising

2-METHYL-p-PHENYLENEDIAMINE SULFATE
sensitising

2-METHYLRESORCINOL
sensitising

ETHANOLAMINE
non sensibilizzante

sodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

4-AMINOPHENOL
sensitising

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

2-Amino-6-chloro-4-nitrophenol
negative

2-METHYL-p-PHENYLENEDIAMINE SULFATE
positivo

65037/3 - DEMIPERMANENT 5,33**SECTION 11. Toxicological information** ... / >>

2-METHYLRESORCINOL

negative

ETHANOLAMINE

negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate

negative

dodecan-1-ol

negative

4-tert-butylcyclohexyl acetate

negative

tetradecanol

negative

4-AMINOPHENOL

mutagena

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

2-Amino-6-chloro-4-nitrophenol

LC50 - for Fish

> 100 mg/l/96h

EC50 - for Crustacea

281.5 mg/l/48h

EC50 - for Algae / Aquatic Plants

82.4 mg/l/72h

2-METHYL-p-PHENYLENEDIAMINE SULFATE

LC50 - for Fish

< 1 mg/l/96h

EC50 - for Crustacea

1.19 mg/l/48h

Chronic NOEC for Crustacea

0.63 mg/l

2-METHYLRESORCINOL

LC50 - for Fish

58.1 mg/l/96h

EC50 - for Crustacea

0.605 mg/l/48h

Chronic NOEC for Algae / Aquatic Plants

2.49 mg/l

65037/3 - DEMIPERMANENT 5,33**SECTION 12. Ecological information ... / >>**

Maleic acid	
LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l
ETHANOLAMINE	
Chronic NOEC for Fish	1.2 mg/l <i>Oryzias latipes</i>
Chronic NOEC for Crustacea	0.85 mg/l <i>Daphnia magna</i>
sodium hydrogen N-(1-oxododecyl)-L-glutamate	
LC50 - for Fish	39 mg/l/96h
EC50 - for Crustacea	120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants	118.434 mg/l/72h
EC10 for Crustacea	< 1 mg/l/48h <i>Daphnia magna</i>
Chronic NOEC for Crustacea	1.25 mg/l
dodecan-1-ol	
LC50 - for Fish	1.01 mg/l/96h <i>Pimephales promelas</i>
EC50 - for Crustacea	0.765 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	0.66 mg/l/72h <i>Desmodesmus subspicatus</i> (growth rate)
4-tert-butylcyclohexyl acetate	
LC50 - for Fish	8.6 mg/l/96h <i>Cyprinus carpio</i>
EC50 - for Crustacea	5.3 mg/l/48h <i>Daphnia magna</i>
EC50 - for Algae / Aquatic Plants	22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	6.8 mg/l 72 h
tetradecanol	
LC50 - for Fish	> 1 mg/l/96h
EC50 - for Crustacea	3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 10 mg/l/72h
4-AMINOPHENOL	
LC50 - for Fish	0.82 mg/l/96h
EC50 - for Crustacea	0.089 mg/l/48h
EC50 - for Algae / Aquatic Plants	0.253 mg/l/72h
EC10 for Algae / Aquatic Plants	0.083 mg/l/72h
Chronic NOEC for Fish	0.049 mg/l
Chronic NOEC for Crustacea	0.206 mg/l
Hydroxyethyl-3,4-methylenedioxyaniline hydrochloride	
LC50 - for Fish	106 mg/l/96h
EC50 - for Crustacea	2.67 mg/l/48h
EC50 - for Algae / Aquatic Plants	17.9 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	12.5 mg/l

12.2. Persistence and degradability

2-Amino-6-chloro-4-nitrophenol	
Solubility in water	450 mg/l a 25°C
NOT rapidly degradable	
2-METHYLRESORCINOL	
Solubility in water	263000 mg/l 25°C
Rapidly degradable	
ETHANOLAMINE	
Solubility in water	1000 - 10000 mg/l
Rapidly degradable	
4-tert-butylcyclohexyl acetate	
Rapidly degradable	
tetradecanol	
Rapidly degradable	

SECTION 12. Ecological information ... / >>

4-AMINOPHENOL
Solubility in water > 1000 mg/l
NOT rapidly degradable

12.3. Bioaccumulative potential

2-Amino-6-chloro-4-nitrophenol
Partition coefficient: n-octanol/water 1.8 a 20°C

2-METHYLRESORCINOL
Partition coefficient: n-octanol/water 1.7 Log Kow

ETHANOLAMINE
Partition coefficient: n-octanol/water -2.3

dodecan-1-ol
Partition coefficient: n-octanol/water 5.36 log Pow

4-AMINOPHENOL
Partition coefficient: n-octanol/water -0.09 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: UN 3267

14.2. UN proper shipping name

ADR / RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)

65037/3 - DEMIPERMANENT 5,33**SECTION 14. Transport information** ... / >>**14.3. Transport hazard class(es)**

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8

**14.4. Packing group**

ADR / RID, IMDG, IATA: III

14.5. Environmental hazardsADR / RID: NO
IMDG: not marine pollutant
IATA: NO**14.6. Special precautions for user**

ADR / RID:	HIN - Kemler: 80	Limited Quantities: 5 lt	Tunnel restriction code: (E)
	Special provision: 274		
IMDG:	EMS: F-A, S-B	Limited Quantities: 5 lt	
IATA:	Cargo:	Maximum quantity: 60 L	Packaging instructions: 856
	Passengers:	Maximum quantity: 5 L	Packaging instructions: 852
	Special provision:	A3, A803	

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

65037/3 - DEMIPERMANENT 5,33**SECTION 15. Regulatory information ... / >>**

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Muta. 2	Germ cell mutagenicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1	Skin sensitization, category 1
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H341	Suspected of causing genetic defects.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train

65037/3 - DEMIPERMANENT 5,33**SECTION 16. Other information ... / >>**

- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 65055/3
Product name: DEMIPERMANENT 00

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B	H314	Causes severe skin burns and eye damage.
Serious eye damage, category 1	H318	Causes serious eye damage.
Specific target organ toxicity - single exposure,		

65055/3 - DEMIPERMANENT 00**SECTION 2. Hazards identification ... / >>**

category 3
Hazardous to the aquatic environment, chronic
toxicity, category 3

H335
H412

May cause respiratory irritation.
Harmful to aquatic life with long lasting effects.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains: Maleic acid
4-tert-butylcyclohexyl acetate
May produce an allergic reaction.

Precautionary statements:

P260 Do not breathe dust and / or fume and / or gas and / or mist and / or vapours and / or spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P280 Wear protective gloves/ protective clothing / eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.
P264 Wash hands thoroughly after handling.

Contains:

ETHANOLAMINE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients**3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ETHANOLAMINE		
INDEX 603-030-00-8	5.5	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC 205-483-3		STOT SE 3 H335: $\geq$ 5%
CAS 141-43-5		LD50 Oral: 1089 mg/kg, ATE Dermal: 1100 mg/kg, ATE Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		

65055/3 - DEMIPERMANENT 00**SECTION 3. Composition/information on ingredients ... / >>****dodecan-1-ol**

INDEX 2.19

Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411

EC 203-982-0

CAS 112-53-8

REACH Reg. 01-2119485976-15

sodium hydrogen N-(1-oxododecyl)-L-glutamate

INDEX 1.96

Eye Irrit. 2 H319

EC 249-958-3

CAS 29923-31-7

REACH Reg. 01-2119982964-18

tetradecanol

INDEX 0.81

Eye Irrit. 2 H319, Aquatic Chronic 1 H410 M=1

EC 204-000-3

CAS 112-72-1

REACH Reg. 01-2119485910-33

4-tert-butylcyclohexyl acetate

INDEX 0.299

Skin Sens. 1B H317

EC 250-954-9

CAS 32210-23-4

REACH Reg. 01-2119976286-24

Maleic acid

INDEX 607-095-00-3 0.1

Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317

EC 203-742-5

CAS 110-16-7

REACH Reg. 01-2119488705-25

ATE Oral: 500 mg/kg

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures**4.1. Description of first aid measures**

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Rinse your mouth with running water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER / doctor.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

Davines S.p.A.

65055/3 - DEMIPERMANENT 00

Revision nr.1

Dated 22/10/2024

First compilation

Printed on 22/10/2024

Page n. 5 / 15

EN

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2023

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2023

TLV-ACGIH

ACGIH 2023

ETHANOLAMINE

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	2.5	1	7.5	3	SKIN
VLEP	ITA	2.5	1	7.6	3	SKIN
WEL	GBR	2.5	1	7.6	3	SKIN
OEL	EU	2.5	1	7.6	3	SKIN
TLV-ACGIH		7.5	3	15	6	

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.085	mg/l
Normal value in marine water	0.0085	mg/l
Normal value for fresh water sediment	0.425	mg/kg
Normal value for marine water sediment	0.0425	mg/kg
Normal value for water, intermittent release	0.025	mg/l
Normal value of STP microorganisms	100	mg/l
Normal value for the terrestrial compartment	0.035	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic	Chronic	Effects on workers			
	Acute	Acute			Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral			VND	3,75 mg/kg/d				
Inhalation			VND	2 mg/m3			VND	3,3 mg/m3
Skin			VND	0,24 mg/kg/d			VND	1 mg/kg/d

dodecan-1-ol

Predicted no-effect concentration - PNEC

Normal value in fresh water	0.0028	mg/l
Normal value in marine water	0.00028	mg/kg
Normal value for fresh water sediment	1.1	mg/kg
Normal value for marine water sediment	0.11	mg/kg
Normal value of STP microorganisms	0.0207	mg/l
Normal value for the terrestrial compartment	0.888	mg/kg

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers		Chronic	Chronic	Effects on workers			
	Acute	Acute			Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral	VND	75 mg/kg/d	VND	75 mg/kg/d				
Inhalation	VND	65 mg/m3	VND	65 mg/m3	VND	220 mg/m3	VND	220 mg/m3
Skin			VND	75 mg/kg/d	VND	125 mg/kg/d	VND	125 mg/kg/d

EPY 11.7.2 - SDS 1004.14

Davines S.p.A. 65055/3 - DEMIPERMANENT 00		Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 6 / 15 EN
SECTION 8. Exposure controls/personal protection ... / >>		
tetradecanol		
Predicted no-effect concentration - PNEC		
Normal value in fresh water	0.00032	mg/l
Normal value in marine water	0.00003	mg/l
	2	
Normal value of STP microorganisms	0.0019	mg/l
Normal value for the terrestrial compartment	1	mg/kg
Legend: (C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.		
8.2. Exposure controls		
As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards. Provide an emergency shower with face and eye wash station. HAND PROTECTION Protect hands with category III work gloves. The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, permeability time. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use. SKIN PROTECTION Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing. EYE PROTECTION Wear airtight protective goggles (see standard EN ISO 16321). RESPIRATORY PROTECTION Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards. Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.		
SECTION 9. Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Properties	Value	Information
Appearance	CREAM	
Colour	white to beige / yellow	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	9,50 - 10,50	
Kinematic viscosity	100.000,0000 - 300.000,0000	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	not available	
Relative vapour density	not available	
Particle characteristics	not applicable	
EPY 11.7.2 - SDS 1004.14		

65055/3 - DEMIPERMANENT 00**SECTION 9. Physical and chemical properties ... / >>****9.2. Other information****9.2.1. Information with regard to physical hazard classes**

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 11.58 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANOLAMINE

May react dangerously with: acrylonitrile, chloroepoxypropane, chlorosulphuric acid, hydrogen chloride, iron-sulphur compounds, acetic acid, acetic anhydride, mesityl oxide, nitric acid, sulphuric acid, strong acids, vinyl acetate, cellulose nitrate.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANOLAMINE

Avoid exposure to: air, sources of heat.

10.5. Incompatible materials**ETHANOLAMINE**

Incompatible with: iron, strong acids, strong oxidants.

10.6. Hazardous decomposition products**ETHANOLAMINE**

May develop: nitric oxide, carbon oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Maleic acid****a) tossicità acuta;**

Valutazione di tossicità acuta:

Nocivo per ingestione, assorbimento attraverso la cute e inalazione

Dati sperimentali/calcolati:

DL50 ratto (orale): 708 mg/kg

DL50 coniglio (cutaneo): 1560 mg/kg

LC50 ratto (inalazione) > 0,72 mg/L

b) Corrosione cutanea/irritazione cutanea;

Valutazione dell'effetto irritante: irritante. Per contatto con la pelle si ha irritazione con eritema, edema, secchezza e screpolatura.

c) gravi danni oculari/irritazione oculare;

Valutazione dell'effetto irritante: irritante. Il contatto con gli occhi provoca irritazione; i sintomi possono includere: arrossamento, edema, dolore e lacrimazione.

d) sensibilizzazione respiratoria o cutanea;

Valutazione dell'effetto sensibilizzante: Il contatto del prodotto con la pelle (topo) provoca una sensibilizzazione (dermatite da

65055/3 - DEMIPERMANENT 00**SECTION 11. Toxicological information ... / >>**

contatto) - OECD Guideline 429.

Gli studi sull'uomo non hanno mostrato un effetto sensibilizzante (HRIPT) - Good clinical practices guidelines 21CFR part 50, 56

e) mutagenicità sulle cellule germinali;

Valutazione di mutagenicità:

I tests di mutagenicità non hanno rilevato un potenziale genotossico.

Dati sperimentali/calcolati:

test di Ames

Batteri: negativo

f) cancerogenicità;

Valutazione di cancerogenicità:

La valutazione degli effetti cancerogeni non ha mostrato effetti di cancerogenicità (read across- anidride maleica) - OECD Guideline 451

g) tossicità per la riproduzione;

Valutazione di tossicità per la riproduzione: non sono stati osservati effetti sulla fertilità sui ratti alla dose massima di 55 mg/kg/day somministrata per due generazioni.

h) tossicità specifica per organi bersaglio (STOT) — esposizione singola;

Valutazione STOT singola: ND

i) tossicità specifica per organi bersaglio (STOT) — esposizione ripetuta;

Valutazione della tossicità in seguito a somministrazione ripetuta: ND.

j) pericolo in caso di aspirazione: ND

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - vapours) of the mixture: > 20 mg/l

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: >2000 mg/kg

Maleic acid

LD50 (Dermal): 2620 mg/kg

LD50 (Oral): 1030 mg/kg

ETHANOLAMINE

LD50 (Dermal): 2504 mg/kg

ATE (Dermal): 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

LD50 (Oral): 1089 mg/kg Rat

LC50 (Inhalation vapours): > 1.3 mg/l/6h Rat

ATE (Inhalation vapours): 11 mg/l estimate from table 3.1.2 of Annex I of the CLP
(figure used for calculation of the acute toxicity estimate of the mixture)

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LD50 (Dermal): > 5000 mg/kg

LD50 (Oral): > 2000 mg/kg rat

65055/3 - DEMIPERMANENT 00**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol	
LD50 (Dermal):	> 8000 mg/kg
LD50 (Oral):	> 2000 mg/kg rat
LC50 (Inhalation mists/powders):	> 71 mg/l/1h rat
4-tert-butylcyclohexyl acetate	
LD50 (Dermal):	> 4680 mg/kg rabbit
LD50 (Oral):	3370 mg/kg rat
tetradecanol	
LD50 (Dermal):	8000 mg/kg
LD50 (Oral):	> 2000 mg/kg

SKIN CORROSION / IRRITATION

Corrosive for the skin

ETHANOLAMINE
corrosivosodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
non irritante4-tert-butylcyclohexyl acetate
non irritantetetradecanol
non irritanteSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

ETHANOLAMINE
effetti irreversibili agli occhisodium hydrogen N-(1-oxododecyl)-L-glutamate
non irritantedodecan-1-ol
irritante per gli occhi4-tert-butylcyclohexyl acetate
non irritantetetradecanol
irritanteRESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.

Contains:

Maleic acid

4-tert-butylcyclohexyl acetate

Skin sensitizationETHANOLAMINE
non sensibilizzantesodium hydrogen N-(1-oxododecyl)-L-glutamate
non sensibilizzante

65055/3 - DEMIPERMANENT 00**SECTION 11. Toxicological information ... / >>**

dodecan-1-ol
non sensibilizzante

4-tert-butylcyclohexyl acetate
sensitising

tetradecanol
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

ETHANOLAMINE
negative

sodium hydrogen N-(1-oxododecyl)-L-glutamate
negative

dodecan-1-ol
negative

4-tert-butylcyclohexyl acetate
negative

tetradecanol
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it has negative effects on the aquatic environment.

12.1. Toxicity

Maleic acid	
LC50 - for Fish	75 mg/l/96h
EC50 - for Crustacea	42.81 mg/l/48h
EC50 - for Algae / Aquatic Plants	74.35 mg/l/72h
Chronic NOEC for Crustacea	10 mg/l

65055/3 - DEMIPERMANENT 00**SECTION 12. Ecological information** ... / >>**ETHANOLAMINE**

Chronic NOEC for Fish 1.2 mg/l *Oryzias latipes*
Chronic NOEC for Crustacea 0.85 mg/l *Daphnia magna*

sodium hydrogen N-(1-oxododecyl)-L-glutamate

LC50 - for Fish 39 mg/l/96h
EC50 - for Crustacea 120.9 mg/l/48h
EC50 - for Algae / Aquatic Plants 118.434 mg/l/72h
EC10 for Crustacea < 1 mg/l/48h *Daphnia magna*
Chronic NOEC for Crustacea 1.25 mg/l

dodecan-1-ol

LC50 - for Fish 1.01 mg/l/96h *Pimephales promelas*
EC50 - for Crustacea 0.765 mg/l/48h *Daphnia magna*
EC50 - for Algae / Aquatic Plants 0.66 mg/l/72h *Desmodesmus subspicatus* (growth rate)

4-tert-butylcyclohexyl acetate

LC50 - for Fish 8.6 mg/l/96h *Cyprinus carpio*
EC50 - for Crustacea 5.3 mg/l/48h *Daphnia magna*
EC50 - for Algae / Aquatic Plants 22 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants 6.8 mg/l 72 h

tetradecanol

LC50 - for Fish > 1 mg/l/96h
EC50 - for Crustacea 3.2 mg/l/48h
EC50 - for Algae / Aquatic Plants > 10 mg/l/72h

12.2. Persistence and degradability**ETHANOLAMINE**

Solubility in water 1000 - 10000 mg/l
Rapidly degradable

4-tert-butylcyclohexyl acetate

Rapidly degradable

tetradecanol

Rapidly degradable

12.3. Bioaccumulative potential**ETHANOLAMINE**

Partition coefficient: n-octanol/water -2.3

dodecan-1-ol

Partition coefficient: n-octanol/water 5.36 log Pow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

Davines S.p.A. 65055/3 - DEMIPERMANENT 00			Revision nr.1 Dated 22/10/2024 First compilation Printed on 22/10/2024 Page n. 12 / 15	EN
SECTION 13. Disposal considerations				
13.1. Waste treatment methods Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.				
SECTION 14. Transport information				
14.1. UN number or ID number ADR / RID, IMDG, IATA:UN 3267				
14.2. UN proper shipping name ADR / RID: IMDG: IATA: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ETHANOLAMINE)				
14.3. Transport hazard class(es) ADR / RID: IMDG: IATA: Class: 8 Class: 8 Class: 8 Label: 8 Label: 8 Label: 8   				
14.4. Packing group ADR / RID, IMDG, IATA:III				
14.5. Environmental hazards ADR / RID: IMDG: IATA: NO not marine pollutant NO				
14.6. Special precautions for user ADR / RID: IMDG: IATA: HIN - Kemler: 80 EMS: F-A, S-B Cargo: Passengers: Special provision: Limited Quantities: 5 lt Limited Quantities: 5 lt Maximum quantity: 60 L Maximum quantity: 5 L A3, A803 Tunnel restriction code: (E) Packaging instructions: 856 Packaging instructions: 852				
14.7. Maritime transport in bulk according to IMO instruments Information not relevant				
SECTION 15. Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Seveso Category - Directive 2012/18/EU: None				
EPY 11.7.2 - SDS 1004.14				

65055/3 - DEMIPERMANENT 00**SECTION 15. Regulatory information ... / >>**

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product	
Point	3 - 40
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors
not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008

65055/3 - DEMIPERMANENT 00**SECTION 16. Other information ... / >>**

- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

65055/3 - DEMIPERMANENT 00

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.
Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 66076/3
Product name: ACTIVATOR 7 VOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97
e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:
Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2

H319

Causes serious eye irritation.

SECTION 2. Hazards identification ... / >>

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:Warning

Hazard statements:
H319Causes serious eye irritation.

Precautionary statements:
P280Wear eye protection / face protection.
P337+P313If eye irritation persists: Get medical advice / attention.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
Phosphoric acid, mono- and di-C16-18 (even numbered) alkyl esters		
INDEX	2.2	Eye Irrit. 2 H319
EC	939-526-9	
CAS	90506-73-3	
REACH Reg.	01-2120013066-71	
hydrogen peroxide 35%		
INDEX	008-003-00-9	2.125
		Ox. Liq. 1 H271, Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Corr. 1 H314, Eye Dam. 1 H318, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412
EC	231-765-0	LD50 Oral: 431 mg/kg, STA Inhalation mists/powders: 1.5 mg/l
CAS	7722-84-1	
REACH Reg.	01-2119485845-22	
PHOSPHORIC ACID		
INDEX	015-011-00-6	0.075
		Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Classification note according to Annex VI to the CLP Regulation: B
EC	231-633-2	Skin Corr. 1B H314: $\geq$ 25%, Skin Irrit. 2 H315: $\geq$ 10%, Eye Dam. 1 H318: $\geq$ 25%, Eye Irrit. 2 H319: $\geq$ 10%
CAS	7664-38-2	LD50 Oral: >300 mg/kg
REACH Reg.	01-2119485924-24	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly

Davines S.p.A. 66076/3 - ACTIVATOR 7 VOL	Revision nr.2 Dated 29/02/2024 Printed on 29/02/2024 Page n. 3 / 11 Replaced revision:1 (Dated 29/02/2024) EN
SECTION 4. First aid measures ... / >> authorised by a doctor. INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers. 4.2. Most important symptoms and effects, both acute and delayed Specific information on symptoms and effects caused by the product are unknown. 4.3. Indication of any immediate medical attention and special treatment needed Information not available	
SECTION 5. Firefighting measures 5.1. Extinguishing media SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular. 5.2. Special hazards arising from the substance or mixture HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products. 5.3. Advice for firefighters GENERAL INFORMATION Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).	
SECTION 6. Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures. 6.2. Environmental precautions The product must not penetrate into the sewer system or come into contact with surface water or ground water. 6.3. Methods and material for containment and cleaning up Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13. 6.4. Reference to other sections Any information on personal protection and disposal is given in sections 8 and 13.	
SECTION 7. Handling and storage 7.1. Precautions for safe handling Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.	

Davines S.p.A.		Revision nr.2 Dated 29/02/2024 Printed on 29/02/2024 Page n. 4 / 11 Replaced revision:1 (Dated 29/02/2024)		EN
66076/3 - ACTIVATOR 7 VOL				
SECTION 7. Handling and storage ... / >>				
7.2. Conditions for safe storage, including any incompatibilities				
Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.				
7.3. Specific end use(s)				
Information not available				
SECTION 8. Exposure controls/personal protection				
8.1. Control parameters				
Regulatory References:				
ESP	España	Límites de exposición profesional para agentes químicos en España 2021		
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81		
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)		
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.		
	TLV-ACGIH	ACGIH 2022		
PHOSPHORIC ACID				
Threshold Limit Value				
Type	Country	TWA/8h		STEL/15min
		mg/m3	ppm	mg/m3 ppm
VLA	ESP	1		2
VLEP	ITA	1		2
WEL	GBR	1		2
OEL	EU	1		2
TLV-ACGIH		1		3
Legend:				
(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.				
8.2. Exposure controls				
As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.				
When choosing personal protective equipment, ask your chemical substance supplier for advice.				
Personal protective equipment must be CE marked, showing that it complies with applicable standards.				
Provide an emergency shower with face and eye wash station.				
HAND PROTECTION				
Protect hands with category III work gloves.				
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.				
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.				
SKIN PROTECTION				
Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.				
EYE PROTECTION				
Wear airtight protective goggles (see standard EN 166).				
RESPIRATORY PROTECTION				
If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.				
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.				
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.				
ENVIRONMENTAL EXPOSURE CONTROLS				
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.				
EPY 11.5.1 - SDS 1004.14				

Davines S.p.A.		Revision nr.2 Dated 29/02/2024 Printed on 29/02/2024 Page n. 5 / 11 Replaced revision:1 (Dated 29/02/2024)		EN
66076/3 - ACTIVATOR 7 VOL				
SECTION 9. Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Properties	Value	Information		
Appearance	FLUID CREAM			
Colour	white			
Odour	STD. REF.			
Melting point / freezing point	not available			
Initial boiling point	not available			
Flammability	not available			
Lower explosive limit	not available			
Upper explosive limit	not available			
Flash point	> 60 °C			
Auto-ignition temperature	not available			
Decomposition temperature	not available			
pH	2,3 - 2,7			
Kinematic viscosity	not available			
Solubility	not available			
Partition coefficient: n-octanol/water	not available			
Vapour pressure	not available			
Density and/or relative density	1,0042 - 1,0142			
Relative vapour density	not available			
Particle characteristics	not applicable			
9.2. Other information				
9.2.1. Information with regard to physical hazard classes				
Information not available				
9.2.2. Other safety characteristics				
Information not available				
SECTION 10. Stability and reactivity				
10.1. Reactivity				
PHOSPHORIC ACID Decomposes at temperatures above 200°C/392°F.				
10.2. Chemical stability				
Information not available				
10.3. Possibility of hazardous reactions				
The product may react violently with water.				
PHOSPHORIC ACID Risk of explosion on contact with: nitromethane.May react dangerously with: alkalis,sodium borohydride.				
10.4. Conditions to avoid				
Avoid overheating. Prevent moisture or water from penetrating inside the containers.				
10.5. Incompatible materials				
PHOSPHORIC ACID Incompatible with: metals,strong alkalis,aldehydes,organic sulphides,peroxides.				
10.6. Hazardous decomposition products				
PHOSPHORIC ACID May develop: phosphoryl oxides.				
		EPY 11.5.1 - SDS 1004.14		

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:	> 5 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no significant component)

PHOSPHORIC ACID	
LD50 (Dermal):	2740 mg/kg Rabbit
LD50 (Oral):	> 300 mg/kg Rat
LC50 (Inhalation mists/powders):	> 0.85 mg/l/1h Rat

hydrogen peroxide 35%	
LD50 (Dermal):	9200 mg/kg
LD50 (Oral):	431 mg/kg
LC50 (Inhalation mists/powders):	1.5 mg/l

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

PHOSPHORIC ACID
corrosivo

hydrogen peroxide 35%
irritante per la pelle

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

PHOSPHORIC ACID
irritante

hydrogen peroxide 35%
irritante per gli occhi

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Skin sensitization

66076/3 - ACTIVATOR 7 VOL**SECTION 11. Toxicological information** ... / >>

hydrogen peroxide 35%
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

PHOSPHORIC ACID
negative

hydrogen peroxide 35%
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

PHOSPHORIC ACID	
LC50 - for Fish	3.25 mg/l/96h
EC50 - for Crustacea	> 100 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 100 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	1000 mg/l

hydrogen peroxide 35%	
LC50 - for Fish	16.4 mg/l/96h
EC50 - for Crustacea	2.4 mg/l/48h

12.2. Persistence and degradability

PHOSPHORIC ACID	
Solubility in water	> 850000 mg/l
Degradability: information not available	

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Davines S.p.A. 66076/3 - ACTIVATOR 7 VOL		Revision nr.2 Dated 29/02/2024 Printed on 29/02/2024 Page n. 8 / 11 Replaced revision:1 (Dated 29/02/2024)	EN
SECTION 12. Ecological information ... / >>			
Information not available			
12.5. Results of PBT and vPvB assessment			
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.			
12.6. Endocrine disrupting properties			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.			
12.7. Other adverse effects			
Information not available			
SECTION 13. Disposal considerations			
13.1. Waste treatment methods			
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.			
SECTION 14. Transport information			
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.			
14.1. UN number or ID number			
not applicable			
14.2. UN proper shipping name			
not applicable			
14.3. Transport hazard class(es)			
not applicable			
14.4. Packing group			
not applicable			
14.5. Environmental hazards			
not applicable			
14.6. Special precautions for user			
not applicable			
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
SECTION 15. Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Seveso Category - Directive 2012/18/EU: None			
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006			
EPY 11.5.1 - SDS 1004.14			

66076/3 - ACTIVATOR 7 VOL**SECTION 15. Regulatory information ... / >>**

Product	
Point	3
Contained substance	
Point	75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Regulated explosives precursor

The acquisition, introduction, possession or use of that regulated explosives precursor by members of the general public is subject to reporting obligations as set out in Article 9.

All suspicious transactions and significant disappearances and thefts must be reported to the relevant national contact point.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Liq. 1	Oxidising liquid, category 1
Met. Corr. 1	Substance or mixture corrosive to metals, category 1
Acute Tox. 4	Acute toxicity, category 4
Skin Corr. 1B	Skin corrosion, category 1B
Skin Corr. 1	Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H271	May cause fire or explosion; strong oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H332	Harmful if inhaled.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation

66076/3 - ACTIVATOR 7 VOL**SECTION 16. Other information ... / >>**

- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

66076/3 - ACTIVATOR 7 VOL**SECTION 16. Other information** ... / >>

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:
The following sections were modified:
02 / 03 / 08 / 09 / 11.

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 66077/3
Product name: ACTIVATOR 15 VOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Cosmetic bulk product - professional/industrial use

1.3. Details of the supplier of the safety data sheet

Name: Davines S.p.A.
Full address: Via Calzolari Don Angelo 55/A
District and Country: 43126 Parma (PR)
Italia
Tel.: +39 0521 96 56 11
Fax: +39 0521 29 25 97

e-mail address of the competent person responsible for the Safety Data Sheet: sds@davines.it

1.4. Emergency telephone number

For urgent inquiries refer to:

Centro Antiveleni di Bergamo
Azienda Ospedaliera Papa Giovanni XXII 800 88 33 00
Centro Antiveleni di Milano
Ospedale Niguarda Ca' Granda +39 02 6610 1029
Centro Antiveleni di Roma
CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica
Universita Cattolica del Sacro Cuore +39 06 305 4343
Centro Antiveleni di Roma
CAV Policlinico "Umberto I", Università di Roma +39 06 4997 8000
Centro Antiveleni di Firenze
Az. Osp. "Careggi" U.O. Tossicologia Medica, S.O.D. di Tossicologia
Clinicaicologia Clinica +39 055 794 7819
Centro Antiveleni di Pavia
CAV Centro Nazionale di Informazione Tossicologica, IRCCS Fondazione Maugeri
+39 03 822 4444
Centro Antiveleni di Roma
CAV "Osp. Pediatrico Bambino Gesù" Dip. Emergenza e Accettazione DEA +39 06 6859 3726
Centro Antiveleni di Foggia
Az. Osp. Univ. Foggia +39 800 183 459
Centro Antiveleni di Napoli
Az. Osp. "A. Cardarelli" +39 081 54 53 333
Centro Antiveleni di Verona
Azienda Ospedaliera Integrata Verona +39 800 011 858

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1

H318

Causes serious eye damage.

66077/3 - ACTIVATOR 15 VOL

SECTION 2. Hazards identification ... / >>

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:
H318 Causes serious eye damage.

Precautionary statements:
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P280 Wear eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor.

Contains: hydrogen peroxide 35%

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
hydrogen peroxide 35%		
INDEX 008-003-00-9	4.554	Ox. Liq. 1 H271, Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Corr. 1 H314, Eye Dam. 1 H318, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Chronic 3 H412 LD50 Oral: 431 mg/kg, STA Inhalation mists/powders: 1.5 mg/l
EC 231-765-0		
CAS 7722-84-1		
REACH Reg. 01-2119485845-22		
Phosphoric acid, mono- and di-C16-18 (even numbered) alkyl esters		
INDEX 2.2		Eye Irrit. 2 H319
EC 939-526-9		
CAS 90506-73-3		
REACH Reg. 01-2120013066-71		
PHOSPHORIC ACID		
INDEX 015-011-00-6	0.075	Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318, Classification note according to Annex VI to the CLP Regulation: B Skin Corr. 1B H314: $\geq$ 25%, Skin Irrit. 2 H315: $\geq$ 10%, Eye Dam. 1 H318: $\geq$ 25%, Eye Irrit. 2 H319: $\geq$ 10% LD50 Oral: >300 mg/kg
EC 231-633-2		
CAS 7664-38-2		
REACH Reg. 01-2119485924-24		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

Davines S.p.A.

66077/3 - ACTIVATOR 15 VOL

Revision nr.2

Dated 29/02/2024

Printed on 29/02/2024

Page n. 4 / 11

Replaced revision:1 (Dated 06/12/2023)

EN

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ESP

ITA

GBR

EU

España

Italia

United Kingdom

OEL EU

Límites de exposición profesional para agentes químicos en España 2021

Decreto Legislativo 9 Aprile 2008, n.81

EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

ACGIH 2022

TLV-ACGIH

PHOSPHORIC ACID

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
VLA	ESP	1		2		
VLEP	ITA	1		2		
WEL	GBR	1		2		
OEL	EU	1		2		
TLV-ACGIH		1		3		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

EPY 11.5.1 - SDS 1004.14

Davines S.p.A.

66077/3 - ACTIVATOR 15 VOL

Revision nr.2
Dated 29/02/2024
Printed on 29/02/2024
Page n. 5 / 11
Replaced revision:1 (Dated 06/12/2023)

EN

SECTION 8. Exposure controls/personal protection

... / >>

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	FLUID CREAM	
Colour	white	
Odour	STD. REF.	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	2,3 - 2,7	
Kinematic viscosity	not available	
Solubility	not available	
Partition coefficient: n-octanol/water	not available	
Vapour pressure	not available	
Density and/or relative density	1,0135 - 1,0235	
Relative vapour density	not available	
Particle characteristics	not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

PHOSPHORIC ACID

Decomposes at temperatures above 200°C/392°F.

10.2. Chemical stability

Information not available

10.3. Possibility of hazardous reactions

The product may react violently with water.

PHOSPHORIC ACID

Risk of explosion on contact with: nitromethane.May react dangerously with: alkalis,sodium borohydride.

10.4. Conditions to avoid

Avoid overheating. Prevent moisture or water from penetrating inside the containers.

EPY 11.5.1 - SDS 1004.14

66077/3 - ACTIVATOR 15 VOL**SECTION 10. Stability and reactivity** ... / >>**10.5. Incompatible materials**

PHOSPHORIC ACID

Incompatible with: metals, strong alkalis, aldehydes, organic sulphides, peroxides.

10.6. Hazardous decomposition products

PHOSPHORIC ACID

May develop: phosphoryl oxides.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:	> 5 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	Not classified (no significant component)

PHOSPHORIC ACID

LD50 (Dermal):	2740 mg/kg Rabbit
LD50 (Oral):	> 300 mg/kg Rat
LC50 (Inhalation mists/powders):	> 0.85 mg/l/1h Rat

hydrogen peroxide 35%

LD50 (Dermal):	9200 mg/kg
LD50 (Oral):	431 mg/kg
LC50 (Inhalation mists/powders):	1.5 mg/l

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

PHOSPHORIC ACID
corrosivohydrogen peroxide 35%
irritante per la pelleSERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

PHOSPHORIC ACID
irritante

66077/3 - ACTIVATOR 15 VOL**SECTION 11. Toxicological information** ... / >>

hydrogen peroxide 35%
irritante per gli occhi

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Skin sensitization

hydrogen peroxide 35%
non sensibilizzante

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

PHOSPHORIC ACID
negative

hydrogen peroxide 35%
negative

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

PHOSPHORIC ACID	
LC50 - for Fish	3.25 mg/l/96h
EC50 - for Crustacea	> 100 mg/l/48h
EC50 - for Algae / Aquatic Plants	> 100 mg/l/72h
Chronic NOEC for Algae / Aquatic Plants	1000 mg/l
hydrogen peroxide 35%	
LC50 - for Fish	16.4 mg/l/96h
EC50 - for Crustacea	2.4 mg/l/48h

12.2. Persistence and degradability

PHOSPHORIC ACID	
Solubility in water	> 850000 mg/l

Davines S.p.A. 66077/3 - ACTIVATOR 15 VOL		Revision nr.2 Dated 29/02/2024 Printed on 29/02/2024 Page n. 8 / 11 Replaced revision:1 (Dated 06/12/2023)	EN
SECTION 12. Ecological information ... / >>			
Degradability: information not available			
12.3. Bioaccumulative potential			
Information not available			
12.4. Mobility in soil			
Information not available			
12.5. Results of PBT and vPvB assessment			
On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.			
12.6. Endocrine disrupting properties			
Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.			
12.7. Other adverse effects			
Information not available			
SECTION 13. Disposal considerations			
13.1. Waste treatment methods			
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.			
SECTION 14. Transport information			
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.			
14.1. UN number or ID number			
not applicable			
14.2. UN proper shipping name			
not applicable			
14.3. Transport hazard class(es)			
not applicable			
14.4. Packing group			
not applicable			
14.5. Environmental hazards			
not applicable			
14.6. Special precautions for user			
not applicable			
14.7. Maritime transport in bulk according to IMO instruments			
Information not relevant			
EPY 11.5.1 - SDS 1004.14			

Davines S.p.A. 66077/3 - ACTIVATOR 15 VOL	Revision nr.2 Dated 29/02/2024 Printed on 29/02/2024 Page n. 9 / 11 Replaced revision:1 (Dated 06/12/2023) EN
---	---

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

3

Contained substance

Point

75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Regulated explosives precursor

The acquisition, introduction, possession or use of that regulated explosives precursor by members of the general public is subject to reporting obligations as set out in Article 9.

All suspicious transactions and significant disappearances and thefts must be reported to the relevant national contact point.

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Ox. Liq. 1

Met. Corr. 1

Acute Tox. 4

Skin Corr. 1B

Skin Corr. 1

Eye Dam. 1

Eye Irrit. 2

STOT SE 3

Aquatic Chronic 3

H271

H290

H302

H332

H314

H318

H319

H335

H412

Oxidising liquid, category 1

Substance or mixture corrosive to metals, category 1

Acute toxicity, category 4

Skin corrosion, category 1B

Skin corrosion, category 1

Serious eye damage, category 1

Eye irritation, category 2

Specific target organ toxicity - single exposure, category 3

Hazardous to the aquatic environment, chronic toxicity, category 3

May cause fire or explosion; strong oxidiser.

May be corrosive to metals.

Harmful if swallowed.

Harmful if inhaled.

Causes severe skin burns and eye damage.

Causes serious eye damage.

Causes serious eye irritation.

May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

EPY 11.5.1 - SDS 1004.14

66077/3 - ACTIVATOR 15 VOL**SECTION 16. Other information ... / >>**

- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.
This document must not be regarded as a guarantee on any specific product property.

66077/3 - ACTIVATOR 15 VOL**SECTION 16. Other information ... / >>**

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.
Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 03 / 08 / 09 / 11.