



commerce cloud

Firework

Integration Tutorial

v2.1.6

Table of Contents:

Summary	3
Step 1 : Setup Cartridges Path	4
Step 2 : Upload Metadata	5
Step 3 : Cartridge Installation Instructions	7
Step 4 : Setup Site Preference	7
Step 5 : API Configuration	8
Step 6 : Firework API Configuration	10
Step 7 : Load Firework Dashboard	11
Step 8 : Add Firework Widget to Storefront through Page Designer	14
Step 9 : Steps to Add Integration script Manually to Common HTML header	17
Step 10 : Enable Purchase Tracking	19
Step 11 : Enable SKU Field Product Feature	20
Step 12 : Enable Native / Instant Checkout	32

Summary

- No known dependency on any 3rd party product.
- The integration for this cartridge encompasses, the deployment of a generic cartridge combined with minor modification of templates inside the storefront code for the cartridge to be fully functional
- Download the Cartridge Package from Git Repository <https://github.com/loopsocial/salesforce>
- Feel free watch Tutorial Video [here](#)

Steps Overview

Step/Description	1st time installation	2+ time upgrade
Step 1 : Setup Cartridges Path	Yes	Yes
Step 2 : Upload Metadata	Yes	Yes
Step 3 : Cartridge Installation Instructions	Yes	Yes
Step 4 : Setup Site Preference	Yes	Not required
Step 5 : API Configuration	Yes	Not required
Step 6 : Firework API Configuration	Yes	Not required
Step 7 : Load Firework Dashboard	Yes	Not required
Step 8 : Add Firework Widget to Storefront through Page Designer	Yes	Not required
Step 9 : (optional): Steps to Add Integration script Manually to Common HTML header	Optional	Not required
Step 10 : Enable Purchase Tracking	Yes	Not required
Step 11 : Enable Native / Instant Checkout	Yes	Not required

Step 1 : Setup Cartridges Path

- Now we'll configure Cartridge Paths to ensure the Firework Cartridges are loaded. In Administration > Sites > Manage Sites > YourSite > Settings we'll add that Cartridges includes

```
int_firework_pd:
```

The screenshot shows the Salesforce RefArch Settings page. The breadcrumb trail is Administration > Sites > Manage Sites > RefArch - Settings. The 'Settings' tab is selected. The 'Instance Type' is set to 'Sandbox/Development'. A deprecated message states: 'Deprecated. The preferred way of configuring HTTP and HTTPS hostnames is by using new features of the site aliases configuration ("SEO > Aliases Configuration"). The HTTP/HTTPS hostname values set in this section will be used if no hostnames are defined by aliases configuration and are intended only to support an older configuration style.' Below this, there are input fields for 'HTTP Hostname' and 'HTTPS Hostname'. The 'Instance Type: All' section shows the 'Cartridges' field with the value '>>plugin_cartridge_merge:plugin_instorepickup:plugin_wishlists:plugin_gift' and the 'Effective Cartridge Path' field with a list of cartridges: int_firework_pd, plugin_cartridge_merge, plugin_instorepickup, plugin_wishlists, plugin_giftregistry, lib_productlist, plugin_productcompare, plugin_sitemap, plugin_applepay, plugin_datadownload, app_storefront_base, plugin_apple_pay, and plugin_facebook. The footer contains copyright information for 2022 Salesforce, Inc.

- Next, in Administration > Sites > Manage Sites > Business Manager > Settings we'll add that Cartridges includes

```
bm_firework_pd:bm_firework_dashboard:
```

RefArch Administration > Sites > Manage Sites > Business Manager - Settings

Settings Cache Hostnames

Business Manager - Settings

Click **Apply** to save the details. Click **Reset** to revert to the last saved state.

Instance Type: Sandbox/Development

Deprecated. Up to two instance specific hostname aliases for Business Manager can be configured here.

HTTP Hostname:

HTTPS Hostname:

Instance Type: All

Cartridges: bm_firework_pd:bm_firework_dashboard:bm_app_storefront_base:bm_cu

Effective Cartridge Path:

- app_business_manager
- plugin_apple_pay
- plugin_facebook
- plugin_payments
- plugin_pinterest_commerce
- plugin_web_payments
- bc_impex
- bc_search
- bc_analytics
- bc_transaction
- bc_catalog
- bc_content
- core
- bm_firework_pd

© 2022 Salesforce, Inc. All Rights Reserved RefArch Time Zone: Coordinated Universal Time | Instance Time Zone: Eastern Daylight Time | Version: 22.7 Last Updated: Jun 27, 2022 (Compatibility Mode: 21.7)

Step 2 : Upload Metadata

After the installation of cartridge on your instance, let's upload the metadata of the integration :

Firework.zip

NOTE:

Before you import jobs please open the **jobs.xml** inside the **Firework.zip** file and update context site-id to your desired site id

```
<context site-id="your_site_id"/>
```

- To upload the file, navigate to Administration → Site Development → Site Import & Export → Upload → Choose Firework.zip to Upload

The screenshot shows the 'Site Import & Export' page in the RefArch administration console. The breadcrumb trail is 'Administration > Site Development > Site Import & Export'. The page title is 'Site Import & Export'. A message states: 'This page allows you to export the current configuration of your organization including all of its sites. To download an archive, just click its file name.' Below this, there is an 'Import' section with a note: 'You can delete a file only if it's a local file or if you're logged into the instance where the file was created.' The 'Upload Archive:' section has radio buttons for 'Local' (selected) and 'Remote'. Below this is a 'Choose File' button and an 'Upload' button. A table lists the uploaded files:

Select	Name	Location	Delete Allowed?	File Size	Last Modified
☐	Instance/Firework.zip	local	Yes	7.70 KB	3/24/23 6:47:27 pm
☐	SiteGenesis Demo Site				
☐	Storefront Reference Architecture Demo Sites				

At the bottom of the table are 'Import' and 'Delete' buttons. Below the table is an 'Export' section.

Import the metadata:

- To Import the metadata, navigate to Administration → Site Development → Site Import & Export → Select the uploaded file → Click Import

Step 3 : Cartridge Installation Instructions

There are 3 cartridges in the zip folder

- bm_firework_dashboard
- bm_firework_pd
- int_firework_pd

Please install these 3 cartridges on your SFCC cartridges directory

Enable Firework Cartridge

Navigate to Administration Organization Roles & Permissions Administrator Business Manager Modules

Then you can select the site or organization you want to enable the Firework Cartridge.

Step 4 : Setup Site Preference

Please Select Store and navigate to Merchant Tools → Site Preferences → Custom Site Preference Groups → fireworkDashboardConfig

Configuring Locale-Specific Product Information Import:

To ensure product information aligns with your site's intended audience, kindly input your site's locale ID in the configuration. By default, Firework will import product information based on the default locale.

Customizing Product Image Import for Specific View Types:

For precise image management, you can define specific view types for which images should be imported. Simply list the desired view types as comma-separated strings. If unspecified, Firework will import images for all view types by default.

Name	Value
Currency	Your Store Currency
Business Unique Id	Your Store Storefront URL
Contact Email	Your Store Contact Email
Image View Type	Image type should be Comma separated values for e.g "large","medium"
GTIN	Field name for your Store GTIN (This is usually created as a custom Field)
Locale Id	Your Locale site ID for e.g ja-JP

Step 5 : API Configuration

Setup Your API Client on Account Manager

Setup API client on demandware Account Manager with following Configuration:

Login to Demandware Account Manager and Navigate to API Client → Add API Client → Setup Display Name, Password and Select Your Organization → Roles → Select your Production / Sandbox Instance for Commerce Cloud Developer Experience and Salesforce Commerce API

Default Scopes:

```
mail
roles
tenantFilter
profile
tenant
Filter
openId
```

Allowed Scopes:


```
sfcc.shopper-customers.register
sfcc.shopper-customers.login
sfcc.products.rw
sfcc.catalogs.rw
```

Redirect URIs:

```
http://localhost:8080
https://admin.us02.dx.commercecloud.salesforce.com/oauth2-redirect.html
https://your\_admin\_URL/on/demandware.store/Sites-Site/default/oauth-callback
```

Important Step: Your_admin_RedirectURL you will get it from Firework API Configuration Window:

to get Redirect URL please navigate to Select Site, Merchant Tools → Manage Firework → Firework Dashboard



The screenshot shows the 'FIREWORK API CONFIGURATION' page in the RefArch interface. The page has a top navigation bar with 'RefArch' and 'Sandbox - zyei'. Below the navigation bar, there are tabs for 'Merchant Tools', 'Administration', 'Storefront', and 'Toolkit'. A search bar is also present. The main content area contains several input fields for configuration: 'Shortcode*', 'Organization ID*', 'Client ID*', 'Client Secret*', and 'Tenant ID*'. A red box highlights the 'Redirect Uri' field, which contains the URL 'https://zyei-002.sandbox.us01.dx.commercecloud.salesforce.com/on/demandware.store/Sites-Site/default/oauth-callback'. Below the URL, there is a note: '(Please set this url after create client application)'. A green 'Save' button is located at the bottom of the red box.

Token Endpoint Auth Method: private_key_jwt

Access Token Format: JWT

Once you click Save, it will generate the API Client ID and you need to remember the password you set during client Registration , we will need it for the next step.

Step 6 : Firework API Configuration

To support the API Integration we need to enable the default site locale.

Merchant Tools > Site Preferences > Locales and select **default**

Please navigate to Select Site Merchant Tools → Manage Firework → Firework Dashboard

RefArch | Merchant Tools | Administration | Storefront | Toolkit

Cache | Search Indexes | Code Versions | Cartridge Path | Search with ease...

FIREWORK API CONFIGURATION:

Shortcode*

Organization ID*

Client ID*

Client Secret*

Tenant ID* Please fill out this field.

Redirect Url : <https://zyei-002.sandbox.us01.dx.commercecloud.salesforce.com/on/demandware.store/Sites-Site/default/oauth-callback>
(Please set this uri after create client application)

Save

© 2022 Salesforce, Inc. All Rights Reserved | RefArch Time Zone: Coordinated Universal Time | Instance Time Zone: Eastern Daylight Time | Version: 22.7 Last Updated: Jun 27, 2022 (Compatibility Mode: 21.7)

ClientID and Password you already generated in **STEP 5** we will use here.

How to find a Shortcode & Organization ID :

Please navigate to Administration → Site Development → Salesforce Commerce API Settings

We need to get the Short code and Org ID to enable the SFCC API Communication.

The screenshot shows the Salesforce Commerce API Settings page within the RefArch interface. The top navigation bar includes the RefArch logo, a 'Sandbox - zyei' label, and various utility icons. Below the navigation bar, the 'Administration' tab is selected, and the 'Storefront' and 'Toolkit' buttons are visible. The breadcrumb trail indicates the path: Administration > Site Development > Salesforce Commerce API Settings. The main heading is 'Salesforce Commerce API Settings' with a help icon. A note states: 'The Salesforce Commerce Cloud API requires an organization ID and an active short code. Use these values for your environment.' Below this, the 'Short Code' is 'kv7kzm78' with a 'Copy to Clipboard' button and a 'Status: Active' label. The 'Organization ID' is 'f_ecom_zyei_002' with a 'Copy to Clipboard' button. The footer contains copyright information: '© 2022 Salesforce, Inc. All Rights Reserved', time zone information, and version details: 'Version: 22.7 Last Updated: Jun 27, 2022 (Compatibility Mode: 21.7)'.

RefArch

Sandbox - zyei

Cache Search Indexes Code Versions Cartridge Path Search with ease...

Administration > Site Development > Salesforce Commerce API Settings

Salesforce Commerce API Settings

The Salesforce Commerce Cloud API requires an organization ID and an active short code. Use these values for your environment.


Short Code: kv7kzm78 [Copy to Clipboard](#) Status: Active

Organization ID: f_ecom_zyei_002 [Copy to Clipboard](#)

© 2022 Salesforce, Inc. All Rights Reserved RefArch Time Zone: Coordinated Universal Time | Instance Time Zone: Eastern Daylight Time | Version: 22.7 Last Updated: Jun 27, 2022 (Compatibility Mode: 21.7)

Step 7 : Load Firework Dashboard

Navigate to **Merchant Tools** → **Manage Firework** → **Firework Dashboard**




A) It will ask you to Login to Your Firework Business Account.

B) Please enter your Firework email address and One time Passcode


C) After that you will be redirected to Select the Existing Business or create a new Business. After this selection you will land on the Salesforce Product Feed / Import tool page

Here is the video guide on how to login to a Firework account.

https://drive.google.com/file/d/1Hyoc6VSLT5LwhXGM7M4SYcrj_oP9RGBv/view?usp=sharing




When you click Import you will get a list of all products from your salesforce store.



From here you can import products directly from your salesforce store to firework business store.


Step 8 : Add Firework Widget to Storefront through Page Designer

Navigate to **Merchant Tools** → **Content** → **Page Designer**




Select your Page which you want to add Widget to


You can select the layout from the Firework Components



Select the Channel and Playlist from the Widget Settings:



Click Save and Close, you can see the Carousel Widget added on the Page.



Step 9 (optional): Steps to Add Integration script Manually to Common HTML header

Note: Perform these steps only if you are not using page designer and manually adding html embed to your web pages

Here are the instructions for manually adding the Firework Player widget to your SFCC (Salesforce Commerce Cloud) website:

Access your SFCC instance and navigate to the common header file:

Path:

```
cartridges/app_storefront_base/cartridge/templates/default/common/htmlHead.isml
```

In the `htmlHead.isml` file, add the following code inside the `<isscript>` tag:

```
<isscript>
var oauthCOObj =
dw.object.CustomObjectMgr.getCustomObject('FireworkOauthCO',dw.system.Site.current.ID);
var getClientID =oauthCOObj.custom.fireworkClientId;
var getCartURL=dw.web.URLUtils.https('Cart-Show');
var getProductURL=dw.web.URLUtils.https('ProductDetail-Show');
var siteId=dw.system.Site.current.ID;
var shopVersion='v23_1';
</isscript>
```

After the `<isscript>` section, add the following JavaScript code:

```
<script type="text/javascript">
if (window.localStorage) {
window.localStorage.setItem('fw_shop_version',"${shopVersion}");
window.localStorage.setItem('fw_site_id',"${siteId}");
window.localStorage.setItem('fw_cart_url',"${getCartURL}");
window.localStorage.setItem('fw_sfcc_id',"${getClientID}");
window.localStorage.setItem('fw_pd_url',"${getProductURL}");
}
</script>
```

Add the Firework Player widget scripts below the previous code:

```
<script async type="text/javascript" src="//asset.fwcdn3.com/js/fwn.js"></script>
<script async type="text/javascript" src="//asset.fwcdn3.com/js/analytics.js"></script>
<script async type="text/javascript"
src="//asset.fwcdn3.com/js/integrations/salesforce.js"></script>
```

1. Save the changes to the `htmlHead.isml` file.
2. Push the updated code to your SFCC instance.

3. Test the website to ensure that product hydration and cart hydration are enabled with the Firework Player widget.

By following these steps, you will successfully add the Firework Player widget and integrate it with Salesforce Commerce Cloud on your website

Step 10 : Enable Purchase Tracking

In order to enable purchase tracking for your Salesforce Commerce Cloud cartridge, please follow the instructions below:

1. Download the latest version of the cartridge code.
2. Locate the "confirmation.isml" file in your code base. You can find it at:
/app_storefront_base/cartridge/templates/default/checkout/confirmation/confirmation.isml.
3. Open the "confirmation.isml" file and insert the following snippet at an appropriate location within the file:

```
<isif  
condition="{dw.system.Site.getCurrent().getCustomPreferenceValue('fireworkEnablePurchaseTrack')}">  
  <isinclude template="util/modules_firework"/>  
  <ispurchasetracking sadebug="0"/>  
</isif>
```

4. Deploy Cartridge to your Salesforce Commerce Cloud Instance.
5. To activate purchase tracking, navigate to Merchant Tools > Site Preferences > Custom Site Preference Groups > Firework Dashboard Configuration.
6. Locate the "Activate Purchase Tracking" setting and set it to "Yes".

Save the configuration.

By following these steps, you will successfully insert the tracking script on the "confirmation.isml" file and activate purchase tracking for your Salesforce Commerce Cloud cartridge.

Step 11 : Enable SKU Field Product Feature

To enable the Product Gallery feature, add the following script to your **product template currently used in production**.

If you're using SFRA's default **productDetails.isml** template, insert the script at the following path:

```
cartridges/app_storefront_base/cartridge/templates/default/product/productDetails.isml
```

Script to Add at the bottom:

```
<script>
  window._fwn = {
    productData: {
      product_ext_id: '${product.id}'
    }
  };
</script>
```

Step 12 : Enable Native / Instant Checkout

SFCC OPEN API Shop Data Set

Please set this data set into SFCC admin panel to access the OCAPI to enable the Instant / Native Cart Checkout

Navigate to the

Administration > Site Development > Open Commerce API Settings

Just replace {{your_client_id}}

```

{
  "_v": "22.4",
  "clients": [
    {
      "client_id": "{{your_client_id}}",
      "resources": [
        {
          "resource_id": "/sessions",
          "methods": [
            "post"
          ],
          "read_attributes": "(**)",
          "write_attributes": "(**)"
        },
        {
          "resource_id": "/baskets/{basket_id}",
          "methods": [
            "get"
          ],
          "read_attributes": "(**)",
          "write_attributes": "(**)"
        },
        {
          "resource_id": "/baskets",
          "methods": [
            "post"
          ],
          "read_attributes": "(**)",
          "write_attributes": "(**)"
        },
        {
          "resource_id": "/baskets/{basket_id}/storefront",
          "methods": [
            "put"
          ],
          "read_attributes": "(**)",
          "write_attributes": "(**)"
        },
        {
          "resource_id": "/customers/auth",
          "methods": [
            "post"
          ]
        }
      ]
    }
  ]
}

```

```

    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/reference",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*",
    "methods": [
      "get",
      "patch",
      "delete"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/billing_address",
    "methods": [
      "put"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/coupons",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/coupons/*",
    "methods": [
      "delete"
    ],

```

```

    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/customer",
    "methods": [
      "put"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/gift_certificate_items",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/gift_certificate_items/*",
    "methods": [
      "delete",
      "patch"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/items",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/items/*",
    "methods": [
      "delete",
      "patch"
    ],

```

```

    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/payment_instruments",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/payment_instruments/*",
    "methods": [
      "delete",
      "patch"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/payment_methods",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/shipments",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/shipments/*",
    "methods": [
      "delete",
      "patch"
    ],

```



```

    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/shipments/*/shipping_address",
    "methods": [
      "put"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/shipments/*/shipping_method",
    "methods": [
      "put"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/baskets/*/shipments/*/shipping_methods",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/orders",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/orders/*",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",

```

```

    "write_attributes": "(**)"
  },
  {
    "resource_id": "/orders/*/payment_instruments",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/orders/*/payment_instruments/*",
    "methods": [
      "delete",
      "patch"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/orders/*/payment_methods",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/auth",
    "methods": [
      "post",
      "delete"
    ],
    "read_attributes": "(**)",

```

```

    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/auth/trustedsystem",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/*",
    "methods": [
      "get",
      "patch"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/*/addresses",
    "methods": [
      "get",
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/*/addresses/*",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/*/baskets",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",

```

```

        "write_attributes": "(**)"
    },
    {
        "resource_id": "/customers/*/orders",
        "methods": [
            "get"
        ],
        "read_attributes": "(**)",
        "write_attributes": "(**)"
    },
    {
        "resource_id": "/customers/*/password",
        "methods": [
            "put"
        ],
        "read_attributes": "(**)",
        "write_attributes": "(**)"
    },
    {
        "resource_id": "/customers/*/payment_instruments",
        "methods": [
            "get",
            "post"
        ],
        "read_attributes": "(**)",
        "write_attributes": "(**)"
    },
    {
        "resource_id": "/customers/*/payment_instruments/*",
        "methods": [
            "get",
            "delete"
        ],
        "read_attributes": "(**)",
        "write_attributes": "(**)"
    },
    {
        "resource_id": "/customers/*/product_lists",
        "methods": [
            "get",
            "post"
        ],

```

```

    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/*/product_lists/*",
    "methods": [
      "get",
      "patch",
      "delete"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/*/product_lists/*/items",
    "methods": [
      "get",
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/customers/*/product_lists/*/items/*",
    "methods": [
      "get",
      "patch",
      "delete"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/product_lists",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/product_lists/*",

```

```

    "methods": [
        "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
},
{
    "resource_id": "/product_lists/*/items",
    "methods": [
        "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
},
{
    "resource_id": "/product_lists/*/items/*",
    "methods": [
        "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
},
{
    "resource_id": "/product_search",
    "methods": [
        "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
},
{
    "resource_id": "/search_suggestion",
    "methods": [
        "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
},
{
    "resource_id": "/products/*",
    "methods": [
        "get"
    ],

```

```

    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/categories/*",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/gift_certificate",
    "methods": [
      "post"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/promotions",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/promotions/*",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",
    "write_attributes": "(**)"
  },
  {
    "resource_id": "/stores",
    "methods": [
      "get"
    ],
    "read_attributes": "(**)",

```

```

        "write_attributes": "(**)"
    },
    {
        "resource_id": "/stores/*",
        "methods": [
            "get"
        ],
        "read_attributes": "(**)",
        "write_attributes": "(**)"
    },
    {
        "resource_id": "/content/*",
        "methods": [
            "get"
        ],
        "read_attributes": "(**)",
        "write_attributes": "(**)"
    },
    {
        "resource_id": "/content_search",
        "methods": [
            "get"
        ],
        "read_attributes": "(**)",
        "write_attributes": "(**)"
    }
]
}
]
}

```

Operations, Maintenance

Availability

The Firework widgets, being asynchronous, gracefully degrades and doesn't block the loading of any page element.

Support

Please contact Firework at integration.solutions@fireworkhq.com.

