
RAJU GANDHI

FORMING ANGULAR FORMS



RAJU GANDHI

CTO - INTEGRALLIS SOFTWARE

ANGULAR FORMS

TEMPLATE DRIVEN

CHARACTERISTICS

- Familiar
- Simple use cases
- Harder to test

```
import { BrowserModule } from '@angular/platform-browser';
import { NgModule } from '@angular/core';
import { FormsModule } from "@angular/forms";
@NgModule({
 declarations: [
  imports: [
   BrowserModule,
    FormsModule,
 providers: [
  bootstrap: [
   AppComponent
export class AppModule { }
```

ngForm = <form> +

```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit) = "onSubmit()">
    <div class="form-group">
      <label for="first-name">First name/label>
      <input type="text"</pre>
              class="form-control"
              id="first-name"
             ngModel
              name="firstName"
              required>
    </div>
    <button type="submit"</pre>
            class="btn btn-success"
             [disabled] = "!addNewPersonForm.valid" > Submit < / button >
    {{ addNewPersonForm.value | json }}
  </form>
</div>
```

```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit)="onSubmit()">
    <div class="form-group">
      <label for="first-name">First name/label>
      <input type="text"</pre>
             class="form-control"
             id="first-name"
             ngModel
             name="firstName"
             required>
    </div>
    <button type="submit"</pre>
            class="btn btn-success"
            [disabled]="!addNewPersonForm.valid">Submit</button>
    {{ addNewPersonForm.value | json }}
  </form>
</div>
```

template local variable

```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit) = "onSubmit(addNewPersonForm)">
   <div class="form-group">
      <label for="first-name">First name</label>
      <input type="text"</pre>
             class="form-control"
             id="first-name"
            ngModel
            name="firstName"
            required>
    </div>
    <button type="submit"</pre>
            class="btn btn-success"
            [disabled] = "!addNewPersonForm.valid" > Submit < / button >
    value {{ addNewPersonForm.value | json}}
    value {{ addNewPersonForm.value.firstName | json}}
    pristine {{ addNewPersonForm.pristine | json}}
    untouched {{ addNewPersonForm.untouched | json}}
    valid {{ addNewPersonForm.valid | json}}
  </form>
</div>
```

```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit) = "onSubmit(addNewPersonForm)">
    <div class="form-group">
      <label for="first-name">First name/label>
      <input type="text"</pre>
             class="form-control"
             id="first-name"
             ngModel
             name="firstName"
            required>
    </div>
    <button type="submit"</pre>
            class="btn btn-success"
            [disabled] = "!addNewPersonForm.valid" > Submit < / button >
    value {{ addNewPersonForm.value | json}}
    value {{ addNewPersonForm.value.firstName | json}}
    pristine {{ addNewPersonForm.pristine | json}}
    untouched {{ addNewPersonForm.untouched | json}}
    valid {{ addNewPersonForm.valid | json}}
  </form>
</div>
```

Any control fail validation?

valid

invalid

Any control value changed?

pristine

dirty

Any control visited?

untouched

touched

Any control fail validation?

ng-valid

ng-invalid

Any control value changed?

ng-pristine

ng-dirty

Any control visited?

ng-untouched

ng-touched

```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit) = "onSubmit(addNewPersonForm)">
    <div class="form-group">
      <label for="first-name">First name
      <input type="text"</pre>
             class="form-control"
             id="first-name"
             ngModel
             name="firstName"
             #firstName="ngModel"
              required>
      <div [hidden]="firstName.valid || firstName.pristine"</pre>
           class="alert alert-danger">
        First name is required
      </div>
    </div>
</form>
</div>
```


```
ngForm
firstName control
```

component


```
{
   "first_name": "Raju",
   // more properties
}
```

```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit) = "onSubmit(addNewPersonForm)">
    <div class="form-group">
      <label for="first-name">First name
      <input type="text"</pre>
             class="form-control"
              id="first-name"
             ngModel
             name="firstName"
              #firstName="ngModel"
              required>
      <div [hidden]="firstName.valid</pre>
                                          firstName.pristine"
           class="alert alert-danger">
        First name is required
      </div>
    </div>
</form>
</div>
```

```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit) = "onSubmit(addNewPersonForm)">
    <div class="form-group">
      <label for="first-name">First name
      <input type="text"</pre>
             class="form-control"
             id="first-name"
             [(ngModel)]="model.first_name"
             name="firstName"
             #firstName="ngModel"
             required>
      <div [hidden]="firstName.valid || firstName.pristine"</pre>
           class="alert alert-danger">
        First name is required
      </div>
    </div>
</form>
</div>
```



```
<div class="col-xs-12 col-md-12">
  <h1>Add a new person</h1>
  <form #addNewPersonForm="ngForm"</pre>
        (ngSubmit) = "onSubmit(addNewPersonForm)">
    <div class="form-group">
      <label for="first-name">First name
      <input type="text"</pre>
             class="form-control"
             id="first-name"
             [ngModel]="model.firstName"
             name="firstName"
             #firstName="ngModel"
             required>
      <div [hidden]="firstName.valid || firstName.pristine"</pre>
           class="alert alert-danger">
        First name is required
      </div>
    </div>
</form>
</div>
```



```
<form [ngFormOptions]="{updateOn: 'submit'}">
  <!-- Angular 5+ -->
  <!-- Performance boost! -->
</form>
```

NGFORM


- Optional
- ngNoForm is also available
- In-build validators
 - RequiredValidator
 - MinLengthValidator
 - MaxLengthValidator
 - PatternValidator
 - CheckboxRequiredValidator
 - EmailValidator

MODEL DRIVEN

CHARACTERISTICS

- Leverages programmatic API
- Easier to test
- Simplifies templates

```
import { BrowserModule } from '@angular/platform-browser';
import { NgModule } from '@angular/core';
import { ReactiveFormsModule } from "@angular/forms";
@NgModule({
 declarations: [
  imports: [
    BrowserModule,
   ReactiveFormsModule,
 providers: [
  bootstrap: [
   AppComponent
export class AppModule { }
```




```
addNewPersonForm = new FormGroup({
  firstName: new FormControl(),
  lastName: new FormControl(),
  gender: new FormControl(),
  fav: new FormControl(),
});
<form [formGroup] = addNewPersonForm>
  <div class="form-group">
    <label for="first-name">First name/label>
    <input type="text"</pre>
           formControlName="firstName">
  </div>
  <button type="submit"</pre>
          class="btn btn-success">Submit</button>
</form>
```

```
addNewPersonForm = new FormGroup({
  firstName: new FormControl(),
  lastName: new FormControl(),
  gender: new FormControl(),
  fav: new FormControl(),
});
<form [formGroup] = addNewPersonForm>
  <div class="form-group">
    <label for="first-name">First name/label>
    <input type="text"</pre>
           formControlName="firstName">
  </div>
  <button type="submit"</pre>
          class="btn btn-success">Submit</button>
</form>
```

```
addNewPersonForm = new FormGroup({
  firstName new FormControl(),
  lastName: new FormControl(),
  gender: new FormControl(),
  fav: new FormControl(),
});
<form [formGroup] = addNewPersonForm>
  <div class="form-group">
    <label for="first-name">First name/label>
    <input type="text"</pre>
           formControlName="firstName">
  </div>
  <button type="submit"</pre>
          class="btn btn-success">Submit</button>
</form>
```

```
addNewPersonForm = new FormGroup({
  firstName: new FormControl(this.model.first_name, [Validators.required]),
  lastName: new FormControl(this.model.last_name, [Validators.required]),
  gender: new FormControl(this.model.gender),
  fav: new FormControl(this.model.fav),
});
<form [formGroup] = addNewPersonForm>
  <div class="form-group">
    <label for="first-name">First name/label>
    <input type="text"</pre>
           formControlName="firstName">
  </div>
  <button [disabled]="!addNewPersonForm.valid"</pre>
          type="submit"
          class="btn btn-success">Submit</button>
</form>
```

```
addNewPersonForm = new FormGroup({
  firstName: new FormControl(this.model.first_name, [Validators.required]),
  lastName: new FormControl(this.model.last_name, [Validators.required]),
  gender: new FormControl(this.model.gender),
  fav: new FormControl(this.model.fav),
});
<form [formGroup] = addNewPersonForm>
  <div class="form-group">
    <label for="first-name">First name/label>
    <input type="text"</pre>
           formControlName="firstName">
  </div>
  <button [disabled]="!addNewPersonForm.valid"</pre>
          type="submit"
          class="btn btn-success">Submit</button>
</form>
```



FORM BUILDER

```
constructor(
  private fb: FormBuilder
) {
  this.addNewPersonFbForm = fb.group({
    firstName: [this.model.first_name, [Validators.required]],
    lastName: [this.model.last_name, [Validators.required]],
    gender: [this.model.gender],
    fav: [this.model.fav],
  })
}
```

```
"firstName": "Raju",
   "address": {
        "street": "1 Infinity Drive",
        "state": "CA",
        "zip": "31415"
}
```

```
this.addNewPersonFbForm = fb.group({
  firstName: ['', [Validators.required]],
  address: this.fb.group({
    street: ['', ],
    state: ['', ],
    zip: ['',],
  })
});
```

```
{
  "firstName": "Raju",
  "address": {
    "street": "1 Infinity Drive",
    "state": "CA",
    "zip": "31415"
  }
}

this.addNewPersonFbForm = fb.group({
    firstName: ['', [Validators.required]],
    address: this.fb.group({
        street: ['',],
        state: ['',],
        zip: ['',],
    })
});
```

this.addNewPersonFbForm.setValue(this.model);

REACTIVE?

```
this.addNewPersonFbForm.valueChanges.forEach(
   (value: string) => console.log(value)
);
this.addNewPersonFbForm.get('firstName').valueChanges.forEach(
   (value: string) => console.log(value)
);
```

```
// Angular 5+
// Performance boost
// Single control
this.street = new FormControl(null, {
  validators: Validators.required,
 updateOn: 'blur'
});
// applies to all controls in the group
this.address = new FormGroup({
  street: new FormControl(),
  zip: new FormControl(),
 city: new FormControl()
}, { updateOn: 'submit' });
```

THANKS!

RAJU GANDHI