



Boiling and chilled tap

illimani

Instant boiling and chilled water tap

The tap uses a system of filtration called reverse osmosis to purify the water it dispenses, which offers clients an attractive benefit, particularly concerning water quality in most areas of the UK. This means that unlike other Boiling Taps, our system will not clog up with calcium carbonate (limescale); this is particularly beneficial in hard water areas. These taps are very popular in offices, educational establishments etc and residential kitchens, both contemporary and traditional, having a very clean and pleasing aesthetic.

Our Combined Boiling and Chilled Tap:

Boiling Water

150 - 175 cups per hour.

Chilled Water

150 - cups per hour

Tap dimensions

Short neck - 23 cm Long neck - 31 cm

Safety feature

Our unique one touch safely lock reduces the risk of accidental burning.

Energy saving

The Illimani Boiling tanks use a patented twin tank system that negates wasted energy boiling water that will not be instantly consumed. The recovery time is reduced and energy costs are halved over other systems currently available.

Purifie


Purified water is exactly what it says "Pure"; filtered water is not pure and the lime~ scale and other impurities are merely reduced not eliminated. Our purification system will reduce lime-scale 100%. This eliminates the high cost of replacing tanks and other parts after 12 months that have been 'Fowled' by excess lime-scale. You will never see one grain of lime-scale on our faucet. We are the only company to quarantee it!

Temperature Dynamic Display

Our dynamic temperature display shows in the moment temperature readings.

"The water from our BoilingTap taste much nicer than any bottled water, every office and home should have one!" "totally reliable, cost effective and easily maintained and the back up and support is fantastic"

96% of water impurities in tap water are removed




Service contracts

The Illimani range of products are all covered by a fixed cost service contract that does not have any hidden costs; service, call outs, and replacement parts are all included and our reaction time is the industry leader. The largest facilities company in the UK are converting there fleet of taps to the Illimani range.



Installation guide



Water tank dimensions

5.0 Gallon Tank 28cm w x 40cm d

3.2 Gallon Tank 27cm w x 36cm d

2.2 Gallon Tank 23cm w x 35cm d



"We have had the traditional boiling and chilled taps installed on our sites for six years, the units are unreliable and the costs after year two are extortionate, we had the illimani range on test for six months in our busiest sites; they are totally reliable, the water quality is unsurpassed and the after sales service is first class, we have had no down time and we have replaced all the previous taps throughout the buildings"

Contact Us

e: enquiries@boilingtap.com

illimani - BoilingTap.com, PO BOX 998. Ipswich, IP1 9UW