MESA Case 03 · Aangan Studio · phone enquiries only

Components Map

An AI phone receptionist answers every call at any hour. After each call, a pipeline qualifies the enquiry with Nikhil's own rules, then puts it into HubSpot with everything already asked, so designers never re-ask.

Built and tested | Planned | Depends on Vaani (to confirm)

1. Trigger

What starts the workflow

Depends on Vaani (to confirm) A caller dials Aangan Studio's number, at any hour. A Vaani voice agent answers every call (English and Hindi).

Built and tested When the call ends, Vaani sends a signed end-of-call webhook (call_postprocessing) to POST /api/webhooks/vaani.

2. Input

What comes in

Built and tested Full call transcript (AGENT / USER lines), call id, duration, end reason, recording link.

Depends on Vaani (to confirm) Caller's number and start time: not in the post-call event, so they come from the earlier call_started event or Vaani's call API (to be confirmed with a real test call).

3. Context

What the system knows

Built and tested services.md: service area (Pune city + PCMC), project types in and out of scope.

Built and tested qualified.md: Nikhil's 5-criterion rubric and what does NOT disqualify (after-hours calls, price questions, rented flats, single rooms).

Built and tested The ONE allowed pricing reply. No pricing numbers are loaded anywhere: pricing.md never reaches the agent, the AI or the code.

Built and tested Earlier calls from the same number in the last 10 minutes (dropped-call dedupe).

Built and tested Settings: average project value, per-minute voice rate, AI token rates.

4. Processing

What the code does, in order

Built and tested Verify the signature; store the call once (idempotent on the call id, so retries never duplicate).

Built and tested Remove phone numbers, emails and the caller's own name before any AI call.

Built and tested Apply Nikhil's rubric in plain, unit-tested code (no AI): qualified, qualified with flags, declined (with reason), deferred (with revisit date), escalation, or incomplete.

Built and tested Dedupe a dropped call followed by a redial; compute per-call cost; queue the CRM write with retries so a HubSpot outage never loses a call.

Planned Reply to Vaani within its 5-second limit, then process in the background.

5. AI

Where AI is used, and where it deliberately is not

Depends on Vaani (to confirm) Live conversation: Vaani voice agent (Sarvam voice, English/Hindi/mixed).

Built and tested After the call: Gemini 3.5 Flash-Lite turns the transcript into structured fields. The cheapest model that passed; 20 of 20 historical calls matched the intended outcome (10 of 10 held out).

Built and tested NOT AI: the qualify / decline / escalate decision. It is code, so it is testable and predictable.

6. Output

What each person gets

Depends on Vaani (to confirm) Caller: answered at once, any hour; no price ever quoted, a free consultation offered instead.

Built and tested HubSpot (Nikhil's main workspace): a contact, a deal in the 'Aangan Enquiries' pipeline (estimated value on qualified leads only), a handoff note, and tasks (callback, revisit, urgent escalation).

Planned Designers: handoff email with a claim link; first to claim becomes the deal owner; auto-assigned if unclaimed after 15 minutes.

Planned Founder: HubSpot reports for pipeline and cost vs value, plus a thin console for declined-lead review, costs and replay tests.

The Cut: what we chose not to build

Asked for: "The system should quote our standard per-square-foot pricing."

Not built. It fails check 6 (failure risk) and check 9 (clear owner): a wrong or out-of-date number has no accountable person, and the pricing guide itself says nothing may be quoted. Instead the agent gives one warm deflection with a reason and books the free consultation. In the historical calls, both callers who pushed for a price still booked.

Back to the dashboard Source code on GitHub

Stack: Vaani, Next.js on Vercel, Supabase, Gemini, HubSpot