EDU binary

2024-11-10

```
orig_list <- readRDS("~/MPA EDU/data/raw-ish/education_export_210ct2024.Rds")</pre>
```

Education Section Binary


Does the plan have an education plan?

```
edu_sect <- orig_list |>
  filter(edu_section_binary == 1 | edu_section_binary == 0) |>
  distinct(plan_id, name, edu_section_binary)

edu_sect_summary <- edu_sect |>
  group_by(edu_section_binary) |>
  count()
```

```
n_yes <- edu_sect |>
filter(edu_section_binary == 1) |>
count()
```





EDU staff binary

Is the education section staffed?

```
staff_binary <- orig_list |>
  filter(edu_staff_binary == 0 | edu_staff_binary == 1) |>
  distinct( plan_id, name, edu_staff_binary)

staff_binary_summary <- staff_binary |>
  group_by(edu_staff_binary) |>
  count()

staff_binary_df <- data.frame(staff = c(0, 1), count = c(49, 105))

staff_binary_plot <- ggplot(data = staff_binary_df, aes(x = factor(staff), y = count)) +
  geom_bar(stat = "identity", fill = "lightgreen") +
  labs(title = "Number of Plans with Staffed Education Section", x = "Staff", y = "count") +</pre>
```

EDU funding

theme_minimal()

Does the plan's education section have funding?

scale_x_discrete(label = c("0" = "no", "1" = "yes")) +

```
funding_binary <- orig_list |>
  filter(edu_funding_binary == 0 | edu_funding_binary == 1) |>
  distinct(plan_id, name, edu_funding_binary)
funding_binary_summary <- funding_binary |>
  group_by(edu_funding_binary) |>
  count()
funding_binary_df <- data.frame(funding = c(0,1), count = c(134, 27))</pre>
funding_binary_plot <- ggplot(funding_binary_df, aes(x = factor(funding), y = count)) +</pre>
  geom_bar(stat = "identity", fill = "violet") +
 labs(title = "Number of Plans with Funded Education Section", x = "Funding", y = "count") +
  scale_x_discrete(label = c("0" = "no", "1" = "yes")) +
 theme_minimal()
#
# # Install and load cowplot if not already installed
# install.packages("cowplot")
# library(cowplot)
# # Arrange the plots side by side
# plot grid(funding binary plot, staff binary plot, ncol = 2)
```

EDU outcome

A measurable outcome detailed by the plan was achieved or not

```
outcome_binary <- orig_list |>
  filter(edu_outcome_binary == 1 | edu_outcome_binary == 0) |>
  distinct(plan_id, name, edu_outcome_binary)

outcome_binary_summary <- outcome_binary |>
  group_by(edu_outcome_binary) |>
  count()
```

EDU indicator binary

indicates whether the plan's desired outcomes were met or not

```
indicator_binary <- orig_list |>
  filter(edu_indicator_binary == 1 | edu_indicator_binary == 0) |>
  distinct(plan_id, name, edu_indicator_binary)

indicator_binary_summary <- indicator_binary |>
  group_by(edu_indicator_binary) |>
  count()
```

Results

```
# Data frame by row; columns are objective, yes, no, total, percentage yes

objective <- c("EDU", "Staff", "Funding", "Outcome", "Indicator")
n_yes_total <- c(149, 105, 27, 116, 51)
n_no <- c(23, 49, 134, 40, 110)
n_total <- c(172, 154, 134, 156, 161)
percentages <- c(86.6, 68.2, 16.8, 74.4, 31.8)
result_df <- data.frame(objective = objective, yes = n_yes_total, no = n_no, total = n_total, percent =

kable(result_df, colnames = c("Objective", "Yes", "No", "Total", "Percentage Yes"))
```

| objective | yes | no | total | percent |
|-----------|-----|-----|-------|---------|
| EDU | 149 | 23 | 172 | 86.6 |
| Staff | 105 | 49 | 154 | 68.2 |
| Funding | 27 | 134 | 134 | 16.8 |
| Outcome | 116 | 40 | 156 | 74.4 |
| Indicator | 51 | 110 | 161 | 31.8 |