quanteda Cheat Sheet

Quantitative Analysis of Textual Data

General syntax

- **corpus_*** manage text collections/metadata
- **tokens_*** create/modify tokenized texts
- **dfm_*** create/modify doc-feature matrices
- **fcm_*** work with co-occurrence matrices
- **textstat_*** calculate text-based statistics
- **textmodel_*** fit (un-)supervised models
- **textplot_*** create text-based visualizations

Consistent grammar:
- **object()** constructor for the object type
- **object_verb()** inputs & returns object type

Extensions

quanteda works well with these companion packages:
- **readtext**: An easy way to read text data
- **spacyr**: NLP using the spaCy library
- **quantedaData**: additional textual data
- **LIWCalike**: R implementation of the Linguistic Inquiry and Word Count approach

Create a corpus from texts (corpus_*)

Read texts (txt, pdf, csv, doc, docx, json, xml)
```
my_texts <- readtext::readtext("~/link/to/path/*")
```

Construct a corpus from a character vector
```
x <- corpus(data_char_ukimmig2010, text_field = "text")
```

Explore a corpus
```
summary(data_corpus_inaugural, n = 2)
# Corpus consisting of 58 documents, showing 2 documents:
#              Text Types Tokens Sentences Year   President FirstName
# 1789-Washington   625   1538        23 1789  Washington    George
# 1793-Washington    96    147         4 1793  Washington    George
#
# Source:  Gerhard Peters and John T. Woolley. The American Presidency Project.
# Created: Tue Jun 13 14:51:47 2017
# Notes:   http://www.presidency.ucsb.edu/inaugurals.php
```

Extract or add document-level variables
```
party <- docvars(data_corpus_inaugural, "Party")
docvars(x, "serial_number") <- 1:ndoc(x)
```

Bind or subset corpora
```
corpus(x[1:5]) + corpus(x[7:9])
corpus_subset(x, Year > 1990)
```

Change units of a corpus
```
corpus_reshape(x, to = c("sentences", use_docvars = TRUE)
```

Segment texts on a pattern match
```
corpus_segment(x, pattern, valuetype, extract_pattern = TRUE)
```

Take a random sample of corpus texts
```
corpus_sample(x, size = 10, replace = FALSE)
```

Extract features (dfm_*; fcm_*)

Create a document-feature matrix (dfm) from a corpus
```
x <- dfm(data_corpus_inaugural,
         tolower = TRUE, stem = FALSE, remove_punct = TRUE,
         remove = stopwords("english"))

head(x, n = 2, nfeature = 4)
## Document-feature matrix of: 2 documents, 4 features (41.7% sparse).
##                 features
## docs              fellow-citizens senate house representatives
##   1789-Washington               1      1     2               2
##   1793-Washington               0      0     0               0
```

Create a dictionary
```
dictionary(list(negative = c("bad", "awful", "sad"),
                positive = c("good", "wonderful", "happy")))
```

Apply a dictionary
```
dfm_lookup(x, dictionary = data_dictionary_LSD2015)
```

Select features
```
dfm_select(x, dictionary = data_dictionary_LSD2015)
```

Compress a dfm by combining identical elements
```
dfm_compress(x, margin = c("both", "documents", "features"))
```

Randomly sample documents or features
```
dfm_sample(x, what = c("documents", "features"))
```

Weight or smooth the feature frequencies
```
dfm_weight(x, type = "relfreq") | dfm_smooth(x, smoothing = 0.5)
```

Sort or group a dfm
```
dfm_sort(x, margin = c("features", "documents", "both"))
dfm_group(x, groups = "President")
```

Combine identical dimension elements of a dfm
```
dfm_compress(x, margin = c("both", "documents", "features"))
```

Create a feature co-occurrence matrix (fcm)
```
x <- fcm(data_corpus_inaugural, context = "window", size = 5)
```
fcm_compress/remove/select/toupper/tolower are also available

Useful additional functions

Locate keywords-in-context
```
kwic(data_corpus_inaugural, "america")
```

Utility functions

texts(corpus)	*Show texts of a corpus*
ndoc(corpus/dfm/tokens)	*Count documents/features*
nfeature(corpus/dfm/tokens)	*Count features*
summary(corpus/dfm)	*Print summary*
head(corpus/dfm)	*Return first part*
tail(corpus/dfm)	*Return last part*

Tokenize a set of texts (`tokens_*`)

Tokenize texts from a character vector or corpus
```r
x <- tokens("Powerful tool for text analysis.",
            remove_punct = TRUE, stem = TRUE)
```

Convert sequences into compound tokens
```r
myseqs <- phrase(c("powerful", "tool", "text analysis"))
tokens_compound(x, myseqs)
```

Select tokens
```r
tokens_select(x, c("powerful", "text"), selection = "keep")
```

Create ngrams and skipgrams from tokens
```r
tokens_ngrams(x, n = 1:3)
tokens_skipgrams(toks, n = 2, skip = 0:1)
```

Convert case of tokens
```r
tokens_tolower(x) | tokens_toupper(x)
```

Stem the terms in an object
```r
tokens_wordstem(x)
```

Calculate text statistics (`textstat_*`)

Tabulate feature frequencies from a dfm
```r
textstat_frequency(x) | topfeatures(x)
```

Identify and score collocations from a tokenized text
```r
toks <- tokens(c("quanteda is a pkg for quant text analysis",
                 "quant text analysis is a growing field"))
textstat_collocations(toks, size = 3, min_count = 2)
```

Calculate readability of a corpus
```r
textstat_readability(data_corpus_inaugural, measure = "Flesch")
```

Calculate lexical diversity of a dfm
```r
textstat_lexdiv(x, measure = "TTR")
```

Measure distance or similarity from a dfm
```r
textstat_simil(x, "2017-Trump", method = "cosine")
textstat_dist(x, "2017-Trump", margin = "features")
```

Calculate keyness statistics
```r
textstat_keyness(x, target = "2017-Trump")
```

Fit text models based on a dfm (`textmodel_*`)

Correspondence Analysis (CA)
```r
textmodel_ca(x, threads = 2, sparse = TRUE, residual_floor = 0.1)
```

Naïve Bayes classifier for texts
```r
textmodel_NB(x, y = training_labels, distribution = "multinomial")
```

Wordscores text model
```r
refscores <- c(seq(-1.5, 1.5, .75), NA))
textmodel_wordscores(data_dfm_lbgexample, refscores)
```

Wordfish Poisson scaling model
```r
textmodel_wordfish(dfm(data_corpus_irishbudget2010), dir = c(6,5))
```

Textmodel methods: `predict()`, `coef()`, `summary()`, `print()`

Plot features or models (`textplot_*`)

Plot features as a wordcloud
```r
data_corpus_inaugural %>%
    corpus_subset(President == "Obama") %>%
    dfm(remove = stopwords("english")) %>%
    textplot_wordcloud()
```

Plot the dispersion of key word(s)
```r
data_corpus_inaugural %>%
    corpus_subset(Year > 1945) %>%
    kwic("american") %>%
    textplot_xray()
```

Plot word keyness
```r
data_corpus_inaugural %>%
    corpus_subset(President %in%
                c("Obama", "Trump")) %>%
    dfm(groups = "President",
        remove = stopwords("english")) %>%
    textstat_keyness(target = "Trump") %>%
    textplot_keyness()
```

Plot Wordfish, Wordscores or CA models
```r
textplot_scale1d(scaling_model,
    groups = party,
    margin = c("documents"))
```

Convert dfm to a non-quanteda format

```r
convert(x, to = c("lda", "tm", "stm", "austin", "topicmodels",
                  "lsa", "matrix", "data.frame"))
```