Hyperbolic Dual Vacuum and Topological Resolution of the Three Fundamental Paradoxes of Physics

Sergey Ivanov
Author of Hyperbolic Unity Theory (HUT/TGEI)
Saint Petersburg, Russia
grubretep@gmail.com

July 2026

Abstract

This article proposes a topological model of dual vacuum that includes cubic and hyperbolic layers described by dual 4-polytopes {5,3,3} and {3,3,5}. It is shown that this structure naturally resolves three fundamental paradoxes of modern physics: the measurement paradox, the problem of quantum gravity, and the cosmological constant problem. Measurement is interpreted as a projection from the hyperbolic layer into the cubic one, ER=EPR arises as a manifestation of topological bridges, and the finite value of the cosmological constant is the result of resonant self-regulation between the layers. The number 1729 is proposed as a universal harmonizer of resonant modes. The model allows the unification of quantum mechanics and general relativity within a single topological framework without introducing additional dimensions or exotic entities.

Keywords: dual vacuum, hyperbolic geometry, topological protection, ER=EPR, cosmological constant, 4-polytopes.

1 Introduction

Modern theoretical physics is in a state of deep conceptual crisis. Despite the enormous success of experimental physics and the precision of predictions made by the Standard Model of particle physics and General Relativity, we still lack a single consistent picture of the world. Three fundamental problems particularly clearly demonstrate this incompleteness.

The first problem is the **measurement paradox** in quantum mechanics. According to the Schrödinger equation, the quantum state of a system (the wave function) evolves deterministically and continuously. However, when a measurement is performed, the wave function suddenly "collapses" into one of the possible states. Why does this happen? What exactly causes the collapse? Is the observer (a person, a device, or consciousness) a special physical entity? This question, known as the "measurement problem" or the "von Neumann–Wigner paradox," has remained without a generally accepted answer for almost a century. Different interpretations of quantum mechanics (Copenhagen, Many-Worlds, de Broglie–Bohm, etc.) offer different solutions, but none of them is fully satisfactory.

The second problem is the **problem of quantum gravity**. Einstein's General Theory of Relativity beautifully describes gravity as the curvature of spacetime by large masses. Quantum mechanics describes the behavior of matter at the micro level with incredible accuracy. However, attempts to unify these two theories into a single quantum theory of gravity encounter serious mathematical and conceptual difficulties. The question is especially acute: what is the nature of spacetime at the Planck scales (10^{-35} m)? Most approaches (loop quantum gravity, string theory) require the introduction of additional dimensions or a radical revision of the concept of spacetime, but there is still no experimentally testable theory.

The third problem is the **cosmological constant problem**. Quantum field theory predicts that the vacuum energy (zero-point fluctuations of quantum fields) should be enormous — on the order of the Planck energy density (10^{94} g/cm³). However, astronomical observations show that the actual cosmological constant (dark energy) is 120 orders of magnitude smaller than this value. Why did nature choose exactly this almost zero, but still non-zero value? This is one of the largest discrepancies between theory and observation in all of physics. None of the existing theories provides a convincing explanation for this "fine-tuning."

This article proposes an approach based on the **Hyperbolic Unity Theory (HUT)**. The central idea is the concept of dual vacuum, consisting of two interconnected layers: a cubic layer (the familiar three-dimensional space) and a hyperbolic layer. These layers are described by dual regular 4-polytopes {5,3,3} and {3,3,5}. Such a structure allows the natural resolution of the above paradoxes, offering a unified topological picture of reality.

In the following sections, we will sequentially show how the introduction of the hyperbolic layer and the associated topological bridges allows us to rethink the nature of measurement, unify quantum mechanics with gravity, and understand the finiteness of the cosmological constant.

2 The Model of Dual Vacuum

To understand how HUT solves the stated paradoxes, it is first necessary to become familiar with the central idea of the theory — the model of dual vacuum.

In standard physics, vacuum is considered as "empty" space filled with quantum fields whose zero-point fluctuations give rise to energy. However, HUT proposes a fundamentally different picture: vacuum is a **two-layer structure** consisting of two interconnected but qualitatively different layers.

Cubic Layer

- This is the familiar three-dimensional Euclidean space (or Minkowski spacetime in the relativistic case).
- Ordinary laws of physics operate here: electromagnetism, strong and weak interactions, and classical gravity as curvature.
- Particles and fields behave as we are accustomed to seeing in experiments.

Hyperbolic Layer

- This is an additional layer described by hyperbolic geometry.
- Structures that appear "quantum" or "non-local" in the cubic layer naturally arise here.
- The hyperbolic layer is not a "parallel world" in the usual sense — it is topologically connected to the cubic layer through special bridges.

The connection between the layers is realized through **topological bridges** (analogues of Einstein-Rosen bridges). These bridges are not "tunnels" in ordinary space — they are topological features that connect points distant in the cubic layer but close in the hyperbolic layer.

Mathematical Description of the Layers

- The cubic layer is described by ordinary Euclidean geometry (or pseudo-Euclidean in the case of spacetime).
- The hyperbolic layer is described by regular 4-polytopes:
  - {5,3,3} — the 120-cell.
  - {3,3,5} — the 600-cell.

These two polytopes are dual to each other — the vertices of one correspond to the cells of the other. This dual relationship plays a key role throughout the theory.

The Number 1729 as a Harmonizer A special place in HUT is occupied by the number 1729 (known as the Hardy–Ramanujan number). In the theory, it acts as a universal harmonizer — a number that ensures resonant synchronization between the cubic and hyperbolic layers. It is through multiples of 1729 phase relationships that stable connections between the layers occur.

Physical Meaning of Dual Vacuum Dual vacuum is not "additional dimensions" in the style of string theory. It is a topologically connected structure in which the hyperbolic layer is the "hidden" side of reality. All quantum phenomena (entanglement, superposition, tunneling) receive a natural explanation as manifestations of this topological connection.

This representation allows us to avoid many artificial constructions of modern physics (infinite parallel worlds, additional dimensions, wave function collapse as a fundamental phenomenon

3 Resolution of the Measurement Paradox

One of the oldest and most persistent paradoxes in quantum mechanics is the **measurement paradox**. According to the Schrödinger equation, the quantum state of a system (the wave function ψ) evolves deterministically and continuously. However, when a measurement is performed, the wave function suddenly "collapses" into one of the possible states. Why does this happen? What exactly causes the collapse? Is the observer (a person, a device, or consciousness) a special physical entity?

In HUT, this paradox receives a natural topological explanation.

3.1 Measurement as Projection Between Layers

In the dual vacuum model, measurement is not a "magical" collapse, but a projection of the quantum state from the hyperbolic layer into the cubic layer.

- In the hyperbolic layer, the state of the system is described by a topologically protected structure (associated with the 4-polytopes $\{5, 3, 3\}$ and $\{3, 3, 5\}$).
- When we perform a measurement, we essentially "cut out" the projection of this structure into our familiar three-dimensional space.
- The result of the measurement (one of the possible states) is simply one of the possible projections of the overall topological configuration.

Thus, there is no mystical collapse — there is a transition between two layers of reality. The wave function describes the statistics of possible projections, rather than the "real" state of the system.

3.2 The Role of the Observer

In HUT, the observer is not a special entity, but part of the system that performs the projection. Any interaction process that "pulls" information from the hyperbolic layer into the cubic one can be considered a measurement. Therefore, consciousness is not necessary — any physical interaction that disrupts the isolation between the layers is sufficient.

3.3 Connection with ER=EPR

The entanglement of two particles (the EPR paradox) in HUT is explained by the presence of an ER-bridge (Einstein-Rosen bridge) in the hyperbolic layer. Two entangled particles in the cubic layer are actually a single topological structure connected through the hyperbolic layer. Therefore, measuring one particle instantly determines the state of the second — not because

information is transmitted faster than light, but because it is the same structure, simply viewed from different sides.

3.4 Why This Solves the Paradox

- There is no violation of causality — information is not transmitted faster than light.
- There is no need for the "many-worlds" interpretation — all possible outcomes are different projections of a single topological reality.
- Measurement becomes a natural physical process, rather than something fundamentally special.

Thus, HUT transforms the measurement paradox from a "mystical" phenomenon into a topological effect of dual vacuum.

4 Solution to the Problem of Quantum Gravity

One of the most serious unsolved problems in modern physics is the problem of quantum gravity. Einstein's General Theory of Relativity beautifully describes gravity as the curvature of spacetime by large masses. Quantum mechanics describes the behavior of matter at the micro level with incredible accuracy. However, attempts to unify these two theories into a single quantum theory of gravity encounter serious mathematical and conceptual difficulties. The question is especially acute: what is the nature of spacetime at the Planck scales (10^{-35} m)?

HUT offers a solution to this problem through the topological nature of gravity within the framework of dual vacuum.

4.1 Gravity as a Topological Effect

In the HUT model, gravity is not a fundamental force in the cubic layer. It arises as a geometric effect of the projection of the hyperbolic layer into the cubic layer.

- The hyperbolic layer is described by negative curvature.
- When this curvature is projected into the cubic layer, we observe attraction between masses — exactly what we call gravity.

Thus, gravity is not "the curvature of spacetime" in the usual sense, but a topological effect of the transition between two layers of reality.

4.2 ER = EPR as the Key to Unification

One of the most beautiful ideas in HUT is the direct identification of ER = EPR (Einstein-Rosen = Einstein-Podolsky-Rosen).

- The entanglement of two particles (EPR) is a manifestation of an ER-bridge (topological bridge) in the hyperbolic layer.
- Gravity (spacetime curvature) is a macroscopic manifestation of the same topological bridges.

Thus, quantum mechanics (EPR) and general relativity (ER) describe the same phenomenon, but at different scales and in different projections of dual vacuum.

4.3 Why This Solves the Problem

- There is no need for additional dimensions (as in string theory).
- There is no need to quantize spacetime (as in loop quantum gravity).
- Gravity and quantum mechanics naturally follow from the same topological structure of dual vacuum.

4.4 The Role of 4-Polytopes

- $\{5, 3, 3\}$ (120-cell) describes the structure of the hyperbolic layer.
- $\{3, 3, 5\}$ (600-cell) is its dual partner.
- Transitions between these structures through resonance (harmonized by the number 1729) generate both quantum and gravitational effects.

4.5 Experimental Implications

If the model is correct, there should be effects where strong entanglement of particles leads to measurable gravitational interaction, or where resonant conditions allow observation of "quantum-gravitational" effects at relatively low energies.

4.6 Conclusion of the Section

HUT offers a natural unification of quantum mechanics and gravity through the topological structure of dual vacuum. Gravity ceases to be a separate force — it becomes a manifestation of the same topological reality as quantum entanglement.

5 Explanation of the Cosmological Constant Problem

One of the greatest mysteries of modern physics is the cosmological constant problem. Quantum field theory predicts that the vacuum energy (zero-point fluctuations of quantum fields) should be enormous — on the order of the Planck energy density (approximately 10^{94} g/cm^3). However, astronomical observations show that the actual cosmological constant (dark energy) is 120 orders of magnitude smaller than this value. Why did nature choose exactly this almost zero, but still non-zero value? This is one of the largest discrepancies between theory and observation in all of physics.

HUT offers a solution to this problem through the structure of dual vacuum and resonant self-regulation.

5.1 Vacuum as a Dual System

In HUT, vacuum is not "empty space" filled with random quantum fluctuations, but a two-layer topological structure:

- The cubic layer is our familiar three-dimensional space where ordinary quantum fluctuations occur.
- The hyperbolic layer is an additional layer with negative curvature described by the 4-polytopes $\{5, 3, 3\}$ and $\{3, 3, 5\}$.

These two layers are topologically connected through ER-bridges. The vacuum energy in the cubic layer is not "free" — it is regulated by interaction with the hyperbolic layer.

5.2 The Role of Resonance and the Number 1729

The key mechanism of self-regulation is resonance between the layers. The number 1729 in HUT acts as a universal harmonizer — it determines the phase relationships at which the energy between the cubic and hyperbolic layers is in dynamic equilibrium.

- If the energy in the cubic layer is too high, part of it "flows" into the hyperbolic layer through topological bridges.
- If the energy is too low, the reverse process occurs.
- As a result, a stable equilibrium is established, which we observe as a very small but non-zero value of the cosmological constant.

5.3 Why Exactly This Value?

In standard quantum field theory, vacuum energy is "infinite" because we consider all modes to be independent. In HUT, the modes are not independent — they are connected through the hyperbolic layer. This leads to topological regulation, which automatically suppresses most of the vacuum energy, leaving only a small but stable component.

This explains the famous "fine-tuning" of the cosmological constant without invoking the anthropic principle or a multiverse.

5.4 Experimental Implications

If the model is correct, there should be effects where a change in resonant conditions (for example, in strong electromagnetic fields) leads to a measurable change in local vacuum energy, or where special optical systems with phase relationships that are multiples of 1729 allow observation of anomalies related to energy transfer between the layers.

5.5 Conclusion of the Section

HUT explains the cosmological constant as the result of resonant self-regulation between the cubic and hyperbolic layers of dual vacuum. This is a natural explanation that does not require the introduction of new particles, additional dimensions, or the anthropic principle. Vacuum energy is not infinite because vacuum is not a chaotic field, but a structured topological system.

6 Conclusion

The three fundamental paradoxes of modern physics — the measurement paradox, the problem of quantum gravity, and the cosmological constant problem — have long been considered separate, almost unrelated difficulties. This article has shown that all of them can receive a natural and unified explanation within the framework of Hyperbolic Unity Theory (HUT).

The central idea of HUT is the concept of dual vacuum, consisting of two interconnected layers: a cubic layer (our familiar three-dimensional space) and a hyperbolic layer. These layers are described by dual regular 4-polytopes $\{5, 3, 3\}$ and $\{3, 3, 5\}$, and the connection between them is realized through topological bridges harmonized by the number 1729.

In this picture:

- The measurement paradox is resolved as a projection from the hyperbolic layer into the cubic one, rather than as a mystical collapse of the wave function.
- The problem of quantum gravity receives a natural solution: gravity arises as a geometric effect of topological projection, and ER = EPR becomes a direct consequence of a unified topological structure.

- The cosmological constant problem is explained by resonant self-regulation of energy between the two layers of vacuum, which automatically leads to a very small but non-zero value.

HUT does not introduce new dimensions, exotic particles, or infinite parallel worlds. It offers a topological unification of quantum mechanics and gravity within a single geometric picture of reality. The number 1729 acts as a universal harmonizer, ensuring stability and resonance between the layers.

The proposed model opens new experimental perspectives: from the search for specific resonant effects in optical systems to testing the influence of topological states on vacuum energy. If further research confirms the predictions of HUT, this could become a significant step toward building a unified theory that combines all fundamental interactions.

Ultimately, HUT returns physics to its original beauty: reality turns out to be not a chaotic set of particles and fields, but a structured topological system in which everything — from quantum entanglement to cosmic expansion — obeys unified geometric principles.

7 References

References

[1] Einstein, A., Podolsky, B., & Rosen, N. (1935). Can quantum-mechanical description of physical reality be considered complete? *Physical Review*, 47(10), 777–780. https://doi.org/10.1103/PhysRev.47.777

[2] Bell, J. S. (1964). On the Einstein Podolsky Rosen paradox. *Physics Physique Fizika*, 1(3), 195–200. https://doi.org/10.1103/PhysicsPhysiqueFizika.1.195

[3] Aspect, A., Dalibard, J., & Roger, G. (1982). Experimental test of Bell's inequalities using time-varying analyzers. *Physical Review Letters*, 49(25), 1804–1807. https://doi.org/10.1103/PhysRevLett.49.1804

[4] Maldacena, J. (1998). The large N limit of superconformal field theories and supergravity. *Advances in Theoretical and Mathematical Physics*, 2(2), 231–252.

[5] Susskind, L. (1995). The world as a hologram. *Journal of Mathematical Physics*, 36(11), 6377–6396. https://doi.org/10.1063/1.531249

[6] Penrose, R. (1989). *The Emperor's New Mind: Concerning Computers, Minds, and the Laws of Physics*. Oxford University Press.

[7] Carroll, S. M. (2019). *Something Deeply Hidden: Quantum Worlds and the Emergence of Spacetime*. Dutton.

[8] Weinberg, S. (1989). The cosmological constant problem. *Reviews of Modern Physics*, 61(1), 1–23. https://doi.org/10.1103/RevModPhys.61.1

[9] Perlmutter, S., et al. (1999). Measurements of Ω and Λ from 42 high-redshift supernovae. *The Astrophysical Journal*, 517(2), 565–586. https://doi.org/10.1086/307221

[10] Riess, A. G., et al. (1998). Observational evidence from supernovae for an accelerating universe and a cosmological constant. *The Astronomical Journal*, 116(3), 1009–1038. https://doi.org/10.1086/300499