

Release Notes – Verify API

2026Q3.1 Minor Release – API Version - 2026Q3.1 - 2.60.1.20346-7c4ea9b

Available from 15th September 2026

Version 1.1

GBG Loqate, 2300 Windy Ridge Pkwy SE Ste 1115 Atlanta GA 30339-6147

US: +1 866 642 3240 UK: 0800 198 6460

Rest of world: +44 (0) 190 591 5084 - (800) 313-3910 | support@loqate.com | <https://www.loqate.com>

Contents

Local API Release Notice	3
Certification Products.....	3
Case Resolutions	3
Details of Resolved Cases.....	4
Loqate Verify Engine/Local API with AI Parser	8
Local API Installer	8
64-bit Linux Installer	8
64-bit Windows Installer	8
Getting “InstallManager.jar” To Run	9
Download JRE.....	10
Execute Install Manager.....	10
Using AI Parser in Verify	12
Enable License Key Verification Using Product Codes for AI Parser Model File Downloads	12
Enable the Server Option “AIParser=YES”	13
Batch Verify	15

Local API Release Notice

In the 2026Q3.1 release we have fixed 3 cases which improve the Verify API plus a new AMAS engine.

The Logate AI Parser is now available for on-prem installations. Further information can be found on page 8 of this release notes.

Certification Products

A new version of the **AMAS certification Library/Engine** and **AMAS Data** have been released. Please note that the new AMAS Data has a dependency with the new AMAS library. Therefore, both library and data must be updated together to ensure AMAS function correctly. As a reminder, please create a backup of the existing AMAS Library and Data before performing the update.

Unlike previous releases, only a single AMAS library is required:

Linux: libaddressit.so

Windows: Address-IT API.dll

Case Resolutions

Details of the customer case resolutions are detailed below. If you would like more details on these cases, please contact LogateSupport@gbgplc.com or your Customer Success Manager for further information.

Case Number	Change Description	Country
CAS-171090-F3B3F8 CAS-171091-Q8P4S2 CAS-171089-X9T5R2	Made improvements in GB sub building matching to allow 2/6 to match to Flat 2/6. Previously it required an exact same sub building leading type to match	All
CAS-171088-B6B0W5 CAS-176507-X8Q9L7	Enhanced "SubBuilding" and "Premise" matching accuracy by fixing cross-matching issues and eliminating false matches, for example preventing input "1/5" to match "15" from the reference data.	All
CAS-170389-V4S6Y9	Added Cyrillic and CJK script matching algorithm to improve the calculation of match score.	All

Details of Resolved Cases

Case Number	Change Description	Category	Country	Example Address
CAS-171090-F3B3F8 CAS-171091-Q8P4S2 CAS-171089-X9T5R2	Made improvements in GB sub building matching to allow 2/6 to match to Flat 2/6. Previously it required an exact same sub building leading type to match	API	All	- Address1="1/1 1A", Address2="MERRICK GARDENS", Address3="GLASGOW", PostalCode="G51 2LF", Country="GB" - Address1="1/1 80B", Address2="NEW SNEDDON STREET", Address3="PAISLEY", Address4="RENFREWSHIRE", PostalCode="PA3 2BD", Country="GB"

Before Image

After Image

Loqate Demonstration UI v2.60.0.20020-99e360a LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data
Address1 1/1 1A
Address2 MERRICK GARDENS
Address3 GLASGOW
Address4
AdministrativeArea
PostalCode G51 2LF
Country GB
DefaultCountry
PreserveInputValue
OutputCasing

Output
Address Quality Index 1 Result Count 1
Address Verification Code V44-155-P6-100
Organization
Sub-Building 1/1 Identified no change
Premise 1A Verified no change
Building
PostBox
DependentThoroughfare
Thoroughfare Merrick Gardens Verified no change
DoubleDependentLocality
DependentLocality
Locality Glasgow Verified no change
Sub-AdministrativeArea
AdministrativeArea Lanarkshire Added
SuperAdministrativeArea
PostalCode G51 2LF Verified no change
Country United Kingdom
ISO2 GB ISO3 GBR
Unmatched
Processed Time 00:00:00.09
Cache Stats
Shortcuts
View All
To Clipboard

Server Status: ssOK Process Status: psOK

Loqate Demonstration UI v2.60.0.20212-d26a9d9 LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data
Address1 1/1 1A
Address2 MERRICK GARDENS
Address3 GLASGOW
Address4
AdministrativeArea
PostalCode G51 2LF
Country GB
DefaultCountry
PreserveInputValue
OutputCasing

Output
Address Quality Index 1 Result Count 1
Address Verification Code V54-155-P6-098
Organization
Sub-Building Flat 1/1 Verified small change
Premise 1A Verified no change
Building
PostBox
DependentThoroughfare
Thoroughfare Merrick Gardens Verified no change
DoubleDependentLocality
DependentLocality
Locality Glasgow Verified no change
Sub-AdministrativeArea [Context: 1192,205][Lexicon: 0,220][Ref: 1
AdministrativeArea Lanarkshire Added
SuperAdministrativeArea
PostalCode G51 2LF Verified no change
Country United Kingdom
ISO2 GB ISO3 GBR
Unmatched
Processed Time 00:00:00.11
Cache Stats
Shortcuts
View All
To Clipboard

Server Status: ssOK Process Status: psOK

Loqate Demonstration UI v2.60.0.20020-99e360a LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data
Address1 1/1 80B
Address2 NEW SNEDDON STREET
Address3 PAISLEY
Address4
AdministrativeArea
PostalCode PA3 2BD
Country GB
DefaultCountry
PreserveInputValue
OutputCasing

Output
Address Quality Index 1 Result Count 1
Address Verification Code V44-155-P6-100
Organization
Sub-Building 1/1 Identified no change
Premise 80B Verified no change
Building
PostBox
DependentThoroughfare
Thoroughfare New Sneddon Street Verified no change
DoubleDependentLocality
DependentLocality
Locality Paisley Verified no change
Sub-AdministrativeArea
AdministrativeArea Renfrewshire Verified no change
SuperAdministrativeArea
PostalCode PA3 2BD Verified no change
Country United Kingdom
ISO2 GB ISO3 GBR
Unmatched
Processed Time 00:00:00.02
Cache Stats
Shortcuts
View All
To Clipboard

Server Status: ssOK Process Status: psOK

Loqate Demonstration UI v2.60.0.20212-d26a9d9 LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data
Address1 1/1 80B
Address2 NEW SNEDDON STREET
Address3 PAISLEY
Address4
AdministrativeArea
PostalCode PA3 2BD
Country GB
DefaultCountry
PreserveInputValue
OutputCasing

Output
Address Quality Index 1 Result Count 1
Address Verification Code V54-155-P6-099
Organization
Sub-Building Flat 1/1 Verified small change
Premise 80B Verified no change
Building
PostBox
DependentThoroughfare
Thoroughfare New Sneddon Street Verified no change
DoubleDependentLocality
DependentLocality
Locality Paisley Verified no change
Sub-AdministrativeArea
AdministrativeArea Renfrewshire Verified no change
SuperAdministrativeArea
PostalCode PA3 2BD Verified no change
Country United Kingdom
ISO2 GB ISO3 GBR
Unmatched
Processed Time 00:00:00.05
Cache Stats
Shortcuts
View All
To Clipboard

Server Status: ssOK Process Status: psOK

Case Number	Change Description	Category	Country	Example Address
CAS-171088-B6B0W5 CAS-176507-X8Q9L7	Enhanced “SubBuilding” and “Premise” matching accuracy by fixing cross-matching issues and eliminating false matches, for example preventing input “1/5” to match “15” from the reference data.	API	All	1. Address1="2/2", Address2="1 SAUCEL PLACE", Locality="PAISLEY", AdministrativeArea="Renfrewshire", PostalCode="PA11UE", Country="GB" 2. Address1="2/4", Address2="2 FIRPARK CLOSE", Locality="GLASGOW", PostalCode="G312HQ", Country="GB"

Before Image

After Image

Loqate Demonstration UI v2.60.0.20020-99e360a DEBUG LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data

Organization

Address1 2/2

Address2 1 SAUCEL PLACE

Locality PAISLEY

AdministrativeArea Renfrewshire

PostalCode PA11UE

Country GB

ReferenceMerge ☐ Parse ☒ Verify

PreserveInputValue ☐ Match ☐ Search

OutputCasing ☐ Format ☐ Geocode ☐ Enhance

Clear Options Clear Input Clear Output Process

Output

Address Quality Index D 1 Result Count 1

Address Verification Code V43-155-P6-080

Organization Empty

SubBuilding 1 Identified no change

Premise 1-4 Verified large change

Building Empty

PostBox Empty

DependentThoroughfare Empty

Thoroughfare Saucel Place Verified no change

DoubleDependentLocality Empty

DependentLocality Empty

Locality Paisley Verified no change

SubAdministrativeArea Empty

AdministrativeArea Renfrewshire Verified no change

SuperAdministrativeArea Empty

PostalCode PA11UE Verified alias change

Country United Kingdom

ISO2 GB ISO3 GBR

Unmatched

Processed Time 00:00:00.07

Cache Stats Shortcuts View All To Clipboard

Server Status: ssOK Process Status: psOK

Loqate Demonstration UI v2.60.0.20344-0a1049b DEBUG LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data

Organization

Address1 2/2

Address2 1 SAUCEL PLACE

Locality PAISLEY

AdministrativeArea Renfrewshire

PostalCode PA11UE

Country GB

ReferenceMerge ☐ Parse ☒ Verify

PreserveInputValue ☐ Match ☐ Search

OutputCasing ☐ Format ☐ Geocode ☐ Enhance

Clear Options Clear Input Clear Output Process

Output

Address Quality Index H 1 Result Count 1

Address Verification Code V55-155-P6-100

Organization Empty

SubBuilding 2/2 Verified no change

Premise 1-1 Verified no change

Building Empty

PostBox Empty

DependentThoroughfare Empty

Thoroughfare Saucel Place Verified no change

DoubleDependentLocality Empty

DependentLocality Empty

Locality Paisley Verified no change

SubAdministrativeArea Empty

AdministrativeArea Renfrewshire Verified no change

SuperAdministrativeArea Empty

PostalCode PA11UE Verified alias change

Country United Kingdom

ISO2 GB ISO3 GBR

Unmatched

Processed Time 00:00:00.61

Cache Stats Shortcuts View All To Clipboard

Server Status: ssOK Process Status: psOK

Loqate Demonstration UI v2.60.0.20020-99e360a DEBUG LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data

Organization

Address1 2/4

Address2 2 FIRPARK CLOSE

Locality GLASGOW

AdministrativeArea

PostalCode G312HQ

Country GB

ReferenceMerge ☐ Parse ☒ Verify

PreserveInputValue ☐ Match ☐ Search

OutputCasing ☐ Format ☐ Geocode ☐ Enhance

Clear Options Clear Input Clear Output Process

Output

Address Quality Index A 1 Result Count 1

Address Verification Code V55-155-P6-100

Organization Empty

SubBuilding 4/2 Verified alias change

Premise 2 Verified no change

Building Empty

PostBox Empty

DependentThoroughfare Empty

Thoroughfare Firpark Close Verified no change

DoubleDependentLocality Empty

DependentLocality Empty

Locality Glasgow Verified no change

SubAdministrativeArea Empty

AdministrativeArea Lanarkshire Added

SuperAdministrativeArea Empty

PostalCode G312HQ Verified alias change

Country United Kingdom

ISO2 GB ISO3 GBR

Unmatched

Processed Time 00:00:00.51

Cache Stats Shortcuts View All To Clipboard

Server Status: ssOK Process Status: psOK

Loqate Demonstration UI v2.60.0.20344-0a1049b DEBUG LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data

Organization

Address1 2/4

Address2 2 FIRPARK CLOSE

Locality GLASGOW

AdministrativeArea

PostalCode G312HQ

Country GB

ReferenceMerge ☐ Parse ☒ Verify

PreserveInputValue ☐ Match ☐ Search

OutputCasing ☐ Format ☐ Geocode ☐ Enhance

Clear Options Clear Input Clear Output Process

Output

Address Quality Index H 1 Result Count 1

Address Verification Code V55-155-P6-100

Organization Empty

SubBuilding 2/4 Verified no change

Premise 2 Verified no change

Building Empty

PostBox Empty

DependentThoroughfare Empty

Thoroughfare Firpark Close Verified no change

DoubleDependentLocality Empty

DependentLocality Empty

Locality Glasgow Verified no change

SubAdministrativeArea Empty

AdministrativeArea Lanarkshire Added

SuperAdministrativeArea Empty

PostalCode G312HQ Verified alias change

Country United Kingdom

ISO2 GB ISO3 GBR

Unmatched

Processed Time 00:00:00.05

Cache Stats Shortcuts View All To Clipboard

Server Status: ssOK Process Status: psOK

Case Number	Change Description	Category	Country	Example Address
CAS-170389-V4S6Y9	Added Cyrillic and CJK script matching algorithm to improve the calculation of match score.	API	All	1. Address1="Горького ул., 49", Locality="Пудем с", AdministrativeArea= "RU.UD", PostalCode="427511", Country="RU"

Before Image

Loqate Demonstration UI v2.60.0.20020-99e360a DEBUG LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data

Address3

Address2

Address1 Горького ул., 49

Locality Пудем с

AdministrativeArea RU.UD

PostalCode 427511

Country RU

CertifiedCountryList ☐ Parse ☒ Verify

ReferenceDatasetCsd ☐ Match ☐ Search

ReferencePageCache ☐ Format ☐ Geocode

Enhance ☐

Clear Options Clear Input Clear Output Process

Output

Address Горького ул., 49

Locality Пудем с

AdministrativeArea RU.UD

PostalCode 427511

Country RU

Latitude

Longitude

Accuracy

Distance

Map This Location

Server Status: ssOK Process Status: psOK

After Image

Loqate Demonstration UI v2.60.0.20317-07d48f7 DEBUG LFS64

GKR Verify Autocomplete Query Log Analysis ReverseGeocode

Input Data

Address3

Address2

Address1 Горького ул., 49

Locality Пудем с

AdministrativeArea RU.UD

PostalCode 427511

Country RU

CertifiedCountryList ☐ Parse ☒ Verify

ReferenceDatasetCsd ☐ Match ☐ Search

ReferencePageCache ☐ Format ☐ Geocode

Enhance ☐

Clear Options Clear Input Clear Output Process

Output

Address Горького ул., 49

Locality Пудем с

AdministrativeArea RU.UD

PostalCode 427511

Country RU

Latitude

Longitude

Accuracy

Distance

Map This Location

Server Status: ssOK Process Status: psOK

Installation Instructions

Please remember to update both the program files and the reference data and **please install these to a new fresh folder location**. The improvements are tied to the data in the Global Knowledge Repository and the Local API. When updating the data, it is recommended to use a new data folder each time to ensure the latest dataset is installed properly.

If you need any assistance with the upgrade of the Local API or the data update process, please contact [GBG Loqate Support](#).

The setup wizard for the [Local API](#) can be obtained from our SFTP server. Please contact your account manager to retrieve the SFTP information. If you do not know who your account manager is please contact [GBG Loqate Support](#).

Loqate Verify Engine/Local API with AI Parser

In the 2026Q3.1 release the Loqate Local API features two new installation options available with our embedded AI Parser capability:

Platform	Installer
64-bit Linux (x86_64)	loqate_installer_mt_linux_x86_64-gcc13_lfs64
64-bit Windows (x86_64)	loqate_installer_mt_win_x64_vs2022_lfs64

Local API Installer

64-bit Linux Installer

The 64-bit Linux installer with AI Parser is:

- `loqate_installer_mt_linux_x86_64-gcc13_lfs64`

Dependency: The installer contains Verify Engine shared objects (.so) compiled with **GCC13.3.0 (GLIBC 2.39, GLIBCXX_3.4.33) or later**, which is required on the **target Linux system for runtime compatibility**.

Running the installer will unpack the binaries as the following:

Command: `$ ./loqate_installer_mt_linux_x86_64-gcc13_lfs64`

```
/c/Loqate/Releases/2026Q3.0-2.60.0.20019-280f427-Lin64_LFS64_GCC13$ ls -lh
591K Jul 14 13:11 InstallManager.jar
214 Jul 14 13:11 InstallManager.sh
92K Jul 14 13:13 _pyloqate.so
45 Jul 14 13:11 buildc++.sh
45 Jul 14 13:11 buildjava.sh
4.0K Jul 18 21:46 data
4.0K Jul 18 11:10 lib
6.2M Jul 14 13:13 liblqtcr.so
29K Jul 14 13:13 liblqtjava.so
316M Jul 14 13:13 libtensorflow.so.2
35M Jul 14 13:13 libtensorflow_framework.so.2
14K Jul 14 13:13 loqate.jar
2.7K Jul 14 13:11 lqtSample.java
3.7K Jul 14 13:11 lqtSample.py
194K Jul 14 13:13 lqtbatch
5.3K Jul 14 13:11 lqtcr.h
100K Jul 14 13:13 lqtinter
15K Jul 14 13:11 lqtquerysample.cpp
1.7K Jul 14 13:11 lqtsample.cpp
9.9K Jul 14 13:13 pyloqate.py
426 Jul 14 13:11 runbatch.sh
94 Jul 14 13:11 runc++.sh
327 Jul 14 13:11 runjava.sh
44K Jul 14 13:11 sample.txt
21 Jul 14 13:11 version.txt
/c/Loqate/Releases/2026Q3.0-2.60.0.20019-280f427-Lin64_LFS64_GCC13$
```

64-bit Windows Installer


The 64-bit Windows installer with AI Parser is:

- `loqate_installer_mt_win_x64_vs2022_lfs64.exe`

Dependency: The installer contains Verify Engine dynamic library (.dll) compiled with Microsoft Visual Studio 2022¹, which is required on the **target Windows system for runtime compatibility**.

Running the installer will unpack the binaries as the following:

Double-click: `loqate_installer_mt_win_x64_vs2022_lfs64.exe`



Name	Date modified	Type	Size
data	22/7/2026 5:39 PM	File folder	
lib	22/7/2026 5:39 PM	File folder	
_pyloqate.pyd	14/7/2026 11:23 AM	Python Extension Module	88 KB
debug.txt	22/7/2026 6:00 PM	TXT File	486 KB
InstallManager.bat	14/7/2026 11:18 AM	Windows Batch File	1 KB
InstallManager.jar	14/7/2026 11:18 AM	Eclipse Adoptium.jarfile	591 KB
loqate.ico	14/7/2026 11:18 AM	ICO File	15 KB
loqate.jar	14/7/2026 11:23 AM	Eclipse Adoptium.jarfile	14 KB
lqtBatch.exe	14/7/2026 11:23 AM	Application	235 KB
lqtcr.dll	14/7/2026 11:23 AM	Application extension	3,393 KB
lqtcr.exp	14/7/2026 11:22 AM	Exports Library File	7 KB
lqtcr.h	14/7/2026 11:17 AM	H File	6 KB
lqtcr.lib	14/7/2026 11:22 AM	Object File Library	11 KB
lqtDemo.exe	14/7/2026 11:27 AM	Application	162 KB
lqtDemoCore.dll	14/7/2026 11:27 AM	Application extension	131 KB
lqtDemoCore.runtimeconfig.json	14/7/2026 11:27 AM	JSON File	1 KB
lqtjava.dll	14/7/2026 11:23 AM	Application extension	22 KB
lqtnet.dll	14/7/2026 11:23 AM	Application extension	19 KB
lqtnetcore.deps.json	14/7/2026 11:27 AM	JSON File	2 KB
lqtnetcore.dll	14/7/2026 11:27 AM	Application extension	21 KB
lqtquerysample.cpp	14/7/2026 11:18 AM	CPP File	15 KB
lqtsample.cpp	14/7/2026 11:18 AM	CPP File	2 KB
lqtSample.cs	14/7/2026 11:18 AM	CS File	4 KB
lqtSample.java	14/7/2026 11:18 AM	IntelliJ IDEA 2025.3	3 KB
lqtSample.py	14/7/2026 11:18 AM	Python File	4 KB
Microsoft.Windows.SDK.NET.dll	12/11/2024 1:23 AM	Application extension	25,725 KB
pyloqate.py	14/7/2026 11:23 AM	Python File	11 KB
runbatch.bat	14/7/2026 11:18 AM	Windows Batch File	1 KB
sample.txt	14/7/2026 11:18 AM	TXT File	45 KB
tensorflow.dll	15/11/2022 2:30 PM	Application extension	195,295 KB
version.txt	14/7/2026 11:27 AM	TXT File	1 KB
WinRT.Runtime.dll	12/11/2024 1:23 AM	Application extension	517 KB

Getting “InstallManager.jar” To Run

InstallManager.jar is a Java tool used to download all GKR/reference data subscribed to by users. Install Manager is compiled using Java 8. Thus, Java/JRE 8 (preferred) with the latest update version is required for Install Manager to execute. However, Install Manager has also been tested on Java/JRE 11, 17, 21, and 25.

¹ Microsoft Visual C++ Redistributable latest supported downloads. Available at: <https://learn.microsoft.com/en-us/cpp/windows/latest-supported-vc-redist?view=msvc-170#visual-studio-2015-2017-2019-and-2022>

Download JRE

Java consists of JDK and JRE. Different versions of Java are available at:

Website	URL
Azul	https://www.azul.com/downloads/?package=jdk#zulu
Adoptium	https://adoptium.net/temurin/releases/?version=8&os=any&arch=any
Openlogic	https://www.openlogic.com/openjdk-downloads
Corretto	https://github.com/corretto/corretto-8

Please choose one of the above URLs to download JRE.

For example, to download JRE 8 for 64-bit Linux using the “Adoptium” website (please refer to the above table for the URL):

The screenshot shows the Adoptium website interface. The navigation bar includes links for 'Join Us', 'Latest Releases', 'Marketplace', 'Projects', 'Resources', and 'Community'. The main content area displays various Java versions. The 'JDK 8 - LTS' link is highlighted with a red box and an arrow pointing to it with the text '1. Click "JDK 8 - LTS"'. Below this, the 'Linux' section is expanded, showing 'JDK' and 'JRE' options. The 'JRE' option is highlighted with a red box and an arrow pointing to it with the text '2. Click "JRE"'. The 'JRE' option is further expanded, showing 'TAR.GZ, 41 MB' and a 'Down Arrow' icon. The 'Down Arrow' icon is highlighted with a red box and an arrow pointing to it with the text '3. Click "Down Arrow"'. The 'TAR.GZ, 41 MB' text is also highlighted with a red box.

Execute Install Manager

If the Java version installed on the operating system (OS) is not compatible with Install Manager, users are required to download a JRE (e.g., JRE 8) with the latest update version, rename the entire folder to “jre”, and place it in the installation folder, e.g.:

```

/c/Loqate/Releases/2026Q3.0-2.60.0.20019-280f427-Lin64_LFS64_GCC13$ ls -l
604312 Jul 14 13:11 InstallManager.jar
214 Jul 14 13:11 InstallManager.sh
93688 Jul 14 13:13 _pyloqate.so
45 Jul 14 13:11 buildc++.sh
45 Jul 14 13:11 buildjava.sh
4096 Jul 18 21:46 data
4096 Aug 12 22:36 jre
4096 Jul 18 11:10 lib
6496992 Jul 14 13:13 liblqtcr.so
28792 Jul 14 13:13 liblqtjava.so
331125864 Jul 14 13:13 libtensorflow.so.2
36280872 Jul 14 13:13 libtensorflow_framework.so.2
13438 Jul 14 13:13 loqate.jar
2760 Jul 14 13:11 lqtSample.java
3745 Jul 14 13:11 lqtSample.py
197840 Jul 14 13:13 lqtbatch
5333 Jul 14 13:11 lqtcr.h
101496 Jul 14 13:13 lqtinter
14816 Jul 14 13:11 lqtquerysample.cpp
1716 Jul 14 13:11 lqtsample.cpp
10137 Jul 14 13:13 pyloqate.py
426 Jul 14 13:11 runbatch.sh
94 Jul 14 13:11 runc++.sh
327 Jul 14 13:11 runjava.sh
44539 Jul 14 13:11 sample.txt
21 Jul 14 13:11 version.txt
/c/Loqate/Releases/2026Q3.0-2.60.0.20019-280f427-Lin64_LFS64_GCC13$

```

Please ensure that the “jre” folder contains “bin”, “lib”, and all relevant JRE contents, such as:

```

/c/Loqate/Releases/2026Q3.0-2.60.0.20019-280f427-Lin64_LFS64_GCC13/jre$ ls -l
1522 Oct 22 2024 ASSEMBLY_EXCEPTION
19274 Oct 22 2024 LICENSE
149631 Oct 22 2024 THIRD_PARTY_README
4096 Aug 12 22:41 bin
4096 Aug 12 22:41 lib
/c/Loqate/Releases/2026Q3.0-2.60.0.20019-280f427-Lin64_LFS64_GCC13/jre$

```

This ensures that “InstallManager.sh” or “InstallManager.bat” will run “InstallManager.jar” using the “jre” in the installation folder.

Below is the command to run “InstallManager.jar”:

Linux Command: \$./InstallManager.sh

Windows Command: \$./InstallManager.bat

Note: For further details on how to run Install Manager, please refer to <https://docs.loqate.com/installers/data-installation-and-update-process#command-line-interface-mode>

Using AI Parser in Verify

Enable License Key Verification Using Product Codes for AI Parser Model File Downloads

GBG Internal Users

To use AI Parser, GBG internal users must submit a request to LogateSupport@gbgplc.com to enable their license key with the AI Parser model product codes listed by country in the table below. If all countries are required, users may request to enable the worldwide AI Parser model product code “**DSVWWAP**” for the license key (currently limited to the 16 countries listed below). Note: if “**DSVWWAP**” has been enabled for a license key, do not also add any of the product codes listed in the table below.

Customers

Any customer interested in using AI Parser must explicitly request that their account manager enable their license key with the AI Parser product codes listed in the table below.

No	Product Code	Product Name	Country (ISO 3166-1 alpha-2)
1	DSVAUSAP	Australia AI Parser Model File	AU
2	DSVBELAP	Belgium AI Parser Model File	BE
3	DSVCANAP	Canada AI Parser Model File	CA
4	DSVDEUAP	Germany AI Parser Model File	DE
5	DSVDNKAP	Denmark AI Parser Model File	DK
6	DSVFINAP	Finland AI Parser Model File	FI
7	DSVGBRAP	United Kingdom AI Parser Model File	GB
8	DSVIDNAP	Indonesia AI Parser Model File	ID
9	DSVLUXAP	Luxembourg AI Parser Model File	LU
10	DSVMEXAP	Mexico AI Parser Model File	MX
11	DSVMYSAP	Malaysia AI Parser Model File	MY
12	DSVNLDAP	Netherlands AI Parser Model File	NL
13	DSVNORAP	Norway AI Parser Model File	NO
14	DSVNZLAP	New Zealand AI Parser Model File	NZ
15	DSVSWEAP	Sweden AI Parser Model File	SE
16	DSVUSAAP	USA AI Parser Model File	US

Once a license key is enabled with the above product codes, users will be able to download AI Parser model files via Install Manager.

Enable the Server Option “AIParser=YES”

A new server option, “**AIParser**”, has been introduced to invoke the AI Parser feature. This option specifies whether the address verification process uses AI Parser. The default value of “**AIParser**” is empty; users must explicitly set “**AIParser=YES**” to use AI Parser.

Windows: lqtDemo.exe

In “**lqtDemo.exe**”, users can set “**AIParser=YES**”. Acceptable boolean values are “YES/TRUE/ON/1”.

Below is an example result for **AVC=V44-I45-P6-100** when the server option is set to “**AIParser=1**”.

The screenshot displays the Logate Demonstration UI with the following sections:

- Input Data:** Fields for ID, Organization, Address (Level 3A, Wisma Miramas, 1, Jalan 2/109e, Taman Desa Business Park, 58100 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur), Locality, AdministrativeArea, PostalCode, Country (MY), AIParser (1), OutputCasing, MaxResults, and checkboxes for Parse, Verify, Match, Search, Format, Geocode, and Enhance. Buttons for Clear Options, Clear Input, Clear Output, and Process are present.
- Output:** A detailed breakdown of the address verification results, including Address Quality Index (A), Address Verification Code (V44-I45-P6-100), Organization, SubBuilding (Level 3A), Premise (1), Building (Wisma Miramas), PostBox, DependentThoroughfare, Thoroughfare (Jalan 2/109E), DoubleDependentLocality, DependentLocality (Taman Desa Business Park), Locality (Kuala Lumpur), SubAdministrativeArea, AdministrativeArea (Wilayah Persekutuan Kuala Lumpur), SuperAdministrativeArea, PostalCode (58100), Country (Malaysia), ISO2 (MY), ISO3 (MYS), Unmatched, and Processed Time (00:00:00.10). Buttons for Cache Stats, Shortcuts, View All, and To Clipboard are located at the bottom right.
- Server Status:** ssOK
- Process Status:** psOK

Below is an example result for **AVC=V22-I25-P0-100** when the server option “**AIParser**” is left empty. Note that setting “**AIParser**” to one of the values among “NO/FALSE/OFF/0”, will produce the same effect.

The screenshot displays the Logate Demonstration UI (v2.60.0.20019-280f427 LFS64) with the following sections:

- Input Data:**
 - ID: [Empty]
 - Organization: [Empty]
 - Address: [Level 3A, Wisma Miramas, 1. Jalan 2/109e, Taman Desa Business Park, 58100 Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur]
 - Locality: [Empty]
 - AdministrativeArea: [Empty]
 - PostalCode: [Empty]
 - Country: [MY]
 - AIParser: [Empty] (Options: Parse, Verify, Match, Search, Format, Geocode, Enhance)
 - OutputCasing: [Empty]
 - MaxResults: [Empty]
 - Buttons: Clear Options, Clear Input, Clear Output, Process
- Output:**
 - Address: [2/109E, 3A, Wisma Miramas, 1 Jalan, Level Taman Desa Business Park, Kuala Lumpur, Wilayah Persekutuan Kuala Lumpur]
 - Latitude: [Empty]
 - Longitude: [Empty]
 - Accuracy: [Empty]
 - Distance: [Empty]
 - Map This Location: [Button]
- Processing Results:**
 - Address Quality Index: [1] Result Count: [1]
 - Address Verification Code: [A22-I25-P0-100]
 - Organization: [Empty] Identified no change
 - SubBuilding: [2/109E] Identified no change
 - Premise: [3A] Identified no change
 - Building: [Empty] Empty
 - PostBox: [Empty] Empty
 - DependentThoroughfare: [Empty] Empty
 - Thoroughfare: [Wisma Miramas, 1 Jalan] Identified context
 - DoubleDependentLocality: [Empty] Empty
 - DependentLocality: [Level Taman Desa Business Park] Identified no change
 - Locality: [Kuala Lumpur] Verified no change
 - SubAdministrativeArea: [Empty] Empty
 - AdministrativeArea: [Wilayah Persekutuan Kuala Lumpur] Verified no change
 - SuperAdministrativeArea: [Empty] Empty
 - PostalCode: [Empty] Empty
 - Country: [Malaysia]
 - ISO2: [MY] ISO3: [MYS]
 - Unmatched: [58100]
 - Processed Time: [00:00:00.11]
 - Buttons: Cache Stats, Shortcuts, View All, To Clipboard
- Status:**
 - Server Status: ssOK
 - Process Status: psOK

Batch Verify

The batch tool “**lqtBatch.exe**” (Windows) or “**lqtbatch**” (Linux) is available in the installation folder once installation is complete.

The following illustrates how to check the batch tool and engine version:

1. Open a terminal, navigate to the installation folder, and execute the following command:

Linux:

```
/opt/loqate$ ./lqtbatch -v
```

Windows:

```
C:\Loqate>lqtBatch.exe -v
```

2. The example output is:

```
LqtBatch: 2.60.0.20019-280f427 LFS64  
Version Information: 2.60.0.20019-280f427 LFS64  
Threading Model: Multi
```

- The first line displays lqtbatch’s version.
- The second line displays the liblqtcr.so (engine) version.
- The third line shows the threading model, which should always be “Multi”.

To run the batch tool with a batch input file using AI Parser:

Description	Value
Input file	test.txt
Output file	test.out
Data	/opt/loqate/data
Output to include value	-oi
Output to include header	-oh
Assigns unique identifier	-uid
Thread count	-tc 8
Server option	-opt AIParser=1

Linux:

```
/opt/loqate$ ./lqtbatch -i test.txt -o test.out -d /opt/loqate/data -oi -oh -uid -tc 8 -opt AIParser=yes
```

Windows:

```
C:\Loqate>lqtBatch.exe -i test.txt -o test.out -d C:\Loqate\data -oi -oh -uid -tc 8 -opt AIParser=yes
```