
```
package demo;
import java.io.IOException;
public class Example 1 {
public static void main(String[] args) throws IOException
//example1:
char ch2='d';
int aa=66;
System.out.println("My first character="+(int)ch2);
System.out.println("My ASCII kod=66 is:"+(char)aa);
//example2 :
char a='A';
int x=1;
int y=x+a;
System.out.println("example2:");
System.out.println(y);
```

// example 3

```
char b='H';
char c=(char)(b+32);
System.out.println("example3:");
System.out.println(c);
```


// example 4-toUpperCase

```
char ch='d';
char nn=Character.toUpperCase(ch);
System.out.println("example4:");
System.out.println(nn);
```




//next-toLowerCase

```
char ch1='K';
char nn1=Character.toLowerCase(ch1);
System.out.println("example5:");
System.out.println(nn1);
//Input:
char dd;
dd=(char)System.in.read();
System.out.println("My dd="+dd);
```



```
package demo;
public class Example6 {
public static void main(String[] args) {
for(int i=65;i<=90;i++)
       System.out.print((char)i);
System.out.println();
char n;
for(int i=65;i<=90;i++)
       n=Character.toLowerCase((char)i);
       System.out.print(n);
System.out.println();
```



```
package demo;
import java.io.IOException;
public class Example7 {
public static void main(String[] args) throws IOException {
int br=0,br1=0;
char ch=' ';
while(ch!='.')
       {ch=(char)System.in.read();
       //броим символи и интервали
       if(ch!=' ')
              br++;
       else br1++;
System.out.println("Въведените символи са ="+ (br-1));
System.out.println("Интервали = "+ br1);
System.out.println("Думи = "+ (br1+1));
```

```
package demo;
import java.io.IOException;
public class Example8 {
public static void main(String[] args) throws IOException{
// do-while && char
int br=0,br1=0;
char ch;
do{
       ch=(char)System.in.read();
       if(ch!=' ')
       br++;
       else br1++:
} while(ch!='.');
System.out.println("Your symbols ="+ br);
System.out.println("Your spaces="+ br1);
System.out.println("Your words="+ (br1+1));
```

```
package demo;
import java.io.IOException;
public class Example3 {
public static void main(String[] args) throws IOException{
// example with menu and char
System.out.println(" Меню:");
System.out.println("А.отдел 1");
System.out.println("В.отдел 2");
System.out.println("С.отдел 3");
System.out.println("От кой отдел си?");
char ch;
ch=(char)System.in.read();
System.out.println("отговор ="+ch);
switch (ch)
{case 'A':System.out.println("Работна среща в 13.00");break;
case 'B':System.out.println("Работна среща в 15.00");break;
case 'C':System.out.println("Работна среща в 10.00");break;
default :System.out.println("Няма такъв отдел !");
```

