

Key Punch Data:	County Number	Source Number	Emission Point #	Altitude	Date	Agency/Indiv. ID
Type	Mo	Day	Yr			
1	10	11	01	10	12	01
2	10	12	21	01	11	13
3	10	12	21	01	11	13
4	10	12	21	01	11	13
5	10	12	21	01	11	13
6	10	12	21	01	11	13
7	10	12	21	01	11	13
8	10	12	21	01	11	13
9	10	12	21	01	11	13
10	10	12	21	01	11	13
11	10	12	21	01	11	13
12	10	12	21	01	11	13
13	10	12	21	01	11	13
14	10	12	21	01	11	13
15	10	12	21	01	11	13
16	10	12	21	01	11	13
17	10	12	21	01	11	13
18	10	12	21	01	11	13
19	10	12	21	01	11	13
20	10	12	21	01	11	13
21	10	12	21	01	11	13
22	10	12	21	01	11	13
23	10	12	21	01	11	13
24	10	12	21	01	11	13
25	10	12	21	01	11	13
26	10	12	21	01	11	13
27	10	12	21	01	11	13
28	10	12	21	01	11	13
29	10	12	21	01	11	13
30	10	12	21	01	11	13
31	10	12	21	01	11	13
32	10	12	21	01	11	13
33	10	12	21	01	11	13
34	10	12	21	01	11	13
35	10	12	21	01	11	13
36	10	12	21	01	11	13
37	10	12	21	01	11	13
38	10	12	21	01	11	13
39	10	12	21	01	11	13
40	10	12	21	01	11	13
41	10	12	21	01	11	13
42	10	12	21	01	11	13
43	10	12	21	01	11	13
44	10	12	21	01	11	13
45	10	12	21	01	11	13
46	10	12	21	01	11	13
47	10	12	21	01	11	13
48	10	12	21	01	11	13
49	10	12	21	01	11	13
50	10	12	21	01	11	13
51	10	12	21	01	11	13
52	10	12	21	01	11	13
53	10	12	21	01	11	13
54	10	12	21	01	11	13
55	10	12	21	01	11	13
56	10	12	21	01	11	13
57	10	12	21	01	11	13
58	10	12	21	01	11	13
59	10	12	21	01	11	13
60	10	12	21	01	11	13
61	10	12	21	01	11	13
62	10	12	21	01	11	13
63	10	12	21	01	11	13
64	10	12	21	01	11	13
65	10	12	21	01	11	13
66	10	12	21	01	11	13
67	10	12	21	01	11	13
68	10	12	21	01	11	13
69	10	12	21	01	11	13
70	10	12	21	01	11	13
71	10	12	21	01	11	13
72	10	12	21	01	11	13
73	10	12	21	01	11	13
74	10	12	21	01	11	13
75	10	12	21	01	11	13
76	10	12	21	01	11	13
77	10	12	21	01	11	13
78	10	12	21	01	11	13
79	10	12	21	01	11	13
80	10	12	21	01	11	13
81	10	12	21	01	11	13
82	10	12	21	01	11	13
83	10	12	21	01	11	13
84	10	12	21	01	11	13
85	10	12	21	01	11	13
86	10	12	21	01	11	13
87	10	12	21	01	11	13
88	10	12	21	01	11	13
89	10	12	21	01	11	13
90	10	12	21	01	11	13
91	10	12	21	01	11	13
92	10	12	21	01	11	13
93	10	12	21	01	11	13
94	10	12	21	01	11	13
95	10	12	21	01	11	13
96	10	12	21	01	11	13
97	10	12	21	01	11	13
98	10	12	21	01	11	13
99	10	12	21	01	11	13
100	10	12	21	01	11	13

Line 2 (Dup. cols. 1-15 from Line 1) Quality as Received

(NOTE: Columns not shown must be left blank)
(Do not punch Line 2 if column 78 is blank)

Company: Southwestern Portland Cement Co.
Site Location: Lyons, Colo.
Contact Person: Sam Angelo
Telephone No.: 534-4206

Inspected by: G. Mathews

County: Boulder

Time: 9:00 am

EIS Update: NA

Inspection: Routine ☐ Complaint ☐ FA ☒

4.75 Hrs.* Permit No. C-12,444(1)
modification

Emission Points Subject to NSPS: Reg. 6, B, IV

Final approval of limestone dryer for coal burning modification.

Evaluation of permit conditions. See reverse for diagram

1. Opacity: 0%. See attached visibility emission report
2. Emission Limitations: See attached Compliance Worksheet. Please note that annual emissions are estimated ~~for~~ from known throughput data for Jan. Note non-compliance of CO, NO_x, and SO_x
- * 3. Usage limits. Recommend change in permit stipulation from limitation on limestone max. to total raw material processed max. This figure should be 850,000 TPY.
4. Records are maintained and were shown to inspector for compliance determination.
5. Permit number is not yet marked on equipment.
Dryer: Mfg. Vulcan Iron Works, Model 15044, no serial number
Baghouse: Mfg. MicroPulsair, Model 80 G6, no record of s.n.
6. Control equipment appears to be op'd. in accordance w/ mfg. instructions
7. Performance test yet to be done
8. Compliance w/ NSPS: See Worksheet


Recommend delay of F.A. of 12,444(1) Mod. until satisfactory stack test demonstration and review of calculations by APCD

- 12 - Inspection
- 22 - Source Test
- 23 - Operator Observation
- 24 - Other Observation

ACTION TYPE - DESCRIPTION

- 0 - Unknown
- 1 - Not in Compliance
- 2 - In Compliance by Source Test
- 3 - In Compliance by Inspection
- 4 - In Compliance by Certification
- 5 - In Compliance with Incidents of Progress
- 6 - Not in Compliance with Incidents of Progress
- 7 - Unknown Compliance with Incidents of Progress
- 8 - No Applicable SE Regulation
- 9 - In Compliance -- closed down

COMPLIANCE STATUS CODES



ANALYTICAL REPORT OF VISIBLE EMISSIONS OBSERVATION

COMPANY Southwestern Portland Cement Co DATE 5/21/85

ADDRESS OF SOURCE Lyons CO 3

City Street County AQCR

STACK NAME limestone dryer Quality as Received

BACKGROUND SKY CONDITION overcast

RELATIVE HUMIDITY — % PSYC. — WEATHER BUREAU — AIR TEMP. 70°F est.

WIND SPEED calm to 7 mph WIND DIRECTION (From) east


PLUME CHARACTERISTICS (Color, etc.) white

STACK HEIGHT ~ 30 Feet OBSERVER'S LOCATION 30 Feet S of Stack

WET PLUME or DRY PLUME: (If WET, estimate the breakpoint distance from the stack)

CLOCK TIME	0	15	30	45
1130	0	0	0	0
31	01	0	0	0
32	02	0	0	0
33	03	0	0	0
34	04	0	0	0
35	05	0	0	0
06				
07				
08				
09				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				

SKETCH: Include 1) Wind Direction; 2) Sun Position; 3) Observer Position; 4) Approximate Location of stack; 5) North Arrow.
If more than one stack is located at the plant site specifically identify the stack being read. Include remarks.



OBSERVER: _____ DATE _____
PERSONS PRESENT DURING THE EVALUATION:

Name: George Mathews
Title: Sanitarian III

SIGNATURES: Duplicate of this Analytical Report Given To

Name:

Title:

Date:

Time:

Signature:

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

Quality as Received

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: ELDER 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 5-21-85
 TIME: 9:00AM

INSPECT TYPE: FINAL APPROVAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 4.75 HRS
 PREPARATION: 0.25 HRS
 TRAVEL: 0.00 HR
 INSPECTION: 0.50 HRS
 WRITE UP: 4.00 HRS
 EIS: 0.00 HRS

EMS POINT #: 3
 EIS POINT ID: K
 POINT NAME: LIMESTONE DRYER
 NSPS REG?: YES: A,B,IV
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 YTD THRUPT:

PERMIT: C-12,444(1) MOD
 CONTROL EQUIP: BAGHOUSE

OP'NAL SCHED:

CEMENT PRODUCED: 103,025 TONS
 LIMESTONE PROCESSED: 127,609 TONS
 RAW MTL PROCESSED: 279,384 TONS
 GAS BURNED: 19,275,000 SCF (991 BTU/SCF)
 COAL BURNED: 1,273 TONS (0.45% S; 5.63% ASH; 10,686 BTU/LB)
 JAN 1-APR 30 1985 (503 HRS)

1985 ANNUAL THRUPT ESTIMATE:

CEMENT PRODUCED: 440,000 TONS
 LIMESTONE PROCESSED: 717,000 TONS
 RAW MTL PROCESSED: 850,000 TONS
 GAS BURNED: 50,000,000 SCF
 COAL BURNED: 7,446 TONS
 6100 HR/YR (60-70% TOTAL OPN'L TIME)

OP'NAL SCHED:

REGULATION C-12,444(1)
 MAX LIMESTONE LIMIT (TON/YR) 717000
 EST'D LIMESTONE (TON/1985) UNKNOWN
 MAX COAL LIMIT (TON/YR) 7446
 EST'D COAL USE (TON/1985) UNKNOWN
 MAX GAS LIMIT (10E6 SCF/YR) 50
 EST'D GAS USE (10E6 SCF/1985) UNKNOWN

POLLUTANT	PART	CAPACITY	VOC	CO	NOX	SOY	LEAD
REGULATION	C-12,444(1)	1,II,A,1	NO SPEC	C-12,444(1)	C-12,444(1)	C-12,444(1)	NO SPEC
DESIGN RATE (TON/HR)	150						
HR ALLOW EM (LB/HR)	13.4	20%		0.9	23.3	23.9	
YR ALLOW EM (TON/YR)	33.2			2.23	55.0	57.3	
ALLOW EM (LB/10E6 BTU)	NA			NA	NA	1.2	

YTD THRUPT (TONS CEMENT PROD)	103025		103025	103025	103025	103025
REFERENCE (J.PLOG)	3-05-006-13	INSP	SAME	SAME	SAME	SAME
EM FACTOR (LB/TON)	0	0	0	0	0	0
CONT FACTOR	0.999	0	0	0	0	0
YTD ACTUAL EM (TON)	0.000	0	0	0	0	0
ANNUAL MULTIPLIER (440000/103025)	4.24					
YR EST'D EM (TON)	0.000	0	0	0	0	0
YTD THRUPT (10E6 SCF GAS BURNED)	19.275		19.275	19.275	19.275	19.275

Quality as Received

REFERENCE (J.PLOG)	3-90-006-02	SAME	SAME	SAME	SAME	
EM FACTOR (LB/10E6 SCF)	0	0	35	148	0	
CONT FACTOR	0.999	0	0	0	0	
YTD ACTUAL EM (TON)	0.000	0.000	0.337	1.349	0.000	
ANNUAL MULTIPLIER (50/19.275)			2.59	2.59		
YR EST'D EM (TON)	0	0	0.874	3.495	0	
BTU VALUE (BTU/SCF)					991	
YTD HEAT INPUT (10E6 BTU/YR)					19101.525	
YTD THROUGH (TONS COAL BURNED)	1273	1273	1273	1273	1273	
REFERENCE (J.PLOG)	3-90-002-01	SAME	SAME	SAME	SAME	
EM FACTOR (LB/TON)	70	0	0.6	15	15.4	
% ASH	5.63					
% S					0.45	
CONTROL FACTOR	0.999	0	0	0	0	
YTD ACTUAL EM (TON)	0.251	0	0.382	9.540	4.411	
ANNUAL MULTIPLIER (7446/1273)	5.85		5.85	5.85	5.85	
YR EST'D EM (TON)	1.467	0	2.234	55.953	25.804	
BTU VALUE (BTU/LB)					10606	
YTD HEAT INPUT (10E6 BTU/YR)					2720.656	
YTD ACTUAL EM TOTAL (TONS)	0.251	0	0.719	10.897	4.411	
YR EST'D EM TOTAL (TON)	1.467	0	3.108	59.347	25.804	
YTD TIME FACTOR (HR/YR)	530		503	503	503	
HR ACTUAL EM (LB/HR)	0.947	0%	0	0.001	0.022	0.009
ACTUAL EM (LB/10E6 BTU)	NA	NA	NA	NA	3.243	
COMPLIANCE (3=YES;1=NO) HR	3	YES	NA	3	3	NA
YR	3		NA	1	1	3
BTU	NA		NA	NA	NA	1
REV APEN? (3=YES;1=NO)	NO		NO	NO	NO	NO
REFERENCE	3.II,8.2.b,ii					

COMMENTS:

1. FILE NAME: SWPCS_FA
2. NON-COMPLIANCE ACCORDING TO CALCS MAY BE DUE TO INACCURATE EM FACTORS OR TO INACCURATE "ANNUAL MULTIPLIERS"
3. IT IS ALSO WORTH NOTING THAT THE AMOUNT OF CEMENT PRODUCED YTD CAME FROM STOCKPILED CLINKER; SO CEMENT PRODUCTION CANNOT BE COMPARED DIRECTLY WITH FUEL CONSUMPTION FOR THE SAME TIME PERIOD.

10/10/90
10/10/90
10/10/90

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4200
 DATE: 5-21-85
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 20.5 HRS
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HRS
 ETS: 0.75 HR

EMS POINT #: 12
 EIS POINT ID: UNASSIGNED
 POINT NAME: SILICA SILOS
 HSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1981 ANNUAL THRUPT: 8,627 TONS
 OP'NAL SCHED: 24HRS/7DAY/47WKS/YR=7896HR/YR

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,I,a	1,II,A,1					
DESIGN RATE (TONS/HR)	4						
HR ALLOW EM (LB/HR)	8,480	20%					
YR THRUPT (TONS)	8627						
REFERENCE		INSP					
EM FACTOR	NONE ID'D						
CONT FACTOR							
YR ACTUAL EM (TONS)							
TIME FACTOR (HR/YR)							
HR ACTUAL EM (LB/HR)		0%					
COMPLIANCE	UNKNOWN	YES					
REV APEN?		NO					

COMMENTS

1. FILE NAME: SNEC1204

RECEIVED
 MAY 21 1985
 E. J. ...
 ...

Quality as Received

SW PORTLAND CEMENT CO., SOURCE 3
1984 EMISSION INVENTORY

EIS PT ID	NAME	POLLUTANT(TONS)		HC	VOC	CO	NOX	LEAD
		PART	SOx					
07	RTIR SLACK	50.852	654.614				539.655	
	RAW MTL CRUSHERS	121.510						
06	LIMESTONE DRYER	13.294	0.049		0.114	3.240	44.661	
	A-FRAME & CLINKER STORAGE							
05	SITE FUG DUST	36.750						
	COAL HANDLING	0.001						
04	QUARRIES	57.750						
01	CLINKER COOLER	0.200						
	HOMOGENIZING SILOS							
10	FIN PRODUCTS SILOS	0.058						
11	MILL BUILDING	7.715						
	SILICA SILOS							
	TOTAL	289.128	654.663		0.114	3.240	584.316	

COMMENTS:

1. FILE NAME: SWPC_84

SWPC_84
1984
Emissions
1984

Key Punch Data:	County				S c c		Emission		Action		Date			Agency/	
	Number				Number		Point #		Type	Mo	Day	Yr	Indiv. ID		
Line 1	101101	012101	1100131	010101	1912171	11124	10152118151	10101	11	80					
	2	3	4	7	8	12	13	15	16	18	52	54	59	66	68
	(1-12)														
	Compliance Status														
Line 2	(Dup. cols. 1-15 from Line 1)								1010151	131	101				
									16	18	78	80			

(NOTE: Columns not shown must be left blank)
 (Do not punch Line 2 if column 78 is blank)

Quality as Received

Company: Southwestern Portland Cement Company
 Site Location: Lyons, CO
 Contact Person: Sam Angelo
 Telephone No.: 534-4206

Inspected by: G. Mathews
 County: Boulder
 Time: 9:00 - 11:45
 EIS Update: Attached
20.5 Hrs.* Permit No. See


Inspection: Routine ☒ Complaint ☐ FA ☐
 Emission Points Subject to NSPS: limestone dryer and clinker cooler Compliance worksheets

Annual inspection per 1985 APCD Contract. Pre-arranged inspection.
 Toured entire plant, except quarries, and obtained 1984 production data;
 also performed Start-up inspection on limestone dryer (see separate report).

Kiln stack. No changes to report. See Compliance Worksheet.

- Materials handling and crushing. No operational changes to report. See Compliance Worksheet; please check appropriateness of calculations for raw materials unloading, raw materials piles, and raw materials transfer. Note that no emission factors are listed in SCC Code Book for secondary crushing operations.

A Revised APEN is needed for this point to reflect change of ownership.



Southwestern Portland Cement Co.
5. 1-85 inspection report continued.

Quality as Received

3. Limestone dryer. Modifications for coal fuel have been completed. See F.A. Inspection Report for this date. Also see Compliance Worksheet for 1984 data.

4. A-Frame and clinker storage. A-frame is supposed to be totally enclosed. As required from previous inspections, curtains were outfitted on north and south access doors. At the time of this inspection, only the north door curtain was in place. Curtains were stated to require replacement 3-4 times per year because the front loaders tear them up when they go in and out of doors.

With each inspection I see more and more clinker stored outside. Now in addition to the imported Utah clinker, I was informed that Lyons produced clinker is also stored outside. Maximum outside storage was said to be 40,000 tons in the winter.

Outside stored clinker is introduced into the processing system on the south side of the A-frame where a front loader drops clinker into an outside hopper. The clinker then enters the A-frame conveying system. Occasionally when space allows, the front loader takes clinker directly into the A-frame. At this time there was no loading activity, so I cannot verify opacities at this transfer point. It has been an observed problem in the past. Mr. Angelo stated that this was due to a small crusher previously positioned here, but I can't verify that this was only cause.

An Emission Permit for outside clinker storage was submitted 10-8-84.

Southwestern Portland Cement Co.

5-21-85 inspection report continued.

5. Site Fugitive Dust. At this time only water, no chemicals, is used for roadway dust control. Site is routinely swept and vacuumed. See Compliance Worksheet.
6. Coal Handling. No changes to report. See compliance worksheet.
7. Quarries. An inspection of the quarries was not made during this visit. See Compliance Worksheet.

Mining of the main contiguous property is still occurring. Although requested in past, SW Portland has not filed a Revised APEN (change of ownership) and Dust Control Plan.

Soil stripping and preliminary mining exploration for two new pits south of main property, south of Hygiene Road had commenced at time of the 1984 inspection. At that time the need for Permits was explained. Applications were never filed.

At this inspection I have been informed that SW Portland has exchanged this property for one north of plant, north of Ute Hwy. These older properties will be reclaimed. I have asked for a "land development" dust control plan for these properties south of Hygiene Road to address the reclamation phases. The topic of Permits will not be pursued.

8. Clinker cooler. The addition of the heat exchanger and baghouse was reported at the last inspection. No changes to report; see Compliance Worksheet.

Occasional dumping of hot clinker continues to be a problem. The hot clinker is dumped into bay which has

Southwestern Portland Cement Co.

1-85 inspection report continued.

a large open side for accessibility to frontloaders. At time of insp., opacity at door was estimated at 30% ; dumping of hot clinker was occurring.

The problem occurs because hot air from the clinker cooler is used to dry the coal in the nearby coal mill. The coal system itself feeds into the kiln system which can take a limited air flow. When the clinker is too hot, the increased air volumes back to the kiln through the coal system cannot be accommodated. Then the hot clinker is dumped, not cooled.

The proposed solution is the addition of a separate baghouse and stack onto the coal mill so that the kiln would not have to take the increased air flows. No modifications would occur before 1986, when modifications to the kiln will take place.

Revised APEN is needed for this point to show change of owner.

9. Homogenizing silo

10. Finished products silos

11. Mill building

12. Silica silos

No changes in these points.

See Compliance Worksheets.

Status: In compliance, with following exceptions

Mtls. handling and crushing - need revised APEN

Outside clinker storage - need Permit

Quarries - need revised APEN and dust control plans

Clinker cooler - need revised APEN

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

Quality as Received

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BDBR 0220
 CONTACT: SAM ANGELU
 TELEPHONE: 534-4206
 DATE: 5-21-85
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 20.5 HR
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HR
 EIS: 0.75 HR

EMS POINT #: 1
 EIS POINT ID: 07
 POINT NAME: KILN STACK
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1984 ANNUAL THRUPUT:

PERMIT: C-12,444(2)
 CONTROL EQUIP: BAGHOUSE

KILN FEED: 712,760 TONS
 CLINKER PRODUCED: 393,478 TONS
 CEMENT PRODUCED FROM 1 TONS CLINKER: 415,119 TONS (EST)
 COAL BURNED: 83,195 TONS (0.45% SULFUR; 5.63% ASH; 10,686 BTU/LB)
 #2 OIL BURNED: 662,034 GAL (0.41% SULFUR (1983 FIGURE); 143,000 BTU/GAL)
 GAS BURNED: 90,862,000 SCF (991 BTU/SCF)
 6988 HR/YR

OPERATIONAL SCHEDULE:

POLLUTANT	PART	CAPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	C-12,444(2)	1,II,A,1	NO SPEC	NO SPEC	NO SPEC	C-12,444(2)	
DESIGN RATE (TON/HR)	102						
HR ALLOW EM (LB/HR)	27	20%					
YR ALLOW EM (TON/YR)	102					851	
ALLOW EM (LB/TON FEED TO KILN)	0.3						
ALLOW EM (LB/1006 BTU)						1.2	

YR THRUPUT (TONS OF CEM PROD)	415119			415119	415119
REFERENCE	3-05-006-06	INSP		3-05-006-06	3-05-006-06
EM FACTOR (LB/TON)	245		0	0	2.6
CONT FACTOR	0.999				0
YR ACTUAL EM (TONS)	50.852				539.655
TIME FACTOR (HRS/YR)	6988				
HR ACTUAL EM (LB/HR)	14.554	0%			

KILN FEED (TON) 712760
 ACTUAL EM (LB/TON FEED TO KILN) 0.145

YR THRUPUT (TONS COAL BURNED)
 REFERENCE
 EM FACTOR (LB/TON)
 %S
 CONT FACTOR
 YR ACTUAL EM (TON)
 BTU VALUE (1006 BTU/TON)
 YR HEAT INPUT (1006 BTU)

83195
 3-90-002-01
 26
 0.45
 0.75
 121.673
 21.372
 1778043.54
 662.034

YR THRUPUT (1006 GAL BURNED)

Quality as Received

REFERENCE			3-90-004-02
EM FACTOR (LB/10E3 GAL)			100
XS			0.41
CONT FACTOR			0.75
YR ACTUAL EM (TON)			5.664
BTU VALUE (10E6 BTU/GAL)			0.143
YR HEAT INPUT (10E6 BTU)			94670.862
YR THRUPUT (10E6 SCF BURNED)			98.062
BTU VALUE (BTU/SCF)			991
YR HEAT INPUT (10E6 BTU)			97972.242
YR ACT EM TOTAL (TONS)	50.852	539.655	654.514
YR HEAT INPUT TOTAL (10E6 BTU)			1970006.644
YR ACTUAL EM (LR/10E6 BTU)			0.664
COMPLIANCE (3=YES;1=NO) YR	3	YES	3
HR	3		NA
FEED	3		NA
BTU	NA		3
REV APEN? (3=YES;1=NO)	1		1
REFERENCE	3.II.B.2.b.ii		3.II.B.2.b.iv

COMMENTS:

1. FILE NAME: SWPC1_04

5-11-03
 3-11-03
 4-11-03
 5-11-03

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

Quality as Received

SOURCE NUMBER: 3
SOURCE NAME: SH PORTLAND CEMENT CO
LOCATION: LYONS
COUNTY: BLDR 0220
CONTACT: SAM ANGELO
TELEPHONE: 534-4206
DATE: 5-21-85
TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
ACTION TYPE: 12
INSPECTOR: G. MATHEWS
HRS REQUIRED: 20.5 HRS
PREPARATION: 1.25 HRS
TRAVEL: 0.75 HR
INSPECTION: 2.75 HRS
WRITE UP: 15.0 HRS
EIS: 0.75 HR

EMS POINT #: 2
EIS POINT ID: UNASSIGNED
POINT NAME: RAW MTL CRUSHERS
NSPS REG?: NO
NESHAPS REG?: NO
PSD REG?: NO
1984 ANNUAL THRUPUT:
OP'NAL SCHED:

PERMIT: GRANDFATHERED
CONTROL EQUIPMENT: BAGHOUSES

801,082 TONS
5653 HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,111,C,1,6	1,11,A,1					
DESIGN RATE (TONS/HR)	200						
HR ALLOW EM (LB/HR)	40,407	20%					

YR THRUPUT (TONS)	801082						
REFERENCE	3-05-006-09	INSP					
EM FACTOR (LB/TON)	0.5						
CONT FACTOR	0.994						
YR ACTUAL EM (TONS)	0.200						
TIME FACTOR (HR/YR)	5653						
HR ACTUAL EM (LB/HR)	0.071	UNKNOWN					

COMPLIANCE (3=YES;1=NO)	3	UNKNOWN
REV APEN?	YES	

EMS POINT #: 2
POINT NAME: RAW MATERIALS UNLOADING
1984 ANNUAL THRUPUT:
OP'NAL SCHED:

PERMIT: GRANDFATHERED
CONTROL EQUIP: NONE
801,082 TONS
5653 HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,11,4,1					
HR ALLOW EM		20%					

YR THRUPUT (TONS)	801082						
REFERENCE	3-05-006-07						
EM FACTOR (LB/TON)	0.2						
CONT FACTOR	0						
YR ACTUAL EM (TONS)	80,1082						
HR ACTUAL EM		(20%)					

COMPLIANCE	NA	YES
------------	----	-----

EMS POINT #: 2
POINT NAME: RAW MATERIALS PILES

PERMIT: GRANDFATHERED
CONTROL EQUIP: NONE

APPROVED
DATE: 5-21-85
BY: G. MATHEWS

Quality as Received

1984 ANNUAL THRUPT:
OPTMAL SCHED:

EST 20,000 TONS
5653 HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,111,0,2,0					
HR ALLOW EM		20% % NO					
		OFF-PROP					

YR THRUPT (TONS IN PILES)	20000
REFERENCE	3-05-006-08
EM FACTOR (LB/TON)	4
CONT FACTOR	0
YR ACTUAL EM (TONS)	40
HR ACTUAL EM	0% & NO
	OFF PROP

COMPLIANCE	NA	YES
------------	----	-----

EMS POINT #: 2
POINT NAME: RAW MATERIALS TRANSFER

PERMIT: GRANDFATHERED
CONTROL EQUTP: TOTALLY ENCLOSED
W/ NEG PRESSURE TO BAGHOUSE

1984 ANNUAL THRUPT:
OPTMAL SCHED:

801,082 TONS
5653 HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,111,A,1					
HR ALLOW EM		20%					

YR THRUPT (TONS)	801082
REFERENCE	3-05-006-12
EM FACTOR (LB/TON)	0.5
CONT FACTOR	0.99
YR ACTUAL EM (TONS)	1.2016
HR ACTUAL EM	0-5%

COMPLIANCE	NA	YES
------------	----	-----

YR ACTUAL EM TOTAL (TONS)	121.510
---------------------------	---------

COMMENTS:

1. FILE NAME: SWPC2_04
2. REV AFEN NEEDED DUE TO CHANGE OF OWNERSHIP
3. CRUSHERS WERE NOT OPERATING DURING INSPECTION

RECEIVED
JAN 15 1985
FACILITY # 1000

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: ELDER 0220
 CONTACT: SAM ANGELA
 TELEPHONE: 534-4206
 DATE: 5-21-85
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 20.5 HRS
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HRS
 EIS: 0.75 HR

EMS POINT #: 3
 EIS POINT ID: 06
 POINT NAME: LIMESTONE DRYER
 NSPS REG?: YES: 6.F, IV
 NESHAPS REG?: NO
 PSD REG?: NO
 1994 ANNUAL THRUPT:

PERMIT: C-12,444(1)
 CONTROL EQUIP: BAGHOUSE

CLINKER PRODUCED: 393,478 TONS
 CEMENT PRODUCED FROM LYONS CLINKER: 415,119 TONS (EST)
 GAS BURNED: 162,402,000 SCF
 #201L BURNED: 0
 5653 HR/YR

OPT'NAL SCHED:

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	C-12,444(1)	1,11,A,1	NO SPEC	NO SPEC	NO SPEC	C-12,444(1)	NO SPEC
DESIGN RATE (TON/HR)	150						
HR ALLOW EM (LB/HR)	64	20%					
YR ALLOW EM (TON/YR)	144						
ALLOW EM (LB/1006 BTU)						0.8	

YR THRUPT (TONS CEMENT PROD)	415119						
REFERENCE	3-05-006-13	INSP					
EM FACTOR (LB/TON)	64						
CONT FACTOR	0.999						
YR ACTUAL EM (TON)	13.284						

YR THRUPT (1006 SCF GAS BURNED)	162.402	162.402	162.402	162.402	162.402
REFERENCE	1-02-006-01	SAME	SAME	SAME	SAME
EM FACTOR (LB/1006 SCF)	3	1.4	40	550	0.6
CONT FACTOR	0.999	0	0	0	0
YR ACTUAL EM (TON)	1.000	0.114	3.248	44.661	0.049
BTU VALUE (BTU/SCF)					1050
YR HEAT INPUT (1006 BTU/YR)					170522.1

YR ACTUAL EM TOTAL (TONS)	13.284	0.114	3.248	44.661	0.049
---------------------------	--------	-------	-------	--------	-------

TIME FACTOR (HR/YR)	5653				
HR ACTUAL EM (LB/HR)	1.700	5%			

COMPLIANCE (3=YES;1=NO) HR	3	YES	NA	NA	NA	NA	NA
YR	3						

REV AREN? (3=YES;1=NO)	1						
REFERENCE	3,11,8,2,b,11						

COMMENTS:

APPROVED
 5/21/85
 G. MATHEWS

Quality as Received

1. FILE NAME: SWPC3.R4
2. SO2 EM LIMIT APPLIES TO OIL BURNING ONLY

RECEIVED
JAN 10 1983
FBI - NEW YORK

Quality as Received

Quality as Received

ATE POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: NW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDG 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 5-21-85
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 20.5 HRS
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HRS
 ETS: 0.75 HR

EMS POINT #: 4
 ETS POINT ID: UNASSIGNED
 POINT NAME: A-FRAME AND
 CLINKER STORAGE

PERMIT: NONE
 CONTROL EQUIP: NONE

1983 ANNUAL THRUPTUT: NA
 OP'NAL SCHED: 24HRS//DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,II,A,1					
		1,III,D,2,c					

DESIGN RATE
 HR ALLOW EM 20% & NO
 YR ALLOW EM OFF PROP

YR THRUPTUT
 REFERENCE INSP
 EM FACTOR
 CONT FACTOR
 YR ACT EM
 TIME FACTOR
 HR ACT EM (20% & NO
 OFF PROP
 COMPLIANCE YES
 REV APEN?

COMMENTS:

1. FILE NAME: SHPCA.R4
2. CLINKER MADE BOTH AT LYONS AND UTAH IS NOW STORED OUTSIDE
3. APPLICATION FOR OUTSIDE CLINKER STORAGE HAS BEEN MADE (10-9-84)
4. A-FRAME SOUTH DOOR W/O CURTAIN ENCLOSURE; SAID TO HAVE BEEN REPLACED SEVERAL TIMES
5. TRANSFER OF MTL BY FRONTLOADER INTO OUTSIDE HOPPER NOT OBSERVED

RECEIVED
 5/21/85
 8:11 AM
 100

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0020
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 5-21-85
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 20.5 HRS
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HRS
 EIS: 0.75 HR

EMS POINT #: 5
 EIS POINT ID: 05
 POINT NAME: SITE FUGITIVE DUST
 1983 ANNUAL THRUPT:
 OPTMAL SCHED:

PERMIT: NONE
 CONTROL: FREQ WATER
 49000 VMT
 24HRS/7DAY/47WKS/YR=7096HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,111,0,2,e					
DESIGN RATE							
HR ALLOW EM		NO OFFPROP					
YR ALLOW EM							

YR THRUPT (VMT)	49000
REFERENCE	3-05-020-11 INSP
EM FACTOR (LB/VMT)	3
CONT FACTOR	0.5
YR ACTUAL EM (TON)	36.75

HR ACT EM	NO OFFPROP
-----------	------------

COMPLIANCE	NA	YES
REV APEND		

COMMENTS:

1. FILE NAME: SWPCS_84
2. 5 TRUCKS; 824 MILES/TRUCK/MO

RECEIVED
 MAY 27 1985
 824 MILES/TRUCK/MO

ATR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

Quality as Received

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 5-21-05
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHENS
 HRS REQUIRED: 20.5 HRS
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HRS
 EIS: 0.75 HR

EMS POINT #: 6
 EIS POINT ID: UNASSIGNED
 POINT NAME: COAL HANDLING
 NSPS REG?: NO
 MESHAPS REG?: NO
 PSD REG?: NO
 1983 ANNUAL THRUPUT:
 OPT'AL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

COAL BURNED: 83,195 TONS
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1.a	1,II,A,1					
DESIGN RATE (TON/HR)	13						
HR ALLOW EM (LB/HR)	17.609	201					

YR THRUPUT (TONS)	83195
REFERENCE	3-05-010-10 NO INSP
EM FACTOR (LB/TON)	0.02
CONT FACTOR	0.999
YR ACTUAL EM (TONS)	0.001
TIME FACTOR (HR/YR)	7896
HR ACTUAL EM (LB/HR)	1.000 UNKNOWN

COMPLIANCE (3=YES;1=NO)	3 UNKNOWN
REV APEN?	NO

COMMENTS:
 1. FILE NAME: SWPC6.84

RECEIVED
 MAY 25 2005
 10:00 AM

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

Quality as Received

SOURCE NUMBER: 3
SOURCE NAME: SM PORTLAND CEMENT CO
LOCATION: LYONS
COUNTY: BLER 0220
CONTACT: SAM ANGELIO
TELEPHONE: 534-4204
DATE: 5-21-05
TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
ACTION TYPE: 12
INSPECTOR: G. MATHEWS
HRS REQUIRED: 20.5 HRS
PREPARATION: 1.25 HRS
TRAVEL: 0.75 HR
INSPECTION: 2.75 HRS
WRITE UP: 15.0 HRS
EIS: 0.75 HR

ENS POINT #: 7
EIS POINT ID: 4
POINT NAME: QUARRIES
NSPS REG?: NO
NESAPS REG?: NO
PSD REG?: NO
1984 ANNUAL THRUPT:
OP'NAL SCHED:

PERMIT: GRANDFATHERED
CONTROL EQUIP: NONE

ROCK BLASTED: 721,881 TONS
24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,111,2,d					
DESIGN RATE							
HR ALLOW EM		20% and					
		NO OFFPROP					

YR THRUPT (TONS)	721881
REFERENCE	3-05-020-09 INSP
EM FACTOR (LB/TON)	0.16
CONT FACTOR	0
YR ACTUAL EM (TONS)	57.750

HR ACTUAL EM	UNKNOWN
--------------	---------

COMPLIANCE	NA	UNKNOWN
REV APEN?		NO

COMMENTS:
1. FILE NAME: SWPC7_84

RECEIVED
MAY 25 2005
FILE

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

Quality as Received

SOURCE NUMBER: 3
SOURCE NAME: SW PORTLAND CEMENT CO
LOCATION: LYONS
COUNTY: BLDR 0220
CONTACT: SAM ANGELLO
TELEPHONE: 534-4206
DATE: 5-21-85
TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
ACTION TYPE: 12
INSPECTOR: G. MATHEWS
HRS REQUIRED: 20.5 HRS
PREPARATION: 1.25 HRS
TRAVEL: 0.75 HR
INSPECTION: 2.75 HRS
WRITE UP: 15.0 HRS
EIS: 0.75 HR

EMS POINT #: 0
EIS POINT ID: 01
POINT NAME: CLINKER COOLER
NPS REG?: YES: 6,IV,C,2,a & b
NESHAPS REG?: NO
PSD REG?: NO
1984 ANNUAL THRUPUT:

PERMIT: GRANDFATHERED
CONTROL EQUIP: BAGHOUSE

OP'NAL SCHED:

KILN FEED: 712,760 TONS
CEMENT PRODUCED FROM LYONS CLINKER: 415,119 TONS (EST)
CLINKER PRODUCED: 393,478 TONS
24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	6,IV,C,2,a	6,IV,C,2,b					
DESIGN RATE							
HR ALLOW EM			10%				
ALLOW EM (LB/TON FEED TO KILN)	0.1						
YR THRUPUT (TONS CEMENT PROD)	415119						
REFERENCE	EIS SHEET	TNSP					
EM FACTOR (LB/TON)	1						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	0.208						
KILN FEED (TONS)	712760						
ACTUAL EM (LB/TON FEED TO KILN)	0.001						
HR ACTUAL EM		0%					
COMPLIANCE (3=YES;1=NO)	3	YES					
REV APEN?		YES					

COMMENTS:

1. FILE NAME: SWPCO_84
2. REV APEN NEEDED FRO CHANGE OF OWNERSHIP
3. DUMPING OF HOT CLINKER STILL A PROBLEM: SEE INSPECTION NARRATIVE

RECEIVED
MAY 21 1985
E. J. M. JONES
APPROVED

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

Quality as Received

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELU
 TELEPHONE: 534-4206
 DATE: 5-21-85
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 20.5 HRS
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HRS
 EIS: 0.75 HR

EMS POINT #: 9
 EIS POINT ID: UNASSIGNED
 POINT NAME: HOMOGENIZING SILOS
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1984 ANNUAL THRUPTUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 UNKNOWN
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1.III,C.1,b	1.II,A,1					
DESIGN RATE (TON/HR)	120						
HR ALLOW EM (LB/HR)	37.256	20%					

YR THRUPTUT
 REFERENCE
 EM FACTOR
 CONT FACTOR
 YR ACT EM
 TIME FACTOR
 HR ACT EM

NONE ID'D
 INSP
 0%

COMPLIANCE
 REV APEND

YES

COMMENTS:
 1. FILE NAME: SWPC9_04

6-11-85
 11:45 AM
 G. MATHEWS
 534-4206

Quality as Received

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SH PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAN ANGELO
 TELEPHONE: 534-4206
 DATE: 5-21-85
 TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: 20.5 HRS
 PREPARATION: 1.25 HRS
 TRAVEL: 0.75 HR
 INSPECTION: 2.75 HRS
 WRITE UP: 15.0 HRS
 EIS: 0.75 HR

EMS POINT #: 10
 EIS POINT ID: 10
 POINT NAME: FINISHED PRODUCTS
 SILOS

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1984 ANNUAL THRUPUT:

TOTAL CEMENT PRODUCED: 482,210 TONS

OP'NAL SCHED: 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,111,C,1,6	1,11,A,1					
DESIGN RATE (TON/HR)	85						
HR ALLOW EM (LB/HR)	35.237	20%					
YR THRUPUT (TONS)	482210						
REFERENCE	3-05-006-19	INSP					
EM FACTOR (LB/TON)	0.24						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	0.058						
TIME FACTOR (LB/YR)	7896						
HR ACTUAL EM (LB/HR)	0.015	0%					
COMPLIANCE (3=YES;1=NO)	3	YES					
REV APEN?	NO						

COMMENTS:
 1. FILE NAME: SHPCIG84

RECEIVED
 MAY 23 1985
 AIR POLLUTION CONTROL DIVISION
 TEXAS DEPARTMENT OF ENVIRONMENTAL QUALITY

Quality as Received

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
SOURCE NAME: SW PORTLAND CEMENT CO
LOCATION: LYONS
COUNTY: BLDR 0220
CONTACT: SAM ANGELLO
TELEPHONE: 571-4206
DATE: 5-21-85
TIME: 9:00-11:45AM

INSPECT TYPE: ANNUAL
ACTION TYPE: 12
INSPECTOR: G. MATHEWS
HRS REQUIRED: 20.5 HRS
PREPARATION: 1.25 HRS
TRAVEL: 0.75 HR
INSPECTION: 2.75 HRS
WRITE UP: 15.0 HRS
ETS: 0.75 HR

Quality as Received

EMS POINT #: 11
ETS POINT ID: 11
POINT NAME: MILL BUILDING
NSPS REG?: NO
NESRAHS REG?: NO
FSD REG?: NO
1984 ANNUAL THRUPT:
OPT'AL SCHED:

PERMIT: GRANDFATHERED
CONTROL EQUIP: BAGHOUSE

TOTAL CEMENT PRODUCED: 482,210 TONS
24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,I,b	1,II,A,!					
DESIGN RATE (TON/HR)	85						
HR ALLOW EM (LB/HR)	35.237	20%					
YR THRUPT (TONS)	482210						
REFERENCE	3-05-006-17	INSP					
EM FACTOR (LB/TON)	32						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	7.7154						
TIME FACTOR (HR/YR)	7896						
HR ACTUAL EM (LB/HR)	1.954	0%					
COMPLIANCE (3=YES;1=NO)	3	YES					
REV APEN?	NO						

COMMENTS:
1. FILE NAME: SWPC1104

RECEIVED
MAY 21 1985
EPA
REGION 4
ATLANTA