

A/P POLLUTION CONTROL - FIELD INSPECTION WORK SHEET

File
Southwestern
Cement
Boulder
APCD

Key Punch Data:	County	Source	Emission	Action	Date			Agency/
	Number	Number	Point #	Type	Mo	Day	Yr	Indiv. ID
Line 1	1011101	1021201	10101	1019171	1/12	10181051816	10101	
	1	2	13	16	18	52	54	59
			1-12					
Line 2	(Dup. cols. 1-15 from Line 1)			1010151	1/1		101	
				16	18	78	00	

Compliance Status

(NOTE: Columns not shown must be left blank)
(Do not punch Line 2 if column 78 is blank)

Company: <u>Southwestern Portland Cement Co.</u>	Inspected by: <u>G. Mathews</u>
Site Location: <u>Lyons</u>	County: <u>Boulder</u>
Contact Person: <u>Sam Angelo</u>	Time: <u>1:45 - 3:45 pm</u>
Telephone No.: <u>534-4206</u>	EIS Update: <u>Attached Not done</u>
Inspection: Routine ☒ Complaint ☐ FA ☐ est. <u>8</u> Hrs.* Permit No. <u>C-12,444</u>	
Emission Points Subject to NSPS: <u>limestone dryer + clinker cooler</u>	

Annual inspection per 1986 APCD Contract
Prearranged inspection.

RECEIVED

1 tour of the plant was taken, including the quarries. 985 operations report was obtained. See attached.

OCT 16 1987

STATIONARY SOURCES
APCD

1. Kiln stack: 0% opacity, at time of inspection. burning natural gas. High opacities have not been observed in recent years from this point.

C-12,444(2) Final Permit has never been issued pending stack tests and demonstration of emission reductions.

2. Materials handling and crushing. A new primary crusher has been installed along with new skirting and hopper. At this time the feed was pretty wet. No fugitive dust was observed. Opacity from the primary crusher baghouse was 0%.

3. Limestone dryer: Operating on gas at the time of inspection, 0% opacity.

C-12,444 (1) Final Permit has not been issued.

4. A-Frame and clinker storage.

a. A-Frame: Curtains were in place on both north and south doors.

About 30,000 T stored in A-frame. No improvement have been made on south hopper, but did not see drop here.

Continued.

Southwestern Portland Cement Co., Source No. 3

-5-86 inspection report continued.

4.b. Outside clinker storage : Emission Permit 84 BO 369F
Final Approval 9-18-86

4 piles of clinker 2 @ ~ 30' x 30' x 10' (height)

2 @ ~ 300' x 50' x 20' (height)

total outside clinker : est. 40,000 T (per SW Portland)

Fugitive particulate emission control plan being observed.

5. Site fugitive dust : Facility is well swept.

6. Coal silo and mill : No changes ; not in use at time
of inspection.

RECEIVED

OCT 16 1987

STATIONARY SOURCES
APCO

7. Quarries : Water truck was seen on haul roads. At this time, company is mostly moving rock around in the pits. Most limestone is coming from Larimer County quarry. 20 mph speed limit was posted. The southwest pit was being rebuilt for the canal diversion. Some mining was being done in east pit. Company plans to mine south of Hygiene Road. Did not observe drill rig in op'n.

Still need Rev APEN (change of ownership) and dust control plan for quarries n. of Hygiene Road ; and need Permit application, APEN, and control plan for quarry s. of Hygiene Road.

Southwestern Portland Cement Co., Source No. 3

8-5-86 inspection report continued

8. Clinker cooler : 0% opacity at exhaust. Hot clinker drop chute / bay still has an excessive fugitive dust problem
9. Homogenizing silo. No changes to report.
10. Finished products silo. 0% opacity, as observed from ground.
11. Mill building. 0% opacity.
12. Silica silos. 0% opacity observed during loading process. With baghouse on top of silo, this was somewhat difficult to observe. Sand usually comes from Loukonen Bros. quarry. However, at this time silica is being brought in from Fort Collins
13. Waste kiln dust silo. 0% opacity: dust collector. At the time of observation a truck was loading. Flaps were on loading doors. Steam emitted from doors. Some crusting of kiln dust on door frames.
13. Plant operates 24 hrs/day, 7 days/week. Company strives for only 15% down time. In 1985, company was not operating 55 days.

RECEIVED

OCT 16 1987

Status: Not in compliance

1. Clinker cooler - hot dumping into outside bay; ^{STATIONARY SOURCES} excessive dust emissions.
2. Quarries - need APENs and Permit applications
3. Limestone dryer - exceeded limestone and nat. gas limits
4. A-Frame - possible excess emissions at outside hopper
5. C-12,444 (1,2) are still outstanding.

Bill
9-22-87

OPERATIONS REPORT - LYONS PLANT

MONTHLY

YEAR-TO-DATE

Drill Ft: 6,184 Hrs: 84.0 Ft/Hr: 73.6 Ft: 80,789 Hrs: 1300.0 Ft/Hr: 62.1
 Stripping Tons: 82,841 Tons: 1,496,072

744					8760			
CRUSHING:	TONS	HOURS	TONS/HR.	% OPER.	TONS	HOURS	TONS/HR.	% OPER.
Ht. Cat. R#1	44,497	306.0	145.4	41.1	[REDACTED]	2605.0	146.0	29.8
4i. Cem. R#3	26,078	179.0	145.7	24.0	[REDACTED]	1747.0	145.8	19.9
Lo Cem. R#3-4	320	2.0	160.0	0.3	[REDACTED]	558.5	146.2	6.4
Weathered	13,617	97.0	140.4	13.0	[REDACTED]	870.5	144.1	9.9
R. #4	-	-	-	-	841,962	5781.0	-	-
Silica	1,024	8.0	128.0	1.1	[REDACTED]	83.5	126.3	1.0
Gypsum	497	5.0	99.4	0.7	[REDACTED]	281.0	100.5	3.2
Iron	1,164	8.0	145.5	1.1	[REDACTED]	53.0	147.5	0.6
TOTALS	87,197	605.0	144.1	81.3	888,580	[REDACTED]	143.4	[REDACTED]
DRYER	87,197	605.0	144.1	81.3	888,580	6198.5	143.4	70.8
RAW GRIND MILL	73,398	641.0	114.5	86.2	[REDACTED]	[REDACTED]	121.1	[REDACTED]
CLIN <i>clinker prod.</i>	42,002	723.0	58.1	97.2	444,808	[REDACTED]	59.1	[REDACTED]
FINISH MILL:								
LA	1,851	18.0	102.8	2.4	150,706	1487.0	101.4	17.0
LI	2,435	23.5	103.6	3.1	175,367	1719.5	102.0	19.6
LD	2,252	22.0	102.4	3.0	8,049	88.5	91.0	1.0
LS G	1,453	30.5	47.6	4.1	51,748	508.0	101.9	5.8
LI CT	-	-	-	-	30,808	666.5	46.2	7.6
LI CT	-	-	-	-	5,915	98.5	60.0	1.1
TOTALS	7,991	94.0	85.0	12.6	422,593	[REDACTED]	92.5	[REDACTED]

Equiv. Prod: .85x 42,002 + .15x 7,991 = 36,900 Tons .85x 444,808 + .15x 422,593 = 441,476 Tons

POWER:		KWH: 5,697,000		COST/KWH: 0.054		KWH: 75,231,000		COST/KWH: 0.050	
		COST: 304,843.64		COST/EQ.TON: 8.26		COST: 3,732,009.75		COST/EQ.TON: 8.45	
		992	140,000	10,548		1005	140,000	10,703	
FUEL:		GAS MCF	OIL/GAL	COAL/TONS	BTU/TON	1005	140,000	10,703	BTU/TON
DRYER		6,180	-	390	164,662	52,103	-	4,005	155,410
CLIN		17,033	-	9,797	5,322,943	72,372	115,109	96,895	4,862,735
TOTALS		23,213	-	10,187	5,664,784	124,475	119,109	100,895	5,173,194

MANHOURS:					MANHOURS:				
No.	Hours	Hrs.Pd.	Total	Man Hrs/	No.	Hours	Hrs.Pd.	Total	Man Hrs/
Emp.	Worked	Not Worked	Hours	Equiv.T.	W.	Not Worked	Hours	Equiv.T.	
Hourly 88 + 2 temp	13,563	2,059	15,622	.42	18	22,691		208,933	.47
Staff 44	-	-	7,540	.21	-	-	-	89,635	.20
TOTALS 132 + 2 temp	-	-	23,162	.63	-	-	-	298,568	.67

SALES:	MONTHLY	YEAR-TO-DATE
LA	6,165	157,839
I	0	0
I	6,232	181,584
	25	7,041
	0	0
I JD	3,095	52,544
PRODUCT	1,569	30,998
IASONS	290	6,048
Other	1	94
TOTALS	17,377	436,149

SAFETY:	MONTHLY	YEAR-TO-DATE
First Aid	RECEIVED	150
Doctor Cases	4	20
Lost Time Accidents	3	5
Days since last lost time accident	1081 11 8 1987	21
STATIONARY SOURCES	21	21
Manager of Operations		

MONTH: DECEMBER 1985

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: 01
 POINT NAME: CLINKER COOLER
 NSPS REG?: YES: 6,IV,C,2,a & b
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

KILN FEED: 784,705 TONS
 CEMENT PRODUCED FROM LYONS CLINKER: 422,593 TONS (EST)
 CLINKER PRODUCED: 444,808 TONS
 24HRS/7DAY/47WKS/YR=7896HR/YR

OP'NAL SCHED:

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	6,IV,C,2,a	6,IV,C,2,b					
DESIGN RATE							
HR ALLOW EM		10%					
ALLOW EM (LB/TON FEED TO KILN)	0.1						
YR THRUPUT (TONS CEMENT PROD)	444808						
REFERENCE	EIS SHEET	INSP					
EM FACTOR (LB/TON)	1						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	0.222						
KILN FEED (TONS)	712760						
ACTUAL EM (LB/TON FEED TO KILN)	0.001						
HR ACTUAL EM		0%					
COMPLIANCE (3=YES;1=NO)	3	YES					
REV APEN?		YES					

COMMENTS:

1. FILE NAME: 3_1_85
2. DUMPING OF HOT CLINKER STILL A PROBLEM; SEE INSPECTION NARRATIVE

RECEIVED

OCT 16 1987

STATIONARY SOURCES
 APCD

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-5-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: UNASSIGNED, 02
 POINT NAME: RAW MTL PRIMARY CRUSHER
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIPMENT: BAGHOUSES

841,962 TONS
 5781 HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1,b	1,II,A,1					
DESIGN RATE (TONS/HR)	200						
HR ALLOW EM (LB/HR)	40.407	20%					
YR THRUPUT (TONS)	841962						
REFERENCE	3-05-006-09	INSP					
EM FACTOR (LB/TON)	0.5						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	0.210						
TIME FACTOR (HR/YR)	5653						
HR ACTUAL EM (LB/HR)	0.074	UNKNOWN					
COMPLIANCE (3=YES;1=NO)	3	UNKNOWN					
REV APEN?	YES						

EIS POINT ID: UNASSIGNED, 02
 POINT NAME: RAW MTL SECONDARY CRUSHER
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIPMENT: BAGHOUSES

841,962 TONS
 5781 HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1,b	1,II,A,1					
DESIGN RATE (TONS/HR)	200						
HR ALLOW EM (LB/HR)	40.407	20%					
YR THRUPUT (TONS)	841962						
REFERENCE	3-05-006-09	INSP					
EM FACTOR (LB/TON)	1.5						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	0.631						
TIME FACTOR (HR/YR)	5653						
HR ACTUAL EM (LB/HR)	0.223	UNKNOWN					

RECEIVED

OCT 10 1987

STATIONARY SOURCES
 AFCD

COMPLIANCE (3=YES;1=NO)
REV APEN?

3 UNKNOWN
YES

POINT NAME: RAW MATERIALS TRANSFER

PERMIT: GRANDFATHERED
CONTROL EQUIP: TOTALLY ENCLOSED
W/ NEG PRESSURE TO BAGHOUSE
841962 TON/YR
5781 HR/YR

1985 ANNUAL THRUPUT:
OP'NAL SCHED:

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,II,A,1					
HR ALLOW EM		20%					
YR THRUPUT (TONS)	841962						
REFERENCE	3-05-006-12						
EM FACTOR (LB/TON)	0.3						
CONT FACTOR	0.99						
YR ACTUAL EM (TONS)	1.263						
HR ACTUAL EM		0-5%					

COMPLIANCE NA YES

YR ACTUAL EM TOTAL (TONS) 2.105

COMMENTS:

1. FILE NAME: 3_2_85

RECEIVED

OCT 16 1987

STATIONARY SOURCES
APCD

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: UNASSIGNED, 7
 POINT NAME: COAL HANDLING
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

COAL BURNED: 100,900 TONS
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1,a	1,II,A,1					
DESIGN RATE (TON/HR)	13						
HR ALLOW EM (LB/HR)	17.609	20%					
YR THRUPUT (TONS)	100900						
REFERENCE	3-05-010-10	NO INSP					
EM FACTOR (LB/TON)	0.02						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	0.001						
TIME FACTOR (HR/YR)	7896						
HR ACTUAL EM (LB/HR)	.000	UNKNOWN					
COMPLIANCE (3=YES;1=NO)	3	UNKNOWN					
REV APEN?	NO						

COMMENTS:
 1. FILE NAME: 3_3_85

RECEIVED
 OCT 16 1987
 STATIONARY SOURCES
 APCD

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: 4
 POINT NAME: QUARRIES
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIP: NONE

ROCK BLASTED: 841962 TONS
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC	1,III,2,d					
DESIGN RATE							
HR ALLOW EM		20% and					
		NO OFFPROP					

YR THRUPUT (TONS)	841962	
REFERENCE	3-05-020-09	INSP
EM FACTOR (LB/TON)	0.16	
CONT FACTOR	0	
YR ACTUAL EM (TONS)	67.357	

HR ACTUAL EM	UNKNOWN
--------------	---------

COMPLIANCE	NA	UNKNOWN
REV APEN?		NO

COMMENTS:
 1. FILE NAME: 3_4_85

RECEIVED
 OCT 16 1987
 STATIONARY SOURCES
 APCD

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: 05
 POINT NAME: SITE FUGITIVE DUST
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: NONE
 CONTROL: FREQ WATER
 49000 VMT
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	NO SPEC 1,III,D,2,e						
DESIGN RATE							
HR ALLOW EM	NO OFFPROP						
YR ALLOW EM							

YR THRUPUT (VMT)	49000	
REFERENCE	3-05-020-11	INSP
EM FACTOR (LB/VMT)	52	
CONT FACTOR	0.5	
YR ACTUAL EM (TON)	637	

HR ACT EM	NO OFFPROP
-----------	------------

COMPLIANCE	NA	YES
REV APEN?		

COMMENTS:

1. FILE NAME: 3_5_86
2. 5 TRUCKS; 824 MILES/TRUCK/MO
 (OBTAINED FROM EARLIER ANNUAL INSP)
3. A MORE ACCURATE EMISSION FACTOR FOR
 UNPAVED HAUL ROADS WILL HAVE TO BE
 CALCULATED ON SUBSEQUENT INSP.

RECEIVED
 OCT 16 1987
 STATIONARY SUBMMS
 AF98

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-5-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: 06
 POINT NAME: LIMESTONE DRYER
 (AND RAW MTLG GRINDING)

PERMIT: C-12,444(1) MOD
 CONTROL EQUIP: BAGHOUSE

NSPS REG?: YES: 6,8,1V

NESHAPS REG?: NO

PSD REG?: NO

1985 ANNUAL THRUPUT:

CLINKER PRODUCED: 444,808 TONS
 CEMENT PRODUCED FROM LYONS CLINKER: 422,593 TONS (EST)
 GAS BURNED: 52,103,000 SCF
 #2 OIL BURNED: 0
 COAL BURNED: 4,005 TONS
 6198.5 HR/YR

OP'NAL SCHED:

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	C-12,444(1)	1,II,A,1	NO SPEC	C-12,444(1)	C-12,444(1)	C-12,444(1)	NO SPEC
DESIGN RATE (TON/HR)		150					
YR LIMESTONE LIMIT (TON)		717000					
YR COAL LIMIT (TON)		7446					
YR NAT GAS LIMIT (10E6 SCF)		50					
HR ALLOW EM (LB/HR)		13.9	20%	0.9	23.3	23.9	
YR ALLOW EM (TON/YR)		33.2		2.23	55.8	57.3	
ALLOW EM (LB/10E6 BTU)						1.2	

YR THRUPUT LIMESTONE (TON)	841962	
YR THRUPUT (TONS CEMENT PROD)	422593	
REFERENCE	3-05-006-13	INSP
EM FACTOR (LB/TON)	64	
CONT FACTOR	0.999	
YR ACTUAL EM (TON)	13.523	

RECEIVED

OCT 16 1987

		STATIONARY SOURCES			
YR THRUPUT (10E6 SCF GAS BURNED)	52.103	52.103	52.103	52.103	52.103
REFERENCE	1-02-006-01	SAME	SAME	SAME	SAME
EM FACTOR (LB/10E6 SCF)	3	1.4	40	550	0.6
CONT FACTOR	0.999	0	0	0	0
YR ACTUAL EM (TON)	.000	0.036	1.042	14.328	0.016
BTU VALUE (BTU/SCF)					1050
YR HEAT INPUT (10E6 BTU/YR)					54708.15

YR THRUPUT (TON COAL BURNED)	4005	4005	4005	4005	4005
REFERENCE	3-90-002-01	SAME	SAME	SAME	SAME
EM FACTOR (LB/TON)	0	0	0	0	26
% SULFUR					0.45
CONT FACTOR	0.999	0	0	0	0
YR ACTUAL EM (TON)	0.000	0.000	0.000	0.000	23.429

BTU VALUE (BTU/SCF)
YR HEAT INPUT (10E6 BTU/YR)

1050
4205250

YR ACTUAL EM TOTAL (TONS)
ACT EM (LB/10E6 BTU)

13.523

0.036

1.042

14.328

0.016
.000

TIME FACTOR (HR/YR)
HR ACTUAL EM (LB/HR)

5653

4.784

0%

COMPLIANCE (3=YES;1=NO)

YR LIMESTONE LIMIT

1

YR COAL LIMIT

3

YR NAT GAS LIMIT

1

HR

3

YES

3

3

3

NA

YR

3

3

3

3

LB/BTU

3

REV APEN? (3=YES;1=NO)

1

REFERENCE

3,II,B,2,b,ii

COMMENTS:

1. FILE NAME: 3_6_85
2. % SULFUR FROM 1984 REPORT.
3. EM FACTORS FOR PART, VOC, CO, AND NOX FOR FUELS
ARE NOT PROVIDED IN SCC CODE BOOK.

RECEIVED

OCT 16 1987

STATIONARY SOURCES
AF98

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: UNASSIGNED
 POINT NAME: HOMOGENIZING SILOS
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

784,705 TON MTL
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1,b	1,II,A,1					
DESIGN RATE (TON/HR)	120						
HR ALLOW EM (LB/HR)	37.236	20%					

YR THRUPUT		
REFERENCE		INSP
EM FACTOR	NONE ID'D	
CONT FACTOR		
YR ACT EM		
TIME FACTOR		
HR ACT EM		0%

COMPLIANCE YES
 REV APEN?

COMMENTS:
 1. FILE NAME: 3_7_85

RECEIVED

OCT 16 1987

STATIONARY SOURCES
 APCD

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SM PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: UNASSIGNED, 08
 POINT NAME: A-FRAME AND
 CLINKER STORAGE
 1985 ANNUAL THRUPUT:

PERMIT: A-FRAME: NONE
 OUTSIDE: 84B0369F
 CONTROL EQUIP: NONE
 A-FRAME: 30,000 TONS
 OUTSIDE: 40,000 TONS
 24HRS/7DAY/52WKS/YR=8760HR/YR

OP'NAL SCHED:

POLLUTANT REGULATION	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
	84B0369F	1,II,A,1					
		1,III,D,2,c					

LOADOUT DESIGN RATE (TON/HR)	100
MAX OUTSIDE STORAGE (TON)	120000
HR ALLOW EM (LB/HR)	12.33 20% & NO OFF PROP
YR ALLOW EM (TON/YR)	10.2

OUTSIDE PILES	
YR THRUPUT (TON)	40000
REFERENCE	INSP
EM FACTOR (LB/TON)	0.1
CONT FACTOR	0
YR ACTUAL EM (TON/YR)	2
TIME FACTOR (LB/YR)	8760
HR ACTUAL EM (LB/HR)	0.457 <20% & NO OFF PROP

COMPLIANCE (3=YES;1=NO)	
OUTSIDE STORAGE LIMIT	3
HR	3
YR	3
	NO YES

REV APEN?

COMMENTS:

1. FILE NAME: 3_8_85
2. TRANSFER OF MTL BY FRONTLOADER INTO OUTSIDE HOPPER NOT OBSERVED

RECEIVED

OCT 16 1987

**STATIONARY SOURCES
APCD**

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-5-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HR
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HR
 EIS: HR

EIS POINT ID: 09
 POINT NAME: KILN STACK
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:

PERMIT: C-12,444(2)
 CONTROL EQUIP: BAGHOUSE

KILN FEED: 784,705 TONS
 CLINKER PRODUCED: 444,808 TONS
 CEMENT PRODUCED FROM LYONS CLINKER: 422,593 TONS (EST)
 COAL BURNED: 96,895 TONS (0.45% SULFUR; 5.63% ASH; 10,686 BTU/LB)
 #2OIL BURNED: 115,109 GAL (0.41% SULFUR (1983 FIGURE); 143000BTU/GAL)
 GAS BURNED: 72,372,000 SCF (991 BTU/SCF)
 7522.5 HR/YR

OPERATIONAL SCHEDULE:

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	C-12,444(2)	1,II,A,1	NO SPEC	NO SPEC	NO SPEC	C-12,444(2)	
DESIGN RATE (TON/HR)	102						
HR ALLOW EM (LB/HR)	27	20%					
YR ALLOW EM (TON/YR)	102					851	
ALLOW EM (LB/TON FEED TO KILN)	0.3						
ALLOW EM (LB/10E6 BTU)						1.2	

YR THRUPUT (TONS OF CEM PROD)	422593			422593	422593
REFERENCE	3-05-006-06	INSP		3-05-006-06	3-05-006-06
EM FACTOR (LB/TON)	245		0	0	2.6
CONT FACTOR	0.999				0
YR ACTUAL EM (TONS)	51.768				549.371
					538.806

TIME FACTOR (HRS/YR)	7522.5	
HR ACTUAL EM (LB/HR)	13.763	0%

KILN FEED (TON)	784705
ACTUAL EM (LB/TON FEED TO KILN)	0.132

YR THRUPUT (TONS COAL BURNED)	
REFERENCE	
EM FACTOR (LB/TON)	
XS	
CONT FACTOR	
YR ACTUAL EM (TON)	
BTU VALUE (10E6 BTU/TON)	
YR HEAT INPUT (10E6 BTU)	

YR THRUPUT (10E3 GAL BURNED)	
REFERENCE	

RECEIVED

OCT 16 1987

STATIONARY SOURCES

APCD 96895
 3-90-002-01
 26
 0.45
 0.75
 141.709
 21.372
 2070839.94

115.109
 3-90-004-02

EM FACTOR (LB/10E3 GAL)			108
XS			0.41
CONT FACTOR			0.75
YR ACTUAL EM (TON)			0.637
BTU VALUE (10E6 BTU/GAL)			0.143
YR HEAT INPUT (10E6 BTU)			16460.587

YR THRUPUT (10E6 SCF BURNED)			72.372
BTU VALUE (BTU/SCF)			991
YR HEAT INPUT (10E6 BTU)			71720.652

YR ACT EM TOTAL (TONS)	51.768	549.371	681.152
------------------------	--------	---------	---------

YR HEAT INPUT TOTAL (10E6 BTU)		2159021.179	
YR ACTUAL EM (LB/10E6 BTU)		0.631	

COMPLIANCE (3=YES;1=NO) YR	3	YES	3
HR	3		NA
FEED	3		NA
BTU	NA		3

REV APEN? (3=YES;1=NO)	1		1
REFERENCE	3,II,8,2,b,ii		3,II,8,2,b,iv

COMMENTS:

1. FILE NAME: 3_9_85
2. USED PREVIOUS YEARS' DATA ON SULFUR, ASH, AND HEAT CONTENTS.
3. EM FACTORS FOR PART, NOX, VOC, AND CO FOR FUELS ARE NOT PROVIDED IN ACC CODE BOOK.

RECEIVED

OCT 16 1987

**STATIONARY SOURCES
AP00**

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: 10
 POINT NAME: FINISHED PRODUCTS
 SILOS

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:

TOTAL CEMENT PRODUCED: 422,5930 TONS

OP'NAL SCHED:

24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1,b	1,II,A,1					
DESIGN RATE (TON/HR)	85						
HR ALLOW EM (LB/HR)	35.237	20%					
YR THRUPUT (TONS)	422593						
REFERENCE	3-05-006-19	INSP					
EM FACTOR (LB/TON)	0.24						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	0.051						
TIME FACTOR (LB/YR)	7896						
HR ACTUAL EM (LB/HR)	0.013	0%					
COMPLIANCE (3=YES;1=NO)	3	YES					
REV APEN?	NO						

COMMENTS:
 1. FILE NAME: 3_10_85

RECEIVED

OCT 16 1987

**STATIONARY SOURCES
 APGD**

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: 11
 POINT NAME: MILL BUILDING
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

TOTAL CEMENT PRODUCED: 422,593 TONS
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1,b	1,II,A,1					
DESIGN RATE (TON/HR)	85						
HR ALLOW EM (LB/HR)	35.237	20%					
YR THRUPUT (TONS)	422593						
REFERENCE	3-05-006-17	INSP					
EM FACTOR (LB/TON)	32						
CONT FACTOR	0.999						
YR ACTUAL EM (TONS)	6.7615						
TIME FACTOR (HR/YR)	7896						
HR ACTUAL EM (LB/HR)	1.713	0%					
COMPLIANCE (3=YES;1=NO)	3	YES					
REV APEN?	NO						

COMMENTS:
 1. FILE NAME: 3_11_85

RECEIVED

OCT 16 1987

**STATIONARY SOURCES
 APCD**

AIR POLLUTION CONTROL COMPLIANCE DETERMINATION WORKSHEET

SOURCE NUMBER: 3
 SOURCE NAME: SW PORTLAND CEMENT CO
 LOCATION: LYONS
 COUNTY: BLDR 0220
 CONTACT: SAM ANGELO
 TELEPHONE: 534-4206
 DATE: 8-6-86
 TIME: 1:45 - 3:45 PM

INSPECT TYPE: ANNUAL
 ACTION TYPE: 12
 INSPECTOR: G. MATHEWS
 HRS REQUIRED: HRS
 PREPARATION: HRS
 TRAVEL: HR
 INSPECTION: HRS
 WRITE UP: HRS
 EIS: HR

EIS POINT ID: UNASSIGNED,13
 POINT NAME: SILICA SILOS
 NSPS REG?: NO
 NESHAPS REG?: NO
 PSD REG?: NO
 1985 ANNUAL THRUPUT:
 OP'NAL SCHED:

PERMIT: GRANDFATHERED
 CONTROL EQUIP: BAGHOUSE

10,550 TONS
 24HRS/7DAY/47WKS/YR=7896HR/YR

POLLUTANT	PART	OPACITY	VOC	CO	NOX	SOX	LEAD
REGULATION	1,III,C,1,a	1,II,A,1					
DESIGN RATE (TONS/HR)	4						
HR ALLOW EM (LB/HR)	8.480	20%					
YR THRUPUT (TONS)	8627						
REFERENCE		INSP					
EM FACTOR	NONE ID'D						
CONT FACTOR							
YR ACTUAL EM (TONS)							
TIME FACTOR (HR/YR)							
HR ACTUAL EM (LB/HR)		0%					
COMPLIANCE	UNKNOWN	YES					
REV APEN?		NO					

COMMENTS
 1. FILE NAME: 3_12_85

RECEIVED

OCT 16 1987

STATIONARY SOURCES
 APCD

SW PORTLAND CEMENT CO., SOURCE 3
1985 EMISSION INVENTORY

EIS PT ID	NAME	POLLUTANT(TONS)		SOX	VOC	CO	NOX	LEAD
		PART						
01	CLINKER COOLER	0.222						
02 (UNASSIGNED)	RAW MTL CRUSHERS	2.105						
03 (UNASSIGNED)	COAL HANDLING	0.001						
04	QUARRIES	67.357						
05	SITE FUG DUST	637.000						
06	LIMESTONE DRYER	13.523	0.016	0.036	1.042	14.328		
07 (UNASSIGNED)	HOMOGENIZING SILOS							
08 (UNASSIGNED)	A-FRAME & CLINKER STORAGE	2.000						
09	KILN STACK	51.768	681.152				549.371	
10	FIN PRODUCTS SILOS	0.051						
11	MILL BUILDING	6.762						
12 (UNASSIGNED)	SILICA SILOS							
	TOTAL	780.789	681.168	0.036	1.042	563.699		

COMMENTS:

1. FILE NAME: SWPC_84
2. SITE FUGITIVE DUST CALCS ARE QUESTIONABLE.

RECEIVED

OCT 16 1987

**STATIONARY SOURCES
APCC**