



HRA - Visual Resources | Tutorial

VRA Core 4 XML Transform Tool – Desktop Installation

Contents

1. Intr	oduction	3
2. Pre	erequisites	3
2.1.	Supported Systems	3
2.2.	Downloading Java Runtime Environment	3
2.3.	Downloading the installer	3
	3.1. Excursus: Certificate	
3. Ins	tallation	5
4. Ru	nning the Transform Tool	11
4.1.	Starting eXist-db	11
4.2.	Starting the Transform Tool	13
5. Co	ntact and further information	17

1. Introduction

Besides using the VRA Core XML Transform Tool online at http://kjc-ws2.kjc.uni-heidelberg.de:8081/exist/apps/csv2xml/index.xq it is also possible to install it on a personal computer. We created a package that installs all necessary components together with the tool.

2. Prerequisites

We deploy the Transform Tool together with the open-source eXist-db (http://exist-db.org/). It runs with **Version 3** (currently Version 3.0. RC1).

You can run the tool with a standard eXist-db installation.

2.1. Supported Systems

You need a standard desktop system runing a recent Linux, MacOS, or Windows.

Mobile systems like Android or iOS, or other tablet software are not supported.

2.2. Downloading Java Runtime Environment

To install the tool you will need the free Java Runtime Environment (JRE) in version 1.8 or later. You can download it from http://www.oracle.com/technetwork/java/javase/downloads/ or https://java.com/en/download/.

2.3. Downloading the installer

The installer is an executable .jar (java archive) file and can be downloaded at: https://kjc-sv013.kjc.uni-heidelberg.de/downloads/hra/.

The file will be named by this schema:

"eXist-db-setup-<exist-version>-csv-installer-<transform-tool-version>.jar" with last-modified date, and size.

For example:


eXist-db-setup-3.0.RC1-csv-installer-rc1-9049e7d.jar 01-Mar-2016 14:43 133M

The package will install both, the Transform Tool (currently version 1.0.0) and eXist-db (currently version 3.0 RC1) on your system.

2.3.1. Excursus: Certificate

If your browser shows you a security warning for https://kjc-sv013.kjc.uni-heidelberg.de/downloads/hra/ you need to **add an exception**.






3. Installation

Double-click the installer file. The eXist-db installer opens.




Click "Next".




The recommended installation path on Windows is c:\exist-db. Click "Next".






Use the standard data directory. Click "Next".




Add an admin password if you wish, or just leave it blank. Click "Next".




The standard eXist-db installation already includes some application packages. These will only require about 20 MB additional space on your machine. You can just accept the standard list and click "Next".


Alternatively, you can expand the Apps list and disable individual applications. To run the Transform Tool **you need to install csv2xml**, which is the Transform Tool app.



After selecting apps the next step starts the actual installation, which should not take longer than one to two minutes.




After installation of the database...




The selected applications are installed.






Once this process is finished, click "Next".




The "Processing" will contain a number of messages which usually can be ignored. Click "Next".





Confirm or adjust the shortcut settings, then click "Next".



Congratulations! You have successfully installed eXist-db and the Transform Tool. Click "Quit" to close the installer.


4. Running the Transform Tool

The transform tool is designed for online use. To run it locally, you need a local webserver, which comes with the eXist-db.

4.1. Starting eXist-db

To run the VRA Core 4 XML Transform Tool locally, you first need to start eXist-db.

On your PC, click "Start" and enter "exist" in the search slot.



Click the "eXist-db Database" shortcut.




The database starts with a splash screen and initialises.




On first launch, the apps are installed.





If your local firewall shows a security alert, allow access for "java.exe".




After eXist-db has initialized, it will show an icon In the system tray.

4.2. Starting the Transform Tool

Once eXist-db is running, you can simply open a browser and enter this address:

http://localhost:8080/exist/apps/csv2xml/index.xq

Alternatively, go to the system tray icon of eXist-db and right-click on it.




This opens a context menu. Select "Open dashboard".




The "Dashboard" is the central management interface of eXist-db. It functions like a normal website, just without requiring Internet. Note that the web-address starts with "localhost:8080".

Click the "csv2xml" button to open your local instance of the Transform Tool.



The local instance usually runs at http://localhost:8080/exist/apps/csv2xml/index.xq.





5. Contact and further information

For instructions on how to use the VRA Core 4 Transform Tool please refer to the main <u>user guide on GitHub</u>.

The <u>doc folder on GitHub</u> also contains related user guides (e.g. about how to convert excel data to csv data), the actual transform template (in .xlsx, .csv and .ods formats), and a sample data set.

If you have problems or questions please contact Matthias Arnold at matthias.arnold@uni-hd.de.

Contact details

matthias.arnold@uni-hd.de or arnold@asia-europe.uni-heidelberg.de

Phone: +49 (0) 6221 - 54 4094 Fax: +49 (0) 6221 - 54 4012

Skype: matz-skype

Office address

Karl Jaspers Centre for Advanced Transcultural Studies Room 005b Voßstraße 2, Building 4400 69115 Heidelberg Germany

MediaLab

Karl Jaspers Centre, Room 005c

Further links

Web-Portal of Heidelberg Research Architecture http://hra.uni-hd.de/

Ziziphus VRA Core 4 XML editor: https://github.com/exc-asia-and-europe/ziziphus
Ziziphus - guidelines and help files: http://ziziphus-help.uni-hd.de

MediaLab Tutorials in Sharepoint (internal access) https://sharepoint.urz.uni-heidelberg.de/vjc/kjc/hra/medialab/