

Physics 230 Notes

Lora Ma and Benjamin Kong

February 2, 2020

Contents

1	Electric Charge and Electric Field	1
1.0.1	Electric Charge	1
1.0.2	Electric Field and Electric Forces	2
1.0.3	Electric Field Lines	2
1.0.4	Electric Dipoles	3
2	Electric Potential	4
3	Capacitance and Dielectrics	5
4	Current, Resistance, and Electromotive Force	6
5	Direct-Current Circuits	7
6	Magnetic Field and Magnetic Forces	8
7	Sources of Magnetic Field	9
8	Electromagnetic Induction	10
9	Inductance	11
10	Alternating Current	12
11	Electromagnetic Waves	13

Chapter 1

Electric Charge and Electric Field

1.0.1 Electric Charge

Electromagnetism (EM) affects only charged particles, mainly electrons and protons. All particles have charges that are integer multiples of the elementary charge e such that the charge is given by

$$q = ne, \quad (1.1)$$

where q represents charge (C), n represents an integer, and $e = 1.6022 \times 10^{-19}$ C represents the elementary charge.

Electric charge is conserved. This means that the total charge of any isolated system with no charge moving in or out stays the same – charge is never created or destroyed.

Coulomb's Law states that charges of the same sign repel and charges of the opposite sign attract. Furthermore, the force F produced by charges can be calculated via

$$F = k \frac{q_1 q_2}{r^2}, \quad (1.2)$$

where $k = 9.0 \times 10^9 \frac{\text{Nm}^2}{\text{C}^2}$, q_1 represents the first charge, q_2 represents the second charge, and r represents the separation distance.

The **principle of superposition of forces** is the vector sum of the individual forces

$$F = k \frac{q_1 q_2}{r_{12}^2} r_{12} + k \frac{q_1 q_2}{r_{13}^2} r_{13} = q_1 \vec{E} \quad (1.3)$$

1.0.2 Electric Field and Electric Forces

The **electric field of a point charge** can be calculated using the following

$$\vec{E}(\vec{r}_0) = \frac{kq}{r^2} = \frac{\vec{F}}{q} \quad (1.4)$$

where, q denotes the charge of the point source (C) and r denotes the radial distance of the point charge from the origin.

The **electric field of a group of charges** is the superposition of all the electric forces from all the charges. This can be approximated with volume charge density (ρ) via

$$\vec{E}(\vec{r}_0) = \frac{1}{4\pi\epsilon_0} \int \frac{\rho(\vec{r})(\vec{r}_0 - \vec{r})}{|\vec{r}_0 - \vec{r}|^3} dx dy dz, \quad (1.5)$$

where $\epsilon_0 = 8.854 \times 10^{-12} \frac{C^2}{N \cdot m^2}$, $\rho(\vec{r})$ is the surface charge density, and \vec{r} is the radius.

For a **conductor without current flow**, the charge all resides on the surface. To approximate the electric field, we can use surface charge density $\sigma(\vec{r})$

$$\vec{E}(\vec{r}_0) = \frac{1}{4\pi\epsilon_0} \int \frac{\sigma(\vec{r})(\vec{r}_0 - \vec{r})}{|\vec{r}_0 - \vec{r}|^3} dA, \quad (1.6)$$

If one has a **thin wire** where all the charge resides, with linear charge density $\lambda(\vec{r}) = \frac{dq}{dl}$, where dl is the element of length along the wire, then

$$\vec{E}(\vec{r}_0) = \frac{1}{4\pi\epsilon_0} \int \frac{\lambda(\vec{r})(\vec{r}_0 - \vec{r})}{|\vec{r}_0 - \vec{r}|^3} dl, \quad (1.7)$$

1.0.3 Electric Field Lines

Electric field lines have tangent vectors parallel to the electric field and begin only on positive charges and end only on negative charges, though they can also go to infinity in either direction

1.0.4 Electric Dipoles

An **electric dipole** is a pair of point charges of equal magnitude and opposite sign (a positive charge q and a negative charge $-q$ separated by a distance d).

And **electric dipole moment** is the product of the positive charge q and the displacement d it is separated from the negative charge $-q$,

$$\vec{p} = q\vec{d} \quad (1.8)$$

To approximate the electric dipole of a huge number of elementary charges (total charge is neutral), we can use the volume charge density formula $\rho(\vec{r}) = \rho(x\vec{i} + y\vec{j} + z\vec{k}) = \rho(x, y, z)$ in the following

$$\vec{P} = \int \rho(\vec{r})\vec{r} \, dx \, dy \, dz \quad (1.9)$$

The total force on an electric dipole is just the net force from an external electric field (the electric field from all the other charges that are not part of the electric dipole). This is true for the total torque.

If the electric dipole moment \vec{P} is not parallel to \vec{E} , then the electric field exerts a torque on the dipole which can be calculated using

$$\vec{\tau} = \vec{P} \times \vec{E} \quad (1.10)$$

where, \vec{P} is the electric dipole moment, \vec{E} is the electric field, and the direction of τ is perpendicular to both \vec{P} and \vec{E}

To calculate the potential energy of a dipole, you can use the following

$$U = -\vec{P} \cdot \vec{E} \quad (1.11)$$

To approximate the field of an electric dipole at $r \gg d$ and using binomial expansion, we can use the following

$$\vec{E}(\vec{r}) = \frac{3(\vec{p} \cdot \vec{r})(\vec{r} - \vec{p})}{4\pi\epsilon_0 r^3} \quad (1.12)$$

where $\vec{p} = p \cos(\theta)$, and $\epsilon_0 = 8.854 \times 10^{-12} \frac{\text{C}^2}{\text{N}\cdot\text{m}^2}$

Chapter 2

Electric Potential

Chapter 3

Capacitance and Dielectrics

Chapter 4

Current, Resistance, and Electromotive Force

Chapter 5

Direct-Current Circuits

Chapter 6

Magnetic Field and Magnetic Forces

Chapter 7

Sources of Magnetic Field

Chapter 8

Electromagnetic Induction

Chapter 9

Inductance

Chapter 10

Alternating Current

Chapter 11

Electromagnetic Waves