## 题型

### 系统内置了以下7种题型

编号	名称
1	单选题
2	多选题
3	判断题
4	填空题
5	简答题
6	论述题
7	分析题

## 1.获取所有的章节:

访问地址: www.zhilianit.cn:8080/Portal/question/getAllField?tokenId=123456

#### 参数说明

参数	是否必须	说明
tokenId	是	令牌id

### 返回值说明

# 2.获取某章节下的知识点:

访问地址: www.zhilianit.cn:8080/Portal/question/getKpByFieldId?tokenId=123456&fieldId=2

### 参数说明

参数	是否必须	说明
tokenId	是	令牌id
fieldId	是	表示章节id

#### 返回值说明

```
{"msg":"ok","data":{"16":{"pointId":16,"pointName":"抽象类和接
   口","fieldId":5,"fieldName":"Java基础语
   法","memo":null,"removeable":true,"state":0},"8":{"pointId":8,"pointName":"初
   识Java","fieldId":5,"fieldName":"Java基础语
   法","memo":null,"removeable":false,"state":0},"9":
   {"pointId":9,"pointName":"数据类型与运算符","fieldId":5,"fieldName":"Java基础语
   法","memo":null,"removeable":true,"state":0},"10":
   {"pointId":10, "pointName":"流程控制语句", "fieldId":5, "fieldName":"Java基础语
   法","memo":null,"removeable":true,"state":0},"11":
   {"pointId":11, "pointName": "数组", "fieldId":5, "fieldName": "Java基础语
   法","memo":null,"removeable":true,"state":0},"12":
   {"pointId":12, "pointName":"封装和继承", "fieldId":5, "fieldName":"Java基础语
   法","memo":null,"removeable":true,"state":0},"15":
   {"pointId":15,"pointName":"继承和多态","fieldId":5,"fieldName":"Java基础语
   法","memo":null,"removeable":true,"state":0}}}
2
3
```

## 3.获取某章节下的知识点及试题:

访问地址: www.zhilianit.cn:8080/Portal/question/getQuestionMapByFieldId?tokenId=123456&fieldId=5

#### 参数说明

参数	是否必须	说明
tokenId	是	令牌id
fieldId	是	表示章节id

#### 返回值说明



# 4.获取某知识点下的试题(只含单选题和多选题)

访问地址: www.zhilianit.cn:8080/Portal/question/getQuestionByPointId?tokenId=123456&pointId=22

## 参数说明

参数	是否必须	说明
tokenId	是	令牌id
pointld	是	表示知识点id

### 返回值说明

