

Injections/Infusions

Drugs	Dose	Frequency
1-Diazepam inj (IV or Per Rectal) (10mg/2ml)	IV: 0.3mg/kg/dose Rectal: 0.5mg/kg/dose	Maximum 2 times
2-Phenytoin inj (250mg/5ml) (Given slow IV)	Loading dose: 15-20mg/kg (in 50 ml NS pass through 1½ to 1 hour) Maintenance dose: 5mg/kg/day (in 20 ml NS)	Now After 12 hours from loading dose pass through 1 hour given BD
3-Medazolam inj (IV) (1mg/1ml)	Loading dose: Wt x 0.2mg Maintenance dose: Wt x 0.0 2mg	Now
4-Antihistamine inj (IV / IM) (Chlorphenaramine 10mg/1ml)	Wt x 0.1 Less than 2 years : 2-5 mg From 2 to 5 years: 5 mg More than 5 years: 10 mg	As Required
5-Dexamethasone inj (IV / IM) (4mg/1ml)	In meningitis: Wt x 0.15 (IV or IM) In Croup: Wt x 0.6 IM	6 Hourly for 24 Hours Single Dose
6-Adrenaline inj (IV) (1mg/1ml)	1:1000 given Wt x 0.01 in anaphylactic reactions 1:10:000 in CPR given Wt x 0.1	As required
7-Hydrocortisone inj (IV) (100mg)	5mg/kg/dose	6 Hourly
8-Lasix inj (20mg/2ml)	1-2mg/kg/day	TDS or BD
9-Vitamin K inj (IV/IM) (10mg/1ml)	Prophylactic: 1mg (IM) Therapeutic: 1mg/kg/day	Single dose Once OD 3 to 5 days
10-Vitamin B6 inj (IM/ Slow IV) (100mg/2ml)	Wt x 50	
11-Vitamin B12 inj (IM) (1000mcg/1ml)	Wt x 15-30	-5 Times per week for 2-4 weeks -100mg every month in Pernicious Anemia
12-Ondansetron inj (Slow IV) (4mg/1ml) & (8mg/2ml)	0.1mg/kg/dose	TDS

13-Calcium Gluconate 10% inj (Slow IV)	Loading dose: Wt x 2ml/kg (Diluted in D5% by 1:4 over 1\2 to 1 hour) Maintenance dose: Wt x 5-7	Now Over 24 Hours
14-Paracetamol IV infusion (1g/100ml)	Wt x 1 -1.5 ml	6 Hourly for 24 Hours then PRN
15-Diclofenac sodium(votrex) inj IM (75mg/3ml) *given for >6 months baby	Wt x 1 mg	TDS or BD
16-Benzyl Penicillin inj (IV) (1 million IU)	<6 months: 1\4 million IU 6 months to 2 years: 1\2 IU Over 1 year : 1 million IU	6 Hourly
17-Benzathine Penicillin inj (IM) (1.2 million IU / 2.4 million IU)	<7 years old: 600 IU >7 years old: 1200 IU Adult dose: 2400 IU	-Every 3 weeks in RHD If with Amoclan given every 4 weeks -Single dose in Bacterial Pharyngitis
17-Ampicillin inj (IV / IM) (500mg)	25mg/kg/dose	6 Hourly or TDS
18-Gentamycin inj (IV /IM) (80mg/2ml) or (40mg/1ml)	Wt x 2.5/dose Wt x 7.5/day	TDS OD
19-Vancomycin inj (IV) (500mg/1g)	10-15 mg/kg/dose (in 20-50 ml D5%+1\2NS) through half to 1 hour	BD TDS TDS
20-Aresunate inj (IV) (30mg/60mg/120mg)	Less than 20Kg: Wt x 3 More than 20Kg: Wt x 2.4	Every 12 Hours for 3 doses then 24 hourly to complete 7 doses (according to response).
21-Quinine inj (IV) (600mg/2ml)	10mg/kg/dose In D10% (1:1 ratio)	TDS
22-Acyclovir inj (IV) (250mg)	10mg/kg/dose (In 50-100 ml of D5%+1\2 NS in 1 hour)	TDS for 7 days
23-Cefotaxime inj (IV / IM) (500mg/1g)	50mg/kg/dose Meningitis: 100mg/kg/dose	TDS BD in neonate
24-Ceftriaxone inj (IV) (Samixon) (500mg/1g)	50mg/kg/dose In SCA: 80mg/kg/dose In Meningitis: Wt x 100 (In 100 ml D5%+1\2 NS through half to 1 hour)	OD (BD if dose is more than 1g)
25-Cefuroxime inj (IV /IM) (Maxil) (750mg/1.5g)	30mg/kg/dose	TDS
26-Ceftazidime inj (IV/IM) (Fortum)(500mg/1g)	30 to 50 mg/kg/dose	BD or TDS

27-Aminophylline inj (IV) (25mg/1ml)	Loading dose: 5mg/kg (Direct) Maintenance dose: 2mg/kg (In 20 ml NS pass through half and 1 hour)	Now Every 12 Hours
28-Mg Sulphate Inj (IV)	25 to 50 mg/kg/dose	
29-Ani Tetanus Inj (IM) (Tetanus toxoid)(Prophylactic)	50.000 - 100.000 U	One time (after sensitivity test)
30-Tetanus IG (IM) (500mg)(Theraputic)	Single dose	One time
31-AntiVenoum Inj (IV)	5 Vials in 500ml of NS Over 4 Hours	
32-AntiRabies (IM)	5 doses	1 st dose 2 nd dose= 3 rd day 3 rd dose= 7 th day 4 th dose= 14 th day 5 th dose= 28 th day
33-Metronidazole IV infusion	7.5 mg/kg/dose	TDS
34-Streptomycin Inj (IM)	40mg /kg/ day	OD
35-Desferroxamine mesilate SC Infusion	15mg/kg/hour	
36-Morphine Inj(IM/SC) (10mg/1ml)	0.1 to 0.2mg/kg/dose	OD
37-Meropenem (IV) (500mg/1g)	20mg/kg/dose In Meningitis: 40 mg/kg/dose	TDS
38-Mannitol IV Infusion (200mg/1ml)	0.25mg/kg/dose	One time then increased gradually as required
39-Amikacin Inj (IV) (500mg/2ml)	10mg/kg/day	

Syrups/Suspensions

Drugs	Dose	Frequency
1-Paracetamol Syrup 120mg	Wt x 0.4 or Wt /2	4 to 6 Hourly
2-Mefenamic Acid 50mg Syrup (given for baby >6 moths old)	(Wt/2)+1 ml	TDS
3-Ibuprofen Syrup 100mg	Wt /2	6 to 8 Hourly
4-Balsam cough Syrup	Wt /4	TDS for 5 days
5-Histalix PD/ Amilyn PD/ Prospan cough syrups	1 to 5 years: 2.5 cc More than 5 years: 5 cc	TDS for 5 days
6-Pulmocare/Ambolar/ Solvexin/Bronchophane Syrups	<2 years: 1.5 cc 2 to 5 years: 2.5 cc >5 years: 5 to 10 cc	TDS for 5 days
7-Amoxicillin Syrup 125mg 250mg	Wt /2 Wt /4	TDS for 7 days
8-Amoclan Syrup 200mg 400mg	Wt /2 Wt /4	BD for 7 days
9-Ampiclox 250mg suspension	Wt /4	6 Hourly for 7 days
10-Azithromycin 200mg Suspension	Wt /4	OD for 3 days
11-Erythromycin Syrup 125mg 250 mg	Wt /2 Wt /4	BD for 3 days
12-Clarithromycin Syrup 125mg 25mg	Wt x 0.6 Wt x 0.3	BD for 7 days
13-Cefoclor Syrup 125mg 250 mg	Wt /2 Wt /4	BD for 7 days or 10 days
14-Cefexime 100mg Suspension	Wt x 0.4	OD or BD for 6 days
15-Cefalixin Syrup 125mg 250 mg	Wt /2 Wt /4	BD for 5 or 7 days
16-Cefpodoxime Syrup 50mg (Cefedox) 100 mg	Wt /2 Wt /4	OD
17-Ketofen Syrup	<5 years old: 2.5 cc >years old: 5 cc	BD for 5 days
18-Antihistamine Syrup 5mg	Wt x 0.1	OD for 5 days
19-Salbutamol Syrup 2 mg	Wt x 0.3	TDS
20-Metronidazole 200 mg Syrup	7.5mg/kg/dose (1ml=40mg)	TDS for 7 days

21-Zinc Sulphate Syrup	< 1 year old: 2.5 cc > 1 year old: 5 cc	BD for 14days
22-Lactulose 10mg Syrup	0.5 mg /kg	BD
23-Ferrus Sulphate syrup (Saferron)	Prophylactic: 0.3 x Wt Therapeutic: 0.6 x Wt	OD for 3 months
24-Hematin Syrup	Prophylactic: 0.3 x Wt Therapeutic: 0.6 x Wt	OD or 3 months
25-Dexamethasone (Orazone)	0.2 to 0.3mg/kg /day (Wt/2)	6 Hourly
26-Mebendazole 100mg Syrup (Vermox)	> 2 years: 100mg	BD for 3 days Then repeat after 2 weeks
27-Albendazole 100mg Syrup	15mg /kg (Wt x 0.7)	Single dose
28-Co-Trimoxazole240mg Syrup (Septtrin)	10-40mg/kg (Wt x 0.8)	TDS
29-Carbamazepine syrup (Tegretol)	Initially 5mg/kg once daily then increased in steps as required.	
30-Acyclovir 200mg Syrup	Wt/4	TDS for 7 days
31-Domepridone Syrup	Wt/4	TDS

Oral / Ear / Eye/ Nasal Drops

Drugs	Dose
1-Adol 100mg/ml Oral drop (Paracetamol)	6 Hourly then PRN
2-Fungistatin 100,000 IU Oral drop (Nystatin)	QDS for 4 to 7 days
3-Infa D 1000 IU Oral Drop (Vitamin D3)	Routine Prophylactic dose: Term: 400-600 IU (0.5 cc) Pre-term: 700-1000 IU (1 cc)
4-Riabal 7.5mg/5ml Oral Drop (Prifinium Bromide)	TDS for 3 days
5-Disflatyl/ Infacon/ Greenzyme 40mg/ml Oral drop (Simethicone)	<2 years old: 20mg 6 Hourly >2 years old: 40mg 6 Hourly
6-Foliclap Oral Drop (Folic Acid)	1-6 months old: (6 drops) 7 months-1 year old: (8 drops) >1 year old: (15 drops) OD for 3 to 9 months
7-Ivylex Oral drop (Herbal anti cough)	<1 year old: 0.5ml(7drops) >1 year old: 1ml (15 drops)
8-Miniguava Oral drop (Herbal anti cough)	<1 year old: 0.5ml(7drops) >1 year old: 1ml (15 drops)
9-Fer-Sol 0.2mg/ml Oral drop (Iron3 hydroxide polymaltose complex)	OD for 3 to 9 months
10-Candid 1% Ear drop (Clotrimazole)	TDS for 5 to 7 days
11-Apigen Ear/ Eye drop (Gentamycin)	TDS for 5 to 7 days
12-Sodium Bicarbonate Ear drops	TDS for 3 to 5 days
13-Ciprofloxacin 0.3% Eye drops	BD for 5 to 7 days
14-Isomephenicol 0.5% Eye drops (Chloramphenicol Na succinate)	BD for 5 days
15-Diclogesic 0.1% Eye drops (Diclofenac Sodium)	For Children more than 7 years old: BD for 3 days

Tablets / Capsules

Drugs	Dose	Frequency
1-Paracetaamol 250mg tabs 500mg	10-15mg/kg/dose	6 Hourly Then PRN
2-Ibuprofen 200mg 400mg	10mg/kg/dose	BD or TDS
3-Mefenamic Acid 250mg tabs 500mg	10mg/kg/dose	BD or TDS
4-Aspirin 75mg tabs 100mg 300mg	30 to 80mg/Kg/day	As Required
5-Prednisolone 5mg tabs	1 -2 mg/Kg/day	As Required
6-Amoclan 375mg caps 625mg 1 g	80 to 90 mg/kg/day	BD for 7 days
7-Amoxicillin 250mg Caps 500mg	80 mg/kg/day	TDS for 5 or 7 days
8-Azithromycin 250mg Tabs/Cap 500mg	10mg/Kg/dose	OD for 3 or 5 days
9-Cefaclor 250mg caps 500mg	20 to 40mg/kg/day	BD for 10 days
10-Cefalexin 250mg caps 500mg	25 to 50mg/kg/day	6 Hourly for 5 or 7 days
11-Cefixime 200mg caps 400mg	8mg/kg/dose	OD for 5 or 6 days
12-Cefuroxime 250mg tabs 500mg	For children more than 14 years old: 30mg/kg/day	BD for 10 days
13-Cefadroxil 500 Caps	30mg/Kg	OD or BD for 10 days
14-Cefpodoxime 100mg tabs 200mg	10m/kg/day	BD for 5 to 10 days
15-Acyclovir 200mg tabs 400mg	20mg/Kg/dose	TDS for 5 to 7 days
16-Metronidazole 250mg tabs 500mg	7.5 mg /Kg/dose	TDS for 5 to 10 days

17-Artemether/Lumefantrine (Coartem) 20/120mg tabs 40/480mg	(Pediatric dose): <5 kg: 0.5 tab 5-14kg : 1 tab 15-24kg: 2 tabs 25-34kg: 3 tabs >35 kg : 4 tabs	Now then after 8 hours Then after 24 hours from first dose Then every 12 hours
18-DHAP 20/160mg tabs 40/320mg	(Pediatric Dose): <5 kg: 0.25 tab 5 to 7 kg: 0.5 tab 8-12 kg: 1 tab (Adult dose): 13- 22 kg: 1 tab 23-35 kg: 2 tabs 36-74 kg: 3 tabs >75 kg: 4 tabs	OD for 3 days
19-Primaquine 7mg tabs 15 mg	0.25/kg/dose	OD for 2 weeks
20-Quinine 300 mg tabs	10/kg	TDS for 5 to 7 days
21-Mebendazole 100mg tabs	For children more than 2 years old	BD for 3 consecutive days
22-Albendazole 200mg tabs	For children more than 12 months old	Single dose on Empty Stomach
23-Secnidazole 500mg tabs (Senagyl)	For Children more than 2 years old	OD for 4 days
24-Praziquantil 600mg tabs	Children >4 years old 40mg/kg/dose In H.nana: 20mg/kg	One dose or 3 times over One day
25-Omeprazole 20mg tabs 40mg	1 mg/kg/dose	OD on Empty stomach or before meal by half an hour.
26-Pantoprazole 20mg tabs 40mg	For children more than 5 years old: initially 20mg	OD on Empty stomach or before meal by half an hour.
27-Folic Acid 5mg tabs	(0.2mg/kg/day) < 1year old: 0.5 tab >1 year old: 1 tab	OD
28-Furosemide 40 mg tabs (Lasix)	1 to 2 mg/kg	As required
29-Spironolactone 25mg tabs (Aldactone) 50mg 100mg	Initially 1-3mg/kg then increased as required	BD

30-Phenobarbitone 30 mg tabs	Loading Dose: 15-20 mg/kg Maintenance Dose: 5mg/kg/day	BD then doses Adjusted according to response
31-Na Valproate 200mg tab (Epilim) 500mg	Neonate to 11 years old: Initially 10-20mg/kg 12-17 years old: Initially 600mg daily	BD Then dose increased according to response
32-Hydroxyurea 500mg caps (Described first by specialist)	15-20 mg/kg then increased according to response	OD

References:

- 1- BNF for Children 2022-2023
- 2- Dr.Almubasher Handout (Therapeutic Doses)
- 3- Dr.Ahmed Alwasila Index

Prepared And Done by:

(د. عهود مامون الفكي (طبيبة إمتياز - وحدة د.حاتم قنديل الطاهر

Revised And Approved by:

د. عبير عامر (إختصاصي طب و صحة الطفل- مستشفى أبو سعد للأطفال)
 د. الماحي عثمان محمد (نائب إختصاصي طب الأطفال- مستشفى جعفر بن عوف)